


THE  
REGISTRAR-GENERAL'S  
STATISTICAL REVIEW  
OF  
ENGLAND AND WALES  
FOR THE YEAR  
1931

---

(New Annual Series, No. 11)

TABLES. PART I. MEDICAL

*Crown Copyright Reserved*



LONDON

PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses  
Adastral House, Kingsway, London, W.C.2 ; 120, George Street, Edinburgh 2  
York Street, Manchester ; 1, St. Andrew's Crescent, Cardiff  
15, Donegall Square West, Belfast  
or through any Bookseller

1932

Price 6s. od. Net.





# TABLE OF CONTENTS.

## PART I.—Medical.

	Page
Table 1. Estimated Population by Sex and Age, Mid Year 1931. England and Wales .. .. .	1
Table 2. Estimated Resident Populations by Sex and Age, Mid Year, 1931. Geographical Regions and Certain Aggregates .. .. .	2
Table 3. Deaths, Death-rates, Ratio of Male to Female Mortality and Infant Mortality, 1838–1931. England and Wales	3
Table 4. Deaths Registered and Death-rates in each Quarter, 1838–1931. England and Wales .. .. .	5
Table 5. Death-rates at All Ages (Standardized) and at Age Groups. Infant Mortality, 1838–1931. England and Wales .. .. .	6
Table 6. Deaths from Various Causes, Males and Females, 1921–1931. England and Wales .. .. .	9
Table 7. Crude Death-rates from Certain Causes, Males, Females and Persons, 1921–1931. England and Wales ..	25
Table 8. Standardized Death-rates from Certain Causes, 1921–1931. England and Wales .. .. .	39
Table 9. Death-rates from principal Epidemic or General Diseases, 1851–1931. England and Wales.. ..	43
Table 10. Crude Death-rates from the principal Epidemic Diseases and from certain other causes, Infant Mortality, 1930 and 1931. Administrative Counties and County Boroughs .. .. .	44
Table 11. Deaths of Infants from Certain Causes, 1921–1931. England and Wales .. .. .	50
Table 12. Infant Mortality from Certain Causes, 1921–1931. England and Wales .. .. .	51
Table 13. Deaths at Various Periods in the First Year of Life, 1931 and the Four Quarters thereof. England and Wales and Geographical Regions .. .. .	52
Table 14. Infant Mortality by Sex, Age, Cause and Legitimacy, 1931. England and Wales, and Aggregates of County Boroughs, Urban Districts and Rural Districts ..	53
Table 15. Infant Mortality from Certain Causes, 1931. England and Wales and Geographical Regions .. ..	64
Table 16. Infant Mortality by Legitimacy and Age, 1931. England and Wales, Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County .. .. .	66



	Page
Table 17. Population, Births, Deaths, Infant Mortality, Natural Increase, 1931. Geographical Regions and all Administrative Areas .. .. .	70
Table 18. Stillbirths by Sex and Legitimacy, 1931. Geographical Regions, County Boroughs, and Aggregates of Urban and Rural Districts in each Administrative County ..	121
Table 19. Deaths at each year of Age, 1931. England and Wales	124
Table 20. Deaths at Different Ages, 1931. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County ..	125
Table 21. Deaths by Cause at different Age periods, 1931. England and Wales .. .. .	142
Table 22. Deaths by Cause at Ages under five, 1931. England and Wales .. .. .	169
Table 23. Deaths by Month of Occurrence and by Cause, Jan.-Sept., 1931. England and Wales .. .. .	173
Table 24. Deaths by Abridged List of Causes, Sex and Age, 1931. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County .. .. .	189
Table 25. Violent Deaths by Sex and Age and form of Violence, 1931. England and Wales .. .. .	331
Table 26. Case-rates (Notifications) of Certain Infectious Diseases, 1921-1931. England and Wales and certain Aggregates .. .. .	343
Table 27. Seasonal Incidence of Certain Infectious Diseases, 1931. England and Wales .. .. .	346
Table 28. Cases of Certain Infectious Diseases Notified, 1921-1931. England and Wales .. .. .	347
Table 29. Cases of Infectious Diseases Notified and certain Attack-rates, 1931. Geographical Regions and all Administrative Areas .. .. .	350
Appendix A. Estimated Mid Year Populations of Areas in which changes of boundary occurred during the Year 1931 .. .. .	393
Appendix B. Deaths by Month of Occurrence and by Cause, Oct.-Dec., 1930. England and Wales .. .. .	394
Appendix C. Changes in the International List of Causes of Death (Fourth Revision, 1929), as adapted for use in England and Wales from 1931 onwards ..	401

General Register Office,  
Somerset House,  
London, W.C.2.





Table 30. Air Temperature, Rainfall and Sunshine 1931.	
England and Wales .. .. .	392a
Table 31. Meteorological Elements, Greenwich, 1882-1931 ..	392b
Table 32. Quarterly Meteorological Elements, Greenwich, 1931	392d



TABLE 1. ESTIMATED POPULATION BY SEX } { England and Wales.  
AND AGE. MID-YEAR, 1931.

Age.	Persons.	Males.	Females.
All ages ..	39,988,000	19,160,000	20,828,000
0— ..	610,650	310,070	300,580
1— ..	596,170	300,560	295,610
2— ..	595,200	300,980	294,220
3— ..	591,510	298,820	292,690
4— ..	611,070	307,970	303,100
0— ..	3,004,600	1,518,400	1,486,200
5— ..	3,318,600	1,675,800	1,642,800
10— ..	3,214,300	1,623,500	1,590,800
15— ..	3,435,900	1,722,200	1,713,700
20— ..	3,555,300	1,781,500	1,773,800
25— ..	3,370,500	1,656,900	1,713,600
30— ..	3,008,300	1,378,200	1,630,100
35— ..	2,822,000	1,274,800	1,547,200
40— ..	2,649,900	1,205,800	1,444,100
45— ..	2,561,800	1,176,200	1,385,600
50— ..	2,375,100	1,100,800	1,274,300
55— ..	2,129,800	1,011,200	1,118,600
60— ..	1,685,600	791,300	894,300
65— ..	1,232,600	566,000	666,600
70— ..	822,700	360,900	461,800
75— ..	493,600	206,100	287,500
80— ..	216,200	79,200	137,000
85 and up	91,200	31,200	60,000



TABLE 2. ESTIMATED RESIDENT  
POPULATIONS BY SEX AND AGE,  
MID-YEAR, 1931.

} { England and Wales; Geographical  
Regions; Aggregates of County  
Boroughs, Other Urban Districts  
and Rural Districts.

*NOTE.—The areas to be distinguished in this table are those shown on the first page of Table 17, but the figures, which are to be based on the sex and age distribution at the 1931 Census, are not yet available.*



TABLE 3. DEATHS, DEATH-RATES, RATIO OF MALE TO FEMALE } England and Wales.  
MORTALITY AND INFANT MORTALITY, 1838-1931.

Period.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1838-1931	†45,465,943	23,328,514	22,137,429	17·7	18·8	16·6	17·1	18·4	15·8	1,163	134	—	—
1841-1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	21·6	22·5	20·7	1,085	153	—	—
1851-1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	21·2	22·1	20·3	1,092	154	—	—
1861-1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	21·3	22·6	20·2	1,119	154	—	—
1871-1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	20·3	21·8	19·0	1,150	149	—	—
1881-1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	18·6	20·0	17·3	1,154	142	—	—
1891-1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	18·1	19·5	16·7	1,167	153	—	—
1901-1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	15·2	16·6	13·9	1,190	128	—	—
1911-1920	† 5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	13·5	15·0	12·2	1,230	100	96	194
1921-1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	10·6	11·8	9·6	1,232	72	70	130
1841-1845	1,746,110	885,168	860,942	21·4	22·1	20·6	20·6	21·6	19·8	1,089	148	—	—
1846-1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	22·4	23·4	21·6	1,084	157	—	—
1851-1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	21·7	22·7	20·7	1,097	156	—	—
1856-1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	20·7	21·6	19·9	1,090	152	—	—
1861-1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	21·4	22·6	20·3	1,113	151	—	—
1866-1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	21·2	22·6	20·0	1,130	157	—	—
1871-1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	20·9	22·4	19·5	1,149	153	—	—
1876-1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	19·8	21·3	18·4	1,158	145	—	—
1881-1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	18·7	20·1	17·5	1,151	139	—	—
1886-1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	18·5	20·0	17·2	1,163	145	—	—
1891-1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	18·5	20·0	17·2	1,161	151	—	—
1896-1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	17·6	19·1	16·2	1,178	156	—	—
1901-1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	16·0	17·4	14·6	1,192	138	—	—
1906-1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	14·4	15·8	13·2	1,196	117	113	224
1911-1915	† 2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	13·7	15·1	12·4	1,218	110	105	210
1916-1920	† 2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	13·4	15·1	11·9	1,269	90	85	179
1921-1925	2,336,270	1,189,865	1,146,405	12·2	13·0	11·4	10·9	12·1	9·9	1,223	76	73	140
1926-1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	10·3	11·5	9·3	1,240	68	65	119
1882	516,654	265,767	250,887	19·6	20·7	18·5	18·8	20·2	17·6	1,145	141	—	—
1883	522,997	269,262	253,735	19·6	20·8	18·5	19·0	20·4	17·7	1,153	137	—	—
1884	530,828	273,522	257,306	19·7	20·8	18·5	19·0	20·4	17·7	1,152	147	—	—
1885	522,750	268,305	254,445	19·2	20·3	18·2	18·7	20·0	17·4	1,151	138	—	—
1886	537,276	275,874	261,402	19·5	20·6	18·5	19·0	20·4	17·7	1,155	149	—	—
1887	530,758	272,137	258,621	19·1	20·2	18·1	18·6	20·0	17·3	1,152	145	—	—
1888	510,971	263,294	247,677	18·1	19·2	17·0	17·7	19·2	16·4	1,168	136	—	—
1889	518,353	266,102	252,251	18·2	19·3	17·2	17·9	19·2	16·6	1,159	144	—	—
1890	562,248	290,448	271,800	19·5	20·8	18·3	19·3	21·0	17·8	1,181	151	—	—
1891	587,925	302,494	285,431	20·2	21·5	19·0	20·0	21·7	18·5	1,174	149	—	—
1892	559,684	286,062	273,622	19·0	20·0	18·0	18·8	20·2	17·5	1,158	148	—	—
1893	569,958	291,889	278,069	19·2	20·3	18·1	18·9	20·4	17·6	1,157	159	—	—
1894	498,827	256,015	242,812	16·6	17·6	15·6	16·4	17·7	15·2	1,165	137	—	—
1895	568,997	290,704	278,293	18·7	19·7	17·7	18·5	19·9	17·3	1,155	161	—	—

\* The Standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for Males and Females are standardized for differences of age constitution in each sex, and also between the two sexes. See the Annual Report for 1911 (pages xxvii-xxxi) and the Annual Report for 1913 (page xx).

† For the years 1915-20 the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.



TABLE 3—(continued).

Year.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1896	526,727	270,575	256,152	17.1	18.1	16.1	16.9	18.3	15.7	1,163	148	—	—
1897	541,487	280,211	261,276	17.4	18.6	16.2	17.3	18.8	15.9	1,187	156	—	—
1898	552,141	283,981	268,160	17.5	18.6	16.5	17.4	18.9	16.1	1,172	160	—	—
1899	581,799	299,472	282,327	18.2	19.4	17.2	18.2	19.8	16.8	1,176	163	—	—
1900	587,830	303,823	284,007	18.2	19.5	17.1	18.2	19.9	16.7	1,189	154	—	—
1901	551,585	285,618	265,967	16.9	18.1	15.8	16.9	18.5	15.5	1,192	151	—	—
1902	535,538	277,216	258,322	16.3	17.4	15.2	16.2	17.7	14.8	1,195	133	—	—
1903	514,628	266,290	248,338	15.5	16.5	14.4	15.4	16.8	14.1	1,196	132	—	—
1904	549,784	283,206	266,578	16.3	17.4	15.3	16.2	17.6	14.9	1,185	145	—	—
1905	520,031	267,601	252,430	15.3	16.3	14.4	15.2	16.5	13.9	1,188	128	—	—
1906	531,281	274,233	257,048	15.5	16.5	14.5	15.3	16.8	14.0	1,195	132	127	261
1907	524,221	269,259	254,962	15.1	16.0	14.2	14.9	16.2	13.6	1,190	118	113	220
1908	520,456	268,714	251,742	14.8	15.8	13.9	14.5	16.0	13.3	1,204	120	116	233
1909	518,003	265,203	252,800	14.6	15.5	13.8	14.3	15.6	13.1	1,192	109	104	211
1910	483,247	249,016	234,231	13.5	14.4	12.7	13.2	14.5	12.0	1,205	105	102	195
1911	527,810	272,512	255,298	14.6	15.6	13.7	14.2	15.6	13.0	1,202	130	125	245
1912	486,939	250,232	236,707	13.4	14.2	12.6	12.9	14.2	11.8	1,203	95	91	181
1913	504,975	261,687	243,288	13.8	14.8	12.9	13.3	14.7	12.1	1,227	108	104	213
1914	516,742	267,359	249,383	14.0	14.9	13.1	13.5	14.9	12.2	1,216	105	100	207
1915†	562,253	292,381	269,872	15.7	17.7	14.0	14.6	16.3	13.0	1,254	110	105	203
1916†	508,217	265,030	243,187	14.3	16.7	12.5	13.1	14.9	11.5	1,296	91	87	183
1917†	498,922	262,215	236,707	14.2	17.1	12.1	13.0	15.1	11.2	1,348	96	90	201
1918†	611,861	314,704	297,157	17.3	20.1	15.2	16.6	19.0	14.5	1,310	97	91	186
1919†	504,203	258,089	246,114	14.0	15.7	12.6	13.0	14.6	11.6	1,259	89	84	173
1920†	466,130	240,302	225,828	12.4	13.5	11.5	11.9	13.2	10.7	1,234	80	76	156
1921	458,629	234,291	224,338	12.1	13.0	11.3	11.3	12.5	10.2	1,223	83	79	158
1922	486,780	247,221	239,559	12.8	13.6	12.0	11.6	12.9	10.6	1,215	77	74	139
1923	444,785	226,858	217,927	11.6	12.4	10.9	10.3	11.4	9.3	1,229	69	67	132
1924	473,235	240,620	232,615	12.2	13.0	11.5	10.7	11.8	9.7	1,222	75	73	133
1925	472,841	240,875	231,966	12.2	12.9	11.4	10.7	11.9	9.7	1,227	75	72	136
1926	453,804	231,549	222,255	11.6	12.4	10.9	10.1	11.2	9.1	1,235	70	68	130
1927	484,609	246,606	238,003	12.3	13.1	11.6	10.6	11.8	9.6	1,236	70	67	120
1928	460,389	235,542	224,847	11.7	12.5	10.9	9.9	11.1	8.9	1,248	65	63	115
1929	532,492	269,903	262,589	13.4	14.2	12.7	11.5	12.7	10.4	1,226	74	72	126
1930	455,427	234,010	221,417	11.4	12.3	10.7	9.6	10.8	8.5	1,260	60	58	105
1931	491,630	249,717	241,913	12.3	13.0	11.6	10.2	11.4	9.2	1,241	66	64	111

\* See footnote \* on first page of this Table.

† For the years 1915–20 the mortality-rates are based upon civilians only, but, as in other years the numbers of deaths include those of non-civilians registered in England and Wales.



TABLE 4. DEATHS REGISTERED AND DEATH-RATES IN EACH } { England and Wales.  
QUARTER, 1838-1931.

Period.	Quarter ended.							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths : Males.				Deaths : Females.			
1838-1931*	6,571,583	5,686,934	5,283,756	5,786,241	6,345,456	5,292,867	4,925,425	5,573,681
1841-50	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-60	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-70	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-80	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-90	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-10	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-20*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-30	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1922	82,552	61,439	47,323	55,907	82,941	58,863	43,604	54,151
1923	63,362	58,237	47,239	58,020	61,349	55,807	44,011	56,760
1924	79,690	58,954	46,692	55,284	80,584	55,234	43,446	53,351
1925	69,409	58,545	49,285	63,636	68,890	54,673	45,769	62,634
1926	65,742	58,414	46,917	60,476	64,869	55,395	43,788	58,203
1927	83,802	55,711	47,904	59,189	84,958	51,884	44,334	56,827
1928	69,050	59,160	48,120	59,212	67,249	55,582	45,595	56,421
1929	99,944	61,439	50,201	58,319	104,365	57,289	46,548	54,387
1930	67,653	57,414	49,766	59,177	64,314	53,922	46,623	56,558
1931	81,036	58,755	49,896	60,030	81,172	55,939	46,839	57,963
	Deaths : Persons.				Annual Death-Rates per 1,000 persons living.			
1838-1931*	12,917,039	10,979,801	10,209,181	11,359,922	20·3	17·1	15·7	17·4
1841-50	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851-60	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861-70	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871-80	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881-90	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901-10	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911-20*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	15·0
1921-30	1,489,996	1,136,431	936,261	1,160,303	15·5	11·7	9·5	11·8
1922	165,493	120,302	90,927	110,058	17·6	12·6	9·5	11·4
1923	124,711	114,044	91,250	114,780	13·2	11·9	9·4	11·9
1924	160,274	114,188	90,138	108,635	16·6	11·8	9·2	11·1
1925	138,299	113,218	95,054	126,270	14·4	11·7	9·7	12·9
1926	130,611	113,809	90,705	118,679	13·6	11·7	9·2	12·1
1927	168,760	107,595	92,238	116,016	17·4	11·0	9·3	11·7
1928	136,299	114,742	93,715	115,633	13·9	11·7	9·4	11·7
1929	204,309	118,728	96,749	112,706	20·9	12·0	9·7	11·3
1930	131,967	111,336	96,389	115,735	13·4	11·2	9·6	11·5
1931	162,208	114,694	96,735	117,993	16·5	11·5	9·6	11·7

\* See Note † to Table 3.

TABLE 5. DEATH-RATES PER 1,000 LIVING AT }  
 ALL AGES (STANDARDIZED) AND AGE-GROUPS. } England and Wales.  
 INFANT MORTALITY, 1838-1931.\*

## PERSONS.

Period.	All Ages (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.	Deaths under 1 year per 1,000 Live Births.
1838-1931‡	17.1	52.3	5.3	3.1	4.4	5.6	6.8	9.6	14.5	27.4	59.5	132.5	277.8	134
1841-50	21.6	66.0	9.0	5.3	7.5	9.3	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-60	21.2	67.6	8.5	5.0	7.0	8.7	9.8	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-70	21.3	68.6	8.0	4.5	6.4	8.2	9.8	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-80	20.3	63.4	6.5	3.7	5.4	7.1	9.0	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-90	18.6	56.8	5.3	3.0	4.4	5.6	7.6	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	18.1	57.7	4.3	2.5	3.7	4.7	6.4	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-10	15.2	46.0	3.6	2.1	3.0	3.8	5.1	8.3	14.3	28.1	58.8	127.2	260.8	128
1911-20‡	13.5	34.6	3.6	2.3	3.3	4.3	5.5	7.4	12.6	25.0	55.8	125.5	254.2	100
1921-30	10.6	22.9	2.4	1.6	2.5	3.2	3.7	5.5	10.0	21.1	51.9	123.1	268.7	72
1841-45	20.6	63.6	8.7	5.0	7.2	8.8	9.7	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-50	22.4	68.7	9.4	5.6	7.7	9.8	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-55	21.7	68.9	8.6	5.2	7.4	9.1	10.2	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-60	20.7	66.9	8.3	4.7	6.7	8.3	9.4	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-65	21.4	69.1	8.4	4.7	6.6	8.4	9.8	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-70	21.2	68.1	7.6	4.3	6.2	8.0	9.9	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-75	20.9	64.9	6.9	4.0	5.8	7.7	9.6	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-80	19.8	61.9	6.1	3.5	4.9	6.5	8.3	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-85	18.7	56.6	5.8	3.2	4.6	6.0	8.0	11.8	17.2	31.0	63.5	135.2	277.9	139
1886-90	18.5	56.9	4.9	2.8	4.1	5.3	7.2	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-95	18.5	57.8	4.6	2.7	4.0	5.0	6.8	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	17.6	57.6	4.1	2.4	3.5	4.5	6.0	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-05	16.0	50.2	3.7	2.2	3.1	4.0	5.4	8.9	14.9	28.7	59.4	127.3	258.6	138
1906-10	14.4	41.7	3.4	2.0	2.9	3.6	4.8	7.8	13.7	27.5	58.1	127.0	262.4	117
1911-15‡	13.7	37.5	3.4	2.1	2.2	3.6	4.6	7.3	13.1	26.2	57.3	126.2	257.9	110
1916-20‡	13.4	31.4	3.8	2.5	3.8	5.2	6.5	7.5	12.1	24.0	54.5	124.8	250.7	90
1921-25	10.9	24.7	2.5	1.7	2.6	3.3	3.8	5.7	10.1	21.5	51.6	122.7	255.0	76
1926-30	10.3	20.9	2.4	1.6	2.5	3.1	3.5	5.4	9.9	20.7	52.2	123.4	281.4	68
1891	20.0	59.1	4.7	2.7	4.2	5.4	7.4	12.2	19.6	36.9	75.4	156.6	310.5	149
1892	18.8	57.4	4.6	2.6	4.0	4.9	6.9	11.2	17.5	33.3	70.4	146.8	285.9	148
1893	18.9	60.4	5.1	2.9	4.3	5.3	7.2	11.5	17.5	32.2	66.5	134.6	258.5	159
1894	16.4	51.7	4.3	2.5	3.7	4.7	6.3	9.9	15.4	28.0	57.8	119.6	228.5	137
1895	18.5	60.6	4.1	2.5	3.7	4.7	6.3	10.2	16.6	32.1	66.5	146.5	287.3	161
1896	16.9	56.7	4.5	2.4	3.5	4.4	5.9	9.7	15.4	28.5	57.7	120.1	240.3	148
1897	17.3	57.4	4.0	2.4	3.5	4.5	6.0	9.8	15.6	29.3	60.2	129.9	259.8	156
1898	17.4	58.5	3.8	2.2	3.4	4.4	5.9	9.8	15.7	29.7	61.5	132.1	268.1	160
1899	18.2	58.5	4.1	2.4	3.5	4.5	6.1	10.5	17.0	31.9	66.6	142.2	283.9	163
1900	18.2	56.7	4.2	2.4	3.5	4.6	6.2	10.5	17.5	33.1	68.1	143.9	285.2	154
1901	16.9	54.2	4.1	2.3	3.3	4.2	5.8	9.6	15.9	29.8	61.5	129.8	258.0	151
1902	16.2	49.6	4.1	2.3	3.2	4.2	5.7	9.3	15.5	29.4	60.6	129.0	258.8	133
1903	15.4	48.1	3.5	2.1	3.0	3.8	5.4	8.6	14.6	27.7	57.5	122.2	243.6	132
1904	16.2	53.0	3.6	2.1	3.1	3.9	5.3	8.5	14.6	28.7	59.7	130.1	267.6	145
1905	15.2	46.2	3.5	2.1	3.0	3.9	5.2	8.3	14.2	28.0	58.0	125.5	264.5	128
1906	15.3	47.2	3.6	2.1	3.0	3.8	5.1	8.2	14.2	28.2	57.7	126.9	273.1	132
1907	14.9	42.9	3.5	2.1	2.9	3.7	5.0	8.2	14.2	28.6	59.6	129.3	271.0	118
1908	14.5	43.0	3.4	2.0	2.8	3.7	4.9	7.8	13.7	27.6	57.8	127.2	259.0	120
1909	14.3	39.2	3.4	2.1	2.9	3.6	4.8	7.7	13.8	27.8	60.4	131.7	268.3	109
1910	13.2	36.4	3.0	1.9	2.7	3.4	4.4	7.2	12.7	25.7	55.2	120.1	242.4	105
1911	14.2	43.1	3.4	2.1	2.9	3.5	4.6	7.3	13.1	26.0	55.8	123.7	243.0	130
1912	12.9	32.9	3.1	1.9	2.8	3.4	4.4	7.1	12.9	25.8	56.4	123.6	248.9	95
1913	13.3	36.8	3.2	2.0	2.7	3.4	4.3	7.1	12.9	25.9	55.8	121.7	247.7	108
1914	13.5	36.2	3.4	2.1	2.9	3.5	4.6	7.3	13.2	26.0	56.5	121.8	256.8	105
1915‡	14.6	38.2	3.8	2.3	3.2	4.3	5.1	7.6	13.5	27.5	61.7	139.5	291.8	110
1916‡	13.1	29.5	3.3	2.2	3.2	4.3	5.1	7.2	12.5	25.4	58.5	133.3	282.2	91
1917‡	13.0	29.1	3.3	2.2	3.4	4.5	5.3	7.2	12.0	24.7	56.5	130.5	263.9	96
1918‡	16.6	36.5	5.7	3.7	6.1	9.3	12.4	10.1	14.2	25.1	55.1	117.5	225.8	97
1919‡	13.0	29.6	3.5	2.3	3.5	4.7	6.4	7.2	11.6	23.7	54.6	130.6	264.0	89
1920‡	11.9	32.6	3.3	2.0	2.8	3.6	4.4	6.1	10.4	21.2	48.2	113.1	220.8	80
1921	11.3	29.1	2.8	1.8	2.8	3.4	3.9	5.8	10.0	21.1	49.0	116.7	242.3	83
1922	11.6	27.4	2.6	1.9	2.6	3.5	4.1	6.1	10.6	22.7	54.2	129.9	257.7	77
1923	10.3	22.0	2.3	1.6	2.5	3.2	3.7	5.5	9.8	21.0	49.4	117.0	241.8	69
1924	10.7	22.6	2.3	1.7	2.5	3.3	3.7	5.7	10.0	21.7	53.0	124.5	256.8	75
1925	10.7	23.0	2.5	1.7	2.6	3.2	3.6	5.5	10.0	21.1	52.2	125.4	276.0	75
1926	10.1	21.1	2.4	1.5	2.4	3.0	3.5	5.3	9.5	20.2	49.7	117.7	263.4	70
1927	10.6	21.3	2.3	1.5	2.5	3.1	3.6	5.6	10.2	21.3	53.6	127.7	293.6	70
1928	9.9	19.7	2.3	1.6	2.5	3.1	3.5	5.2	9.6	20.0	50.4	115.6	270.9	65
1929	11.5	24.0	2.5	1.7	2.6	3.2	3.7	5.7	10.8	22.4	58.2	140.5	330.1	74
1930	9.6	18.3	2.3	1.5	2.4	2.9	3.4	5.0	9.4	19.6	48.9	115.4	252.1	60
1931	10.2	20.0	2.1	1.5	2.5	3.0	3.4	5.1	9.8	20.2	52.9	128.3	285.5	66

\* The age rates for intercensal years are based upon estimated populations.

† See Note \* to Table 3.

‡ Including civilian mortality only in 1915 20.



TABLE 5—(continued).

## MALES.

Period.	All Ages. (Standardized).†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	Deaths under 1 year per 1,000 Live Births.
1838-1931†	18.4	56.6	5.4	3.0	4.4	5.9	7.2	10.4	16.4	30.6	65.4	143.1	295.5	147
1841-50	22.5	71.2	9.2	5.1	7.1	9.5	9.9	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-60	22.1	72.4	8.5	4.9	6.7	8.8	9.6	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-70	22.6	73.5	8.2	4.5	6.2	8.5	9.9	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-80	21.8	68.4	6.7	3.7	5.3	7.4	9.3	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-90	20.0	61.6	5.3	3.0	4.3	5.7	7.8	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900	19.5	62.7	4.3	2.4	3.8	5.1	6.8	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-10	16.6	50.0	3.5	2.1	3.1	4.2	5.6	9.2	16.2	31.8	64.8	137.7	279.2	140
1911-20†	15.0	37.8	3.6	2.2	3.4	4.9	6.5	8.6	14.5	29.0	63.5	139.3	274.5	112
1921-30	11.8	25.3	2.5	1.7	2.6	3.3	3.9	6.4	11.6	24.4	59.2	136.9	283.1	81
1841-45	21.6	68.7	8.8	4.8	6.8	9.0	9.4	12.2	17.2	30.3	65.5	143.7	305.1	162
1846-50	23.4	73.7	9.5	5.4	7.4	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851-55	22.7	73.9	8.8	5.2	7.0	9.2	10.0	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-60	21.6	71.5	8.3	4.6	6.4	8.4	9.2	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-65	22.6	74.1	8.5	4.7	6.4	8.6	9.8	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-70	22.6	72.9	7.9	4.3	6.0	8.3	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-75	22.4	69.9	7.1	4.0	5.7	8.1	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-80	21.3	67.1	6.3	3.4	4.8	6.7	8.7	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-85	20.1	61.3	5.8	3.2	4.5	6.0	8.2	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-90	20.0	61.9	4.9	2.8	4.1	5.5	7.4	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-95	20.0	62.9	4.5	2.6	4.0	5.2	7.1	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900	19.1	62.4	4.1	2.3	3.6	4.9	6.5	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-05	17.4	54.7	3.7	2.1	3.2	4.4	5.9	9.7	17.0	32.4	65.3	137.6	274.6	151
1906-10	15.8	45.4	3.3	2.0	3.0	4.0	5.3	8.6	15.5	31.2	64.4	137.7	283.0	129
1911-15†	15.1	40.9	3.4	2.0	3.0	4.0	5.1	8.2	14.9	30.2	64.1	139.2	281.6	121
1916-20†	15.1	34.4	3.8	2.4	3.9	6.6	8.6	9.1	14.0	27.9	63.0	139.4	267.8	101
1921-25	12.1	27.3	2.5	1.7	2.6	3.5	4.1	6.5	11.6	24.8	58.6	136.2	271.6	86
1926-30	11.5	23.2	2.5	1.6	2.6	3.2	3.7	6.2	11.7	24.0	59.7	137.6	293.6	77
1891	21.7	64.6	4.7	2.6	4.2	5.6	7.9	13.4	22.4	41.0	81.3	167.9	327.1	164
1892	20.2	62.4	4.7	2.6	4.0	5.2	7.1	12.1	19.8	36.6	75.7	154.6	305.4	162
1893	20.4	65.6	5.0	2.8	4.3	5.4	7.3	12.5	19.9	35.6	71.4	142.5	272.8	173
1894	17.7	56.1	4.2	2.3	3.8	5.0	6.5	10.8	17.3	31.4	62.8	127.6	243.6	150
1895	19.9	66.0	4.1	2.5	3.8	5.0	6.6	11.0	18.5	34.9	71.3	154.1	306.1	176
1896	18.3	61.2	4.5	2.3	3.5	4.8	6.2	10.6	17.3	31.6	63.0	128.6	251.9	161
1897	18.8	62.5	3.9	2.4	3.6	4.8	6.4	10.8	17.7	32.9	65.8	141.7	272.1	170
1898	18.9	63.4	3.8	2.2	3.5	4.8	6.3	10.7	17.6	33.2	66.4	140.3	282.6	175
1899	19.8	63.4	4.1	2.3	3.6	5.0	6.7	11.6	19.2	35.5	72.0	150.3	302.1	177
1900	19.9	61.6	4.2	2.3	3.7	5.1	6.7	11.7	19.9	37.1	74.2	153.7	304.3	169
1901	18.5	59.0	4.0	2.3	3.5	4.7	6.2	10.6	18.0	33.5	67.8	139.8	276.5	166
1902	17.7	54.1	3.9	2.2	3.3	4.6	6.2	10.4	17.8	33.3	66.7	138.5	270.0	147
1903	16.8	52.5	3.5	2.0	3.0	4.2	5.8	9.4	16.6	31.6	63.3	132.8	260.3	145
1904	17.6	57.4	3.6	2.1	3.1	4.3	5.7	9.4	16.5	32.3	65.5	139.7	287.6	159
1905	16.5	50.3	3.4	2.1	3.1	4.2	5.6	9.0	16.1	31.5	63.3	137.2	278.2	141
1906	16.8	51.2	3.5	2.0	3.2	4.1	5.5	9.1	16.1	32.4	64.3	137.3	298.5	145
1907	16.2	46.8	3.4	2.0	3.0	4.0	5.5	9.0	16.1	32.3	65.2	138.8	291.7	130
1908	16.0	46.9	3.3	2.0	2.9	4.0	5.3	8.6	15.4	31.4	64.3	138.4	277.2	133
1909	15.6	42.8	3.4	2.0	3.0	3.9	5.2	8.5	15.6	31.1	66.4	142.5	289.9	120
1910	14.5	39.7	3.0	1.9	2.7	3.7	4.7	7.9	14.5	29.4	61.8	131.6	259.7	116
1911	15.6	46.7	3.5	2.1	3.1	3.8	5.0	8.1	14.9	29.6	62.4	136.7	268.0	142
1912	14.2	35.9	3.1	1.8	2.9	3.6	4.8	7.9	14.7	29.6	62.7	135.6	266.7	106
1913	14.7	40.3	3.2	1.9	2.8	3.6	4.8	7.9	14.7	29.9	62.9	136.6	269.3	120
1914	14.9	39.4	3.4	2.1	3.1	3.9	5.1	8.3	14.9	30.0	63.4	133.2	281.2	116
1915†	16.3	42.0	3.9	2.3	3.3	5.8	6.5	8.9	15.4	31.9	69.0	153.6	322.7	123
1916†	14.9	32.5	3.3	2.2	3.4	6.9	7.2	8.6	14.4	29.6	66.8	148.1	309.2	102
1917†	15.1	31.8	3.3	2.2	3.6	7.9	8.5	9.1	14.1	29.2	66.2	147.2	286.5	108
1918†	19.0	38.9	5.5	3.5	6.2	13.8	19.6	12.6	16.4	29.3	64.4	132.1	234.4	108
1919†	14.6	32.8	3.5	2.3	3.6	5.5	8.1	8.6	13.3	27.2	62.6	145.5	277.6	100
1920†	13.2	36.2	3.3	1.9	2.9	3.9	4.7	7.0	12.1	24.5	55.6	125.1	235.2	90
1921	12.5	32.3	2.8	1.8	2.8	3.6	4.2	6.5	11.4	24.4	55.8	128.7	262.8	93
1922	12.9	30.2	2.6	1.7	2.7	3.7	4.4	6.9	12.0	26.0	61.2	143.9	271.3	87
1923	11.4	24.3	2.3	1.6	2.6	3.4	4.0	6.3	11.2	24.1	56.0	130.2	262.0	78
1924	11.8	25.1	2.4	1.6	2.5	3.4	3.9	6.5	11.5	24.9	60.0	137.5	271.4	85
1925	11.9	25.3	2.5	1.7	2.6	3.3	3.9	6.3	11.6	24.5	59.6	140.2	290.0	84
1926	11.2	23.3	2.5	1.5	2.5	3.1	3.7	6.1	11.1	23.3	56.8	132.7	282.0	79
1927	11.8	23.7	2.4	1.6	2.5	3.3	3.8	6.6	11.9	24.5	61.1	141.7	309.0	79
1928	11.1	21.9	2.4	1.7	2.6	3.1	3.7	6.0	11.2	23.3	57.8	130.1	287.7	74
1929	12.7	26.3	2.6	1.7	2.7	3.4	3.9	6.8	12.9	25.9	65.7	154.2	335.7	83
1930	10.8	20.5	2.4	1.6	2.5	3.1	3.6	5.7	11.2	23.0	56.7	129.1	257.3	68
1931	11.4	22.4	2.3	1.5	2.6	3.2	3.5	5.8	11.6	23.5	60.5	141.4	291.2	75

† See Note \* to Table 3.

† Including civilian mortality only in 1915-20.

TABLE 5—(continued).

## FEMALES.

Period.	All Ages. (Standard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.	Deaths under 1 year per 1,000 Live Births.
1838-1931	15.8	48.1	5.3	3.1	4.5	5.4	6.5	8.8	12.8	24.5	54.7	124.8	267.6	120
1841-50	20.7	61.1	8.9	5.4	7.9	9.1	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-60	20.3	62.7	8.4	5.1	7.4	8.5	9.9	12.1	15.2	27.0	58.7	134.5	288.9	139
1861-70	20.2	63.7	7.8	4.5	6.6	8.0	9.7	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-80	19.0	58.3	6.2	3.7	5.5	6.8	8.6	11.6	15.6	28.7	61.0	135.4	296.4	134
1881-90	17.3	51.9	5.3	3.1	4.4	5.5	7.4	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900	16.7	52.8	4.4	2.6	3.7	4.5	6.1	9.6	14.7	28.4	60.7	130.6	261.4	138
1901-10	13.9	41.9	3.6	2.2	2.9	3.5	4.7	7.5	12.5	24.8	53.9	119.8	250.3	114
1911-20	12.2	31.4	3.6	2.3	3.2	3.9	4.8	6.4	10.9	21.5	49.6	116.3	243.6	89
1921-30	9.6	20.4	2.3	1.6	2.5	3.0	3.5	4.8	8.6	18.1	46.0	114.0	261.5	63
1841-45	19.8	58.6	8.6	5.2	7.7	8.6	9.9	12.1	15.1	27.2	59.1	131.8	288.6	133
1846-50	21.6	63.6	9.2	5.7	8.1	9.6	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851-55	20.7	63.8	8.5	5.3	7.8	8.9	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856-60	19.9	62.3	8.4	4.8	7.1	8.2	9.6	11.8	14.8	26.5	58.1	131.9	285.8	137
1861-65	20.3	64.2	8.3	4.8	6.9	8.2	9.8	12.1	15.5	27.9	59.1	133.8	287.9	136
1866-70	20.0	63.3	7.4	4.3	6.4	7.8	9.6	12.1	15.8	27.9	59.1	136.1	282.3	142
1871-75	19.5	60.0	6.6	4.0	5.9	7.4	9.2	12.0	15.9	28.7	61.3	135.3	293.9	138
1876-80	18.4	56.8	5.9	3.5	5.0	6.2	8.0	11.3	15.3	28.6	60.8	135.5	299.0	130
1881-85	17.5	51.9	5.7	3.3	4.7	5.9	7.9	10.9	15.2	28.1	59.1	129.0	265.5	125
1886-90	17.2	52.0	4.9	2.9	4.2	5.2	6.9	10.3	15.0	28.8	61.7	132.3	276.1	131
1891-95	17.2	52.8	4.6	2.7	4.0	4.8	6.6	10.1	15.2	29.5	63.0	134.3	264.0	135
1896-1900	16.2	52.7	4.2	2.4	3.4	4.1	5.6	9.1	14.3	27.4	58.5	127.0	258.7	141
1901-05	14.6	45.8	3.8	2.2	3.0	3.7	5.0	8.0	13.1	25.4	54.8	119.9	249.4	124
1906-10	13.2	38.0	3.4	2.1	2.8	3.3	4.5	7.1	12.0	24.3	53.1	119.6	250.9	105
1911-15	12.4	34.0	3.4	2.1	2.8	3.2	4.1	6.5	11.4	22.7	51.7	117.5	245.4	97
1916-20	11.9	28.4	3.8	2.6	3.7	4.5	5.5	6.4	10.4	20.4	47.7	115.1	241.9	79
1921-25	9.9	22.1	2.4	1.7	2.6	3.1	3.6	5.0	8.8	18.6	46.0	114.0	246.9	66
1926-30	9.3	18.5	2.3	1.5	2.4	3.0	3.3	4.7	8.4	17.7	46.0	114.0	275.3	59
1891	18.5	53.7	4.7	2.9	4.3	5.2	7.1	11.1	17.1	33.4	70.6	148.1	300.7	133
1892	17.5	52.5	4.6	2.7	4.0	4.7	6.7	10.3	15.5	30.4	66.0	140.9	274.4	132
1893	17.6	55.2	5.1	3.0	4.3	5.1	7.0	10.7	15.2	29.2	62.4	128.7	250.0	143
1894	15.2	47.4	4.3	2.6	3.7	4.5	6.0	9.2	13.5	25.1	53.7	113.6	219.6	124
1895	17.3	55.2	4.2	2.6	3.7	4.5	6.1	9.5	14.8	29.6	62.6	140.9	276.2	144
1896	15.7	52.8	4.5	2.4	3.4	4.2	5.7	8.9	13.6	25.8	53.4	113.9	233.4	134
1897	15.9	52.4	4.0	2.4	3.4	4.1	5.6	8.9	13.7	26.2	55.7	121.2	252.6	141
1898	16.1	53.5	3.9	2.3	3.3	4.1	5.5	8.9	13.9	26.7	57.5	126.0	259.6	145
1899	16.8	53.6	4.2	2.4	3.3	4.1	5.7	9.4	15.0	28.7	62.3	136.3	273.2	148
1900	16.7	51.8	4.2	2.5	3.3	4.2	5.7	9.3	15.3	29.6	63.2	136.8	273.9	139
1901	15.5	49.5	4.1	2.4	3.2	3.8	5.3	8.7	13.8	26.5	56.5	122.6	247.1	136
1902	14.8	45.0	4.2	2.3	3.1	3.9	5.3	8.4	13.4	25.9	55.7	122.1	252.3	118
1903	14.1	43.7	3.6	2.1	2.9	3.5	4.9	7.9	12.8	24.4	52.9	114.7	233.9	118
1904	14.9	48.5	3.6	2.2	3.0	3.5	4.9	7.7	12.8	25.6	55.1	123.2	256.1	131
1905	13.9	42.1	3.5	2.2	2.9	3.6	4.8	7.5	12.5	24.8	53.8	117.2	256.7	115
1906	14.0	43.1	3.7	2.3	2.9	3.5	4.7	7.5	12.4	24.8	52.5	119.6	258.7	120
1907	13.6	39.1	3.5	2.1	2.9	3.4	4.6	7.4	12.4	25.3	55.1	122.6	259.4	104
1908	13.3	39.0	3.4	2.0	2.7	3.4	4.4	6.9	12.1	24.2	52.7	119.4	248.8	107
1909	13.1	35.7	3.5	2.1	2.8	3.3	4.4	6.9	12.1	24.8	55.5	124.2	256.2	97
1910	12.0	33.1	3.1	2.0	2.6	3.1	4.1	6.5	11.1	22.4	49.8	112.3	232.8	94
1911	13.0	39.5	3.4	2.1	2.7	3.3	4.2	6.6	11.4	22.8	50.5	115.1	229.4	117
1912	11.8	29.9	3.1	2.0	2.7	3.2	4.0	6.4	11.2	22.4	51.2	115.5	239.3	84
1913	12.1	33.3	3.2	2.0	2.6	3.2	4.0	6.4	11.3	22.3	50.2	111.8	236.2	96
1914	12.2	32.9	3.4	2.2	2.7	3.2	4.1	6.5	11.5	22.4	51.0	114.2	244.2	93
1915	13.0	34.4	3.8	2.3	3.0	3.4	4.2	6.5	11.7	23.6	55.7	130.2	275.9	96
1916	11.5	26.5	3.2	2.2	3.0	3.4	4.1	6.1	10.7	21.6	51.8	123.4	268.4	80
1917	11.2	26.3	3.2	2.2	3.2	3.4	3.9	5.8	10.1	20.7	48.8	119.3	252.2	85
1918	14.5	34.1	5.9	4.0	6.0	7.9	9.8	8.5	12.3	21.4	47.8	107.8	221.3	86
1919	11.6	26.4	3.6	2.3	3.4	4.3	5.4	6.1	10.1	20.5	48.3	120.8	257.0	78
1920	10.7	28.9	3.2	2.0	2.7	3.3	4.2	5.4	9.0	18.2	42.3	105.2	213.6	69
1921	10.2	25.8	2.7	1.8	2.7	3.2	3.7	5.2	8.8	18.2	43.6	108.9	232.3	72
1922	10.6	24.5	2.5	1.8	2.6	3.2	3.9	5.3	9.3	19.7	48.6	120.9	251.0	66
1923	9.3	19.6	2.2	1.6	2.5	3.0	3.4	4.8	8.5	18.2	44.1	108.5	231.9	60
1924	9.7	20.2	2.2	1.7	2.5	3.1	3.5	5.0	8.6	18.9	47.3	116.0	249.5	65
1925	9.7	20.7	2.4	1.7	2.5	3.1	3.4	4.8	8.6	18.1	46.2	115.8	269.1	66
1926	9.1	18.8	2.3	1.5	2.4	2.9	3.3	4.6	8.2	17.4	43.9	108.0	254.2	61
1927	9.6	18.9	2.2	1.5	2.4	3.0	3.4	4.9	8.7	18.3	47.4	118.5	285.8	60
1928	8.9	17.4	2.2	1.5	2.4	3.0	3.3	4.6	8.1	17.1	44.3	106.0	262.5	56
1929	10.4	21.6	2.3	1.7	2.5	3.1	3.5	4.9	9.0	19.3	52.0	131.4	327.2	65
1930	8.5	16.0	2.2	1.5	2.3	2.8	3.2	4.3	7.8	16.6	42.6	106.3	249.5	51
1931	9.2	17.5	2.0	1.5	2.4	2.9	3.3	4.5	8.2	17.3	46.6	119.5	282.6	57

† See Note \* to Table 3.



TABLE 6.—DEATHS OF MALES AND FEMALES FROM VARIOUS CAUSES AT ALL AGES, 1921—1931. } { England and Wales.

As from the year 1931 the causes of death for England and Wales are tabulated according to the Detailed International List.† The lettered divisions of the main titles are international, while the numbered divisions have been adopted for use in England and Wales by the Registrar-General. The deaths for the earlier years have been reconstructed as far as possible in the terms of the revised list, and where such reconstruction is incomplete an \* is marked against the heading. Details of the changes made at the Fourth Revision will be found in Appendix C.

Inter- national List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
	ALL CAUSES .. .. { M F	234291 224338	247221 239559	226858 217927	240620 232615	240875 231966	231549 222255	246606 238003	235542 224847	269903 262589	234010 221417	249717 241913
1-44	I.—Infectious and Parasitic Diseases* .. .. { M F	36888 33639	44988 41624	35685 31399	40688 37141	39174 34771	33989 29533	40213 36579	33163 28270	45270 41861	31296 25953	35226 30624
1 & 2	Typhoid and paratyphoid fevers .. .. { M F	312 301	245 220	227 223	244 252	188 200	192 175	188 179	215 223	187 195	163 150	134 117
1	Typhoid fevers .. .. { M F	304 291	230 214	211 208	232 229	174 173	171 155	166 147	161 177	163 164	140 117	102 83
2	Paratyphoid fever .. .. { M F	8 10	15 6	16 15	12 23	14 27	21 20	22 32	54 46	24 31	23 33	32 34
3	Typhus fever .. .. { M F	— —	3 1	1 —	1 4	— —	— 1	— —	1 —	— —	— 1	— —
4	Relapsing fever ("Spirillum obermeieri") .. .. { M F	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
5	Undulant fever .. .. { M F	1 1	1 —	— 1	2 —	— —	— 1	— —	— —	— —	2 1	— 1
6	Small-pox .. .. { M F	5 —	21 6	5 2	5 8	3 6	9 9	23 24	38 15	19 20	15 13	5 4
7	Measles .. .. { M F	1188 1053	2988 2706	2881 2435	2564 2270	2853 2484	1834 1649	1914 1708	2284 2018	1736 1652	2264 1924	1768 1520
8	Scarlet fever .. .. { M F	631 674	654 728	503 490	417 471	478 510	355 322	284 295	263 317	358 359	352 388	239 301
9	Whooping cough .. .. { M F	2046 2530	2864 3506	1909 2253	1864 2119	2770 3288	1877 2241	1660 2021	1343 1633	2787 3545	897 1140	1112 1400
10	Diphtheria .. .. { M F	2298 2474	2048 2027	1317 1405	1212 1289	1348 1426	1421 1573	1339 1393	1580 1611	1632 1814	1725 1772	1338 1335
11	Influenza .. .. { M F	4511 4484	10353 11145	4305 4156	9142 9844	6308 6413	4540 4396	10804 11459	4084 3670	13867 15217	2742 2277	6899 7510
	(a) With respiratory complications* .. .. { M F	2872 2673	7459 7691	2776 2468	6409 6602	4133 3912	2932 2557	7698 7753	2742 2196	10690 11147	1843 1301	4915 5082
	1. With pneumonic complications .. .. { M F	2096 1757	5198 5107	2021 1561	4498 4047	2831 2341	2157 1631	5308 4699	2035 1432	7394 6835	1335 848	3367 3012
	2. With other respiratory complications* .. .. { M F	776 916	2261 2584	755 907	1911 2555	1302 1571	775 926	2390 3054	707 764	3296 4312	508 453	1548 2070
	(b) Without respiratory complications* .. .. { M F	1639 1811	2894 3454	1529 1688	2733 3242	2175 2501	1608 1839	3106 3706	1342 1474	3177 4070	899 976	1984 2428
	1. With non-respiratory complications* .. .. { M F	964 1008	1578 1817	952 963	1586 1758	1271 1417	1013 1130	1752 2056	998 1070	1981 2443	663 740	1392 1636
	2. Without stated complications .. .. { M F	675 803	1316 1637	577 725	1147 1484	904 1084	595 709	1354 1650	344 404	1196 1627	236 236	592 792
12	Cholera .. .. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13	Dysentery .. .. { M F	127 134	100 116	91 58	69 61	73 62	74 68	53 42	84 71	68 30	57 40	69 47
	(a) Amoebic .. .. { M F	10 1	8 2	8 5	8 —	9 2	11 3	12 1	12 1	10 4	6 —	10 —
	(b) Bacillary .. .. { M F	9 8	9 12	7 5	4 9	6 7	6 5	4 2	17 20	13 7	20 22	26 21
	(c) Other or unspecified .. .. { M F	108 125	83 102	76 48	57 52	58 53	57 60	37 39	55 50	45 19	31 18	33 26

† See Manual of the International List of Causes of Death obtainable from H.M. Stationery Office, Adastral House, Kingsway, London, W.C.2; 120 George St., Edinburgh; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 3s.



TABLE 6—*continued.*

Inter- national List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
14	Plague .. .. . { M F	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
	(a) Bubonic .. .. { M F	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
	(b) Pneumonic .. .. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(c) Septicæmic .. .. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(d) Not otherwise defined { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
15	Erysipelas .. .. { M F	366 360	379 324	306 316	353 323	449 401	427 380	414 406	480 416	540 491	548 486	521 483
16	Acute poliomyelitis .. { M F	90 79	60 76	60 59	88 69	85 71	127 108	107 75	99 68	83 57	86 78	56 42
	(1) Acute poliomyelitis .. { M F	69 60	45 64	36 43	62 60	65 51	91 85	67 45	68 44	48 37	61 47	37 26
	(2) Acute polioencephalitis { M F	21 19	15 12	24 16	26 9	20 20	36 23	40 30	31 24	35 20	25 31	19 16
17	Encephalitis lethargica .. { M F	351 378	160 179	276 255	732 675	666 706	650 675	592 563	512 560	517 520	437 479	496 466
18	Cerebro-spinal fever .. { M F	232 184	202 158	144 140	174 127	202 152	211 154	259 171	246 192	352 236	363 269	863 577
19	Glanders .. .. . { M F	1 1	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	1 —
20	Anthrax .. .. . { M F	10 1	9 —	13 —	9 1	10 1	6 2	3 —	9 3	7 —	7 2	4 1
21	Rabies .. .. . { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
22	Tetanus .. .. . { M F	114 48	111 29	127 44	110 25	120 39	111 37	136 29	107 26	113 46	105 28	94 25
23-32	Tuberculosis (all forms) .. { M F	22901 19779	23318 19465	22093 18706	22353 18753	22238 18154	20673 16857	20919 17261	20161 16471	21292 16709	19790 15960	19941 15877
23	Respiratory system .. { M F	18121 15384	18656 15263	17571 14526	17970 14720	17995 14387	16773 13335	17184 13882	16608 13191	17786 13639	16468 12946	16704 12954
24	Central nervous system .. { M F	1781 1584	1780 1563	1677 1579	1606 1489	1608 1427	1468 1366	1534 1334	1333 1218	1344 1220	1273 1199	1346 1252
25	Intestines and peritoneum { M F	1064 1083	931 955	951 1001	917 936	847 851	763 771	653 698	635 701	608 619	557 592	516 578
26	Vertebral column .. { M F	349 318	377 307	332 271	317 295	305 233	298 236	283 216	277 213	262 217	270 216	274 220
27	Other bones and joints .. { M F	230 187	232 178	214 158	230 151	200 145	200 126	190 117	185 118	156 115	173 112	160 91
28	Skin and subcutaneous tissues .. .. . { M F	36 52	33 40	25 48	36 67	20 38	30 34	16 57	19 60	12 43	19 31	12 31
29	Lymphatic system (ab- dominal and bronchial glands excepted). { M F	60 72	61 68	47 60	46 53	49 44	39 45	46 41	49 41	36 23	40 37	39 26
30	Genito-urinary system .. { M F	126 113	141 109	158 102	138 114	156 118	124 85	132 98	164 127	169 110	156 103	163 123
31	Other organs .. .. { M F	13 24	15 18	25 12	25 16	12 9	6 8	9 11	8 17	13 10	9 6	20 11
	(1) Adrenals .. .. { M F	2 —	2 4	8 3	3 —	4 1	4 1	3 4	4 5	6 5	4 1	11 7
	(2) Other sites included under 31 .. .. . { M F	11 24	13 14	17 9	22 16	8 8	2 7	6 7	4 12	7 5	5 5	9 4



TABLE 6—continued.

Inter- national List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
32	Disseminated tuberculosis { M F	1121 962	1092 964	1093 949	1068 912	1046 902	972 851	872 807	883 785	906 713	825 718	707 591
	(a) Acute .. .. { M F	234 230	284 277	393 404	416 388	344 355	341 341	313 334	339 344	330 294	316 309	354 299
	(b) Chronic .. .. { M F	887 732	808 687	700 545	652 524	702 547	631 510	559 473	544 441	576 419	509 409	6 3 347 289
	(c) Not distinguished as acute or chronic .. { M F											
33	Leprosy .. .. { M F	1 —	— —	2 —	2 —	2 —	— 1	2 1	1 —	2 1	2 —	3 —
34	Syphilis .. .. { M F	1038 761	848 624	857 532	781 515	726 459	784 470	865 541	993 539	892 497	918 496	956 490
	(a) Congenital syphilis .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	229 183
	(b & c) Acquired or un- specified .. .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	727 307
35	Other venereal diseases .. { M F	31 40	26 17	21 21	31 17	30 13	31 20	52 22	55 21	56 13	47 18	47 18
	(1) Gonorrhœal or puru- lent ophthalmia .. { M F	18 22	16 9	6 10	13 6	7 8	10 7	24 8	13 12	16 9	15 13	13 9
	(2) Other diseases included under 35 .. .. { M F	13 18	10 8	15 11	18 11	23 5	21 13	28 14	42 9	40 4	32 5	34 9
36	Purulent infection, septi- cæmia* .. .. { M F	352 231	350 196	310 187	302 202	370 252	429 254	409 266	404 284	543 323	558 303	487 279
	(a) Septicæmia .. .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	448 263
	(b) Pyæmia .. .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	36 15
	(c) Gas gangrene .. .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	3 1
37	Yellow fever.. .. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
38	Malaria .. .. { M F	139 4	113 10	76 5	91 6	62 4	58 7	33 6	31 5	46 3	38 2	28 3
39	Other diseases due to pro- tozoa .. .. { M F	3 2	3 2	4 2	1 —	8 3	3 —	5 1	7 —	6 —	2 1	4 —
40	Ankylostomiasis .. .. { M F	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —
41	Hydatid cysts .. .. { M F	14 13	10 10	14 13	10 15	14 13	18 19	18 16	16 14	10 13	16 19	11 16
	(a) Liver .. .. { M F	11 13	6 6	13 10	5 12	12 9	14 13	17 13	11 12	7 10	13 15	6 12
	(b) Other organs { M F	3 —	4 4	1 3	5 3	2 4	4 6	1 3	5 2	3 3	3 4	5 4
42	Other diseases due to helminths .. .. { M F	2 11	5 6	5 5	6 7	8 3	6 6	9 16	7 12	13 6	6 8	5 6
43	Mycoses .. .. { M F	60 40	71 39	77 51	73 45	59 43	60 36	54 26	67 31	53 42	51 36	70 38
	(1) Actinomycosis .. { M F	21 10	28 14	33 15	31 16	21 15	27 16	30 13	44 19	27 18	29 17	42 18
	(2) Other mycoses .. { M F	39 30	43 25	44 36	42 29	38 28	33 20	24 13	23 12	26 24	22 19	28 20
44	Other infectious or parasitic diseases .. .. { M F	64 56	45 34	61 40	52 43	104 68	90 72	70 58	76 70	90 72	104 62	74 68
	(1) Vaccinia .. .. { M F	— 2	1 2	2 5	1 —	2 1	— 1	— 1	7 9	7 6	2 1	3 5



TABLE 6—continued.

Inter- national List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
44	Other infectious or parasitic diseases— <i>contd.</i>											
	(2) Other sequelæ of vac- cination... .. { M F	3 3	2 2	3 1	2 1	4 1	1 —	3 1	3 4	3 1	1 1	2 3
	(3) German measles .. { M F	9 6	7 8	7 10	5 7	24 18	21 14	15 5	7 5	19 12	14 13	10 6
	(4) Varicella .. .. { M F	32 25	24 16	36 16	34 25	50 33	27 29	27 22	33 29	26 27	34 13	31 23
	(5) Mumps .. .. { M F	11 19	8 6	12 7	7 7	18 10	25 15	11 13	11 14	13 12	20 12	14 11
	(6) Other diseases in- cluded under 44 .. { M F	9 1	3 —	1 1	3 3	6 5	16 13	14 16	15 9	22 14	33 22	14 20
45-55	II.—Cancer and Other Tumours .. .. { M F	21523 26839	22138 27068	23004 28071	24049 28753	24900 29456	25468 30402	26062 30643	27084 31851	27330 32212	28030 32674	28908 33281
45-53	Cancer, Malignant disease* { M F	20649 25373	21266 25637	22065 26603	23099 27290	24002 27937	24437 28783	25048 29030	26013 30240	26284 30612	26916 30967	27777 31569
45	Buccal cavity and pharynx { M F	2749 431	2686 432	2819 492	2814 522	2953 515	2894 515	3043 512	3109 508	2928 529	2913 519	2951 514
46	Digestive organs and peritoneum* .. .. { M F	12780 12204	13196 12348	13621 12833	14289 13109	14838 13473	15264 14311	15534 14059	15887 14743	16396 14955	16710 15230	17043 15368
47	Respiratory organs .. { M F	1240 481	1400 518	1405 542	1493 576	1642 651	1735 659	1794 665	1984 708	1991 760	2258 864	2532 908
48	Uterus .. .. F	4397	4228	4363	4385	4467	4409	4428	4525	4455	4354	4341
49	Other female genital organs F	1039	1126	1209	1241	1238	1382	1444	1483	1567	1645	1667
50	Breast .. .. { M F	33 4684	42 4826	34 4996	38 5153	39 5372	43 5296	41 5678	51 3878	46 5944	60 6052	61 6381
51	Male genito-urinary organs M	1841	2051	2156	2295	2437	2474	2586	2822	2885	2947	3187
52	Skin .. .. { M F	541 401	515 439	566 427	585 460	572 432	585 427	589 475	652 502	664 494	627 447	683 480
53	Other or unspecified organs { M F	1465 1736	1376 1720	1464 1741	1585 1844	1521 1789	1442 1784	1461 1769	1508 1893	1374 1908	1401 1856	1320 1910
54	Non-malignant tumours .. { M F	262 803	246 795	303 809	285 818	289 848	351 948	378 945	437 962	376 980	444 1042	484 1099
	(a) Female genital organs F	626	611	607	610	635	697	671	693	668	717	743
	(b) Other sites .. .. { M F	262 177	246 184	303 202	285 208	289 213	351 251	378 274	437 269	376 312	444 325	484 356
55	Tumours of undetermined nature* .. .. { M F	612 663	626 636	636 659	665 645	609 671	680 671	636 673	634 649	670 620	670 665	647 613
	(a) Female genital organs F	42	37	28	41	40	34	25	24	32	28	29
	(b) Other sites* .. .. { M F	612 621	626 599	636 631	665 604	609 631	680 637	636 648	634 625	670 588	670 637	647 584
56-69	III.—Rheumatism, Diseases of Nutrition and of Endo- crine glands and other General Diseases.* { M F	4220 6027	4454 6394	4234 6216	4271 6269	4223 6904	4387 6872	4531 7437	4844 7995	4953 8497	4758 8285	4707 8498
56	Rheumatic fever .. .. { M F	868 947	821 956	770 857	757 906	833 1052	818 954	694 868	638 862	638 779	693 812	557 703
57	Chronic rheumatism, Osteo- arthritis .. .. { M F	595 1493	709 1554	683 1564	741 1551	682 1685	706 1711	835 1842	903 2097	978 2410	884 2118	950 2193
	(1) Chronic rheumatism* { M F	189 274	200 252	181 233	195 222	159 207	142 182	100 121	98 128	93 125	72 115	56 95
	(2) Rheumatoid arthritis, Osteo-arthritis* .. { M F	406 1219	509 1302	502 1331	546 1329	523 1478	564 1529	735 1721	805 1969	885 2285	812 2003	894 2098
58	Gout .. .. { M F	158 34	191 37	148 31	159 30	168 33	153 39	224 41	277 53	253 49	238 55	213 53
59	Diabetes .. .. { M F	1901 2191	2106 2439	1927 2439	1896 2358	1814 2543	1973 2533	2045 2905	2198 2982	2306 3322	2317 3342	2259 3551



TABLE 6—continued.

Inter- national List No.	Causes of Death.				1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
60	Scurvy .. ..	{ M F			30 23	13 13	11 11	19 14	16 5	7 3	17 9	18 3	11 8	9 10	15 6
61	Beri-beri .. ..	{ M F			3 —	2 —	1 —	1 —	3 —	1 —	1 —	— —	1 —	— —	1 —
62	Pellagra .. ..	{ M F			— 4	2 12	4 9	2 7	— 9	— 6	1 7	1 4	— 1	1 5	— 4
63	Rickets* .. ..	{ M F			? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	238 147
	(1) Rickets .. ..	{ M F			278 214	240 179	280 193	301 187	281 197	248 172	232 146	290 203	252 164	184 132	227 134
	(2) Spinal curvatures of undetermined nature*	{ M F			16 46	13 33	14 37	16 41	16 35	18 30	23 28	18 39	20 28	12 25	11 13
64	Osteomalacia* .. ..	{ M F													1 13
65	Diseases of the pituitary gland .. ..	{ M F			10 8	6 18	14 7	13 10	12 10	13 14	19 24	17 26	14 28	14 22	26 23
	(1) Infantilism .. ..	{ M F			3 1	1 —	4 1	5 5	2 2	2 1	2 5	3 4	— 3	1 2	2 3
	(2) Other diseases of the pituitary gland .. ..	{ M F			7 7	5 18	10 6	8 5	10 8	11 13	17 19	14 22	14 25	13 20	24 20
66	Diseases of the thyroid and parathyroid glands*	{ M F			122 833	132 902	137 852	141 925	160 1067	189 1137	198 1243	209 1374	206 1333	191 1481	220 1567
	(a) Simple goitre .. ..	{ M F			21 118	22 123	29 112	30 111	23 130	35 146	28 146	24 198	23 147	26 147	30 145
	(b) Exophthalmic goitre .. ..	{ M F			56 538	63 591	56 571	48 580	65 687	84 743	91 853	119 933	128 936	112 1115	138 1162
	(c) Myxoedema, Cretinism	{ M F			42 165	41 184	46 165	41 207	46 218	44 218	53 220	47 218	37 232	40 201	37 247
	(d) Tetany* .. ..	{ M F			? ?	? ?	? ?	21 20	21 24	19 23	23 19	18 17	16 13	12 11	13 8
	(e) Other diseases included under 66 .. ..	{ M F			3 12	6 4	6 4	1 7	5 8	7 7	3 5	1 8	2 5	1 7	2 5
67	Diseases of the thymus .. ..	{ M F			106 69	106 70	106 52	95 61	102 67	110 56	90 63	108 65	116 86	84 54	95 48
68	Diseases of the adrenals .. ..	{ M F			88 128	89 128	93 124	96 126	100 148	93 163	74 153	96 140	97 146	91 141	77 129
69	Other general diseases* .. ..	{ M F			45 37	24 53	46 40	34 53	36 53	58 54	78 108	71 147	61 143	40 88	55 61
	(1) Amyloid disease of un- stated origin* .. ..	{ M F			7 2	3 2	2 —	2 2	2 —	3 —	4 3	1 —	— —	— —	3 —
	(2) Other diseases included under 69 .. ..	{ M F			38 35	21 51	44 40	32 51	34 53	55 54	74 105	70 147	61 143	40 88	52 61
70-74	IV.—Diseases of the Blood and Blood-forming Organs	{ M F			1828 2148	1992 2218	1819 2122	1904 2212	1967 2320	2097 2485	2070 2347	1719 1961	1832 2025	1932 2127	2019 2221
70	Hæmorrhagic conditions .. ..	{ M F			186 165	203 176	191 164	184 164	202 176	196 177	191 159	229 192	203 192	217 186	218 165
	(a) Purpura .. ..	{ M F			123 128	137 143	110 135	114 128	129 140	125 137	123 137	141 153	136 159	131 148	135 148
	(b) Hæmophilia .. ..	{ M F			63 37	66 33	81 29	70 36	73 36	71 40	68 22	88 39	67 33	86 38	83 17
71	Anæmia, Chlorosis .. ..	{ M F			1106 1644	1233 1678	1099 1539	1145 1628	1189 1677	1252 1830	1192 1683	831 1256	910 1273	995 1379	990 1476
	(a) Pernicious anæmia .. ..	{ M F			997 1460	1109 1485	998 1366	1036 1486	1078 1507	1122 1658	1100 1555	739 1115	807 1148	902 1248	893 1333



TABLE 6—*continued.*

Inter- national List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
71	<b>Anæmia, Chlorosis—<i>contd.</i></b>											
	(b) Other anæmias and chlorosis .. .. . { M F	109 184	124 193	101 173	109 142	111 170	130 172	92 128	92 141	103 125	93 131	97 143
	(1) Splenic anæmia .. .. . { M F	61 84	79 86	59 75	71 73	62 74	82 83	60 76	60 81	71 78	57 76	67 85
	(2) Other diseases in- cluded under 71b .. .. . { M F	48 100	45 107	42 98	38 69	49 96	48 89	32 52	32 60	32 47	36 55	30 58
72	Leukæmia, Aleukæmia .. .. . { M F	488 311	521 334	494 383	544 387	541 423	605 426	631 464	601 457	670 497	672 493	752 520
	(a) Leukæmia .. .. . { M F	248 198	269 206	270 236	276 235	296 273	325 278	341 301	342 275	357 335	354 302	378 328
	(b) Aleukæmia (Lymphadenoma) .. .. . { M F	240 113	252 128	224 147	268 152	245 150	280 148	290 163	259 182	313 162	318 191	374 192
73	Diseases of the spleen .. .. . { M F	41 24	30 27	28 32	27 30	28 34	34 43	43 33	44 50	37 50	34 57	47 52
	(1) Banti's disease .. .. . { M F	18 12	10 14	11 17	16 14	18 16	14 26	25 17	24 28	26 34	19 33	31 29
	(2) Other diseases of the spleen .. .. . { M F	23 12	20 13	17 15	11 16	10 18	20 17	18 16	20 22	11 16	15 24	16 23
74	Other diseases of the blood and blood-forming organs { M F	7 4	5 3	7 4	4 3	7 10	10 9	13 8	14 6	12 13	14 12	12 8
75-77	<b>V.—Chronic Poisoning</b> .. .. . { M F	187 59	175 59	160 58	152 39	129 62	128 48	137 27	135 46	137 53	93 50	78 44
75	Alcoholism (acute or chronic) { M F	127 55	117 47	104 47	94 33	95 55	76 39	84 24	74 34	85 49	49 45	40 41
76	Chronic poisoning by other organic substances .. .. . { M F	3 2	8 6	1 5	9 4	3 3	3 3	5 2	5 5	10 3	2 4	4 —
77	Chronic poisoning by mineral substances .. .. . { M F	57 2	50 6	55 6	49 2	31 4	49 6	48 1	56 7	42 1	42 1	34 3
	(1) Occupational lead poisoning .. .. . { M F	56 2	43 5	51 4	47 2	28 3	44 3	44 —	53 6	40 1	39 1	30 3
	(2) Other chronic poisoning by mineral substances .. .. . { M F	1 —	7 1	4 2	2 —	3 1	5 3	4 1	3 1	2 —	3 —	4 —
78-89	<b>VI.—Diseases of the Nervous System and Sense Organs*</b> { M F	23162 23960	23611 24449	22651 23903	22649 23549	22601 23298	22094 23331	20655 22059	19456 21088	20630 21830	19008 20837	19569 20860
78	Encephalitis .. .. . { M F	178 131	180 135	182 130	151 121	201 122	215 142	155 110	153 130	172 138	161 116	173 105
	(a) Cerebral abscess .. .. . { M F	115 75	128 72	119 74	113 64	131 73	143 89	104 50	94 74	112 66	92 63	115 56
	(b) Other diseases included under 78 .. .. . { M F	63 56	52 63	63 56	38 57	70 49	72 53	51 60	59 56	60 72	69 53	58 49
79	Meningitis* .. .. . { M F	1306 1129	1211 1001	1097 971	1069 856	1016 798	863 761	813 650	669 541	735 596	590 487	590 506
80	Tabes dorsalis (Locomotor ataxy) .. .. . { M F	576 116	665 136	597 131	627 118	602 129	630 117	642 138	651 126	744 138	579 122	557 114
81	Other diseases of the spinal cord .. .. . { M F	714 578	769 592	817 599	852 596	792 601	765 614	761 641	829 599	754 601	719 578	744 576
	(1) Progressive muscular atrophy .. .. . { M F	220 177	271 196	276 217	299 226	291 221	264 246	290 218	319 225	307 240	291 240	316 245
	(2) Subacute combined sclerosis .. .. . { M F	9 8	6 11	11 5	10 18	14 20	23 26	29 30	24 22	16 26	30 27	34 24
	(3) Myelitis of unstated origin .. .. . { M F	202 195	204 197	232 175	219 166	222 162	207 164	199 200	204 168	204 164	159 161	164 157
	(4) Other diseases included under 81 .. .. . { M F	283 198	288 188	298 202	324 186	265 198	271 178	243 193	282 184	227 171	239 150	230 150



TABLE 6—continued.

Inter- national List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
82	Cerebral hæmorrhage, Apoplexy, etc. .. { M F	12780 16038	13342 16849	13001 16610	13258 16578	13182 16348	13065 16656	11931 15431	10991 14624	11966 15206	11164 14723	11593 14704
	(a) Cerebral hæmorrhage { M F	10150 12518	10539 13196	10283 13040	10455 12888	10500 12902	10321 12937	9438 12025	8760 11400	9383 11729	8560 11181	8791 10998
	(1) Cerebral hæmorrhage so returned. .. { M F	8600 10686	9105 11416	9012 11430	9274 11450	9435 11642	9369 11730	8648 10977	8051 10548	8712 10917	7977 10472	8207 10295
	(2) Apoplexy (lesion un- stated) .. { M F	1550 1832	1434 1780	1271 1610	1181 1438	1065 1260	952 1207	790 1048	709 852	671 812	583 709	584 703
	(b) Cerebral embolism and thrombosis .. { M F	1585 2289	1721 2373	1737 2288	1819 2472	1700 2330	1869 2656	1784 2461	1591 2371	1896 2591	2003 2773	2183 2934
	(1) Cerebral embolism { M F	294 491	342 486	303 440	327 465	321 497	277 480	302 358	202 330	214 299	225 313	199 299
	(2) Cerebral thrombosis { M F	895 1315	1003 1381	1055 1425	1082 1568	1186 1625	1341 1852	1278 1837	1232 1830	1504 2086	1620 2243	1838 2416
	(3) Cerebral softening { M F	396 483	376 506	379 423	410 439	193 208	251 324	204 266	157 211	178 206	158 217	146 219
	(c) Hemiplegia and other paralyzes of unstated origin. { M F	1045 1231	1082 1280	981 1282	984 1218	982 1116	875 1063	709 945	640 853	687 886	601 769	619 772
	(1) Hemiplegia .. { M F	880 1060	931 1136	860 1143	854 1068	859 1004	777 959	629 848	553 778	610 793	535 702	571 716
	(2) Other paralyzes of unstated origin .. { M F	165 171	151 144	121 139	130 150	123 112	98 104	80 97	87 75	77 93	66 67	48 56
83	General paralysis of the insane .. { M F	1254 283	1398 300	1402 305	1257 287	1254 285	1161 277	1229 284	1150 263	988 264	943 218	945 259
84	Other forms of insanity* .. { M F	292 548	348 560	284 528	286 516	358 557	438 638	461 720	491 770	530 766	450 673	423 692
	(a) Dementia præcox .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	14 23
	(b) Other conditions included under 84* .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	409 669
85	Epilepsy .. { M F	1114 1097	1150 1123	1096 1041	1136 1065	1097 1026	1099 944	1152 994	1133 1121	1128 1068	1154 1038	1201 1087
86	Infantile convulsions (under 5 years of age) .. { M F	3028 2104	2471 1778	2205 1590	2013 1470	1985 1381	1720 1224	1316 946	1122 757	1158 837	1014 660	989 632
87	Other diseases of the nervous system* .. { M F	1208 1364	1359 1446	1277 1464	1352 1447	1421 1509	1386 1444	1434 1558	1488 1531	1565 1577	1416 1570	1498 1586
	(a) Chorea .. { M F	25 68	21 64	15 55	30 83	24 80	22 72	23 70	18 66	22 79	21 79	32 51
	(b) Neuritis, Neuralgia* .. { M F	107 164	118 173	93 155	98 148	100 133	87 133	74 144	90 139	69 131	67 119	63 89
	(c) Paralysis agitans .. { M F	339 314	381 340	389 399	432 381	533 492	521 450	577 520	620 524	699 547	594 538	710 620
	(d) Disseminated sclerosis { M F	283 349	368 348	326 370	366 351	359 374	393 416	368 420	378 421	376 448	380 418	389 496
	(e) Other diseases included under 87* .. { M F	454 469	471 521	454 485	426 484	405 430	363 373	392 404	382 381	399 372	354 366	304 330
88	Diseases of the eye and annexa .. { M F	27 28	32 23	36 29	32 34	21 31	34 42	31 41	39 35	50 49	37 46	35 38
89	Diseases of the ear and mastoid sinus .. { M F	685 544	686 506	657 505	616 461	672 511	718 472	730 546	740 591	840 590	781 606	821 561
	(a) Otitis and other diseases of the ear .. { M F	497 392	495 333	457 369	428 320	467 357	483 321	472 364	498 376	575 376	499 376	504 347
	(b) Diseases of the mastoid sinus .. { M F	188 152	191 173	200 136	188 141	205 154	235 151	258 182	242 215	265 214	282 230	317 214



TABLE 6—continued.

Inter- national List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
<b>90-103</b>	<b>VII.—Diseases of the Circula- tory System* .. ..</b> { M F	<b>34111</b> <b>35362</b>	<b>37872</b> <b>39825</b>	<b>36633</b> <b>38435</b>	<b>39488</b> <b>41196</b>	<b>41789</b> <b>43448</b>	<b>42509</b> <b>43881</b>	<b>48326</b> <b>50565</b>	<b>52070</b> <b>54274</b>	<b>58337</b> <b>62729</b>	<b>55044</b> <b>57433</b>	<b>60735</b> <b>64749</b>
90-95	Heart diseases* .. .. { M F	24956 28754	27565 32272	26223 30663	28009 32641	29691 34368	30023 34442	33365 38744	35777 41251	45018 51449	42961 47142	47960 53393
90	Pericarditis .. .. { M F	194 157	215 166	205 118	192 157	188 144	159 119	169 117	153 129	180 111	167 133	165 106
91	Acute endocarditis*.. .. { M F	1038 824	903 819	827 765	773 797	769 795	712 830	728 799	648 736	657 787	662 738	601 584
	(1) Malignant endocarditis { M F	724 479	651 509	553 479	510 507	508 473	484 527	528 510	456 488	477 528	496 526	539 505
	(2) Other acute endocar- ditis* .. .. { M F	314 345	252 310	274 286	263 290	261 322	228 303	200 289	192 248	180 259	166 212	62 79
92	Chronic endocarditis, Valvu- lar disease* .. .. { M F	11306 13328	11820 14580	11093 13545	11239 13924	11297 13634	11024 13058	11653 14528	11990 15001	12876 15921	11625 14533	12097 15130
	(1) Aortic valve disease * { M F	1917 850	2064 920	1965 971	1972 888	2054 1025	2076 956	2181 1005	2252 1074	2390 1075	2276 1146	2359 1167
	(2) Mitral valve disease*.. { M F	3219 5372	3514 5879	3321 5528	3244 5623	3270 5558	3145 5291	3635 6233	3855 6640	4212 7145	3723 6366	3772 6559
	(3) Aortic and mitral valve disease* .. .. { M F	489 364	480 381	451 403	450 372	444 425	458 335	543 486	633 662	723 612	648 574	627 559
	(4) Endocarditis, not re- turned as acute or { M F	5681 6742	5762 7400	5356 6643	5573 7041	5529 6626	5345 6476	5294 6804	5250 6625	5551 7089	4978 6447	590 838 4749 6007
	(5) Other or unspecified valve disease* .. .. { M F											
93	Diseases of the myocardium* { M F	5572 6702	7097 8600	7457 9053	8916 10513	10578 12580	11826 13651	13929 16396	16204 19011	23633 27626	22699 25430	26698 30813
	(a) Acute myocarditis* .. { M F	114 119	128 140	129 166	191 183	199 234	236 275	232 242	236 220	261 250	192 194	75 78
	(b) Myocardial degenera- tion* .. .. { M F	5458 6583	6969 8460	7328 8887	8725 10330	10379 12346	11590 13376	13697 16154	15968 18791	23372 27376	22507 25236	20931 24100
	(1) Fatty heart .. .. { M F	1092 1325	1251 1541	1230 1540	1205 1513	1202 1562	1237 1381	1218 1618	1225 1671	1343 1837	1263 1714	1250 1664
	(2) Cardiovascular degeneration* .. { M F	4366 5258	5718 6919	6098 7347	7520 8817	9177 10784	10353 11995	12479 14536	14743 17120	22029 25539	21244 23522	14041 17229 5692 6635
	(3) Other diseases in- cluded under 93 (b) { M F											
	(c) Myocarditis, not dis- tinguished as acute or { M F											
94	Diseases of the coronary arteries, Angina pectoris* { M F	743 343	986 460	1058 505	1226 537	1285 551	1280 600	1982 820	2586 1108	3376 1431	4118 1766	4565 2063
95	Other diseases of the heart { M F	6103 7400	6544 7647	5583 6677	5663 6713	5574 6664	5022 6184	4904 6084	4196 5266	4296 5573	3690 4542	3834 4697
	(a) Disordered action of heart .. .. { M F	227 291	271 345	332 475	431 650	537 835	626 965	776 1232	702 1259	774 1392	794 1302	905 1439
	(b) Other diseases included under 95. .. .. { M F	5876 7109	6273 7302	5251 6202	5232 6063	5037 5829	4396 5219	4128 4852	3494 4007	3522 4181	2896 3240	2929 3258
	(1) Dilatation of heart (cause unspecified) .. { M F	487 525	486 568	418 446	379 353	389 411	316 378	342 347	258 245	195 175	173 151	171 155
	(2) Heart disease (un- defined) .. .. { M F	5389 6584	5787 6734	4833 5756	4853 5710	4648 5418	4080 4841	3786 4505	3236 3762	3327 4006	2723 3089	2758 3103
96	Aneurysm .. .. { M F	787 205	825 217	774 218	824 204	829 236	777 245	885 270	946 280	947 305	1006 313	989 325
97	Arterio-sclerosis* .. .. { M F	7202 5281	8340 6163	8622 6397	9499 7183	10074 7617	10464 7959	12907 10241	14176 11577	11265 9722	10088 8837	10841 9888
	(1) With cerebral hæmorrhage .. .. { M F	1368 1195	1647 1412	1750 1496	1881 1681	2047 1768	2087 1805	3191 2973	3811 3591	3791 3520	3711 3588	4055 4021



TABLE 6—*continued.*

International No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
97	Arterio-sclerosis*— <i>contd.</i>											
	(2) With record of other { M cerebral vascular lesion { F	771 662	885 786	935 796	894 874	1060 930	995 946	1388 1306	1664 1623	1657 1579	1711 1541	1828 1832
	(3) Without record of { M cerebral vascular lesion { M	5063 3424	5808 3965	5937 4105	6724 4628	6967 4919	7382 5208	8328 5962	8701 6363	5817 4623	4666 3708	4958 4035
98	Gangrene .. .. . { M .. .. . { M	724 574	677 620	555 586	687 575	645 602	641 546	556 539	528 423	549 506	430 417	423 434
	(a) Senile gangrene .. { M .. .. . { F	654 508	616 541	520 534	633 517	598 552	593 512	521 523	480 385	504 469	396 375	389 390
	(b) Other gangrene .. { M .. .. . { F	70 66	61 79	35 52	54 58	47 50	48 34	35 36	48 38	45 37	34 42	34 44
99	Other diseases of the arteries* { M .. .. . { F	235 265	266 250	263 269	252 258	280 286	331 291	303 312	288 294	251 271	230 220	177 171
00	Diseases of the veins (Varix, { M hæmorrhoids, phlebitis, etc.) { F	112 225	129 251	134 254	123 242	159 252	154 285	150 314	211 337	183 341	180 365	187 374
	(1) Varix .. .. . { M .. .. . { F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	68 174
	(2) Other diseases of the { M veins .. .. . { F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	119 200
01	Diseases of the lymphatic { M system (lymphangitis, etc.) { F	62 41	47 43	44 33	47 45	55 43	44 34	50 47	37 36	44 55	53 51	42 40
02	Abnormalities of blood { M pressure* .. .. . { F	? ?	? ?	? ?	21 26	36 25	63 69	96 70	94 65	67 70	89 82	107 118
03	Other diseases of the circula- { M tory system .. .. . { F	33 17	23 9	18 15	26 22	20 19	12 10	14 8	13 11	13 10	7 6	9 6
114	<b>VIII.—Diseases of the Respi- ratory System* .. .. .</b> { M .. .. . { F	<b>39975 34124</b>	<b>46881 41163</b>	<b>38551 33160</b>	<b>43739 38874</b>	<b>41548 36281</b>	<b>36659 31169</b>	<b>40699 35242</b>	<b>32947 26544</b>	<b>44732 38619</b>	<b>29362 22555</b>	<b>34384 29623</b>
04	Diseases of the nasal fossæ { M and annexa .. .. . { F	69 60	79 50	79 63	93 51	85 65	102 64	100 102	141 86	128 99	156 107	118 76
	(1) Diseases of the nose .. { M .. .. . { F	28 22	27 15	24 20	31 19	23 15	28 15	24 20	38 29	22 25	25 23	21 14
	(2) Diseases of the acces- { M sory nasal sinuses .. .. { F	41 38	52 35	55 43	62 32	62 50	74 49	76 82	103 57	106 74	131 84	97 62
05	Diseases of the larynx .. { M .. .. . { F	367 286	332 228	243 183	260 153	247 177	204 157	200 148	185 171	188 138	171 110	141 95
	(1) Laryngismus stridulus* { M .. .. . { F	88 49	74 52	64 43	63 23	66 33	40 33	45 29	41 29	29 18	31 21	22 16
	(2) Laryngitis .. .. . { M .. .. . { F	267 228	255 171	174 137	189 125	173 141	161 122	150 119	136 141	159 116	133 86	119 76
	(3) Other diseases of the { M larynx* .. .. . { F	12 9	3 5	5 3	8 5	8 3	3 2	5 —	8 1	— 4	7 3	— 3
06	Bronchitis .. .. . { M .. .. . { F	16791 16893	20079 20833	16106 16601	18346 19440	17323 17929	15291 14896	16211 16810	11942 11489	16223 17155	10179 9344	12513 12647
	(a) Acute bronchitis .. { M .. .. . { F	3960 4765	4832 5922	3640 4605	4429 5654	4103 5253	3567 4253	3815 4911	2329 2783	3570 4713	2001 2380	2906 3742
	(b) Chronic bronchitis .. { M .. .. . { F	5562 4428	6657 5543	5888 4735	6500 5314	6348 5091	6038 4481	6145 4824	4614 3467	5954 4618	4229 2829	4811 3478
	(c) Bronchitis, not distin- { M guished as acute or { F	7269 7700	8590 9368	6578 7261	7417 8472	6872 7585	5686 6162	6251 7075	4999 5239	6699 7824	3949 4135	4796 5427
7-109	Pneumonia (all forms) .. { M .. .. . { F	19955 14753	23322 17608	19283 14130	22099 16871	21090 15900	18430 13909	21336 15906	18212 12802	25081 18765	16468 11256	18951 14622
07	Broncho-pneumonia .. { M .. .. . { F	9349 8096	12096 10488	8941 7676	11498 10072	10535 9249	9457 8178	11063 9297	8413 7072	12961 11419	7481 6141	10019 8724
08	Lobar pneumonia .. .. { M .. .. . { F	5106 3049	5769 3412	5807 3382	5859 3580	6378 3718	5549 3366	6633 4006	6983 3871	8421 4869	6480 3589	6321 4120



TABLE 6—*continued.*

Inter- national List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
109	Pneumonia (not otherwise defined) .. .. . { M F	5500 3608	5457 3708	4535 3072	4742 3219	4177 2933	3424 2365	3640 2603	2816 1859	3699 2477	2507 1526	2611 1771
110	Pleurisy .. .. . { M F	786 506	769 519	797 503	738 509	710 433	699 412	647 467	686 440	806 494	674 358	621 417
	(1) Empyema .. .. . { M F	320 143	335 173	308 140	314 148	305 138	259 113	267 135	273 119	354 159	289 103	267 153
	(2) Other pleurisy .. .. . { M F	466 363	434 346	489 363	424 361	405 295	440 299	380 332	413 321	452 335	385 255	359 263
111	Congestion and hæmorrhagic infarct of lung, etc.* .. . { M F	569 714	575 724	528 672	531 717	532 770	523 772	491 687	433 608	511 734	435 576	539 719
	(1) Hypostatic congestion of lungs .. .. . { M F	567 707	568 715	523 662	523 711	524 768	518 769	488 681	431 604	507 732	435 569	488 668
	(2) Other diseases included under 111* .. .. . { M F	2 7	7 9	5 10	8 6	8 2	5 3	3 6	2 4	4 2	— 7	54 50
112	Asthma .. .. . { M F	964 707	1219 998	1016 834	1171 918	1137 846	969 802	1324 990	997 827	1429 1128	956 694	1106 939
113	Pulmonary emphysema .. .. . { M F	125 45	177 66	160 42	192 70	138 54	141 46	85 28	51 14	54 10	45 13	56 14
114	Other diseases of the respiratory system .. .. . { M F	349 160	329 137	339 132	309 145	286 107	300 111	305 104	300 107	312 96	278 97	338 94
	(a) Chronic interstitial pneumonia, including occupational diseases of the lung. { M F	192 65	195 65	180 62	195 67	191 46	199 64	221 61	220 74	222 60	201 64	260 60
	(b) Other diseases included under 114 .. .. . { M F	157 95	134 72	159 70	114 78	95 61	101 47	84 43	80 33	90 36	77 33	74 34
	(1) Gangrene of the lung { M F	35 24	30 22	48 14	31 15	20 13	32 11	16 7	16 8	20 9	16 2	13 6
	(2) Other diseases included under 114 (b) { M F	122 71	104 50	111 56	83 63	75 48	69 36	68 36	64 25	70 27	61 31	61 28
115-129	IX.—Diseases of the Digestive System .. .. . { M F	19187 16136	13587 11260	14360 12411	13897 11736	14912 12564	15021 12572	14148 11813	14417 12184	15173 12458	14310 11677	14093 11656
115	Diseases of the buccal cavity, pharynx, etc. .. .. . { M F	567 519	523 490	501 455	505 460	640 474	618 551	743 693	863 861	911 898	881 858	868 845
	(1) Diseases of the teeth and gums .. .. . { M F	152 150	157 149	173 149	157 151	212 129	199 142	255 181	299 227	262 194	261 190	263 207
	(2) Ludwig's angina .. .. . { M F	56 43	55 40	64 35	55 44	53 39	63 44	57 38	52 37	61 51	54 48	47 39
	(3) Diseases of the tonsils { M F	244 231	220 227	198 199	204 178	279 239	263 270	339 368	373 451	436 511	441 467	448 468
	(4) Other diseases included under 115 .. .. . { M F	115 95	91 74	66 72	89 87	96 67	93 95	92 106	139 146	152 142	125 153	110 131
116	Diseases of the œsophagus.. { M F	35 21	34 24	38 23	27 19	30 13	29 14	33 14	18 21	27 19	23 26	22 19
117	Ulcer of the stomach or duodenum .. .. . { M F	1596 842	1729 865	2107 909	2134 889	2458 1000	2663 981	2974 998	2833 998	3055 1031	3214 1036	3214 1021
	(a) Ulcer of the stomach { M F	1029 732	1143 741	1354 755	1373 731	1565 814	1737 806	1915 855	1827 816	1976 870	2074 876	2029 846
	(b) Ulcer of the duodenum { M F	567 110	586 124	753 154	761 158	893 186	926 175	1059 143	1006 182	1079 161	1140 160	1188 175
118	Other diseases of the stomach { M F	1481 1448	1241 1305	1136 1127	1092 1103	976 1060	980 945	790 846	738 845	659 743	621 673	638 723
	(1) Inflammation of the stomach .. .. . { M F	1275 1269	1046 1118	935 988	910 970	812 906	802 822	627 739	625 761	551 655	505 578	513 634
	(2) Other diseases included under 118 .. .. . { M F	206 179	195 187	201 139	182 133	164 154	178 123	163 107	113 84	108 88	116 95	123 88



TABLE 6—continued.

Inter- national List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
119 & 120	Diarrhoea and enteritis .. { M F	9518 7578	3993 3293	4515 3867	4076 3385	4552 3778	4592 3823	3313 2884	3528 2937	3841 3228	2988 2503	2840 2382
	(a) { (1) Colitis* .. .. { M F	246 296	195 229	194 271	181 217	168 218	214 259	179 213	163 187	184 198	146 203	134 189
	{ (2) Other diarrhoea and enteritis* { M F	9158 7143	3690 2946	4205 3441	3791 2994	4262 3394	4256 3392	3008 2502	3246 2569	3530 2837	2720 2115	2576 1983
	(b) Ulceration of intestines { M F	114 139	108 118	116 155	104 174	122 166	122 172	126 169	119 181	127 193	122 185	130 210
121	Appendicitis .. .. { M F	1474 1237	1524 1211	1608 1218	1545 1211	1624 1238	1535 1175	1524 1236	1623 1245	1657 1169	1693 1248	1608 1264
122	Hernia, Intestinal obstruction .. .. { M F	2100 2087	2127 2102	2106 2172	2167 2098	2148 2134	2147 2156	2281 2231	2267 2126	2506 2262	2352 2192	2413 2306
	(a) Hernia.. .. { M F	752 900	830 885	822 916	867 947	830 931	842 923	957 1008	993 974	1090 1039	950 1002	977 1044
	(1) Strangulated hernia { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	692 792
	(2) Hernia not returned as strangulated .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	285 252
	(b) Intestinal obstruction { M F	1348 1187	1297 1217	1284 1256	1300 1151	1318 1203	1305 1233	1324 1223	1274 1152	1416 1223	1402 1190	1436 1262
123	Other diseases of the intestines .. .. { M F	225 234	230 218	234 238	221 233	241 255	233 246	266 244	268 272	300 284	304 328	304 318
	(1) Constipation, Intestinal stasis .. .. { M F	66 97	74 100	77 105	74 97	70 112	79 109	76 101	67 93	69 96	52 99	51 94
	(2) Diverticulitis .. .. { M F	34 30	48 31	41 45	55 48	91 63	84 72	97 77	120 96	138 116	158 148	174 150
	(3) Other diseases included under 123 .. .. { M F	125 107	108 87	116 88	92 88	80 80	70 65	93 66	81 83	93 72	94 81	79 74
124	Cirrhosis of the liver .. { M F	1288 639	1271 635	1169 605	1126 630	1201 646	1214 651	1214 646	1206 684	1174 604	1100 556	1054 557
	(a) Returned as alcoholic { M F	100 54	103 47	98 54	90 57	87 49	82 50	162 101	210 110	175 83	144 71	162 99
	(b) Not returned as alcoholic .. .. { M F	1188 585	1168 588	1071 551	1036 573	1114 597	1132 601	1052 545	996 574	999 521	956 485	892 458
125	Other diseases of the liver { M F	194 181	173 197	156 174	151 194	171 162	148 149	115 158	132 162	108 148	122 146	101 125
	(1) Acute yellow atrophy { M F	32 38	19 55	22 51	20 80	15 58	20 63	19 62	22 54	12 62	22 69	19 47
	(2) Other diseases included under 125 .. .. { M F	162 143	154 142	134 123	131 114	156 104	128 86	96 96	110 108	96 86	100 77	82 78
126	Biliary calculi .. .. { M F	259 670	281 706	261 769	298 737	323 763	288 802	325 835	335 903	321 889	333 880	353 853
	(1) With cholecystitis .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	118 293
	(2) Without mention of cholecystitis .. .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	235 560
127	Other diseases of the gall bladder and ducts .. { M F	178 358	214 427	255 451	274 463	274 584	321 648	269 566	314 644	289 690	354 721	330 711
	(1) Cholecystitis without record of biliary calculi { M F	133 314	173 373	199 394	226 399	235 516	274 593	223 518	269 573	230 632	300 665	301 665
	(2) Other diseases included under 127 .. .. { M F	45 44	41 54	56 57	48 64	39 68	47 55	46 48	45 71	59 58	54 56	29 46
128	Diseases of the pancreas .. { M F	105 92	101 109	122 138	136 143	147 187	144 167	186 216	192 226	196 262	189 260	227 299
129	Peritonitis, without stated cause .. .. { M F	167 230	146 278	152 265	145 231	127 270	109 264	115 246	100 260	129 231	136 250	121 233



TABLE 6—continued.

Inter- national List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
<b>130-139</b>	<b>X.—Non-venereal Diseases of the Genito-urinary System and annexa.</b>	<b>10441 6813</b>	<b>10504 7121</b>	<b>10521 7159</b>	<b>10889 6997</b>	<b>10800 7257</b>	<b>10987 7387</b>	<b>12012 8039</b>	<b>12645 8722</b>	<b>13391 9070</b>	<b>13331 9157</b>	<b>14001 9370</b>
130-132	Nephritis .. .. . { M F	6473 5711	6633 6047	6466 6034	6656 5907	6519 6096	6569 6183	7151 6701	7525 7336	7874 7638	7902 7729	8284 7840
130	Acute nephritis* .. . { M F	787 677	763 647	711 633	725 674	756 651	721 683	696 610	600 583	563 602	600 574	558 515
131	Chronic nephritis* .. . { M F	5686 5034	5870 5400	5755 5401	5931 5233	5763 5445	5848 5500	6455 6091	6925 6753	7311 7036	7302 7155	6728 6335
132	Nephritis not stated to be acute or chronic* .. . { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	998 990
133	Other diseases of the kidney and annexa .. . { M F	296 283	311 297	298 311	382 365	359 369	382 406	352 459	363 480	371 468	400 488	388 537
	(a) Pyelitis .. . { M F	199 187	219 197	195 200	267 237	247 258	259 298	246 315	243 322	231 339	271 354	284 394
	(b) Other diseases included under 133 .. . { M F	97 96	92 100	103 111	115 128	112 111	123 108	106 144	120 158	140 129	129 134	104 143
134	Calculi of the urinary passages .. . { M F	183 113	198 95	213 99	200 88	204 102	188 94	201 122	241 133	308 149	249 168	269 160
	(a) Calculi of kidney and ureter .. . { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	173 141
	(b) Calculi of the bladder { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	94 18
	(c) Calculi of unstated site { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	2 1
135	Diseases of the bladder .. . { M F	913 233	815 231	801 261	726 229	660 259	734 282	687 307	605 358	545 377	513 335	552 366
	(a) Cystitis .. . { M F	809 212	731 216	732 235	684 204	621 247	685 256	638 292	575 345	514 356	486 316	522 348
	(b) Other diseases of the bladder .. . { M F	104 21	84 15	69 26	42 25	39 12	49 26	49 15	30 13	31 21	27 19	30 18
136	Diseases of the urethra, urinary abscess, etc. .. . { M F	381 —	371 3	401 4	382 5	335 2	354 4	385 8	429 7	457 5	404 5	405 5
	(a) Stricture of the urethra { M F	308 —	309 —	336 —	315 —	296 —	327 —	364 2	407 —	433 1	389 —	391 1
	(b) Other diseases of the urethra, etc. .. . { M F	73 —	62 3	65 4	67 5	39 2	27 4	21 6	22 7	24 4	15 5	14 4
137	Diseases of the prostate M	2124	2121	2288	2479	2665	2705	3172	3407	3760	3803	4039
138	Diseases of the male genital organs. M	71	55	54	64	58	55	64	75	76	60	64
139	Diseases of the female genital organs. F	473	448	450	403	429	418	442	408	433	432	462
	(a) Diseases of the ovary, Fallopian tube and parametrium. F	269	262	264	239	272	248	247	225	239	230	240
	(1) Diseases of the ovary F	14	11	15	8	12	11	11	18	5	8	6
	(2) Diseases of the Fallopian tube. F	214	196	196	184	229	195	210	186	205	188	211
	(3) Diseases of the parametrium. F	41	55	53	47	31	42	26	21	29	34	23
	(b) Diseases of the uterus F	172	155	154	132	126	138	157	145	168	170	200
	(c) Diseases of the breast F	17	17	21	15	14	18	13	10	13	6	9
	(d) Other diseases of the female genital organs. F	15	14	11	17	17	14	25	28	13	26	13



TABLE 6—continued.

Inter- national List No.	Causes of Death.			1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
40-150	<b>XI.—Diseases of Pregnancy, Childbirth, and the Puerperal State.</b>	F		<b>3325</b>	<b>2973</b>	<b>2895</b>	<b>2847</b>	<b>2900</b>	<b>2863</b>	<b>2691</b>	<b>2921</b>	<b>2791</b>	<b>2855</b>	<b>2601</b>
140 & 145	Puerperal sepsis .. ..	F		1174	1081	988	1018	1110	1112	1027	1185	1161	1244	1050
140	Post-abortion sepsis* ..	F		?	?	?	?	?	222	215	224	238	300	229
141	Abortion not returned as septic.	F		180	166	188	179	156	158	154	124	118	124	118
	(1) Hæmorrhage following abortion.*	F		73	74	88	67	67	72	72	47	51	59	97
	(2) Without record of hæmorrhage.*	F		107	92	100	112	89	86	82	77	67	65	21
142	Ectopic gestation .. ..	F		83	86	97	73	87	94	98	86	86	73	79
143	Other accidents of pregnancy	F		27	19	16	20	19	19	25	14	16	16	23
144	Puerperal hæmorrhage ..	F		469	390	429	390	373	339	327	331	313	348	289
	(a) Placenta prævia ..	F		225	198	179	186	183	156	142	171	159	162	139
	(b) Other puerperal hæmorrhage.	F		244	192	250	204	190	183	185	160	154	186	150
145	Puerperal sepsis not returned as post-abortion.*	F		?	?	?	?	?	890	812	961	923	944	821
	(a) Puerperal septicæmia and pyæmia.*	F		?	?	?	?	?	887	811	960	919	943	820
	(b) Puerperal tetanus ..	F		3	2	3	—	—	3	1	1	4	1	1
146	Puerperal albuminuria and convulsions.*	F		604	556	518	524	499	524	537	557	524	467	375
147	Other toxæmias of pregnancy*	F		44	39	51	54	56	57	45	45	66	66	131
148	Puerperal phlegmasia alba dolens, embolism and sudden death.	F		326	296	277	244	240	202	175	219	180	190	188
	(a) Puerperal phlegmasia alba dolens not returned as septic.	F		64	54	61	58	35	25	32	31	17	23	47
	(b) Puerperal embolism and sudden death.	F		262	242	216	186	205	177	143	188	163	167	141
149	Other accidents of childbirth	F		248	228	230	235	247	272	251	307	274	246	300
150	Other or unspecified conditions of the puerperal state.	F		170	112	101	110	113	86	52	53	53	81	48
	(1) Puerperal insanity ..	F		29	30	23	20	23	13	14	21	22	25	13
	(2) Puerperal diseases of the breast.	F		7	6	4	4	6	6	7	8	6	8	11
	(3) Childbirth (unqualified)	F		134	76	74	86	84	67	31	24	25	48	24
151-153	<b>XII.—Diseases of the Skin and Cellular Tissue*</b>	{ M F		<b>966 853</b>	<b>919 793</b>	<b>971 778</b>	<b>885 787</b>	<b>991 864</b>	<b>952 842</b>	<b>904 803</b>	<b>1084 875</b>	<b>1057 832</b>	<b>999 820</b>	<b>1006 882</b>
151	Carbuncle, Boil .. ..	{ M F		216 104	205 101	234 109	203 97	244 122	258 133	256 138	307 152	303 166	340 171	352 160
152	Cellulitis, Acute abscess* ..	{ M F		387 324	399 274	370 297	363 273	417 327	388 315	335 275	426 311	455 313	372 305	378 367
	(1) Cellulitis .. ..	{ M F		252 213	277 183	262 199	265 198	313 238	310 242	250 205	338 238	354 252	296 240	294 289
	(2) Acute abscess* ..	{ M F		135 111	122 91	108 98	98 75	104 89	78 73	85 70	88 73	101 61	76 65	84 78
153	Other diseases of the skin and its annexa. . . . .	{ M F		363 425	315 418	367 372	319 417	330 415	306 394	313 390	351 412	299 353	287 344	276 355
154-156	<b>XIII.—Diseases of the Bones and Organs of Locomotion.</b>	{ M F		<b>463 247</b>	<b>483 297</b>	<b>502 263</b>	<b>526 307</b>	<b>501 299</b>	<b>488 294</b>	<b>538 317</b>	<b>579 309</b>	<b>577 386</b>	<b>560 352</b>	<b>545 327</b>
154	Acute infective osteomyelitis and periostitis .. ..	{ M F		277 126	313 148	301 123	319 151	291 146	271 146	315 164	362 144	318 191	326 164	321 163



TABLE 6—continued.

Inter- national List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
155	Other diseases of the bones.. { M F	80 51	65 56	78 54	75 51	93 60	110 80	94 68	95 56	114 69	102 72	91 56
156	Diseases of the joints and { M other organs of locomotion { F	106 70	105 93	123 86	132 105	117 93	107 68	129 85	122 109	145 126	132 116	133 108
	(a) Diseases of the joints { M F	86 52	81 63	89 54	101 77	82 57	72 43	100 62	96 64	109 78	103 80	93 74
	(b) Diseases of other { M organs of locomotion.. { F	20 18	24 30	34 32	31 28	35 36	35 25	29 23	26 45	36 48	29 36	40 34
157	<b>XIV.—Congenital Malforma- { M tions .. .. . { F</b>	<b>2141 1677</b>	<b>2042 1678</b>	<b>2019 1551</b>	<b>1961 1496</b>	<b>2035 1611</b>	<b>2018 1586</b>	<b>1969 1596</b>	<b>2058 1624</b>	<b>2069 1746</b>	<b>2193 1665</b>	<b>2199 1712</b>
	(a) Congenital hydroceph- { M alus .. .. . { F	191 110	152 133	195 116	148 116	164 114	159 119	160 113	135 92	144 112	138 108	147 117
	(b) Spina bifida and men- { M ingocele .. .. { F	319 441	341 470	328 453	284 427	326 450	320 467	328 453	387 467	361 517	397 470	407 516
	(c) Congenital malforma- { M tion of heart .. .. { F	822 620	829 616	803 580	806 544	801 618	773 621	791 599	780 630	823 659	888 639	858 640
	(d) Monstrosities .. { M F	21 29	24 31	24 28	37 30	39 30	28 28	22 32	24 37	24 41	29 23	33 50
	(e) Other congenital mal- { M formations .. .. { F	788 477	696 428	669 374	686 379	705 399	738 351	668 399	732 398	717 417	741 425	754 389
	(1) Congenital pyloric { M stenosis .. .. { F	176 59	157 53	198 59	192 57	217 82	279 66	217 55	240 68	233 83	270 77	330 76
	(2) Cleft palate, Hare- { M lip .. .. . { F	118 74	91 77	76 59	102 56	88 63	72 62	70 50	77 51	88 79	80 77	85 53
	(3) Imperforate anus .. { M F	58 17	83 22	56 19	65 20	62 19	56 8	54 22	74 19	54 15	55 17	42 18
	(4) Other stated congen- { M ital malformations { F	328 260	294 218	259 187	256 192	270 202	272 175	276 228	303 228	308 220	288 215	247 195
	(5) Congenital malform- { M ation unspecified .. { F	108 67	71 58	80 50	71 54	68 33	59 40	51 44	38 32	34 20	48 39	50 47
158-161	<b>XV.—Diseases of Early In- { M fancy* .. .. . { F</b>	<b>15069 11194</b>	<b>13131 9542</b>	<b>11990 8867</b>	<b>12062 9009</b>	<b>11277 8490</b>	<b>10895 7955</b>	<b>10388 7567</b>	<b>10061 7313</b>	<b>10252 7512</b>	<b>9723 7067</b>	<b>9803 6997</b>
158	Congenital debility* .. { M F	3681 2569	2879 2025	2570 1761	2498 1684	2506 1650	2166 1524	1653 1115	1578 977	1522 982	1357 841	1307 809
159	Premature birth .. { M F	9265 7146	8285 6286	7564 5815	7712 6026	7025 5509	6932 5214	6898 5234	6630 5041	6784 5208	6447 4913	6594 4971
160	Injury at birth .. { M F	717 462	667 368	626 430	644 375	663 395	647 406	732 482	751 505	862 492	834 527	837 497
	(a) With mention of Cæs- { M arean section .. .. { F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	6 4
	(b) Without mention of { M Cæsarean section .. { F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	831 493
161	Other diseases peculiar to { M early infancy .. .. { F	1406 1017	1300 863	1230 861	1208 924	1083 936	1150 811	1105 736	1102 790	1084 830	1085 786	1065 720
	(a) Atelectasis .. { M F	783 586	730 483	671 457	641 530	581 518	641 440	613 405	594 455	581 440	601 411	637 405
	(b) Icterus neonatorum .. { M F	381 233	345 179	363 190	312 171	235 162	225 147	257 145	255 136	257 132	235 141	204 122
	(c) Other diseases included { M under 161* .. .. { F	242 198	225 201	196 214	255 223	267 256	284 224	235 186	253 199	246 258	249 234	224 193
	(1) Diseases of the { M umbilicus .. .. { F	69 74	72 55	62 57	69 59	72 67	80 41	39 36	41 38	52 46	61 52	57 33

TABLE 6—continued.

International t No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
61	Other diseases peculiar to early infancy— <i>contd.</i>											
	(2) Pemphigus neonatorum .. .. { M F	67 31	57 40	57 47	76 51	105 68	87 53	85 37	79 40	65 61	56 46	51 33
	(3) Other diseases in- cluded under 161 (c)* { M F	106 93	96 106	77 110	110 113	90 121	117 130	111 113	133 121	129 151	132 136	116 127
162	<b>XVI.—Old Age*</b> .. .. { M F	<b>11268 16138</b>	<b>11806 16659</b>	<b>10549 14795</b>	<b>10434 15301</b>	<b>10202 15112</b>	<b>10036 14528</b>	<b>9150 13603</b>	<b>7976 11774</b>	<b>8495 12685</b>	<b>7345 10772</b>	<b>7120 10867</b>
	(a) Senile dementia* .. .. { M F	572 839	655 897	645 796	653 858	760 957	710 1061	782 1037	852 1141	877 1271	776 1112	565 758
	(b) Other forms of senile decay* .. .. { M F	10696 15299	11151 15762	9904 13999	9781 14443	9442 14155	9326 13467	8368 12566	7124 10633	7618 11414	6569 9660	6555 10109
3-198	<b>XVII.—Deaths from Violence</b> { M F	<b>11774 5003</b>	<b>11604 5039</b>	<b>12227 5113</b>	<b>12096 5378</b>	<b>12903 5648</b>	<b>12993 5929</b>	<b>14162 6227</b>	<b>14810 6753</b>	<b>15184 6936</b>	<b>15585 6832</b>	<b>14547 7031</b>
3-171	Suicide .. .. { M F	2763 996	2817 1059	2887 1062	2635 1085	2852 1232	3099 1350	3458 1449	3409 1473	3480 1504	3527 1524	3624 1523
163	By solid or liquid poisons and corrosive substances { M F	203 172	237 196	240 177	214 197	254 212	323 283	399 338	380 285	354 314	406 309	368 308
164	By poisonous gas .. .. { M F	233 132	330 173	449 239	373 212	465 297	588 355	658 340	667 421	824 461	842 509	934 517
165	By hanging or strangula- tion .. .. { M F	676 166	666 150	619 130	579 148	608 172	676 151	671 157	697 166	690 136	629 124	614 122
166	By drowning .. .. { M F	585 323	522 331	537 315	504 320	508 327	558 349	580 363	609 350	546 329	554 333	584 329
167	By firearms .. .. { M F	248 10	249 7	231 16	190 9	197 14	210 8	225 18	226 11	221 11	254 8	254 13
168	By cutting or piercing instruments .. .. { M F	598 112	581 114	568 101	532 99	549 95	531 96	634 125	567 111	581 118	535 88	524 87
169	By jumping from high places .. .. { M F	69 38	75 51	72 54	69 43	83 57	70 54	93 53	83 59	87 65	110 67	111 56
170	By crushing .. .. { M F	146 23	148 19	163 18	170 35	182 35	130 33	185 27	173 36	170 20	190 30	227 36
171	By other means .. .. { M F	5 20	9 18	8 12	4 22	6 23	13 21	13 28	7 34	7 50	7 56	8 55
2-175	Homicide .. .. { M F	117 130	85 117	130 110	119 105	118 144	127 149	99 109	100 108	97 107	112 82	76 114
172	Infanticide (under 1 year)† { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
173	By firearms .. .. { M F	11 14	5 11	12 13	7 3	10 10	9 25	10 11	7 10	9 16	9 9	6 12
174	By cutting or piercing instruments .. .. { M F	14 31	11 31	15 25	12 27	21 39	14 25	11 24	13 25	18 22	7 9	9 23
175	By other means .. .. { M F	92 85	69 75	103 72	100 75	87 95	104 99	78 74	80 73	70 69	96 64	61 79
176-194	Accidental deaths .. .. { M F	7908 3567	7772 3574	8298 3651	8512 3888	9111 3976	8929 4153	9700 4381	10415 4883	10827 5066	11081 4968	9943 5076
176	Attack by venomous animals .. .. { M F	5 10	4 3	5 12	4 8	18 16	11 12	6 9	18 15	5 18	18 14	9 14
177	Food poisoning .. .. { M F	29 30	21 20	20 17	19 14	23 14	12 8	10 12	19 14	10 8	10 6	8 7
178	Accidental absorption of irrespirable or poisonous gas. { M F	89 46	102 50	89 49	83 32	97 52	101 75	87 77	88 63	119 90	111 39	104 73
179	Other acute accidental poisoning (not by gas) { M F	75 46	58 37	47 31	51 29	75 46	43 40	50 37	49 49	46 25	56 48	51 41

† Deaths from this cause are included under headings 173-175 (Homicide).



TABLE 6—continued.

Inter- national List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
180	Conflagration .. .. { M F	20 27	17 19	18 12	27 14	25 22	18 21	28 31	32 25	45 30	31 30	3 4
181	Accidental burns (con- flagration excepted). .. { M F	697 882	738 954	747 846	660 899	726 858	577 773	689 767	641 822	681 935	601 749	59 80
182	Accidental mechanical suffocation .. .. { M F	387 283	326 243	304 208	303 225	283 248	309 210	282 242	280 223	265 205	277 197	24 18
183	Accidental drowning .. { M F	916 119	633 101	771 126	678 112	743 130	762 97	660 132	743 144	735 131	622 117	58 10
184	Accidental injury by fire- arms. { M F	67 6	69 4	65 5	62 8	71 6	63 8	66 5	62 6	55 10	75 4	6
185	Accidental injury by cutting or piercing in- struments. { M F	14 4	12 2	11 1	12 —	4 1	8 —	11 —	15 11	14 6	9 1	
186	Accidental injury by fall, crushing, etc. .. .. { M F	4947 1797	5172 1913	5496 2039	6032 2294	6429 2335	6430 2642	7178 2846	7854 3281	8241 3365	8552 3497	781 363
187	Cataclysm.. .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	— —
188	Injury by animals (poison- ing by venomous animals excepted). { M F	77 10	59 6	61 6	66 7	64 6	65 4	58 5	50 3	52 7	42 10	4
189	Hunger or thirst .. .. { M F	11 8	8 6	9 3	10 5	7 6	13 6	16 10	14 9	20 7	9 5	
190	Excessive cold .. .. { M F	29 4	38 20	23 9	31 9	40 16	43 11	50 12	40 9	68 27	28 6	1
191	Excessive heat .. .. { M F	132 115	54 29	217 107	18 12	76 45	60 32	7 8	52 22	50 19	155 72	1
192	Lightning .. .. { M F	3 —	4 1	8 —	12 3	17 —	10 1	5 —	4 —	14 —	9 1	1
193	Electricity (lightning ex- cepted) .. .. { M F	22 —	27 1	30 —	41 1	42 1	43 2	51 1	51 4	52 1	61 7	5
194	Other and unstated forms of accidental violence. { M F	388 180	430 165	377 180	403 216	371 174	361 211	446 187	403 183	355 182	415 165	29 14
	(1) Inattention at birth { M F	148 129	131 117	114 119	143 148	121 116	147 155	143 123	132 118	105 118	105 112	8 10
	(2) Other causes in- cluded under 194 .. { M F	240 51	299 48	263 61	260 68	250 58	214 56	303 64	271 65	250 64	310 53	21 4
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.). { M F	877 310	841 289	824 289	759 300	743 296	749 276	830 287	789 289	700 259	788 258	80 31
196	Wounds of war .. .. { M F	101 —	72 —	75 —	61 —	63 —	73 —	68 1	76 —	72 —	74 —	9 —
197	Execution of civilians by belligerent armies .. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
198	Execution .. .. { M F	8 —	17 —	13 1	10 —	16 —	16 1	7 —	21 —	8 —	3 —	1 —
199-200	<b>XVIII.—Ill-defined Diseases*</b> { M F	<b>1088 794</b>	<b>1034 797</b>	<b>982 731</b>	<b>930 664</b>	<b>923 681</b>	<b>828 578</b>	<b>642 443</b>	<b>494 343</b>	<b>484 347</b>	<b>441 306</b>	<b>77 57</b>
199	Sudden death* .. .. { M F	191 114	200 118	200 125	162 96	162 98	171 74	154 88	138 74	133 82	117 75	17 9
200	Cause of death unstated or ill-defined .. .. { M F	897 680	834 679	782 606	768 568	761 583	657 504	488 355	356 269	351 265	324 231	60 47
	(1) Heart failure* .. { M F	540 374	557 389	504 373	489 352	514 353	467 344	359 234	246 169	250 171	214 153	49 39
	(2) Other ill-defined causes { M F	314 273	236 261	234 210	233 177	197 183	136 119	99 104	85 84	70 79	80 55	6 6
	(3) Cause not specified .. { M F	43 33	41 29	44 23	46 39	50 47	54 41	30 17	25 16	31 15	30 23	4 1

TABLE 7. CRUDE DEATH-RATES OF MALES, FEMALES AND PERSONS FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1921-1931.	}	England and Wales.
--	---	--------------------

*List of Causes as in use for 1931 (see note to heading of Table 6), but in this table headings consistently showing a mortality of less than 5 per million and some indefinite headings are omitted. Where the incidence of mortality falls particularly on one sex, the rate in that sex has been taken as the criterion. For titles omitted see Table 6. The deaths on which the rates for years prior to 1931 are based have been reconstructed as far as possible in the terms of the revised List, and where such reconstruction is incomplete an \* is marked against the heading.*

List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
	ALL CAUSES .. .. { M F P	12,962 11,324 12,105	13,565 12,018 12,757	12,368 10,863 11,582	12,975 11,515 12,214	12,949 11,434 12,158	12,384 10,911 11,616	13,115 11,618 12,334	12,465 10,922 11,661	14,229 12,724 13,444	12,268 10,680 11,441	13,033 11,615 12,294
1-44	I. Infectious and Parasitic Diseases* .. .. { M F P	2,041 1,698 1,862	2,468 2,088 2,270	1,946 1,565 1,747	2,194 1,839 2,009	2,106 1,714 1,901	1,818 1,450 1,626	2,139 1,786 1,954	1,755 1,373 1,556	2,387 2,028 2,200	1,641 1,252 1,438	1,839 1,470 1,647
1-2	Typhoid and paratyphoid fevers .. .. { M F P	17 15 16	13 11 12	12 11 12	13 12 13	10 10 10	10 9 9	10 9 9	11 11 11	10 9 10	9 7 8	7 6 6
1	Typhoid fever .. .. { M F P	17 15 16	13 11 12	12 10 11	13 11 12	9 9 9	9 8 8	9 7 8	9 9 9	9 8 8	7 6 6	5 4 5
7	Measles .. .. { M F P	66 53 59	164 136 149	157 121 138	138 112 125	153 122 137	98 81 89	102 83 92	121 98 109	92 80 86	119 93 105	92 73 82
8	Scarlet fever .. .. { M F P	35 34 34	36 37 36	27 24 26	22 23 23	26 25 25	19 16 17	15 14 15	14 15 15	19 17 18	18 19 19	12 14 14
9	Whooping cough .. .. { M F P	113 128 121	157 176 167	104 112 108	101 105 103	149 162 156	100 110 105	88 99 94	71 79 75	147 172 160	47 55 51	58 67 63
10	Diphtheria .. .. { M F P	127 125 126	112 102 107	72 70 71	65 64 65	72 70 71	76 77 77	71 68 70	84 78 81	86 88 87	90 85 88	70 64 67
11	Influenza .. .. { M F P	250 226 237	568 559 563	235 207 220	493 487 490	339 316 327	243 216 229	575 559 567	216 178 196	731 737 734	144 110 126	360 360 360
	(a) { 1. With pneumonic complications .. { M F P	116 89 102	285 256 270	110 78 93	243 200 221	152 115 133	115 80 97	282 229 255	108 70 88	390 331 359	70 41 55	176 145 160
	{ 2. With other respiratory complications* { M F P	43 46 45	124 130 127	41 45 43	103 126 115	70 77 74	41 45 44	127 149 139	37 37 37	174 209 192	27 22 24	81 99 90
	(b) { 1. With non-respiratory complications* { M F P	53 51 52	87 91 89	52 48 50	86 87 86	68 70 69	54 55 55	93 100 97	53 52 52	104 118 112	35 36 35	73 79 76
	{ 2. Without stated complications .. { M F P	37 41 39	72 82 77	31 36 34	62 73 68	49 53 51	32 35 33	72 81 76	18 20 19	63 79 71	12 11 12	31 38 35
13	Dysentery .. .. { M F P	7 7 7	5 6 6	5 3 4	4 3 3	4 3 3	4 3 4	3 2 2	4 3 4	4 1 2	3 2 2	4 2 3
15	Erysipelas .. .. { M F P	20 18 19	21 16 18	17 16 16	19 16 17	24 20 22	23 19 21	22 20 21	25 20 23	28 24 26	29 23 26	27 23 25
16	Acute poliomyelitis .. .. { M F P	5 4 4	3 4 4	3 3 3	5 3 4	5 3 4	7 5 6	6 4 5	5 3 4	4 3 4	5 4 4	3 2 2
17	Encephalitis lethargica .. .. { M F P	19 19 19	9 9 9	15 13 14	39 33 36	36 35 35	35 33 34	31 27 29	27 27 27	27 25 26	23 23 23	26 22 24
18	Cerebro-spinal fever .. .. { M F P	13 9 11	11 8 9	8 7 7	9 6 8	11 7 9	11 8 9	14 8 11	13 9 11	19 11 15	19 13 16	45 28 36
22	Tetanus .. .. { M F P	6 2 4	6 1 4	7 2 4	6 1 3	6 2 4	6 2 4	7 1 4	6 1 3	6 2 4	6 1 3	5 1 3



TABLE 7—*contd.*

List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
23-32	Tuberculosis (all forms) .. { M. F. P.	1,267 998 1,127	1,279 977 1,121	1,205 932 1,062	1,205 928 1,061	1,195 895 1,039	1,106 828 961	1,112 843 972	1,067 800 928	1,122 810 959	1,037 770 898	1,041 762 896
23	Respiratory system .. { M. F. P.	1,003 777 884	1,024 766 889	958 724 836	969 729 844	967 709 833	897 655 771	914 678 791	879 641 755	938 661 793	863 624 739	872 622 742
24	Central nervous system .. { M. F. P.	99 80 89	98 78 88	91 79 85	87 74 80	86 70 78	79 67 73	82 65 73	71 59 65	71 59 65	67 58 62	70 60 65
25	Intestines and peritoneum { M. F. P.	59 55 57	51 48 49	52 50 51	49 46 48	46 42 44	41 38 39	35 34 34	34 34 34	32 30 31	29 29 29	27 28 27
26	Vertebral column .. { M. F. P.	19 16 18	21 15 18	18 14 16	17 15 16	16 11 14	16 12 14	15 11 13	15 10 12	14 11 12	14 10 12	14 11 12
27	Other bones and joints .. { M. F. P.	13 9 11	13 9 11	12 8 10	12 7 10	11 7 9	11 6 8	10 6 8	10 6 8	8 6 7	9 5 7	8 4 6
30	Genito-urinary system .. { M. F. P.	7 6 6	8 5 7	9 5 7	7 6 7	8 6 7	7 4 5	7 5 6	9 6 7	9 5 7	8 5 7	9 6 7
32	Disseminated tuberculosis { M. F. P.	62 49 55	60 48 54	60 47 53	58 45 51	56 44 50	52 42 47	46 39 43	47 38 42	48 35 41	43 35 39	37 28 32
	(a) Acute .. { M. F. P.	13 12 12	16 14 15	21 20 21	22 19 21	18 17 18	18 17 17	17 16 16	18 17 17	17 14 16	17 15 16	18 14 16
	(b) Chronic .. { M. F. P.	49 37 43	44 34 39	38 27 32	35 26 30	38 27 32	34 25 29	30 23 26	29 21 25	30 20 25	27 20 23	0 0 18 14 16
	(c) Not distinguished as acute or chronic .. { M. F. P.											
34	Syphilis .. { M. F. P.	57 38 47	47 31 39	47 27 36	42 25 33	39 23 30	42 23 32	46 26 36	53 26 39	47 24 35	48 24 36	50 24 36
	(a) Congenital syphilis .. { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	12 9 10
	(b & c) Acquired or unspecified .. { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	38 15 26
36	Purulent infection, septi- cæmia* .. { M. F. P.	19 12 15	19 10 14	17 9 13	16 10 13	20 12 16	23 12 17	22 13 17	21 14 17	29 16 22	29 15 22	25 13 19
	(a) Septicæmia .. { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	23 13 18
38	Malaria .. { M. F. P.	8 0 4	6 1 3	4 0 2	5 0 3	3 0 2	3 0 2	2 0 1	2 0 1	2 0 1	2 0 1	1 0 1
44	Other infectious or parasitic diseases .. { M. F. P.	4 3 3	2 2 2	3 2 3	3 2 2	5 3 4	5 4 4	4 3 3	4 3 4	5 3 4	5 3 4	4 3 4
45-55	II. Cancer and Other Tumours { M. F. P.	1,191 1,355 1,276	1,215 1,358 1,290	1,254 1,399 1,330	1,297 1,423 1,363	1,339 1,452 1,398	1,362 1,493 1,430	1,386 1,496 1,443	1,443 1,547 1,493	1,441 1,561 1,503	1,469 1,576 1,525	1,509 1,598 1,555
45-53	Cancer, malignant disease* .. { M. F. P.	1,142 1,281 1,215	1,167 1,286 1,229	1,203 1,326 1,267	1,246 1,351 1,300	1,290 1,377 1,336	1,307 1,413 1,362	1,332 1,417 1,376	1,377 1,469 1,425	1,386 1,483 1,437	1,411 1,494 1,454	1,450 1,516 1,484
45	Buccal cavity and pharynx { M. F. P.	152 22 84	147 22 82	154 25 86	152 26 86	159 25 89	155 25 87	162 25 90	165 25 92	154 26 87	153 25 86	154 25 87
46	Digestive organs and peritoneum* .. { M. F. P.	707 616 659	724 619 669	743 640 689	771 649 707	798 664 728	816 703 757	826 686 753	841 716 776	864 725 792	876 735 802	890 738 811

TABLE 7—*contd.*

List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
	Cancer, malignant disease — <i>contd.</i>											
47	Respiratory organs .. { M. F. P.	69 24 45	77 26 50	77 27 51	81 29 53	88 32 59	93 32 61	95 32 63	105 34 68	105 37 69	118 42 78	132 44 86
48	Uterus .. .. . F.	222	212	217	217	220	216	216	220	216	210	208
49	Other female genital organs F.	52	56	60	61	61	68	70	72	76	79	80
50	Breast .. .. . { M. F. P.	2 236 125	2 242 128	2 249 131	2 255 134	2 265 139	2 260 137	2 277 146	3 286 150	2 288 151	3 292 154	3 306 161
51	Male genito-urinary organs M.	102	113	118	124	131	132	138	149	152	154	166
52	Skin .. .. . { M. F. P.	30 20 25	28 22 25	31 21 26	32 23 27	31 21 26	31 21 26	31 23 27	35 24 29	35 24 29	33 22 27	36 23 29
53	Other or unspecified organs { M. F. P.	81 88 84	76 86 81	80 87 83	85 91 88	82 88 85	77 88 83	78 86 82	80 92 86	72 92 83	73 90 82	69 92 81
54	Non-malignant tumours .. { M. F. P.	14 41 28	13 40 27	17 40 29	15 40 28	16 42 29	19 47 33	20 46 34	23 47 35	20 47 34	23 50 37	25 53 40
	(a) Female genital organs.. F.	32	31	30	30	31	34	33	34	32	35	36
	(b) Other sites .. .. . { M. F. P.	14 9 12	13 9 11	17 10 13	15 10 13	16 10 13	19 12 15	20 13 17	23 13 18	20 15 17	23 16 19	25 17 21
55	Tumours of undetermined nature* .. .. . { M. F. P.	34 33 34	34 32 33	35 33 34	36 32 34	33 33 33	36 33 35	34 33 33	34 32 32	35 30 33	35 32 34	34 29 32
	(b) Sites other than female genital organs* .. { M. F. P.	34 31 33	34 30 32	35 31 33	36 30 33	33 31 32	36 31 34	34 32 33	34 30 32	35 28 32	35 31 33	34 28 31
56-59	<b>III. Rheumatism, Diseases of Nutrition and of Endocrine Glands and other General Diseases.*</b>	<b>233</b>	<b>245</b>	<b>231</b>	<b>230</b>	<b>227</b>	<b>235</b>	<b>241</b>	<b>256</b>	<b>261</b>	<b>249</b>	<b>246</b>
		<b>304</b>	<b>321</b>	<b>310</b>	<b>310</b>	<b>340</b>	<b>335</b>	<b>363</b>	<b>388</b>	<b>412</b>	<b>400</b>	<b>408</b>
		<b>270</b>	<b>284</b>	<b>272</b>	<b>272</b>	<b>286</b>	<b>288</b>	<b>305</b>	<b>325</b>	<b>340</b>	<b>328</b>	<b>330</b>
56	Rheumatic fever .. .. . { M. F. P.	48 48 48	45 48 47	42 43 42	41 45 43	45 52 48	44 47 45	37 42 40	34 42 38	34 38 36	36 39 38	29 34 32
57	Chronic rheumatism, osteo-arthrititis .. .. . { M. F. P.	33 75 55	39 78 59	37 78 59	40 77 59	37 83 61	38 84 62	44 90 68	48 102 76	52 117 86	46 102 75	50 105 79
	(1) Chronic rheumatism* .. { M. F. P.	10 14 12	11 13 12	10 12 11	11 11 11	9 10 9	8 9 8	5 6 6	5 6 6	5 6 6	4 6 5	3 5 4
	(2) Rheumatoid arthritis, osteo-arthrititis* .. { M. F. P.	22 62 43	28 65 47	27 66 48	29 66 48	28 73 51	30 75 54	39 84 63	43 96 70	47 111 80	43 97 71	47 101 75
58	Gout .. .. . { M. F. P.	9 2 5	10 2 6	8 2 5	9 1 5	9 2 5	8 2 5	12 2 7	15 3 8	13 2 8	12 3 7	11 3 7
59	Diabetes .. .. . { M. F. P.	105 111 108	116 122 119	105 122 114	102 117 110	98 125 112	106 124 115	109 142 126	116 145 131	122 161 142	121 161 142	118 170 145
63	Rickets* .. .. . { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	12 7 10
	(1) Rickets (excluding spinal curvatures of undetermined nature) { M. F. P.	15 11 13	13 9 11	15 10 12	16 9 13	15 10 12	13 8 11	12 7 10	15 10 12	13 8 11	10 6 8	12 9 0
64	Osteomalacia* .. .. . { M. F. P.	15 11 13	13 9 11	15 10 12	16 9 13	15 10 12	13 8 11	12 7 10	15 10 12	13 8 11	10 6 8	12 9 0
66	Diseases of the thyroid and parathyroid glands* .. { M. F. P.	7 42 25	7 45 27	7 42 26	8 46 28	9 53 32	10 56 34	11 61 37	11 67 40	11 65 39	10 71 42	11 75 45
	(a) Simple goitre .. .. . { M. F. P.	1 6 4	1 6 4	2 6 4	2 5 4	1 6 4	2 7 5	1 7 4	1 10 6	1 7 4	1 7 4	2 7 4



TABLE 7—*contd.*

List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
66	Diseases of the thyroid and parathyroid glands*— <i>contd.</i>											
	(b) Exophthalmic goitre .. { M. F. P.	3 27 16	3 30 17	3 28 16	3 29 16	3 34 19	4 36 21	5 42 24	6 45 27	7 45 27	6 54 31	7 56 33
	(c) Myxœdema, cretinism { M. F. P.	2 8 5	2 9 6	3 8 5	2 10 6	2 11 7	2 11 7	3 11 7	2 11 7	2 11 7	2 10 6	2 12 7
67	Diseases of the thymus .. { M. F. P.	6 3 5	6 4 5	6 3 4	5 3 4	5 3 4	6 3 4	5 3 4	6 3 4	6 4 5	4 3 3	5 2 4
68	Diseases of the adrenals .. { M. F. P.	5 6 6	5 6 6	5 6 6	5 6 6	5 7 6	5 8 7	4 7 6	5 7 6	5 7 6	5 7 6	4 6 5
69	Other general diseases* .. { M. F. P.	2 2 2	1 3 2	3 2 2	2 3 2	2 3 2	3 3 3	4 5 5	4 7 6	3 7 5	2 4 3	3 3 3
70-74	IV. Diseases of the Blood and Blood-forming organs .. { M. F. P.	101 108 105	109 111 110	99 106 103	103 109 106	106 114 110	112 122 117	110 115 112	91 95 93	97 98 97	101 103 102	105 107 106
70	Hæmorrhagic conditions .. { M. F. P.	10 8 9	11 9 10	10 8 9	10 8 9	11 9 10	10 9 10	10 8 9	12 9 11	11 9 10	11 9 10	11 8 10
	(a) Purpura .. { M. F. P.	7 6 7	8 7 7	6 7 6	6 6 6	7 7 7	7 7 7	7 7 7	7 7 7	7 8 7	7 7 7	7 7 7
71	Anæmia, Chlorosis .. { M. F. P.	61 83 73	68 84 76	60 77 69	62 81 72	64 83 74	67 90 79	63 82 73	44 61 53	48 62 55	52 67 60	52 71 62
	(a) Pernicious anæmia .. { M. F. P.	55 74 65	61 74 68	54 68 62	56 74 65	58 74 66	60 81 71	58 76 68	39 54 47	43 56 49	47 60 54	47 64 56
	(b) Other anæmias and chlorosis .. { M. F. P.	6 9 8	7 10 8	6 9 7	6 7 6	6 8 7	7 8 8	5 6 6	5 7 6	5 6 6	5 6 6	5 7 6
72	Leukæmia, Aleukæmia .. { M. F. P.	27 16 21	29 17 22	27 19 23	29 19 24	29 21 25	32 21 26	34 23 28	32 22 27	35 24 29	35 24 29	39 25 32
	(a) Leukæmia .. { M. F. P.	14 10 12	15 10 12	15 12 13	15 12 13	16 13 15	17 14 15	18 15 16	18 13 16	19 16 17	19 15 16	20 16 18
	(b) Aleukæmia (Lymphadenoma) .. { M. F. P.	13 6 9	14 6 10	12 7 10	14 8 11	13 7 10	15 7 11	15 8 12	14 9 11	17 8 12	17 9 13	20 9 13
75-77	V. Chronic Poisoning .. { M. F. P.	10 3 6	10 3 6	9 3 6	8 2 5	7 3 5	7 2 5	7 1 4	7 2 5	7 3 5	5 2 4	4 2 3
75	Alcoholism (acute or chronic) { M. F. P.	7 3 5	6 2 4	6 2 4	5 2 3	5 3 4	4 2 3	4 1 3	4 2 3	4 2 3	3 2 2	2 2 2
78-89	VI. Diseases of the Nervous System and Sense Organs* { M. F. P.	1,281 1,209 1,244	1,296 1,227 1,259	1,235 1,192 1,212	1,221 1,166 1,192	1,215 1,148 1,180	1,182 1,145 1,163	1,098 1,077 1,087	1,030 1,024 1,027	1,088 1,058 1,072	996 1,005 1,001	1,021 1,002 1,011
78	Encephalitis .. { M. F. P.	10 7 8	10 7 8	10 6 8	8 6 7	11 6 8	11 7 9	8 5 7	8 6 7	9 7 8	8 6 7	9 5 7
	(a) Cerebral abscess .. { M. F. P.	6 4 5	7 4 5	6 4 5	6 3 5	7 4 5	8 4 6	6 2 4	5 4 4	6 3 4	5 3 4	6 3 4
79	Meningitis* .. { M. P. F.	72 57 64	66 50 58	60 48 54	58 42 50	55 39 47	46 37 42	43 32 37	35 26 31	39 29 34	31 23 27	31 24 27
80	Tabes dorsalis (locomotor ataxy) .. { M. P. F.	32 6 18	36 7 21	33 7 19	34 6 19	32 6 19	34 6 19	34 7 20	34 6 20	39 7 22	30 6 18	29 5 17

TABLE 7—*contd.*

List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
81	Other diseases of the spinal cord .. .. .	M. 40 F. 29 P. 34	42 30 36	45 30 37	46 30 37	43 30 36	41 30 35	40 31 36	44 29 36	40 29 34	38 28 33	39 28 33
	(1) Progressive muscular atrophy .. .. .	M. 12 F. 9 P. 10	15 10 12	15 11 13	16 11 14	16 11 13	14 12 13	15 11 13	17 11 14	16 12 14	15 12 13	16 12 14
	(3) Myelitis of unstated origin .. .. .	M. 11 F. 10 P. 10	1 0 1	13 9 11	12 8 10	12 8 10	11 8 9	11 10 10	11 8 9	11 8 9	8 8 8	9 8 8
	(4) Other diseases included under 81 .. .. .	M. 16 F. 10 P. 13	16 9 12	16 10 13	17 9 13	14 10 12	14 9 11	13 9 11	15 9 12	12 8 10	13 7 10	12 7 10
82	Cerebral hæmorrhage, Apoplexy, etc. .. .. .	M. 707 F. 810 P. 761	732 845 791	708 828 771	715 821 770	709 806 759	699 818 761	634 753 696	582 710 649	631 737 686	585 710 650	605 706 658
	(a) { 1. Cerebral hæmorrhage so returned	M. 476 F. 539 P. 509	500 573 538	491 570 532	500 567 535	507 574 542	501 576 540	460 536 499	426 512 471	459 529 496	418 505 463	428 494 463
	2. Apoplexy (lesion unstated) .. .. .	M. 86 F. 92 P. 89	79 89 84	69 80 75	64 71 68	57 62 60	51 59 55	42 51 47	38 41 40	35 39 37	31 34 32	30 34 32
	(b) { 1. Cerebral embolism .. .. .	M. 16 F. 25 P. 21	19 24 22	17 22 19	18 23 20	17 24 21	15 24 19	16 17 17	11 16 13	11 14 13	12 15 14	10 14 12
	2. Cerebral thrombosis .. .. .	M. 50 F. 66 P. 58	55 69 62	58 71 65	58 78 68	64 80 72	72 91 82	68 90 79	65 89 78	79 101 91	85 108 97	96 116 106
	3. Cerebral softening .. .. .	M. 22 F. 24 P. 23	21 25 23	21 21 21	22 22 22	10 10 10	13 16 15	11 13 12	8 10 9	9 10 10	8 10 9	8 11 9
	(c) { 1. Hemiplegia .. .. .	M. 49 F. 54 P. 51	51 57 54	47 57 52	46 53 50	46 49 48	42 47 44	33 41 38	29 38 34	32 38 35	28 34 31	30 34 32
	2. Other paralyzes of unstated origin .. .. .	M. 9 F. 9 P. 9	8 7 8	7 7 7	7 7 7	7 6 6	5 5 5	4 5 5	5 4 4	4 5 4	3 3 3	3 3 3
83	General paralysis of the insane .. .. .	M. 69 F. 14 P. 41	77 15 44	76 15 44	68 14 40	67 14 40	62 14 37	65 14 39	61 13 36	52 13 32	49 11 29	49 12 30
84	Other forms of insanity* .. .. .	M. 16 F. 28 P. 22	19 28 24	15 26 21	15 26 21	19 27 24	23 31 28	25 35 30	26 37 32	28 37 33	24 32 28	22 33 28
	(a) Dementia præcox .. .. .	M. ? F. ? P. ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	1 1 1
	(b) Other conditions included under 84* .. .. .	M. ? F. ? P. ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	21 32 27
85	Epilepsy .. .. .	M. 62 F. 55 P. 58	63 56 60	60 52 56	61 53 57	59 51 55	59 46 52	61 49 55	60 54 57	59 52 55	60 50 55	63 52 57
86	Infantile convulsions (under 5 years of age) .. .. .	M. 168 F. 106 P. 135	136 89 111	120 79 99	109 73 90	107 68 87	92 60 75	70 46 58	59 37 48	61 41 50	53 32 42	52 30 41
87	Other diseases of the nervous system* .. .. .	M. 67 F. 69 P. 68	75 73 74	70 73 71	73 72 72	76 74 75	74 71 72	76 76 76	79 74 76	83 76 79	74 76 75	78 76 77
	(b) Neuritis, neuralgia* .. .. .	M. 6 F. 8 P. 7	6 9 8	5 8 6	5 7 6	5 7 6	5 7 6	4 7 6	5 7 6	4 6 5	4 6 5	3 4 4
	(c) Paralysis agitans .. .. .	M. 19 F. 16 P. 17	21 17 19	21 20 21	23 19 21	29 24 26	28 22 25	31 25 28	33 25 29	37 27 31	31 28 30	37 30 33
	(d) Disseminated sclerosis .. .. .	M. 16 F. 18 P. 17	20 17 19	18 18 18	20 17 19	19 18 19	21 20 21	20 21 20	20 21 20	20 22 21	20 20 20	20 24 22



TABLE 7.—*contd.*

List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
87	Other diseases of the nervous system*— <i>contd.</i>											
	(e) Other diseases included under 87* .. .. .	M. 25 F. 24 P. 24	26 26 26	25 24 24	23 24 23	22 21 21	19 18 19	21 20 20	20 19 19	21 18 19	19 18 18	16 16 16
89	Diseases of the ear and mastoid sinus .. .. .	M. 38 F. 27 P. 32	38 25 31	36 25 30	33 23 28	36 25 30	38 23 30	39 27 32	39 29 34	44 29 36	41 29 35	43 27 35
	(a) Otitis and other diseases of the ear .. .. .	M. 27 F. 20 P. 23	27 17 22	25 18 22	23 16 19	25 18 21	26 16 21	25 18 21	26 18 22	30 18 24	26 18 22	26 17 21
	(b) Diseases of the mastoid sinus .. .. .	M. 10 F. 8 P. 9	10 9 10	11 7 9	10 7 8	11 8 9	13 7 10	14 9 11	13 10 12	14 10 12	15 11 13	17 10 13
90-103	VII. Diseases of the Circulatory System* .. .. .	M. 1,887 F. 1,785 P. 1,834	2,078 1,998 2,036	1,997 1,916 1,955	2,129 2,039 2,082	2,246 2,142 2,192	2,273 2,154 2,211	2,570 2,468 2,517	2,756 2,636 2,693	3,075 3,039 3,057	2,886 2,770 2,826	3,170 3,109 3,138
90-95	Heart diseases* .. .. .	M. 1,381 F. 1,451 P. 1,418	1,512 1,619 1,568	1,430 1,528 1,481	1,510 1,616 1,565	1,596 1,694 1,647	1,606 1,691 1,650	1,774 1,891 1,835	1,893 2,004 1,951	2,373 2,493 2,436	2,252 2,274 2,264	2,503 2,564 2,535
90	Pericarditis .. .. .	M. 11 F. 8 P. 9	12 8 10	11 6 8	10 8 9	10 7 9	9 6 7	9 6 7	8 6 7	9 5 7	9 6 8	9 5 7
91	Acute endocarditis* .. .. .	M. 57 F. 42 P. 49	50 41 45	45 38 41	42 39 41	41 39 40	38 41 39	39 39 39	34 36 35	35 38 36	35 36 35	31 28 30
	(1) Malignant endocarditis .. .. .	M. 40 F. 24 P. 32	36 26 30	30 24 27	28 25 26	27 23 25	26 26 26	28 25 26	24 24 24	25 26 25	26 25 26	28 24 26
	(2) Other acute endocarditis* .. .. .	M. 17 F. 17 P. 17	14 16 15	15 14 15	14 14 14	14 16 15	12 15 14	11 14 12	10 12 11	9 13 11	9 10 9	3 4 4
92	Chronic endocarditis, valvular disease* .. .. .	M. 626 F. 673 P. 650	649 731 692	605 675 642	606 689 649	607 672 641	590 641 616	620 709 666	635 729 684	679 771 727	609 701 657	631 726 681
	(1) Aortic valve disease* .. .. .	M. 106 F. 43 P. 73	113 46 78	107 48 76	106 44 74	110 51 79	111 47 78	116 49 81	119 52 87	126 52 87	119 55 86	123 56 88
	(2) Mitral valve disease* .. .. .	M. 178 F. 271 P. 227	193 295 246	181 276 230	175 278 229	176 274 227	168 260 216	193 304 251	204 323 266	222 346 287	195 307 253	197 315 258
	(3) Aortic and mitral valve disease* .. .. .	M. 27 F. 18 P. 23	26 19 23	25 20 22	24 18 21	24 21 22	24 16 20	29 24 26	33 32 33	38 30 34	34 28 31	33 27 30
	(4) Endocarditis, not returned as acute or chronic* .. .. .	M. 314 F. 340 P. 328	316 371 345	292 331 312	301 349 326	297 327 313	286 318 303	282 332 308	278 322 301	293 343 319	261 311 287	31 40 36 248 288 269
	(5) Other or unspecified valve disease* .. .. .	M. 308 F. 338 P. 324	389 431 411	407 451 430	481 520 501	569 620 595	632 670 652	741 800 772	858 923 892	1,246 1,339 1,294	1,190 1,227 1,209	1,393 1,479 1,438
93	Diseases of the myocardium* .. .. .	M. 6 F. 6 P. 6	7 7 7	7 8 8	10 9 10	11 12 11	13 14 13	12 12 12	12 11 12	14 12 13	10 9 10	4 4 4
	(a) Acute myocarditis* .. .. .	M. 302 F. 332 P. 318	382 424 404	400 443 422	470 511 492	558 609 584	620 657 639	728 789 760	845 913 880	1,232 1,326 1,281	1,180 1,217 1,199	1,092 1,157 1,126
	1. Fatty heart .. .. .	M. 60 F. 67 P. 64	69 77 73	67 77 72	65 75 70	65 77 71	66 68 67	65 79 72	65 81 73	71 89 80	66 83 75	65 80 73
	2. Cardio - vascular degeneration* .. .. .	M. 242 F. 265 P. 254	314 347 331	332 366 350	406 436 422	493 532 513	554 589 572	664 710 688	780 832 807	1,161 1,237 1,201	1,114 1,135 1,125	733 827 782
	(c) Myocarditis, not distinguished as acute or chronic* .. .. .	M. 297 F. 319 P. 308										

TABLE 7—*contd.*

List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
94	Diseases of the coronary arteries, angina pectoris* .. { M. 41 54 58 66 69 68 105 137 178 216 238 F. 17 23 25 27 27 29 40 54 69 85 99 P. 29 38 41 46 47 48 71 94 121 148 166											
95	Other diseases of the heart .. { M. 338 359 304 305 300 269 261 222 226 193 200 F. 374 384 333 332 328 304 297 256 270 219 226 P. 356 372 319 319 315 287 280 240 249 207 213											
	(a) Disordered action of heart .. .. { M. 13 15 18 23 29 33 41 37 41 42 47 F. 15 17 24 32 41 47 60 61 67 63 69 P. 14 16 21 28 35 41 51 50 55 53 59											
	(b) { 1. Dilatation of heart (cause unspecified) { M. 27 27 23 20 21 17 18 14 10 9 9 F. 27 28 22 17 20 19 17 12 8 7 7 P. 27 28 22 19 21 18 18 13 9 8 8											
	2. Heart disease (undefined) .. .. { M. 298 318 263 262 250 218 201 171 175 143 144 F. 332 338 287 283 267 238 220 183 194 149 149 P. 316 328 276 273 259 228 211 177 185 146 147											
96	Aneurysm .. .. { M. 44 45 42 44 45 42 47 50 50 53 52 F. 10 11 11 10 12 12 13 14 15 15 16 P. 26 27 26 27 27 26 29 31 32 33 33											
97	Arterio-sclerosis* .. .. { M. 398 458 470 512 542 560 686 750 594 529 566 F. 267 309 319 356 375 391 500 562 471 426 475 P. 329 380 391 431 455 472 589 652 530 475 518											
	(1) With cerebral hæmorrhage .. .. { M. 76 90 95 101 110 112 170 202 200 195 212 F. 60 71 75 83 87 89 145 174 171 173 193 P. 68 80 85 92 98 100 157 187 185 183 202											
	(2) With record of other cerebral vascular lesion { M. 43 49 51 48 57 53 74 88 87 90 95 F. 33 39 40 43 46 46 64 79 77 74 88 P. 38 44 45 46 51 50 69 83 82 82 92											
	(3) Without record of cerebral vascular lesion .. { M. 280 319 324 363 375 395 443 460 307 245 259 F. 173 199 205 229 242 256 291 309 224 179 194 P. 224 256 261 293 306 322 364 382 264 210 225											
98	Gangrene .. .. { M. 40 37 30 37 35 34 30 28 29 23 22 F. 29 31 29 28 30 27 27 21 25 20 21 P. 34 34 30 33 32 30 28 24 27 21 21											
	(a) Senile gangrene .. .. { M. 36 34 28 34 32 32 28 25 27 21 20 F. 26 27 27 26 27 25 26 19 23 18 19 P. 31 30 27 30 30 28 27 22 25 19 19											
99	Other diseases of the arteries* { M. 13 15 14 14 15 18 16 15 13 12 9 F. 13 13 13 13 14 14 15 14 13 11 8 P. 13 14 14 13 15 16 16 15 13 11 9											
100	Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.) { M. 6 7 7 7 9 8 8 11 10 9 10 F. 11 13 13 12 12 14 15 16 17 18 18 P. 9 10 10 9 11 11 12 14 13 14 14											
	(1) Varix .. .. { M. ? ? ? ? ? ? ? ? ? ? 4 F. ? ? ? ? ? ? ? ? ? ? 8 P. ? ? ? ? ? ? ? ? ? ? 6											
	(2) Other diseases of the veins .. .. { M. ? ? ? ? ? ? ? ? ? ? 6 F. ? ? ? ? ? ? ? ? ? ? 10 P. ? ? ? ? ? ? ? ? ? ? 8											
102	Abnormalities of blood pressure* .. .. { M. ? ? ? ? 1 2 3 5 5 4 5 6 F. ? ? ? ? 1 1 3 3 3 3 4 6 P. ? ? ? ? 1 2 3 4 4 3 4 6											
104-114	VIII. Diseases of the Respiratory System* .. .. { M. 2,212 2,572 2,102 2,359 2,234 1,961 2,164 1,744 2,358 1,539 1,795 F. 1,722 2,065 1,653 1,924 1,788 1,530 1,720 1,289 1,871 1,088 1,422 P. 1,956 2,307 1,867 2,132 2,001 1,736 1,933 1,507 2,104 1,304 1,601											
104	Diseases of the nasal fossæ and annexa .. .. { M. 4 4 4 5 5 5 5 7 7 8 6 F. 3 3 3 3 3 3 5 4 5 5 4 P. 3 3 4 4 4 4 5 6 6 7 5											
	(2) Diseases of the accessory nasal sinuses .. .. { M. 2 3 3 3 3 4 4 5 6 7 5 F. 2 2 2 2 2 2 4 3 4 4 3 P. 2 2 3 2 3 3 4 4 5 5 4											



List No.	Causes of Death.			1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
105	Diseases of the larynx ..	{	M.	20	18	13	14	13	11	11	10	10	9	7
			F.	14	11	9	8	9	8	7	8	7	5	5
	(2) Laryngitis ..	{	M.	15	14	9	10	9	9	8	7	8	7	6
			F.	12	9	7	6	7	6	6	7	6	4	4
		{	P.	17	15	11	11	11	9	9	9	8	7	6
			P.	13	11	8	8	8	7	7	7	7	6	5
106	Bronchitis ..	{	M.	929	1,102	878	989	931	818	862	632	855	534	653
			F.	853	1,045	828	962	884	731	821	558	831	451	607
		{	P.	889	1,072	852	975	906	773	840	593	843	490	629
			P.	219	265	198	239	221	191	203	123	188	105	152
	(a) Acute bronchitis ..	{	F.	241	297	230	280	259	209	240	135	228	115	180
			P.	230	282	215	260	241	200	222	129	209	110	166
	(b) Chronic bronchitis ..	{	M.	308	365	321	350	341	323	327	244	314	222	251
			F.	224	278	236	263	251	220	235	168	224	136	167
		{	P.	264	320	277	305	294	269	279	205	267	177	207
			P.	402	471	359	400	369	304	332	265	353	207	250
	(c) Bronchitis not distinguished as acute or chronic ..	{	F.	389	470	362	419	374	303	345	254	379	199	261
			P.	395	471	360	410	372	303	339	259	367	203	256
107-109	Pneumonia (all forms) ..	{	M.	1,104	1,280	1,051	1,192	1,134	986	1,135	964	1,322	863	989
			F.	745	883	704	835	784	683	776	622	909	543	702
		{	P.	916	1,073	870	1,006	951	828	948	786	1,107	696	840
			P.	517	664	487	620	566	506	588	445	683	392	523
107	Broncho-pneumonia ..	{	F.	409	526	383	499	456	401	454	344	553	296	419
			P.	460	592	433	557	509	451	518	392	616	342	469
108	Lobar pneumonia ..	{	M.	282	317	317	316	343	297	353	370	444	340	330
			F.	154	171	169	177	183	165	196	188	236	173	198
		{	P.	215	241	239	244	260	228	271	275	336	253	261
			P.	304	299	247	256	225	183	194	149	195	131	136
109	Pneumonia (not otherwise defined) ..	{	F.	182	186	153	159	145	116	127	90	120	74	85
			P.	240	240	198	205	183	148	159	118	156	101	110
110	Pleurisy ..	{	M.	43	42	43	40	38	37	34	36	42	35	33
			F.	26	26	25	25	21	20	23	21	24	17	20
		{	P.	34	34	34	32	29	28	28	29	33	26	26
			P.	18	18	17	17	16	14	14	14	19	15	14
	(1) Empyema ..	{	F.	7	9	7	7	7	6	7	6	8	5	7
			P.	12	13	12	12	11	10	10	10	13	10	11
	(2) Other pleurisy ..	{	M.	26	24	27	23	22	24	20	22	24	20	19
			F.	18	17	18	18	15	15	16	16	16	12	13
		{	P.	22	20	22	20	18	19	18	19	20	16	16
			P.	31	32	29	29	29	28	26	23	27	23	28
111	Congestion and hæmorrhagic infarct of lung, etc.* ..	{	F.	36	36	33	35	38	38	34	30	36	28	35
			P.	34	34	31	32	33	33	30	26	31	25	31
	(1) Hypostatic congestion of lungs ..	{	M.	31	31	29	28	28	28	26	23	27	23	25
			F.	36	36	33	35	38	38	33	29	35	27	32
		{	P.	34	34	31	32	33	33	30	26	31	25	29
			P.	53	67	55	63	61	52	70	53	75	50	58
112	Asthma ..	{	F.	36	50	42	45	42	39	48	40	55	33	45
			P.	44	58	48	54	51	45	59	46	65	41	51
113	Pulmonary emphysema ..	{	M.	7	10	9	10	7	8	5	3	3	2	3
			F.	2	3	2	3	3	2	1	1	0	1	1
		{	P.	4	6	5	7	5	5	3	2	1	1	2
			P.	19	18	18	17	15	16	16	16	16	15	17
114	Other diseases of the respiratory system ..	{	F.	8	7	7	7	5	5	5	5	5	5	5
			P.	13	12	12	12	10	11	10	10	10	9	11
	(a) Chronic interstitial pneumonia, including occupational diseases of the lung ..	{	M.	11	11	10	11	10	11	12	12	12	11	14
			F.	3	3	3	3	2	3	3	4	3	3	3
		{	P.	7	7	6	7	6	7	7	7	7	7	8
			P.	1,062	746	783	749	802	803	752	763	800	750	736
115-129	IX. Diseases of the Digestive System ..	{	F.	814	595	619	584	619	617	577	592	604	563	560
			P.	932	667	697	663	707	706	661	674	698	653	644
115	Diseases of the buccal cavity, pharynx, etc. ..	{	M.	31	29	27	27	34	33	40	46	48	46	45
			F.	26	25	23	23	23	27	34	42	44	41	41
		{	P.	29	27	25	25	29	30	37	44	46	44	43
			P.	8	9	9	8	11	11	14	16	14	14	14
	(1) Diseases of the teeth and gums ..	{	F.	8	7	7	7	6	7	9	11	9	9	10
			P.	8	8	8	8	9	9	11	13	12	11	12

TABLE 7—*contd.*

List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
115	Diseases of the buccal cavity, pharynx, etc.— <i>contd.</i>											
	(3) Diseases of the tonsils.. { M. 13 12 11 11 15 14 18 20 23 23 23	13	12	11	11	15	14	18	20	23	23	23
	{ F. 12 11 10 9 12 13 18 22 25 23 22	12	11	10	9	12	13	18	22	25	23	22
	{ P. 13 12 10 10 13 14 18 21 24 23 23	13	12	10	10	13	14	18	21	24	23	23
	(4) Other diseases included { M. 6 5 4 5 5 5 5 7 8 7 6	6	5	4	5	5	5	5	7	8	7	6
	under 115 .. .. { F. 5 4 4 4 3 5 5 7 7 7 6	5	4	4	4	3	5	5	7	7	7	6
	{ P. 6 4 4 5 4 5 5 7 7 7 6	6	4	4	5	4	5	5	7	7	7	6
117	Ulcer of the stomach or { M. 88 95 115 115 132 142 158 150 161 168 168	88	95	115	115	132	142	158	150	161	168	168
	duodenum .. .. { F. 43 43 45 44 49 48 49 48 50 50 49	43	43	45	44	49	48	49	48	50	50	49
	{ P. 64 68 79 78 89 93 101 97 103 107 106	64	68	79	78	89	93	101	97	103	107	106
	(a) Ulcer of the stomach .. { M. 57 63 74 74 84 93 102 97 104 109 106	57	63	74	74	84	93	102	97	104	109	106
	{ F. 37 37 38 36 40 40 42 40 42 42 41	37	37	38	36	40	40	42	40	42	42	41
	{ P. 46 49 55 54 61 65 71 67 72 74 72	46	49	55	54	61	65	71	67	72	74	72
	(b) Ulcer of the duodenum { M. 31 32 41 41 48 50 56 53 57 60 62	31	32	41	41	48	50	56	53	57	60	62
	{ F. 6 6 8 8 9 9 7 9 8 8 8	6	6	8	8	9	9	7	9	8	8	8
	{ P. 18 19 24 24 28 28 31 30 31 33 34	18	19	24	24	28	28	31	30	31	33	34
118	Other diseases of the stomach { M. 82 68 62 59 52 52 42 39 35 33 33	82	68	62	59	52	52	42	39	35	33	33
	{ F. 73 65 56 55 52 46 41 41 36 32 35	73	65	56	55	52	46	41	41	36	32	35
	{ P. 77 67 59 57 52 49 42 40 35 33 34	77	67	59	57	52	49	42	40	35	33	34
	(1) Inflammation of the { M. 71 57 51 49 44 43 33 33 29 26 27	71	57	51	49	44	43	33	33	29	26	27
	stomach .. .. { F. 64 56 49 48 45 40 36 37 32 28 30	64	56	49	48	45	40	36	37	32	28	30
	{ P. 67 57 50 49 44 42 35 35 30 27 29	67	57	50	49	44	42	35	35	30	27	29
	(2) Other diseases included { M. 11 11 11 10 9 10 9 6 6 6 7	11	11	11	10	9	10	9	6	6	6	7
	under 118 .. .. { F. 9 9 7 7 8 6 5 4 4 5 4	9	9	7	7	8	6	5	4	4	5	4
	{ P. 10 10 9 8 8 8 7 5 5 5 5	10	10	9	8	8	8	7	5	5	5	5
119 & 120	Diarrhoea and enteritis .. { M. 527 219 246 220 245 246 176 187 202 157 148	527	219	246	220	245	246	176	187	202	157	148
	{ F. 383 165 193 168 186 188 141 143 156 121 114	383	165	193	168	186	188	141	143	156	121	114
	{ P. 451 191 218 193 214 215 158 164 178 138 131	451	191	218	193	214	215	158	164	178	138	131
	(a) { 1. Colitis* .. .. { M. 14 11 11 10 9 11 10 9 10 8 7	14	11	11	10	9	11	10	9	10	8	7
	{ F. 15 11 14 11 11 13 10 9 10 10 9	15	11	14	11	11	13	10	9	10	10	9
	{ P. 14 11 12 10 10 12 10 9 10 9 8	14	11	12	10	10	12	10	9	10	9	8
	{ M. 507 202 229 204 229 228 160 172 186 143 134	507	202	229	204	229	228	160	172	186	143	134
	{ F. 361 148 172 148 167 167 122 125 137 102 95	361	148	172	148	167	167	122	125	137	102	95
	{ P. 430 174 199 175 197 196 140 147 161 121 114	430	174	199	175	197	196	140	147	161	121	114
	(b) Ulceration of intestines .. { M. 6 6 6 6 7 7 7 6 7 6 7	6	6	6	6	7	7	7	6	7	6	7
	{ F. 7 6 8 9 8 8 8 9 9 9 10	7	6	8	9	8	8	8	9	9	9	10
	{ P. 7 6 7 7 7 8 8 8 8 8 9	7	6	7	7	7	8	8	8	8	8	9
121	Appendicitis .. .. { M. 82 84 88 83 87 82 81 86 87 89 84	82	84	88	83	87	82	81	86	87	89	84
	{ F. 62 61 61 60 61 58 60 60 57 60 61	62	61	61	60	61	58	60	60	57	60	61
	{ P. 72 72 74 71 74 69 70 73 71 74 72	72	72	74	71	74	69	70	73	71	74	72
122	Hernia, intestinal obstruction { M. 116 117 115 117 115 115 121 120 132 123 126	116	117	115	117	115	115	121	120	132	123	126
	{ F. 105 105 108 104 105 106 109 103 110 106 111	105	105	108	104	105	106	109	103	110	106	111
	{ P. 111 111 111 110 110 110 115 111 120 114 118	111	111	111	110	110	110	115	111	120	114	118
	(a) Hernia .. .. { M. 42 46 45 47 45 45 51 53 57 50 51	42	46	45	47	45	45	51	53	57	50	51
	{ F. 45 44 46 47 46 45 49 47 50 48 50	45	44	46	47	46	45	49	47	50	48	50
	{ P. 44 45 45 47 45 45 50 50 54 49 51	44	45	45	47	45	45	50	50	54	49	51
	1. Strangulated hernia { M. ? ? ? ? ? ? ? ? ? ? 36	?	?	?	?	?	?	?	?	?	?	36
	{ F. ? ? ? ? ? ? ? ? ? ? 38	?	?	?	?	?	?	?	?	?	?	38
	{ P. ? ? ? ? ? ? ? ? ? ? 37	?	?	?	?	?	?	?	?	?	?	37
	2. Hernia not returned { M. ? ? ? ? ? ? ? ? ? ? 15	?	?	?	?	?	?	?	?	?	?	15
	as strangulated .. { F. ? ? ? ? ? ? ? ? ? ? 12	?	?	?	?	?	?	?	?	?	?	12
	{ P. ? ? ? ? ? ? ? ? ? ? 13	?	?	?	?	?	?	?	?	?	?	13
	(b) Intestinal obstructio.. { M. 75 71 70 70 71 70 70 67 75 73 75	75	71	70	70	71	70	70	67	75	73	75
	{ F. 60 61 63 57 59 61 60 56 59 57 61	60	61	63	57	59	61	60	56	59	57	61
	{ P. 67 66 66 63 65 65 65 61 67 65 67	67	66	66	63	65	65	65	61	67	65	67
123	Other diseases of the intestines { M. 12 13 13 12 13 12 14 14 16 16 16	12	13	13	12	13	12	14	14	16	16	16
	{ F. 12 11 12 12 13 12 12 13 14 15 15	12	11	12	12	13	12	12	13	14	15	15
	{ P. 12 12 12 12 13 12 13 14 15 16 16	12	12	12	12	13	12	13	14	15	16	16
	(1) Constipation, intestinal { M. 4 4 4 4 4 4 4 4 4 3 3	4	4	4	4	4	4	4	4	4	3	3
	stasis .. .. { F. 5 5 5 5 6 5 5 5 5 5 5	5	5	5	5	6	5	5	5	5	5	5
	{ P. 4 5 5 4 5 5 5 5 4 4 4	4	5	5	4	5	5	5	4	4	4	4
	(2) Diverticulitis .. .. { M. 2 3 2 3 5 4 5 6 7 8 9	2	3	2	3	5	4	5	6	7	8	9
	{ F. 2 2 2 2 3 4 4 4 5 6 7	2	2	2	2	3	4	4	5	6	7	7
	{ P. 2 2 2 3 4 4 4 4 5 6 8	2	2	2	3	4	4	4	5	6	8	8
	(3) Other diseases included { M. 7 6 6 5 4 4 5 4 5 5 4	7	6	6	5	4	4	5	4	5	5	4
	under 123 .. .. { F. 5 4 4 4 4 3 3 4 3 4 4	5	4	4	4	4	3	3	4	3	4	4
	{ P. 6 5 5 5 4 3 3 4 4 4 4	6	5	5	5	4	3	3	4	4	4	4



List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
124	Cirrhosis of the liver.. .. { M. F. P.	71 32 51	70 32 50	64 30 46	61 31 45	65 32 47	65 32 48	65 32 47	64 33 48	62 29 45	58 27 42	55 27 40
	(a) Returned as alcoholic.. { M. F. P.	6 3 4	6 2 4	5 3 4	5 3 4	5 2 3	4 2 3	9 5 7	11 5 8	9 4 7	8 3 5	8 5 7
	(b) Not returned as alcoholic .. { M. F. P.	66 30 47	64 29 46	58 27 42	56 28 42	60 29 44	61 30 44	56 27 41	53 28 40	53 25 38	50 23 36	47 22 34
125	Other diseases of the liver .. { M. F. P.	11 9 10	9 10 10	9 9 9	8 10 9	9 8 9	8 7 8	6 8 7	7 8 7	6 7 6	6 7 7	5 6 6
126	Biliary calculi .. .. { M. F. P.	14 34 25	15 35 26	14 38 27	16 36 27	17 38 28	15 39 28	17 41 30	18 44 31	17 43 31	17 42 30	18 41 30
	(1) With cholecystitis .. { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	6 14 10
	(2) Without mention of cholecystitis .. { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	12 27 20
127	Other diseases of the gall bladder and ducts .. { M. F. P.	10 18 14	12 21 17	14 22 18	15 23 19	15 29 22	17 32 25	14 28 21	17 31 24	15 33 25	19 35 27	17 34 26
	(1) Cholecystitis without record of biliary calculi { M. F. P.	7 16 12	9 19 14	11 20 15	12 20 16	13 25 19	15 29 22	12 25 19	14 28 21	12 31 22	16 32 24	16 32 24
128	Diseases of the pancreas .. { M. F. P.	6 5 5	6 5 6	7 7 7	7 7 7	8 9 9	8 8 8	10 11 10	10 11 11	10 13 12	10 13 11	12 14 13
129	Peritonitis, without stated cause .. .. { M. F. P.	9 12 10	8 14 11	8 13 11	8 11 10	7 13 10	6 13 10	6 12 9	5 13 9	7 11 9	7 12 10	6 11 9
130-139	<b>X. Non-Venereal Diseases of the Genito-urinary System and Annexa ..</b> { M. F. P.	<b>578 344 455</b>	<b>576 357 462</b>	<b>574 357 460</b>	<b>587 346 462</b>	<b>581 358 464</b>	<b>588 363 470</b>	<b>639 392 510</b>	<b>669 424 541</b>	<b>706 439 567</b>	<b>699 442 565</b>	<b>731 450 584</b>
130-132	Nephritis .. .. { M. F. P.	358 288 322	364 303 332	353 301 325	359 292 324	350 300 324	351 304 326	380 327 353	398 356 376	415 370 392	414 373 393	432 376 403
130	Acute nephritis* .. { M. F. P.	44 34 39	42 32 37	39 32 35	39 33 36	41 32 36	39 34 36	37 30 33	32 28 30	30 29 29	31 28 29	29 25 27
131	Chronic nephritis* .. { M. F. P.	315 254 283	322 271 295	314 269 290	320 259 288	310 268 288	313 270 290	343 297 319	366 328 346	385 341 362	383 345 363	351 304 327
132	Nephritis, not stated to be acute or chronic* .. { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	52 48 50
133	Other diseases of the kidney and annexa .. .. { M. F. P.	16 14 15	17 15 16	16 16 16	21 18 19	19 18 19	20 20 20	19 22 21	19 23 21	20 23 21	21 24 22	20 26 23
	(a) Pyelitis .. .. { M. F. P.	11 9 10	12 10 11	11 10 10	14 12 13	13 13 13	14 15 14	13 15 14	13 16 14	12 16 14	14 17 16	15 19 17
	(b) Other diseases included under 133 .. .. { M. F. P.	5 5 5	5 5 5	6 6 6	6 6 6	6 5 6	7 5 6	6 7 6	6 8 7	7 6 7	7 6 7	5 7 6
134	Calculi of the urinary passages { M. F. P.	10 6 8	11 5 8	12 5 8	11 4 7	11 5 8	10 5 7	11 6 8	13 6 9	16 7 12	13 8 10	14 8

TABLE 7—*contd.*

List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
135	Diseases of the bladder .. { M. F. P.	51 12 30	45 12 27	44 13 28	39 11 25	35 13 24	39 14 26	37 15 25	32 17 24	29 18 23	27 16 21	29 18 23
	(a) Cystitis .. .. { M. F. P.	45 11 27	40 11 25	40 12 25	37 10 23	33 12 22	37 13 24	34 14 24	30 17 23	27 17 22	25 15 20	27 17 22
136	Diseases of the urethra, urinary abscess, etc. .. { M. F. P.	21 — 10	20 0 10	22 0 11	21 0 10	18 0 9	19 0 9	20 0 10	23 0 11	24 0 12	21 0 10	21 0 10
	(a) Stricture of the urethra { M. F. P.	17 — 8	17 — 8	18 — 9	17 — 8	16 — 8	17 — 8	19 0 9	22 — 10	23 0 11	20 — 10	20 0 10
137	Diseases of the prostate .. M.	118	116	125	134	143	145	169	180	198	199	211
139	Diseases of the female genital organs .. .. . } F.	24	22	22	20	21	21	22	20	21	21	22
	(a) Diseases of the ovary, Fallopian tube and parametrium .. .. } F.	14	13	13	12	13	12	12	11	12	11	12
	2. Diseases of the Fallopian tube .. .. . } F.	11	10	10	9	11	10	10	9	10	9	10
	(b) Diseases of the uterus.. F.	9	8	8	7	6	7	8	7	8	8	10
140-150	<b>XI. Diseases of Pregnancy, Child-birth and the Puerperal State .. .. .</b> } F.	<b>3·92</b>	<b>3·81</b>	<b>3·82</b>	<b>3·90</b>	<b>4·08</b>	<b>4·12</b>	<b>4·11</b>	<b>4·25</b>	<b>4·16</b>	<b>4·22</b>	<b>3·95</b>
140 & 145	Puerperal sepsis .. .. F.	1·38	1·39	1·30	1·39	1·56	1·60	1·57	1·72	1·73	1·84	1·59
140	Post-abortion sepsis* .. F.	?	?	?	?	?	0·32	0·33	0·33	0·35	0·44	0·35
141	Abortion not returned as septic .. .. . } F.	0·21	0·21	0·25	0·25	0·22	0·23	0·24	0·18	0·18	0·18	0·18
	(1) Hæmorrhage following abortion* .. .. } F.	0·09	0·09	0·12	0·09	0·09	0·10	0·11	0·07	0·08	0·09	0·15
	(2) Without record of hæmorrhage* .. .. } F.	0·13	0·12	0·13	0·15	0·13	0·12	0·13	0·11	0·10	0·10	0·03
142	Ectopic gestation .. .. F.	0·10	0·11	0·13	0·10	0·12	0·14	0·15	0·13	0·13	0·11	0·12
143	Other accidents of pregnancy F.	0·03	0·02	0·02	0·03	0·03	0·03	0·04	0·02	0·02	0·02	0·03
144	Puerperal hæmorrhage .. F.	0·55	0·50	0·57	0·53	0·52	0·49	0·50	0·48	0·47	0·51	0·44
	(a) Placenta prævia .. F.	0·27	0·25	0·24	0·25	0·26	0·22	0·22	0·25	0·24	0·24	0·21
	(b) Other puerperal hæmorrhage .. .. } F.	0·29	0·25	0·33	0·28	0·27	0·26	0·28	0·23	0·23	0·27	0·23
145	Puerperal sepsis not returned as post-abortion* .. .. } F.	?	?	?	?	?	1·28	1·24	1·40	1·38	1·40	1·25
	(a) Puerperal septicæmia and pyæmia* .. .. } F.	?	?	?	?	?	1·28	1·24	1·40	1·37	1·39	1·24
	(b) Puerperal tetanus .. F.	0·00	0·00	0·00	—	—	0·00	0·00	0·00	0·01	0·00	0·00
146	Puerperal albuminuria and convulsions* .. .. } F.	0·71	0·71	0·68	0·72	0·70	0·75	0·82	0·81	0·78	0·69	0·57
147	Other toxæmias of pregnancy* F.	0·05	0·05	0·07	0·07	0·08	0·08	0·07	0·07	0·10	0·10	0·20
148	Puerperal phlegmasia alba dolens, embolism and sudden death .. .. . } F.	0·38	0·38	0·37	0·33	0·34	0·29	0·27	0·32	0·27	0·28	0·29
	(a) Puerperal phlegmasia alba dolens not returned as septic .. .. } F.	0·08	0·07	0·08	0·08	0·05	0·04	0·05	0·05	0·03	0·03	0·07
	(b) Puerperal embolism and sudden death .. .. } F.	0·31	0·31	0·28	0·25	0·29	0·25	0·22	0·27	0·24	0·25	0·21

† The rates for these headings are per 1,000 Live-births up to and including 1927. From 1928 onwards they are per 1,000 Total (live and still) Births.



TABLE 7—*contd.*

List No.	Causes of Death.		1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
149	Other accidents of childbirth	F.	0·29	0·29	0·30	0·32	0·35	0·39	0·38	0·45	0·41	0·36	0·46
150	Other or unspecified conditions of the puerperal state	F.	0·20	0·14	0·13	0·15	0·16	0·12	0·08	0·08	0·08	0·12	0·07
	(1) Puerperal insanity	F.	0·03	0·04	0·03	0·03	0·03	0·02	0·02	0·03	0·03	0·04	0·02
	(2) Puerperal diseases of the breast	F.	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·02
	(3) Childbirth (unqualified)	F.	0·16	0·10	0·10	0·12	0·12	0·10	0·05	0·03	0·04	0·07	0·04
151-153	XII. Diseases of the Skin and Cellular Tissue*	M. F. P.	53 43 48	50 40 45	53 39 46	48 39 43	53 43 48	51 41 46	48 39 43	57 43 50	56 40 48	52 40 46	53 42 47
151	Carbuncle, Boil	M. F. P.	12 5 8	11 5 8	13 5 9	11 5 8	13 6 9	14 7 10	14 7 10	16 7 12	16 8 12	18 8 13	18 8 13
152	Cellulitis, acute abscess*	M. F. P.	21 16 19	22 14 18	20 15 17	20 14 16	22 16 19	21 15 18	18 13 16	23 15 19	24 15 19	20 15 17	20 18 19
	(1) Cellulitis	M. F. P.	14 11 12	15 9 12	14 10 12	14 10 12	17 12 14	17 12 14	13 10 12	18 12 15	19 12 15	16 12 13	15 14 15
	(2) Acute abscess*	M. F. P.	7 6 6	7 5 6	6 5 5	5 4 4	6 4 5	4 4 4	5 3 4	5 4 4	5 3 4	4 3 4	4 4 4
153	Other diseases of the skin and its annexe	M. F. P.	20 21 21	17 21 19	20 19 19	17 21 19	18 20 19	16 19 18	17 19 18	19 20 19	16 17 16	15 17 16	14 17 16
154-156	XIII. Diseases of the Bones and Organs of Locomotion..	M. F. P.	26 12 19	27 15 20	27 13 20	28 15 21	27 15 21	26 14 20	29 15 22	31 15 22	30 19 24	29 17 23	28 16 22
154	Acute infective osteomyelitis and periostitis	M. F. P.	15 6 11	17 7 12	16 6 11	17 7 12	16 7 11	14 7 11	17 8 12	19 7 13	17 9 13	17 8 12	17 8 12
155	Other diseases of the bones..	M. F. P.	4 3 3	4 3 3	4 3 3	4 3 3	5 3 4	6 4 5	5 3 4	5 3 4	6 3 5	5 3 4	5 3 4
156	Diseases of the joints and other organs of locomotion	M. F. P.	6 4 5	6 5 5	7 4 5	7 5 6	6 5 5	6 3 4	7 4 5	6 5 6	8 6 7	7 6 6	7 5 6
	(a) Diseases of the joints	M. F. P.	5 3 4	4 3 4	5 3 4	5 4 5	4 3 4	4 2 3	5 3 4	5 3 4	6 4 5	5 4 5	5 4 4
157	XIV. Congenital Malformations	M. F. P.	118 85 101	112 84 97	110 77 93	106 74 89	109 79 94	108 78 92	105 78 91	109 79 93	109 85 96	115 80 97	115 82 98
	(a) Congenital hydrocephalus	M. F. P.	11 6 8	8 7 7	11 6 8	8 6 7	9 6 7	9 6 7	9 6 7	7 4 6	8 5 6	7 5 6	8 6 7
	(b) Spina bifida and meningocele	M. F. P.	18 22 20	19 24 21	18 23 20	15 21 18	18 22 20	17 23 20	17 22 20	20 23 22	19 25 22	21 23 22	21 25 23
	(c) Congenital malformation of heart	M. F. P.	45 31 38	45 31 38	44 29 36	43 27 35	43 30 36	41 30 36	42 29 35	41 31 36	43 32 37	47 31 38	45 31 37
	(e) Other congenital malformations	M. F. P.	44 24 33	38 21 29	36 19 27	37 19 27	38 20 28	39 17 28	36 19 27	39 19 29	38 20 29	39 21 29	39 19 29
	(1) Congenital pyloric stenosis	M. F. P.	10 3 6	9 3 6	11 3 7	10 3 6	12 4 8	15 3 9	12 3 7	13 3 8	12 4 8	14 4 9	17 4 10
	(2) Cleft palate, hare lip	M. F. P.	7 4 5	5 4 4	4 3 4	6 3 4	5 3 4	4 3 3	4 2 3	4 2 3	5 4 4	4 4 4	4 3 4

† The rates for these headings are per 1,000 Live-births up to and including 1927. From 1928 onwards they are per 1,000 Total (live and still) Births.

TABLE 7—*contd.*

List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
157	Congenital Malformations— <i>contd.</i> (e) Other Congenital Malformations— <i>contd.</i>											
	4. Other stated congenital malformations..	{ M. 18 F. 13 P. 16	{ M. 16 F. 11 P. 13	{ M. 14 F. 9 P. 12	{ M. 14 F. 10 P. 12	{ M. 15 F. 10 P. 12	{ M. 15 F. 9 P. 11	{ M. 15 F. 11 P. 13	{ M. 16 F. 11 P. 13	{ M. 16 F. 11 P. 13	{ M. 15 F. 10 P. 13	{ M. 13 F. 9 P. 11
	5. Congenital malformation unspecified ..	{ M. 6 F. 3 P. 5	{ M. 4 F. 3 P. 3	{ M. 4 F. 2 P. 3	{ M. 4 F. 3 P. 3	{ M. 4 F. 2 P. 3	{ M. 3 F. 2 P. 3	{ M. 3 F. 2 P. 2	{ M. 2 F. 2 P. 2	{ M. 2 F. 1 P. 1	{ M. 3 F. 2 P. 2	{ M. 3 F. 2 P. 2

158-  
161**XV. Diseases of Early Infancy**

(The rates for this section are shown per 1,000 live-births in Table 12.)

162	XVI. Old Age* .. ..	{ M. 623 F. 815 P. 723	{ M. 648 F. 836 P. 746	{ M. 575 F. 738 P. 660	{ M. 563 F. 757 P. 664	{ M. 548 F. 745 P. 651	{ M. 537 F. 713 P. 629	{ M. 487 F. 664 P. 579	{ M. 422 F. 572 P. 500	{ M. 448 F. 615 P. 535	{ M. 385 F. 520 P. 455	{ M. 372 F. 522 P. 450
	(a) Senile dementia* .. ..	{ M. 32 F. 42 P. 37	{ M. 36 F. 45 P. 41	{ M. 35 F. 40 P. 38	{ M. 35 F. 42 P. 39	{ M. 41 F. 47 P. 44	{ M. 38 F. 52 P. 45	{ M. 42 F. 51 P. 46	{ M. 45 F. 55 P. 50	{ M. 46 F. 62 P. 54	{ M. 41 F. 54 P. 47	{ M. 29 F. 36 P. 33
	(b) Other forms of senile decay* .. ..	{ M. 592 F. 772 P. 686	{ M. 612 F. 791 P. 705	{ M. 540 F. 698 P. 622	{ M. 527 F. 715 P. 625	{ M. 508 F. 698 P. 60	{ M. 499 F. 661 P. 583	{ M. 445 F. 613 P. 533	{ M. 377 F. 517 P. 450	{ M. 402 F. 553 P. 81	{ M. 344 F. 466 P. 408	{ M. 342 F. 485 P. 417
163- 198	XVII. Deaths from Violence..	{ M. 651 F. 253 P. 443	{ M. 637 F. 253 P. 436	{ M. 667 F. 255 P. 452	{ M. 652 F. 266 P. 451	{ M. 694 F. 278 P. 477	{ M. 695 F. 291 P. 484	{ M. 753 F. 304 P. 519	{ M. 784 F. 328 P. 546	{ M. 800 F. 336 P. 558	{ M. 817 F. 330 P. 563	{ M. 759 F. 338 P. 540
163- 171	Suicide .. ..	{ M. 153 F. 50 P. 99	{ M. 155 F. 53 P. 102	{ M. 157 F. 53 P. 103	{ M. 142 F. 54 P. 96	{ M. 153 F. 61 P. 105	{ M. 166 F. 66 P. 114	{ M. 184 F. 71 P. 125	{ M. 180 F. 72 P. 124	{ M. 183 F. 73 P. 126	{ M. 185 F. 74 P. 127	{ M. 189 F. 73 P. 129
163	By solid or liquid poisons and corrosive substances	{ M. 11 F. 9 P. 10	{ M. 13 F. 10 P. 11	{ M. 13 F. 9 P. 11	{ M. 12 F. 10 P. 11	{ M. 14 F. 10 P. 12	{ M. 17 F. 14 P. 16	{ M. 21 F. 16 P. 19	{ M. 20 F. 14 P. 17	{ M. 19 F. 15 P. 17	{ M. 21 F. 15 P. 18	{ M. 19 F. 15 P. 17
164	By poisonous gas .. ..	{ M. 13 F. 7 P. 10	{ M. 18 F. 9 P. 13	{ M. 24 F. 12 P. 18	{ M. 20 F. 10 P. 15	{ M. 25 F. 15 P. 20	{ M. 31 F. 17 P. 24	{ M. 35 F. 17 P. 25	{ M. 35 F. 20 P. 28	{ M. 43 F. 22 P. 32	{ M. 44 F. 25 P. 34	{ M. 49 F. 25 P. 36
165	By hanging or strangulation	{ M. 37 F. 8 P. 22	{ M. 37 F. 8 P. 21	{ M. 34 F. 6 P. 20	{ M. 31 F. 7 P. 19	{ M. 33 F. 8 P. 20	{ M. 36 F. 7 P. 21	{ M. 36 F. 8 P. 21	{ M. 37 F. 8 P. 22	{ M. 36 F. 7 P. 21	{ M. 33 F. 6 P. 19	{ M. 32 F. 6 P. 18
166	By drowning .. ..	{ M. 32 F. 16 P. 24	{ M. 29 F. 17 P. 22	{ M. 29 F. 16 P. 22	{ M. 27 F. 16 P. 21	{ M. 27 F. 16 P. 21	{ M. 30 F. 17 P. 23	{ M. 31 F. 18 P. 24	{ M. 32 F. 17 P. 24	{ M. 29 F. 16 P. 22	{ M. 29 F. 16 P. 22	{ M. 30 F. 16 P. 23
167	By firearms .. ..	{ M. 14 F. 1 P. 7	{ M. 14 F. 0 P. 7	{ M. 13 F. 1 P. 6	{ M. 10 F. 0 P. 5	{ M. 11 F. 1 P. 5	{ M. 11 F. 0 P. 6	{ M. 12 F. 1 P. 6	{ M. 12 F. 1 P. 6	{ M. 12 F. 1 P. 6	{ M. 13 F. 0 P. 7	{ M. 13 F. 1 P. 7
168	By cutting or piercing instruments .. ..	{ M. 33 F. 6 P. 19	{ M. 32 F. 6 P. 18	{ M. 31 F. 5 P. 17	{ M. 29 F. 5 P. 16	{ M. 30 F. 5 P. 17	{ M. 28 F. 5 P. 16	{ M. 34 F. 6 P. 19	{ M. 30 F. 5 P. 17	{ M. 31 F. 6 P. 18	{ M. 28 F. 4 P. 16	{ M. 27 F. 4 P. 15
169	By jumping from high places .. ..	{ M. 4 F. 2 P. 3	{ M. 4 F. 3 P. 3	{ M. 4 F. 3 P. 3	{ M. 4 F. 2 P. 3	{ M. 4 F. 3 P. 4	{ M. 4 F. 3 P. 3	{ M. 5 F. 3 P. 4	{ M. 4 F. 3 P. 4	{ M. 5 F. 3 P. 4	{ M. 6 F. 3 P. 4	{ M. 6 F. 3 P. 4
170	By crushing .. ..	{ M. 8 F. 1 P. 4	{ M. 8 F. 1 P. 4	{ M. 9 F. 1 P. 5	{ M. 9 F. 2 P. 5	{ M. 10 F. 2 P. 6	{ M. 7 F. 2 P. 4	{ M. 10 F. 1 P. 5	{ M. 9 F. 2 P. 5	{ M. 9 F. 1 P. 5	{ M. 10 F. 1 P. 6	{ M. 12 F. 2 P. 7
172- 175	Homicide .. ..	{ M. 6 F. 7 P. 7	{ M. 5 F. 6 P. 5	{ M. 7 F. 5 P. 6	{ M. 6 F. 5 P. 6	{ M. 6 F. 7 P. 7	{ M. 7 F. 7 P. 7	{ M. 5 F. 5 P. 5	{ M. 5 F. 5 P. 5	{ M. 5 F. 5 P. 5	{ M. 6 F. 4 P. 5	{ M. 4 F. 5 P. 5
176- 194	Accidental deaths .. ..	{ M. 438 F. 180 P. 303	{ M. 426 F. 179 P. 297	{ M. 452 F. 182 P. 311	{ M. 459 F. 192 P. 320	{ M. 490 F. 196 P. 337	{ M. 478 F. 204 P. 335	{ M. 516 F. 214 P. 358	{ M. 551 F. 237 P. 387	{ M. 571 F. 245 P. 401	{ M. 581 F. 240 P. 403	{ M. 519 F. 244 P. 376
178	Accidental absorption of irrespirable or poisonous gas .. ..	{ M. 5 F. 2 P. 4	{ M. 6 F. 3 P. 4	{ M. 5 F. 2 P. 4	{ M. 4 F. 2 P. 3	{ M. 5 F. 3 P. 4	{ M. 5 F. 4 P. 5	{ M. 5 F. 4 P. 4	{ M. 5 F. 3 P. 4	{ M. 6 F. 4 P. 5	{ M. 6 F. 2 P. 4	{ M. 5 F. 4 P. 4
181	Accidental burns (conflagration excepted) .. ..	{ M. 39 F. 45 P. 42	{ M. 40 F. 48 P. 44	{ M. 41 F. 42 P. 41	{ M. 36 F. 45 P. 40	{ M. 39 F. 42 P. 41	{ M. 31 F. 38 P. 35	{ M. 37 F. 37 P. 37	{ M. 34 F. 40 P. 37	{ M. 36 F. 45 P. 41	{ M. 32 F. 36 P. 34	{ M. 31 F. 38 P. 35
182	Accidental mechanical suffocation .. ..	{ M. 21 F. 14 P. 18	{ M. 18 F. 12 P. 15	{ M. 17 F. 10 P. 13	{ M. 16 F. 11 P. 14	{ M. 15 F. 12 P. 14	{ M. 17 F. 10 P. 13	{ M. 15 F. 12 P. 13	{ M. 15 F. 11 P. 13	{ M. 14 F. 10 P. 12	{ M. 15 F. 10 P. 12	{ M. 13 F. 9 P. 11



TABLE 7—*contd.*

List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
	Accidental deaths— <i>contd.</i>											
183	Accidental drowning.. .. { M. 51 35 42 37 40 41 35 39 39 33 30 F. 6 5 6 6 6 5 6 7 6 6 5 P. 27 19 23 20 22 22 20 22 22 19 17											
186	Accidental injury by fall, crushing, etc. .. .. { M. 274 284 300 325 346 344 382 416 434 448 408 F. 91 96 102 114 115 130 139 159 163 169 175 P. 178 186 196 215 225 232 255 282 293 303 286											
191	Excessive heat .. .. { M. 7 3 12 1 4 3 0 3 3 8 1 F. 6 1 5 1 2 0 1 1 1 3 0 P. 7 2 8 1 3 2 0 2 2 6 0											
194	Other and unstated forms of accidental violence .. { M. 21 24 21 22 20 19 24 21 19 22 15 F. 9 8 9 11 9 10 9 9 9 8 7 P. 15 16 15 16 14 15 16 15 14 15 11											
	(1) Inattention at birth† { M. 8 7 6 8 7 8 8 7 6 6 4 F. 7 6 6 7 6 8 6 6 6 5 5 P. 7 6 6 8 6 8 7 6 6 5 5											
	(2) Other causes included under 194 .. { M. 13 16 14 14 13 11 16 14 13 16 11 F. 3 2 3 3 3 3 3 3 3 3 2 P. 8 9 8 8 8 7 9 9 8 9 7											
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.) .. .. { M. 49 46 45 41 40 40 44 42 37 41 42 F. 16 14 14 15 15 14 14 14 13 12 15 P. 31 30 29 27 27 26 28 27 24 26 28											
196	Wounds of war .. .. { M. 6 4 4 3 3 4 4 4 4 4 5 F. — — — — — 0 — — — — P. 3 2 2 2 2 2 2 2 2 2 2											
199—200	XVIII. Ill-defined Diseases*.. { M. 60 57 54 50 50 44 34 26 26 23 41 F. 40 40 36 33 34 28 22 17 17 15 27 P. 50 48 45 41 41 36 28 21 21 19 34											
199	Sudden death* .. .. { M. 11 11 11 9 9 9 8 7 7 6 9 F. 6 6 6 5 5 4 4 4 4 4 5 P. 8 8 8 7 7 6 6 5 5 5 7											
200	Cause of death unstated or ill-defined .. .. { M. 50 46 43 41 41 35 26 19 19 17 31 F. 34 34 30 28 29 25 17 13 13 11 23 P. 42 40 36 34 35 30 21 16 16 14 27											
	(1) Heart failure* .. .. { M. 30 31 27 26 28 25 19 13 13 11 26 F. 19 20 19 17 17 17 11 8 8 7 19 P. 24 25 23 22 22 21 15 11 11 9 22											

† The rates for this cause per 1,000 Live Births are shown in Table 12.

TABLE 8.—STANDARDIZED DEATH-RATES\* OF MALES AND FEMALES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1921-31. } { England and Wales.

The deaths on which these rates are based were classified according to the International List in use from 1921-30 and according to the revised International List from 1931 onwards. A † is inserted against those headings in which changes of classification occur, but in most cases these changes do not materially affect the comparability of the figures. The nature of the change will be found in Appendix C. The numbers and headings to the various causes are those of the revised International List but where a difference in name occurs the old name is shown in brackets.

List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
	ALL CAUSES .. .. {M. F.	12,523 10,241	12,852 10,577	11,436 9,303	11,842 9,693	11,878 9,683	11,236 9,099	11,810 9,552	11,104 8,900	12,714 10,372	10,767 8,546	11,365 9,157
1	Typhoid and paratyphoid (Enteric) fevers. {M. F.	17 15	13 11	12 11	13 13	10 10	10 8	10 8	11 10	9 9	8 7	7 5
7	Measles .. .. {M. F.	80 72	195 181	181 157	157 143	182 162	121 111	131 119	159 143	125 121	165 142	131 114
8	Scarlet fever .. .. {M. F.	40 41	41 45	31 30	25 29	30 32	22 20	18 19	17 20	23 23	23 26	16 20
9	Whooping cough .. .. {M. F.	139 175	188 236	120 146	114 133	177 216	124 152	114 142	95 117	202 261	66 85	83 107
10	Diphtheria .. .. {M. F.	144 156	129 128	82 88	75 81	85 91	91 101	87 91	104 106	109 121	117 120	91 90
11	Influenza .. .. {M. F.	232 195	526 481	209 169	440 393	297 253	212 171	504 438	185 139	623 550	119 83	306 269
15	Erysipelas† .. .. {M. F.	19 17	19 14	15 14	17 14	21 17	20 15	19 16	22 16	24 19	25 20	25 20
16	Acute poliomyelitis .. .. {M. F.	6 5	4 5	4 4	5 4	5 4	8 7	7 5	6 4	5 4	5 5	4 3
17	Encephalitis lethargica .. .. {M. F.	19 19	8 9	14 12	38 33	34 34	33 32	30 26	25 26	25 23	21 21	23 20
18	Cerebro-spinal fever (Meningococcal meningitis) {M. F.	15 11	13 10	9 9	10 8	12 9	13 10	17 11	16 12	23 16	24 18	55 37
23-32	Tuberculosis (all forms)† .. .. {M. F.	1,233 1,011	1,241 985	1,164 942	1,156 934	1,143 904	1,058 839	1,061 854	1,015 812	1,057 820	974 781	977 772
23	Respiratory system .. .. {M. F.	944 757	963 745	900 707	904 708	895 691	829 638	838 660	803 625	846 641	775 606	781 601
24	Nervous system .. .. {M. F.	113 100	112 98	103 98	97 91	100 90	93 87	99 87	87 80	89 82	85 80	91 84
25	Intestines and peritoneum {M. F.	66 63	56 54	56 56	54 52	50 48	45 43	40 39	39 39	37 35	34 32	31 32
34	Syphilis .. .. {M. F.	64 48	50 37	48 30	42 28	39 25	43 26	45 29	50 28	45 26	45 25	45 24
45-53	Cancer, malignant disease† .. .. {M. F.	947 970	958 965	972 979	999 985	1,023 991	1,011 995	1,018 984	1,032 1,000	1,031 999	1,031 987	1,044 986
54	Non-malignant tumours† .. .. {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	22 40
55	Tumours of undetermined nature.† {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	28 23
54 (a) & 55 (a)	Tumours of female genital organs—Non - malignant and undetermined.† {F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	27
56	Rheumatic fever .. .. {M. F.	48 48	45 49	43 45	41 47	45 54	44 49	37 45	35 45	35 41	38 42	30 37
57 (2)	Rheumatoid Arthritis, Osteo-arthritis.† {M. F.	19 45	24 48	23 47	24 46	23 51	24 51	31 56	32 62	35 72	32 61	34 63
59	Diabetes .. .. {M. F.	92 89	101 97	90 94	86 88	81 94	86 91	88 101	91 101	95 111	93 108	89 113
68	Diseases of the adrenals† .. .. {M. F.	4 5	4 5	5 5	5 5	5 6	4 6	4 6	4 6	4 6	4 5	3 5
71 (a)	Pernicious anæmia .. .. {M. F.	46 60	50 59	44 54	45 57	46 57	47 61	45 56	30 39	32 39	35 42	34 44
72 (a)	Leukæmia .. .. {M. F.	13 9	14 9	14 11	14 11	15 12	17 12	17 14	18 12	17 15	18 13	19 15
72 (b)	Aleukæmia (Lymphadenoma) {M. F.	13 5	13 6	11 6	14 7	12 6	14 6	14 7	13 8	15 6	15 8	17 8
79	Meningitis† .. .. {M. F.	81 69	74 61	66 57	63 49	61 47	52 45	50 40	42 34	46 37	37 31	38 32
80	Tabes dorsalis (locomotor ataxy). {M. F.	26 5	29 5	26 5	26 4	25 5	26 4	26 5	25 4	29 5	22 4	21 4

\* See Note re Standardized death rates at foot of Table 3.



TABLE 8—continued.

List No.	Causes of Death.		1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
82	Cerebral hæmorrhage, apoplexy, etc.†	{ M. F.	539 525	555 542	531 524	530 515	528 509	509 502	459 457	412 424	446 438	405 415	442 434
83	General paralysis of the insane	{ M. F.	59 12	65 13	64 12	55 12	56 11	51 11	54 11	49 10	42 10	40 8	40 10
84	Other forms of insanity†	{ M. F.	14 22	16 22	13 21	13 20	16 21	19 24	19 27	20 28	21 27	18 23	17 24
85	Epilepsy .. ..	{ M. F.	60 51	60 51	57 47	58 48	56 45	56 42	57 43	55 47	55 45	56 42	58 45
87 (c)	Paralysis agitans .. ..	{ M. F.	16 11	18 12	18 14	19 13	23 17	22 15	24 17	25 16	28 17	23 18	27 18
87 (d)	Disseminated sclerosis ..	{ M. F.	13 14	17 14	15 15	16 14	16 14	17 16	16 16	16 15	16 16	15 15	16 18
89	Diseases of the ear and mastoid sinus.	{ M. F.	40 31	40 29	38 28	35 26	38 29	41 27	42 31	43 33	49 34	45 35	47 32
90-95	Heart diseases† .. ..	{ M. F.	1,203 1,107	1,301 1,218	1,210 1,129	1,267 1,181	1,322 1,220	1,298 1,188	1,412 1,303	1,474 1,349	1,835 1,658	1,706 1,486	1,868 1,637
91 (1)	Malignant (Infective) endocarditis.	{ M. F.	40 24	35 24	29 23	27 24	26 22	25 25	26 24	23 23	23 24	24 25	26 24
91 (2)	Other acute endocarditis†	{ M. F.	18 18	14 16	15 14	14 14	14 16	12 15	11 14	10 12	10 13	9 10	3 3
92 (1)	Aortic valve disease†	{ M. F.	90 32	95 34	88 35	87 32	89 36	87 33	90 34	91 35	96 35	88 36	90 36
92 (2)	Mitral valve disease†	{ M. F.	156 212	169 229	155 211	148 211	147 206	139 193	157 222	165 232	177 249	154 219	153 222
92 (3)	Aortic and mitral valve disease.†	{ M. F.	24 15	23 15	21 16	21 14	20 16	20 12	23 18	27 24	30 22	27 21	26 19
92 (4)	Endocarditis not returned as acute or chronic.†	{ M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	24 29
92 (5)	Other or unspecified valve disease.†	{ M. F.	273 263	271 283	246 248	251 260	245 240	231 229	224 236	217 224	227 238	200 213	189 196
93 (a)	Acute myocarditis† .. ..	{ M. F.	6 5	6 6	7 7	9 8	10 10	11 11	11 10	12 10	13 11	9 8	3 3
93 (b.1)	Fatty heart .. ..	{ M. F.	50 50	56 57	54 56	52 53	51 54	51 47	50 54	48 54	53 58	48 54	47 51
93 (b.2)	Cardio-vascular degeneration.†	{ M. F.	209	269	281	341	409	446	526	601	894	838	219 150
93 (b.3)	Other diseases included under 93 (b).†		189	245	254	300	361	388	460	525	781	699	547 502
93 (c)	Myocarditis, not distinguished as acute or chronic.†	{ M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	218 196
94	Diseases of the coronary arteries, angina pectoris.†	{ M. F.	34 13	44 17	46 18	53 19	55 19	52 20	79 27	101 35	131 45	156 53	169 61
95 (a)	Disordered action of heart ..	{ M. F.	11 11	13 13	15 17	19 23	24 29	27 33	33 41	28 40	31 45	31 40	35 43
95 (b.2)	Heart disease (undefined) ..	{ M. F.	257 248	271 250	222 208	218 203	206 189	176 164	160 148	132 120	134 127	107 96	107 94
96	Aneurysm .. ..	{ M. F.	35 8	36 8	34 8	35 7	34 9	32 9	36 9	37 9	37 10	38 10	38 11
97	Arterio-sclerosis† .. ..	{ M. F.	349 188	396 216	399 219	432 241	451 252	454 255	545 321	581 352	458 295	398 261	419 286
97 (1)	With cerebral hæmorrhage	{ M. F.	101 67	118 78	122 79	123 87	136 91	131 89	190 136	221 161	217 156	210 153	153 70 53
97 (2)	With other cerebral vascular lesion.												
98	Gangrene .. ..	{ M. F.	37 21	34 23	27 20	33 20	31 20	29 18	25 18	23 13	24 16	18 13	17 13
98 (a)	Senile gangrene .. ..	{ M. F.	33 18	31 19	25 18	30 17	28 18	27 16	23 16	20 11	22 14	16 11	16 11
100	Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.)†	{ M. F.	5 9	6 10	6 9	5 9	7 9	7 10	6 11	8 11	7 11	7 12	7 12
104-114	Diseases of the respiratory system.†	{ M. F.	2,176 1,609	2,510 1,896	1,973 1,451	2,217 1,682	2,108 1,572	1,851 1,349	2,060 1,513	1,649 1,151	2,258 1,670	1,438 958	1,715 1,261
104 (2)	Diseases of the accessory nasal sinuses.	{ M. F.	2 2	3 2	3 2	3 1	3 2	4 2	4 4	5 3	5 4	7 4	5 3





TABLE 8—continued.

List No.	Causes of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
134	Calculi of the urinary passages { M. F.	9 5	9 4	10 4	9 3	9 4	8 3	9 4	10 5	13 5	10 6	11 6
135 (a)	Cystitis .. .. { M. F.	40 8	35 8	35 9	32 7	28 9	30 9	27 10	24 11	21 11	20 10	21 10
136 (a)	Stricture of the urethra .. M.	14	14	15	13	12	13	15	16	17	15	14
137	Diseases of the prostate .. M.	104	102	107	114	121	117	135	140	154	150	156
151	Carbuncle, boil .. .. { M. F.	10 5	10 4	11 5	10 4	11 5	12 6	12 6	14 7	13 7	15 7	15 6
152 (1)	Cellulitis† .. .. { M. F.	13 10	14 8	13 9	13 9	15 10	15 11	12 9	16 10	16 10	14 9	13 12
154	Acute infective osteomyelitis { M. F. and periostitis.	16 7	18 8	18 7	19 9	17 9	16 9	19 10	22 9	19 12	20 10	19 10
162	Old age† .. .. { M. F.	588 557	608 568	530 492	515 500	499 488	472 453	418 415	349 348	373 377	313 312	296 307
163- 198	Deaths from violence (exter- nal causes). { M. F.	609 232	594 228	619 226	601 233	642 244	639 252	690 264	719 283	735 290	746 281	694 293
163- 171	Suicide .. .. { M. F.	130 43	132 45	134 45	120 45	128 50	136 55	151 57	147 57	148 58	149 58	149 58
176- 194	Accidental deaths ‡ .. .. { M. F.	472 182	457 177	478 175	475 183	508 186	495 190	534 201	567 220	582 226	591 218	500 215
181	Accidental burns (conflagra- tion excepted). { M. F.	44 49	46 53	45 46	38 47	43 45	35 41	42 42	40 44	43 49	38 39	37 40
186(pt)	Accidental injury by fall .. { M. F.	76 41	72 47	66 47	69 47	74 48	72 50	73 53	78 57	79 56	79 56	76 59
199- 200	Ill-defined diseases † .. .. { M. F.	54 37	49 35	46 32	43 28	42 29	37 24	28 18	22 14	21 14	19 12	32 19
199	Sudden death † .. .. { M. F.	9 5	9 5	9 5	7 4	7 4	7 3	6 3	6 2	5 3	4 3	7 3
200 (1)	Heart failure † .. .. { M. F.	25 15	25 15	22 14	21 13	22 13	20 13	14 8	10 6	10 6	8 5	19 12

‡ This heading excludes headings 195-198 (see Table 6) which were included in the heading "Violent deaths (excluding suicide and homicide)" to which the figures prior to 1931 relate.

TABLE 9.—DEATH-RATES PER MILLION LIVING FROM THE } { England and Wales.  
PRINCIPAL EPIDEMIC OR GENERAL DISEASES, 1851-1931.

Note.—The rates throughout the table are based on total deaths and population (including non-civilians).

Period.	At All Ages (Standardized).								At Ages under 15 Years.					
	Typhoid and paratyphoid fevers.	Small-pox.	Influenza.	Encephalitis lethargica.	Tuberculosis (all forms).	Tuberculosis of respira- tory system.	Cancer.	Diabetes.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Acute poliomyelitis.	Cerebro-spinal fever.
1851-60					3,478	2,772	326		1,151			1,418		
1861-70		149			3,263	2,590	396		1,221	2,617	1,148	1,475		
1871-80	321	228			2,882	2,231	484		1,038	1,908	765	1,415		
1881-90	199	45			2,444	1,810	610		1,227	903	823	1,259		
1891-1900	175	14	363		2,021	1,418	767		1,217	439	894	1,115		
1901-10	91	13	208		1,646	1,143	867	93	973	311	584	876		
1911-20	34	0	566		1,375	1,007	928	98	891	141	447	596	13	45
1921-30	11	1	310	25	993	768	991	95	416	74	306	437	11	31
1851-55					3,638	2,890	320		1,114			1,439		
1856-60		180			3,328	2,663	341		1,185	2,201	1,379	1,398		
1861-65		205			3,316	2,625	381		1,265	2,646	1,422	1,437		
1866-70		97			3,217	2,558	416		1,180	2,589	891	1,511		
1871-75	371	392			2,956	2,327	460		1,023	2,018	807	1,378		
1876-80	275	76			2,818	2,141	515		1,051	1,806	726	1,450		
1881-85	218	78			2,558	1,922	567		1,138	1,160	848	1,269		
1886-90	181	13			2,342	1,704	650		1,313	656	799	1,250		
1891-95	175	20	418		2,138	1,504	725		1,174	498	896	1,151		
1896-1900	176	7	311		1,912	1,337	805		1,260	380	893	1,079		
1901-05	113	25	189		1,739	1,208	849	88	1,016	366	668	940		
1906-10	70	0	224		1,556	1,082	882	97	930	257	503	813		
1911-15	47	0	164		1,389	1,005	932	107	1,110	185	444	681	14	41
1916-20	22	0	965		1,359	1,009	924	91	665	96	449	509	12	48
1921-25	13	0	319	22	1,065	816	976	91	449	92	310	484	11	25
1926-30	9	1	301	26	922	721	1,004	97	381	55	302	387	12	37
1889	177	1			2,279	1,637	674		1,457	646	825	1,216		
1890	180	0	160		2,403	1,748	693		1,240	665	785	1,358		
1891	169	2	582		2,325	1,659	708		1,237	465	719	1,335		
1892	138	15	540		2,156	1,517	704		1,317	519	821	1,307		
1893	230	49	329		2,158	1,509	723		1,075	629	1,074	991		
1894	160	27	222		1,987	1,419	723		1,136	461	978	1,198		
1895	176	7	426		2,072	1,426	764		1,106	418	889	927		
1896	167	17	122		1,899	1,327	770		1,685	495	981	1,274		
1897	157	1	196		1,933	1,356	791		1,214	414	805	1,097		
1898	182	8	331		1,915	1,325	804		1,256	320	788	973		
1899	198	6	390		1,908	1,339	829		948	334	953	965		
1900	174	3	504		1,904	1,337	830		1,199	340	936	1,090		
1901	155	11	173		1,807	1,263	841	91	850	380	888	965		
1902	126	75	222		1,739	1,229	836	83	1,211	427	768	924		
1903	101	23	187		1,741	1,196	856	84	854	364	592	893		
1904	93	15	166		1,780	1,228	854	91	1,141	330	564	1,109		
1905	90	3	199		1,634	1,130	856	91	1,025	333	532	809		
1906	92	1	178		1,647	1,138	880	94	871	301	587	768		
1907	68	0	256		1,606	1,125	866	93	1,157	275	541	944		
1908	75	0	275		1,585	1,099	874	98	729	236	521	899		
1909	60	1	241		1,524	1,063	895	99	1,145	273	484	654		
1910	53	1	172		1,422	988	893	103	750	200	384	798		
1911	67	1	113		1,456	1,035	909	99	1,173	158	433	705	16	31
1912	44	0	137		1,361	995	925	103	1,150	168	376	756	13	25
1913	41	0	161		1,340	958	948	108	951	175	392	492	15	25
1914	46	0	148		1,345	988	943	111	816	233	510	722	13	29
1915	37	0	257		1,440	1,053	933	113	1,458	189	510	730	13	97
1916	29	0	210		1,423	1,046	935	109	478	112	468	546	13	59
1917	26	0	174		1,479	1,085	930	90	941	62	393	411	11	62
1918	25	0	3,024		1,539	1,165	913	84	892	82	430	918	14	41
1919	15	1	1,169		1,229	918	915	89	334	104	447	248	12	40
1920	14	1	267		1,123	833	928	85	675	119	510	417	9	37
1921	16	0	213	19	1,117	845	957	90	212	106	432	435	12	30
1922	12	1	503	9	1,107	848	959	99	542	109	373	607	10	27
1923	12	0	189	13	1,049	798	973	92	508	83	250	399	9	21
1924	13	0	416	36	1,039	801	988	87	464	74	231	384	11	22
1925	10	0	274	34	1,017	788	1,002	88	520	86	262	594	11	27
1926	9	0	191	32	942	730	999	89	340	57	283	408	16	28
1927	9	1	470	28	952	744	996	95	359	49	257	367	12	33
1928	11	1	161	26	909	709	1,011	97	430	49	303	300	12	33
1929	9	1	587	24	932	738	1,010	104	346	57	328	649	10	45
1930	7	1	101	21	872	685	1,003	101	431	64	340	211	11	48
1931	6	0	288	22	869	686	1,009	102	341	45	258	263	7	95



TABLE 10. CRUDE DEATH-RATES (EXCLUDING NON-CIVILIANS) FROM THE PRINCIPAL EPIDEMIC } England and Wales, Metropolitan Boroughs,  
DISEASES AND FROM CERTAIN OTHER CAUSES; INFANT MORTALITY; 1930 AND 1931. } County Boroughs, Administrative Counties.

Note :—The figures relate to the areas as constituted during each year.

Administrative Area.	Mortality per Million Civilian Population at all Ages.														Mortality per 1,000. Live births.		Mortality per 1,000. Total (live and still) births.									
	Typhoid and paratyphoid fevers.		Smallpox.		Measles.		Scarlet fever.		Whooping cough.		Diphtheria.		Tuberculosis (all forms).		Tuberculosis of respiratory system.		Deaths under One Year.		Diarrhoea and enteritis under Two Years.		The Puerperal state. Puerperal sepsis.		Others.			
	1930. 1931.		1930. 1931.		1930. 1931.		1930. 1931.		1930. 1931.		1930. 1931.		1930. 1931.		1930. 1931.		1930. 1931.		1930. 1931.		1930. 1931.		1930. 1931.			
	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.
England and Wales* ..	8	6	1	0	105	82	19	14	51	63	88	67	898	896	739	742	60	66	6.15	5.90	1.84	1.59	2.38	2.35		
<i>Metropolitan Boroughs:</i>	100	—	—	—	—	—	—	—	—	—	100	213	1,003	746	802	746	45	82	—	—	10.75	—	—	—	—	—
City of London ..	—	6	—	—	236	13	12	38	44	31	93	31	1,008	1,083	853	895	55	57	7.92	3.63	1.45	1.97	2.18	3.93		
The Temples ..	—	—	—	—	531	18	71	9	53	53	115	53	1,317	1,157	1,185	1,050	64	57	7.29	6.13	2.35	3.99	2.35	1.49		
Battersea ..	18	9	—	—	337	46	9	9	27	92	128	64	984	1,209	874	1,090	60	88	9.72	27.23	1.99	2.11	—	3.17		
Bermondsey ..	9	9	18	—	189	8	24	20	31	44	83	67	1,042	1,063	873	956	52	56	4.99	8.10	3.81	1.83	1.27	1.57		
Bethnal Green..	8	8	4	—	134	17	17	—	34	52	84	35	1,024	909	923	891	40	42	6.26	5.44	2.43	3.94	—	1.31		
Camberwell ..	—	—	—	—	221	9	28	56	28	103	37	112	1,167	1,063	1,039	933	61	53	9.65	5.16	1.65	2.23	0.55	1.11		
Chelsea ..	—	—	—	—	624	57	14	—	85	100	128	57	1,191	1,341	1,077	1,198	64	66	9.30	11.71	5.24	2.41	2.25	1.61		
Deptford ..	14	14	14	—	184	7	7	13	33	46	131	60	873	1,124	749	979	57	68	12.26	6.58	3.69	2.12	2.05	1.69		
Finsbury ..	7	13	—	—	211	20	30	10	10	50	130	110	1,174	1,144	1,023	974	48	65	6.25	9.38	2.44	3.26	—	3.26		
Fulham..	—	10	—	—	208	—	19	23	19	37	157	69	935	848	810	714	50	60	7.40	11.91	0.55	1.15	1.10	2.01		
Greenwich ..	—	5	5	—	228	—	22	15	66	52	155	44	1,127	940	972	807	64	68	10.12	9.17	1.78	0.94	2.22	0.94		
Hackney ..	5	7	—	—	35	—	23	11	—	23	23	23	532	547	439	467	58	61	4.99	8.13	4.79	0.98	0.96	0.98		
Hammersmith ..	—	—	—	—	331	29	—	—	28	116	55	—	1,188	1,102	1,105	928	89	74	12.35	8.52	2.36	—	2.36	—		
Hampstead ..	—	—	—	—	452	22	37	18	28	108	112	49	951	1,026	846	866	69	63	15.80	10.91	1.69	2.15	1.52	1.97		
Holborn ..	—	29	—	—	223	—	17	6	43	57	74	40	942	848	799	727	69	76	14.73	14.08	2.25	2.72	—	3.11		
Islington ..	6	6	—	—	162	3	44	17	23	91	125	68	1,077	970	944	858	57	60	9.05	6.63	1.42	1.29	1.42	1.93		
Kensington ..	3	3	—	—	42	9	28	18	37	54	74	82	837	797	744	670	43	50	4.77	7.06	0.92	3.11	—	1.87		
Lambeth ..	5	9	—	—	149	107	14	—	28	57	85	64	806	984	736	834	78	87	13.45	12.49	1.35	1.85	1.35	2.77		
Lewisham ..	7	7	—	—	190	58	25	19	19	122	108	70	931	1,088	836	972	55	77	6.22	7.30	1.27	1.06	—	1.41		
Paddington ..	—	—	6	—	360	21	10	32	21	21	123	43	863	984	771	867	62	66	11.23	12.18	3.10	0.90	2.33	1.80		
Poplar ..	10	32	—	—	151	10	35	10	25	72	156	97	950	1,066	829	943	61	67	14.20	10.11	—	0.65	1.22	1.63		
St. Marylebone ..	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
St. Pancras ..	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)		

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Shoreditch ..		10	20	—	495	265	10	—	30	112	202	71	1,011	1,079	879	896	65	75	10.06	19.60	1.97	—	1.48	1.72
Southwark ..	6	6	—	—	439	17	23	17	57	104	97	46	1,318	1,365	1,198	1,203	57	61	6.34	5.46	2.26	1.65	0.65	1.65
Stepney ..	9	—	13	9	223	106	34	22	34	142	125	75	1,027	1,147	920	1,041	76	78	23.74	18.19	0.91	0.73	1.37	0.98
Stoke Newington ..		—	—	—	216	—	20	—	—	19	20	19	807	1,148	669	1,051	55	54	5.46	10.27	1.32	3.69	2.64	1.23
Wandsworth ..	11	—	—	—	137	6	23	11	20	51	77	45	870	872	753	793	54	62	6.62	5.77	1.44	3.33	2.46	0.44
Westminster ..	17	17	—	—	149	—	17	—	17	43	41	43	888	1,038	805	908	61	74	3.66	13.26	2.82	3.17	4.23	0.79
Woolwich ..	7	—	—	—	106	7	35	35	7	63	35	42	1,164	1,178	1,058	1,038	42	59	4.57	2.78	1.77	2.69	1.77	0.90
<i>County Boroughs</i>																								
Barnsley ..	7	5	0	0	126	138	20	12	67	85	99	85	1,084	1,079	900	906	68	76	7.95	7.84	1.92	1.59	2.27	2.18
Barrow-in-Furness ..	14	—	—	—	70	527	56	14	70	97	14	14	820	928	640	610	70	110	5.41	5.90	1.27	3.45	1.91	6.22
Bath ..	15	—	—	—	—	60	15	15	46	—	46	15	1,077	842	804	631	70	69	2.90	7.19	2.77	—	1.85	1.94
Birkenhead ..	—	—	—	—	—	117	15	—	—	15	15	15	423	602	364	514	48	39	3.66	3.75	1.18	2.38	—	2.38
Birmingham ..	—	7	—	—	20	242	—	—	125	189	171	155	1,136	1,205	932	963	86	86	15.32	10.60	1.70	1.76	2.39	1.41
Blackburn ..	9	1	—	—	58	174	16	10	114	88	88	62	1,004	1,051	885	921	61	70	7.55	8.38	1.62	1.66	1.39	1.77
Blackpool ..	16	8	—	—	193	8	—	—	40	137	80	16	996	936	827	751	85	60	8.15	7.15	0.59	0.61	4.70	1.84
Bolton ..	6	—	—	—	91	10	—	—	30	20	71	122	659	824	557	732	67	74	7.62	6.69	0.90	2.70	2.70	2.70
Bootle ..	13	—	—	—	28	128	22	6	44	78	17	11	832	798	627	675	68	80	10.01	7.72	2.63	1.15	4.52	5.34
Bournemouth..	—	—	—	—	140	156	102	13	217	259	153	194	1,363	1,607	1,146	1,464	79	95	9.48	10.80	1.07	2.89	2.13	1.73
Bradford ..	3	7	—	—	41	—	10	—	10	47	51	28	789	649	645	583	46	63	4.62	3.38	0.89	—	0.89	1.63
Brighton ..	7	—	—	—	40	106	57	3	168	20	64	30	873	941	751	788	75	71	5.71	5.15	3.27	1.64	1.74	3.04
Bristol ..	3	3	—	—	144	—	14	—	48	—	76	111	901	1,010	791	824	51	54	7.66	6.12	0.98	1.97	2.46	1.48
Burnley ..	10	10	—	—	121	173	8	3	56	15	99	78	1,137	1,044	993	921	57	50	4.22	2.65	1.25	1.59	2.19	1.43
Burton-upon-Trent ..	—	20	—	20	100	60	10	—	80	171	70	40	923	907	692	746	75	85	11.93	6.97	3.59	1.47	—	3.67
Bury ..	18	—	—	—	35	89	—	36	53	36	202	40	808	661	626	521	52	65	1.23	1.26	—	—	5.93	1.21
Canterbury ..	42	—	—	—	—	42	42	—	42	—	338	—	848	889	654	764	69	73	6.80	5.96	3.86	5.68	1.29	1.42
Carlisle ..	24	—	—	—	18	262	18	17	88	87	18	105	933	943	739	681	68	70	7.92	3.06	5.74	—	3.82	4.86
Chester ..	—	—	—	—	462	—	24	—	24	48	292	97	1,144	1,402	925	967	72	69	6.00	7.45	—	1.42	5.67	2.85
Coventry ..	—	—	—	—	66	—	12	6	12	41	247	65	1,019	953	905	870	55	59	8.50	5.22	3.10	3.10	2.32	2.71
Croydon ..	—	—	—	—	96	—	9	13	13	38	66	21	783	744	678	637	49	57	5.69	4.41	1.11	3.13	0.83	3.41
Darlington ..	—	—	—	—	378	55	14	27	—	110	70	41	1,077	1,278	881	1,072	76	73	1.64	4.48	5.54	3.36	7.13	5.89
Derby ..	—	—	—	—	127	74	70	37	21	56	148	112	872	858	739	760	70	63	7.06	5.17	0.80	0.42	1.60	2.08
Dewsbury ..	—	—	—	—	93	79	37	37	—	92	37	184	966	1,066	799	809	64	78	4.59	4.04	—	—	3.25	7.55
Doncaster ..	16	—	—	—	302	150	17	16	162	16	97	79	760	662	695	567	60	53	8.15	1.92	0.98	2.76	1.95	—
Dudley ..	17	—	—	—	53	36	—	17	17	50	—	—	1,025	1,166	907	1,049	66	78	16.41	8.40	—	2.41	1.57	2.41
Eastbourne ..	—	—	—	—	97	—	14	14	53	63	105	18	650	718	598	503	40	37	1.50	1.54	2.89	—	2.89	—
East Ham ..	7	—	—	—	47	31	—	—	55	77	138	126	967	805	849	700	49	59	5.30	5.38	2.13	2.83	1.28	0.94
Exeter..	—	31	—	—	47	31	—	—	47	77	142	31	899	895	757	741	50	57	3.18	1.07	—	—	5.10	—
Gateshead ..	8	—	—	—	178	323	24	49	130	129	41	8	1,403	1,479	1,062	1,156	92	101	8.76	10.48	2.92	2.31	2.92	0.38

\* Rates for England and Wales are based upon total deaths and total population.



TABLE 10—continued.

Administrative Area.	Mortality per Million Civilian Population at all Ages.												Mortality per 1,000. Live births.		Mortality per 1,000. Total (live and still) births.									
	Typhoid and paratyphoid fevers.		Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Tuberculosis (all forms).	Tuberculosis of respiratory system.	Deaths under One Year.	Diarrhoea and enteritis under Two Years.	The Puerperal state.												
												Puerperal sepsis.	Others.											
	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.										
Gloucester ..	—	—	—	57	—	189	19	895	1,115	49	2.33	2.37	1.12	1.13	1.12	4.51								
Great Yarmouth ..	—	18	—	—	105	159	52	1,187	1,146	57	5.61	7.11	1.08	1.14	1.08	1.14								
Grimsby ..	22	33	—	33	65	—	22	76	1,203	943	9.74	4.24	1.10	1.16	—	0.58								
Halifax ..	10	20	—	10	20	41	71	173	806	66	4.62	4.82	2.93	—	5.86	3.10								
Hastings ..	16	—	—	16	16	16	64	65	759	57	5.22	1.31	—	—	1.26	1.26								
Huddersfield ..	9	—	—	26	9	17	97	35	770	55	2.00	0.71	2.57	1.35	2.57	3.38								
Ipswich ..	—	—	—	23	34	80	92	273	1,014	42	3.39	2.90	2.59	0.70	1.94	0.70								
Kingston-upon-Hull ..	10	13	—	16	10	79	152	295	1,358	69	5.57	6.79	1.68	2.39	1.99	1.27								
Leeds ..	4	4	2	46	23	66	112	179	1,098	68	4.23	7.89	1.65	2.37	2.28	2.77								
Leicester ..	4	4	4	8	37	54	25	25	1,305	56	7.75	6.24	2.98	0.78	1.99	2.87								
Lincoln ..	—	—	—	—	76	—	76	61	1,048	59	3.17	3.26	3.02	1.04	6.04	2.09								
Liverpool ..	1	7	—	40	14	89	221	220	1,434	82	14.04	13.85	0.92	1.03	2.70	1.76								
Manchester ..	11	5	—	13	14	117	75	78	1,400	77	12.92	13.94	2.52	1.39	2.22	1.70								
Middlesbrough ..	—	—	—	15	14	279	43	59	1,627	81	9.68	6.74	2.61	2.58	1.16	3.54								
Newcastle-on-Tyne ..	18	11	—	14	21	102	197	14	1,382	73	8.62	9.30	2.94	1.71	2.02	2.09								
Northampton..	32	—	—	—	75	22	75	54	938	56	4.08	5.68	2.37	3.13	3.16	0.78								
Norwich ..	—	8	—	16	—	32	56	79	698	45	2.53	2.55	2.43	1.46	1.95	0.97								
Nottingham ..	4	7	—	26	—	89	126	15	1,122	75	12.79	11.19	1.48	2.69	2.12	1.45								
Oldham ..	—	—	—	49	14	56	105	14	965	70	4.21	3.11	2.97	2.46	3.46	3.94								
Oxford..	13	—	—	13	25	37	52	37	795	41	2.59	—	3.37	3.18	—	0.79								
Plymouth ..	5	—	—	36	16	68	118	89	1,079	61	5.26	3.50	2.79	0.56	3.35	2.25								
Portsmouth ..	4	13	—	39	52	92	69	52	992	59	9.39	5.54	1.58	0.44	0.90	1.77								
Preston ..	8	—	—	8	8	67	57	33	849	73	5.57	4.78	4.31	2.54	1.92	2.54								
Reading ..	21	—	—	—	10	31	62	62	874	53	1.42	3.39	—	0.65	1.38	1.94								
Rochdale ..	—	—	—	—	22	11	66	230	603	66	5.62	6.08	3.09	0.82	6.17	6.56								
Rotherham ..	—	14	—	57	—	100	142	86	856	76	7.59	6.27	0.73	—	2.93	2.25								
St. Helens ..	—	—	—	18	—	74	37	65	1,108	80	4.27	6.89	2.40	0.88	2.86	2.19								
Salford ..	13	—	—	13	22	87	130	137	1,425	83	16.98	17.12	2.95	2.62	2.21	1.31								
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Sheffield ..	10	8	—	—	129	10	17	4	64	62	39	12	860	822	688	680	67	69	5.87	5.27	2.07	2.58	2.31	2.45
Smethwick ..	11	23	—	—	23	141	23	—	12	105	246	187	786	726	668	621	66	70	5.86	6.51	4.35	1.26	—	0.63
Southampton ..	—	—	—	—	235	6	23	6	34	80	161	74	1,252	985	1,109	866	58	47	6.29	2.64	2.43	1.27	1.52	0.32
Southend-on-Sea ..	—	—	—	—	52	8	9	—	17	34	26	76	944	946	858	819	41	48	5.42	1.46	—	0.70	2.61	4.20
Southport ..	26	—	—	—	26	13	38	—	38	52	77	78	880	634	715	505	74	68	4.49	4.85	4.28	2.31	7.49	4.62
South Shields ..	—	—	—	—	26	394	9	—	26	228	129	18	1,665	1,725	1,245	1,261	93	115	10.85	6.35	2.00	0.82	3.60	3.26
Stockport ..	8	—	—	—	79	—	16	8	55	24	94	118	708	940	590	837	57	79	8.50	6.39	1.06	2.20	0.53	3.85
Stoke-on-Trent ..	11	4	4	—	43	264	7	—	72	68	36	61	1,248	1,161	1,009	975	70	100	8.87	16.55	1.54	0.91	1.89	1.46
Sunderland ..	43	16	—	—	70	576	—	11	91	144	70	59	1,349	1,418	666	1,087	78	99	7.54	12.72	1.36	1.88	2.26	2.58
Tynemouth ..	15	31	—	—	—	278	—	—	169	31	169	46	1,349	1,545	1,119	1,205	66	78	12.33	9.92	3.94	0.73	3.94	2.90
Wakefield ..	34	—	—	—	120	118	17	34	86	101	52	404	825	977	481	791	59	82	1.01	15.54	2.93	1.99	3.90	3.98
Wallasey ..	—	—	10	—	30	10	—	10	20	21	71	62	991	976	839	873	54	46	7.08	2.98	0.68	0.72	1.35	2.87
Walsall ..	—	10	—	—	157	202	10	10	59	77	118	106	1,088	1,028	961	932	69	74	6.80	9.83	1.88	0.95	3.29	1.89
Warrington ..	—	—	—	—	389	62	63	162	—	62	138	100	1,329	1,300	1,153	1,125	65	100	8.37	9.43	0.62	3.83	2.46	3.19
West Bromwich ..	—	12	—	—	110	158	49	—	12	37	37	—	834	803	699	730	66	86	8.38	7.07	1.15	2.25	1.15	2.25
West Ham ..	3	3	—	—	259	10	13	17	63	118	113	37	1,182	998	1,029	856	63	63	7.31	7.79	1.55	1.28	1.21	1.65
West Hartlepool ..	58	29	—	—	87	364	14	—	87	276	116	29	1,348	1,135	1,029	887	54	96	5.24	5.65	1.26	—	—	2.72
Wigan ..	23	—	—	—	541	—	23	12	12	151	46	12	1,071	929	864	743	107	103	7.60	6.26	2.38	—	—	4.76
Wolverhampton ..	7	—	—	—	164	45	15	7	104	112	97	89	909	930	723	781	65	69	6.17	10.45	2.76	0.42	1.58	1.67
Worcester ..	—	20	—	—	195	20	—	—	39	79	39	59	936	1,101	858	964	52	62	2.48	1.30	—	1.25	3.56	3.75
York ..	12	12	—	—	259	36	24	24	118	71	24	47	777	984	613	818	62	60	5.03	—	1.39	—	3.47	1.41
Cardiff ..	—	4	—	—	36	224	—	22	98	27	130	107	1,153	1,311	952	1,065	72	77	7.93	7.69	2.52	1.77	2.52	1.51
Merthyr Tydfil ..	—	14	—	—	256	—	—	121	121	14	310	140	1,024	1,497	808	1,231	92	105	7.63	9.63	1.59	2.44	2.38	3.25
Newport (Mon.) ..	11	—	—	—	—	202	—	45	87	45	11	45	1,206	1,356	1,075	1,121	56	79	2.41	2.50	1.74	1.79	1.74	3.58
Swansea ..	—	—	—	—	164	79	6	18	79	85	67	66	1,041	1,069	864	924	64	70	5.74	3.60	2.56	1.71	3.20	3.08
<i>Administrative Counties</i>																								
Bedfordshire ..	8	7	1	0	95	55	18	14	44	52	83	58	808	807	661	663	56	61	5.19	4.87	1.79	1.59	2.44	2.45
Berkshire ..	14	—	—	—	18	18	23	—	37	37	65	41	872	854	720	749	46	52	2.24	2.85	0.92	1.22	1.54	2.44
Buckinghamshire ..	9	—	—	—	23	28	14	14	23	61	75	33	700	741	550	571	41	41	2.45	1.26	2.08	2.12	0.59	2.72
Cambridgeshire ..	8	—	—	—	53	7	11	7	30	19	103	37	668	626	539	496	41	43	1.99	2.02	2.16	1.47	2.64	2.21
Cheshire ..	15	14	—	—	7	7	22	21	37	14	88	64	540	730	445	594	42	46	1.08	2.19	1.56	1.06	3.64	1.58
Cornwall ..	9	10	—	—	108	12	9	7	49	55	96	72	647	646	513	546	57	55	4.21	3.23	1.72	0.99	2.68	2.18
Cumberland ..	16	13	—	—	64	3	19	13	16	45	60	35	951	846	754	650	51	54	3.01	3.79	0.82	0.85	3.69	2.78
Derbyshire ..	24	10	—	—	34	97	5	10	68	93	68	24	832	979	653	784	59	73	8.03	4.18	1.07	0.80	2.93	4.27
Devonshire ..	8	10	—	2	90	44	11	6	52	55	97	39	593	543	427	417	61	67	5.02	5.03	1.63	2.03	2.35	2.77
Dorsetshire ..	7	4	—	—	34	13	9	9	56	47	90	58	831	795	698	665	48	51	1.97	2.33	1.57	1.60	2.20	1.92
Dorsetshire ..	4	4	—	—	50	26	17	9	63	145	101	38	851	786	666	623	47	49	2.43	1.97	2.07	1.08	3.37	3.51
Durham ..	14	16	—	—	92	255	18	16	103	51	65	51	1,067	948	769	688	74	86	6.06	6.68	2.14	1.88	2.49	3.14
Ely, Isle of ..	64	—	—	—	51	—	26	13	13	77	116	39	630	632	476	412	52	58	5.57	4.25	0.67	—	—	3.34



TABLE 10—continued.

Administrative Area.	Mortality per Million Civilian Population at all Ages.										Mortality per 1,000. Live births.		Mortality per 1,000. Total (live and still) births.									
	Typhoid and paratyphoid fevers.		Smallpox.		Measles.		Scarlet fever.		Whooping cough.		Diphtheria.		Tuberculosis of respiratory system.		Deaths under One Year.		Diarrhoea and enteritis under Two Years.		The Puerperal state. Puerperal sepsis.		Others.	
	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.	1930.	1931.
Essex ..	6	13	1	—	125	11	21	14	22	49	126	69	721	786	45	52	3·85	3·26	1·70	1·65	2·94	1·75
Gloucestershire	3	—	—	—	30	74	—	9	41	51	62	45	696	735	50	55	2·82	2·44	1·54	2·15	2·12	2·34
Herefordshire..	—	—	—	—	117	36	18	9	54	45	54	90	876	858	48	61	5·17	3·55	2·78	1·13	1·67	3·39
Hertfordshire..	5	2	—	—	69	10	8	—	10	25	58	42	630	602	42	46	4·06	1·86	2·12	1·81	2·29	1·98
Huntingdonshire	—	18	—	—	—	71	18	—	142	71	106	—	781	784	48	49	1·05	3·41	—	2·19	1·02	2·19
Kent ..	3	7	—	—	39	44	17	15	24	24	63	44	834	774	45	47	3·53	2·89	1·57	1·26	2·17	1·64
Lancashire ..	9	7	—	—	112	34	21	14	34	52	69	60	719	713	64	71	5·88	4·52	1·87	1·52	4·01	3·07
Leicestershire..	13	—	7	—	20	102	13	7	53	36	47	39	740	842	55	59	2·39	4·03	1·35	0·97	1·92	2·32
Lincolnshire, Holland	11	—	—	—	22	33	22	33	77	54	154	43	803	891	58	67	6·78	5·08	—	1·63	1·62	2·72
" Kesteven	9	9	—	—	9	19	19	9	93	112	84	37	720	701	63	59	3·24	3·42	—	—	2·59	4·39
" Lindsey	4	15	—	—	15	23	15	4	96	46	15	42	872	757	52	61	3·56	2·77	1·93	1·33	3·42	2·21
London ..	6	5	3	1	234	26	26	16	29	70	103	60	992	1,022	59	65	9·89	9·71	1·86	1·94	1·35	1·74
Middlesex ..	6	3	3	—	87	10	21	20	28	32	97	56	746	708	48	50	5·27	4·35	2·14	1·44	1·87	1·74
Norfolk ..	—	16	—	—	37	13	—	13	41	50	50	19	729	657	47	53	3·45	1·59	1·55	1·34	1·94	2·48
Northamptonshire	9	14	—	—	41	18	23	9	18	37	83	55	832	710	42	46	2·67	2·39	0·32	0·66	0·97	1·32
Northumberland	15	15	—	—	29	201	22	7	34	83	37	37	1,004	1,003	63	77	5·69	4·26	2·33	1·55	3·01	2·54
Nottinghamshire	20	9	2	—	75	36	25	20	61	58	46	36	785	772	62	72	4·78	4·55	1·98	1·87	1·98	2·25
Nottinghamshire	8	—	—	—	8	8	8	16	8	39	24	23	742	578	38	31	1·52	1·04	1·47	1·51	0·49	0·50
Oxfordshire ..	—	—	—	—	—	77	—	—	78	97	78	39	389	502	70	70	6·10	1·27	—	1·23	1·18	3·68
Peterborough, Soke of	—	—	—	—	55	—	—	—	—	—	—	56	666	445	45	26	7·43	—	—	—	3·66	3·66
Rutlandshire ..	16	12	—	—	49	41	4	—	25	57	66	86	575	789	57	51	4·15	2·78	1·64	1·45	3·51	3·63
Shropshire ..	—	—	—	—	7	67	10	10	35	57	69	35	625	664	46	52	1·89	2·46	1·97	1·85	2·14	2·36
Somersetshire..	—	—	—	—	132	20	21	18	53	50	50	43	687	693	44	41	2·48	2·48	1·39	1·01	2·28	1·76
Southampton..	2	4	—	—	113	107	8	7	66	85	65	48	818	859	64	70	6·72	6·51	1·59	0·82	1·66	2·17
Staffordshire ..	—	5	—	—	19	29	5	5	68	34	73	64	774	647	44	54	1·45	2·85	1·69	1·52	0·56	2·74
Suffolk, East ..	19	10	—	—	9	67	19	19	19	10	28	48	610	762	32	53	1·32	—	1·28	2·00	4·47	2·00
" West..	9	5	—	—	56	3	8	18	26	43	61	45	584	646	42	43	2·60	2·97	1·18	1·33	2·07	2·95
Surrey..	15	4	—	—	55	7	22	11	26	18	15	44	725	630	39	43	2·00	3·56	1·93	1·44	2·48	1·15
Sussex, East ..	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Sussex West ..	—	8	—	—	28	5	23	5	23	37	42	28	708	629	569	513	38	44	3·71	3·51	1·30	1·55	2·28	2·48
Warwickshire ..	—	11	3	—	83	52	6	3	28	41	74	54	629	651	510	517	50	56	3·20	2·60	1·62	1·34	2·75	2·85
Westmorland ..	—	47	—	—	16	16	16	—	31	—	31	47	674	607	502	482	63	68	4·19	5·42	2·01	2·08	6·02	6·24
Wight, Isle of ..	—	12	—	—	59	—	—	—	70	47	47	35	809	708	633	578	30	30	—	0·96	1·77	—	1·77	2·80
Wiltshire ..	—	3	—	—	40	54	10	3	44	48	145	51	614	677	492	558	51	51	1·91	0·44	1·85	1·47	1·23	1·26
Worcestershire ..	—	10	—	—	16	119	23	10	29	77	48	32	833	873	679	681	50	61	4·43	4·57	3·29	1·15	2·13	2·10
Yorkshire, East Riding	—	12	—	—	18	107	18	6	35	48	35	83	673	685	574	518	53	60	5·23	3·80	0·71	1·83	2·50	4·03
„ North	—	9	—	—	88	118	13	34	116	53	50	47	841	737	672	569	58	67	3·63	5·89	1·91	2·00	2·95	2·18
„ West	—	18	1	—	58	110	28	23	55	54	88	99	772	736	571	572	65	74	4·59	5·10	2·32	2·19	3·65	3·37
Anglesey ..	—	—	—	—	20	21	—	—	161	21	40	83	1,290	1,200	1,108	993	68	78	7·98	5·28	1·25	3·69	3·76	4·93
Brecknockshire ..	—	34	—	—	86	123	—	—	103	70	103	35	999	1,279	741	1,069	65	72	4·29	3·33	1·02	1·04	4·07	2·07
Caernarvonshire ..	—	8	—	—	100	8	—	8	75	17	41	59	1,269	1,561	1,095	1,283	63	69	4·00	5·63	—	0·59	4·30	3·57
Cardiganshire ..	—	18	—	—	—	55	—	18	36	37	18	55	1,193	1,224	885	1,114	67	74	8·88	5·56	1·41	2·60	2·82	2·60
Carmarthenshire ..	—	6	—	—	33	89	17	33	61	11	138	89	897	888	736	722	73	78	1·46	4·87	—	2·80	4·80	5·59
Denbighshire ..	—	—	—	—	38	70	108	64	120	57	285	236	754	917	595	733	64	77	3·95	5·87	2·26	2·77	3·39	4·76
Flintshire ..	—	—	—	—	63	27	—	9	27	45	107	134	716	848	608	688	49	54	3·68	3·30	3·03	2·09	3·03	2·61
Glamorganshire ..	—	4	—	—	92	156	14	17	74	66	137	110	934	987	734	795	69	77	5·53	5·25	2·23	1·67	3·76	2·47
Merionethshire ..	—	—	—	—	93	24	—	24	47	—	93	118	1,444	1,349	1,257	1,160	74	51	4·72	2·99	—	2·85	4·41	2·85
Monmouthshire ..	—	6	—	—	34	158	14	26	71	12	82	66	870	857	680	708	65	72	5·68	5·69	2·08	1·38	2·98	3·69
Montgomeryshire ..	—	20	—	—	63	63	—	—	123	—	61	21	838	1,084	654	917	68	70	2·50	2·67	1·20	—	2·40	6·38
Pembrokeshire ..	—	—	—	—	12	316	—	—	35	35	186	105	963	1,065	812	784	56	65	3·58	3·68	3·39	1·40	2·72	8·43
Radnorshire ..	—	—	—	—	—	48	—	—	47	—	—	—	993	1,009	662	817	60	68	11·90	3·08	2·80	—	—	2·82



TABLE 11. DEATHS UNDER ONE YEAR OF AGE FROM } { England and Wales.  
CERTAIN CAUSES, 1921-1931.

Cause of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
All Causes .. .. .	70,250	60,121	52,582	54,813	53,316	48,757	45,610	42,960	47,868	38,908	41,939
I—Common Infectious Diseases (6-10, 44:4) .. ..	3,084	4,097	3,216	2,876	3,998	2,882	2,537	2,498	3,415	2,028	2,000
II—Tuberculous Diseases (23-32) ..	1,311	1,091	1,036	990	896	862	718	710	660	585	665
III—Diarrhoea and Enteritis (119) ..	11,705	4,347	5,169	4,616	5,307	5,394	3,740	4,099	4,597	3,522	3,284
IV—Developmental and Wasting Diseases (157-159, 161: a & b). .. .. .	28,021	24,504	22,547	22,637	21,439	20,470	19,440	18,915	19,256	18,366	18,543
V—Miscellaneous Diseases— (Remainder)	26,129	26,082	20,614	23,694	21,676	19,149	19,175	16,738	19,940	14,407	17,447
Measles (7) .. .. .	526	1,220	1,134	990	1,099	789	791	914	657	902	720
Whooping cough (9) .. ..	2,287	2,620	1,907	1,720	2,708	1,920	1,584	1,397	2,554	965	1,127
Diphtheria (10) .. ..	199	193	119	104	121	124	105	135	143	126	101
Influenza (11) .. .. .	439	973	291	814	412	312	808	222	777	130	513
Tuberculosis of nervous system (24) .. .. .	595	526	496	464	435	444	399	357	325	306	366
Tuberculosis of intestines and peritoneum (25) .. ..	386	274	229	224	192	173	114	128	128	86	104
Other tuberculous diseases (23, 26-32) .. .. .	330	291	311	302	269	245	205	225	207	193	195
Syphilis (34) .. .. .	1,214	874	797	666	585	586	505	471	413	360	322
Meningitis (79) .. .. .	591	562	511	461	434	388	310	298	291	231	257
Convulsions (86) .. .. .	4,322	3,538	3,171	2,916	2,824	2,524	1,911	1,624	1,702	1,456	1,412
Bronchitis (106) .. .. .	4,538	4,821	3,446	4,045	3,655	2,939	2,762	2,309	2,725	1,718	2,305
Pneumonia (107-109) ..	8,001	9,275	6,732	9,156	8,101	6,980	7,659	6,385	8,477	5,160	7,302
Other respiratory diseases (104, 105, 110-114) .. ..	332	314	273	275	235	208	158	199	188	189	180
Inflammation of the stomach (118:1) .. .. .	1,033	701	610	544	508	444	335	302	253	219	247
Diarrhoea and enteritis (119)	11,705	4,347	5,169	4,616	5,307	5,394	3,740	4,099	4,597	3,522	3,284
Hernia, intestinal obstruction (122) .. .. .	536	514	468	405	442	412	384	408	432	399	392
Congenital malformations (157)	3,377	3,292	3,156	3,063	3,253	3,181	3,120	3,249	3,350	3,420	3,494
Congenital debility (158) ..	6,250	4,904	4,331	4,182	4,156	3,690	2,768	2,555	2,504	2,198	2,116
Premature birth (159) .. ..	16,411	14,571	13,379	13,738	12,534	12,146	12,132	11,671	11,992	11,360	11,565
Injury at birth (160) .. ..	1,179	1,035	1,056	1,019	1,057	1,049	1,211	1,253	1,354	1,360	1,334
With mention of Cæsarean section (160 a) .. ..	?	?	?	?	?	?	?	?	?	?	10
Without mention of Cæsarean section (160 b) .. ..	?	?	?	?	?	?	?	?	?	?	1,324
Other Diseases peculiar to early infancy (161) .. .. .	2,423	2,163	2,091	2,132	2,019	1,961	1,841	1,892	1,914	1,871	1,785
Atelectasis (161 a) .. .. .	1,369	1,213	1,128	1,171	1,099	1,081	1,018	1,049	1,021	1,012	1,042
Icterus neonatorum (161 b)	614	524	553	483	397	372	402	391	389	376	326
Other diseases included under 161 (161 c) .. .. .	440	426	410	478	523	508	421	452	504	483	417
Disease of the umbilicus (161 c: 1) .. .. .	143	127	119	128	139	121	75	79	98	113	90
Pemphigus neonatorum (161 c: 2) .. .. .	98	97	104	127	173	140	122	119	126	102	84
Other diseases under 161 c (161 c: 3) .. .. .	199	202	187	223	211	247	224	254	280	268	243
Suffocation—in bed or not stated how (182 pt.) ..	502	443	415	430	403	396	392	390	364	359	296
Inattention at birth (194: 1)	277	248	233	291	237	302	266	250	223	217	182
Other causes .. .. .	2,797	2,422	2,257	2,256	2,330	2,150	2,110	2,227	2,298	2,161	2,340

TABLE 12. INFANT MORTALITY (DEATHS UNDER  
1 YEAR PER 1,000 LIVE BIRTHS) FROM CERTAIN } ENGLAND AND WALES.  
CAUSES, 1921-31.

Cause of Death.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
All Causes .. .. .	82.76	77.07	69.36	75.09	75.03	70.20	69.72	65.06	74.37	59.97	66.35
I—Common Infectious Diseases (6-10, 44: 4) .. .. .	3.63	5.25	4.24	3.94	5.63	4.15	3.88	3.78	5.31	3.13	3.16
II—Tuberculous Diseases (23-32) .. .. .	1.54	1.39	1.36	1.36	1.26	1.24	1.10	1.08	1.03	0.90	1.05
III—Diarrhoea and Enteritis (119) .. .. .	13.79	5.57	6.82	6.32	7.47	7.77	5.72	6.21	7.14	5.43	5.20
IV—Developmental and Wasting Diseases (157-159 161: a & b) .. .. .	33.00	31.41	29.74	31.01	30.17	29.47	29.72	28.65	29.92	28.31	29.34
V—Miscellaneous Diseases (Remainder) .. .. .	30.80	33.45	27.20	32.46	30.50	27.57	29.31	25.35	30.98	22.21	27.60
Measles (7) .. .. .	0.62	1.56	1.50	1.36	1.55	1.14	1.21	1.38	1.02	1.39	1.14
Whooping cough (9) .. .. .	2.69	3.36	2.52	2.36	3.81	2.76	2.42	2.12	3.97	1.49	1.78
Diphtheria (10) .. .. .	0.23	0.25	0.16	0.14	0.17	0.18	0.16	0.20	0.22	0.19	0.16
Influenza (11) .. .. .	0.52	1.25	0.38	1.12	0.58	0.45	1.24	0.34	1.21	0.20	0.81
Tuberculosis of nervous system (24) .. .. .	0.70	0.67	0.65	0.64	0.61	0.64	0.61	0.54	0.50	0.47	0.58
Tuberculosis of intestines and peritoneum (25) .. .. .	0.45	0.35	0.30	0.31	0.27	0.25	0.17	0.19	0.20	0.13	0.16
Other tuberculous diseases (23, 26-32) .. .. .	0.39	0.37	0.41	0.41	0.38	0.35	0.31	0.34	0.32	0.30	0.31
Syphilis (34) .. .. .	1.43	1.12	1.05	0.91	0.82	0.84	0.77	0.71	0.64	0.55	0.51
Meningitis (79) .. .. .	0.70	0.72	0.67	0.63	0.61	0.56	0.47	0.45	0.45	0.36	0.41
Convulsions (86) .. .. .	5.09	4.54	4.18	3.99	3.97	3.63	2.92	2.46	2.64	2.24	2.23
Bronchitis (106) .. .. .	5.35	6.18	4.55	5.54	5.14	4.23	4.22	3.50	4.23	2.65	3.65
Pneumonia (107-109) .. .. .	9.43	11.89	8.88	12.54	11.40	10.05	11.71	9.67	13.17	7.95	11.55
Other respiratory diseases (104, 105, 110-114) .. .. .	0.39	0.40	0.36	0.38	0.33	0.30	0.24	0.30	0.29	0.29	0.28
Inflammation of the stomach (118: 1) .. .. .	1.22	0.90	0.80	0.75	0.71	0.64	0.51	0.46	0.39	0.34	0.39
Diarrhoea and enteritis (119) .. .. .	13.79	5.57	6.82	6.32	7.47	7.77	5.72	6.21	7.14	5.43	5.20
Hernia, intestinal obstruction (122) .. .. .	0.63	0.66	0.62	0.55	0.62	0.59	0.59	0.62	0.67	0.61	0.62
Congenital malformations (157) .. .. .	3.98	4.22	4.16	4.20	4.58	4.58	4.77	4.92	5.20	5.27	5.53
Diseases of early infancy (158-161) .. .. .	30.94	29.06	27.51	28.87	27.82	27.14	27.45	26.31	27.60	25.88	26.58
Congenital debility (158) .. .. .	7.36	6.29	5.71	5.73	5.85	5.31	4.23	3.87	3.89	3.39	3.35
Premature birth (159) .. .. .	19.33	18.68	17.65	18.82	17.64	17.49	18.55	17.68	18.63	17.51	18.30
Injury at birth (160) .. .. .	1.39	1.33	1.39	1.40	1.49	1.51	1.85	1.90	2.10	2.10	2.11
With mention of Cæsarean section (160 a) .. .. .	?	?	?	?	?	?	?	?	?	?	0.02
Without mention of Cæsarean section (160 b) .. .. .	?	?	?	?	?	?	?	?	?	?	2.10
Other Diseases peculiar to early infancy (161) .. .. .	2.85	2.77	2.76	2.92	2.84	2.82	2.81	2.87	2.97	2.88	2.82
Atelectasis (161 a) .. .. .	1.61	1.55	1.49	1.60	1.55	1.56	1.56	1.59	1.59	1.56	1.65
Icterus neonatorum (161 b) .. .. .	0.72	0.67	0.73	0.66	0.56	0.54	0.61	0.59	0.60	0.58	0.52
Other diseases included under 161 (161 c) .. .. .	0.52	0.55	0.54	0.65	0.74	0.73	0.64	0.68	0.78	0.74	0.66
Disease of the umbilicus (161 c: 1) .. .. .	0.17	0.16	0.16	0.18	0.20	0.17	0.11	0.12	0.15	0.17	0.14
Pemphigus neonatorum (161 c: 2) .. .. .	0.12	0.12	0.14	0.17	0.24	0.20	0.19	0.18	0.20	0.16	0.13
Other diseases under 161 c (161 c: 3) .. .. .	0.23	0.26	0.25	0.31	0.30	0.36	0.34	0.38	0.44	0.41	0.38
Suffocation—in bed or not stated how (182 pt.) .. .. .	0.59	0.57	0.55	0.59	0.57	0.57	0.60	0.59	0.57	0.55	0.47
Inattention at birth (194: 1) .. .. .	0.33	0.32	0.31	0.40	0.33	0.43	0.41	0.38	0.35	0.33	0.29
Other causes .. .. .	3.30	3.10	2.98	3.09	3.28	3.10	3.23	3.37	3.57	3.33	3.70



TABLE 13. DEATHS AT VARIOUS PERIODS IN THE FIRST YEAR OF { England and Wales, Geographical Regions,\* Aggregates of County Life, 1931, AND THE FOUR QUARTERS THEREOF. }  
Boroughs and of other Urban and Rural Districts.

	Total under 1 year.	Under 30 minutes.	30 minutes under 1 day.	Total under 1 day.	Days.						1 day and under 1 week.	Weeks.			Months.					
					1	2	3	4	5	6		0	1	2	3	Total under 4 weeks.	4 weeks to 3 months	3-6	6-9	9-12
England and Wales.	All Infants	556	3,191	3,747	1,265	1,224	857	431	321	264	4,362	8,109	1,417	1,171	878	11,575	4,077	3,481	2,789	2,410
		478	2,337	2,815	955	746	542	347	246	221	3,057	5,872	1,099	790	630	8,391	2,784	2,417	2,110	1,905
		1,034	5,528	6,562	2,220	1,970	1,399	778	567	485	7,419	13,981	2,516	1,961	1,508	19,966	6,861	5,898	4,899	4,315
Legitimate		432	2,955	3,387	1,185	1,156	799	406	300	241	4,087	7,474	1,327	1,098	821	10,720	3,752	3,219	2,615	2,280
		356	2,158	2,514	885	698	511	316	230	205	2,845	5,359	1,020	740	588	7,707	2,551	2,211	1,984	1,790
		788	5,113	5,901	2,070	1,854	1,310	722	530	446	6,932	12,833	2,347	1,838	1,409	18,427	6,303	5,430	4,599	4,070
Illegitimate		124	236	360	80	68	58	25	21	23	275	635	90	73	57	855	325	262	174	130
		122	179	301	70	48	31	31	16	16	212	513	79	50	42	684	233	206	126	115
		246	415	661	150	116	89	56	37	39	487	1,148	169	123	99	1,539	558	468	300	245
South East	..	289	1,538	1,827	591	513	313	186	128	120	1,851	3,678	636	501	358	5,173	1,836	1,666	1,218	964
	Greater London	202	969	1,171	362	304	177	103	83	74	1,103	2,274	390	289	239	3,192	1,293	1,259	896	710
	Remainder of South East	87	569	656	229	209	136	83	45	46	748	1,404	246	212	119	1,981	543	407	322	254
Midland section	..	97	526	623	200	199	112	66	50	42	669	1,292	213	187	116	1,808	595	488	325	304
	Southern section	192	1,012	1,204	391	314	201	120	78	78	1,182	2,386	423	314	242	3,365	1,241	1,178	893	660
North	I	392	2,050	2,442	842	761	553	293	247	184	2,880	5,322	987	774	597	7,680	2,810	2,486	2,162	1,987
	II	83	410	493	176	168	102	55	44	32	577	1,070	219	191	141	1,621	603	595	494	495
	III	43	219	262	85	81	52	32	24	19	293	555	94	74	57	780	288	209	203	210
" "	IV	103	524	627	203	175	152	68	68	46	712	1,339	256	195	124	1,914	632	543	463	386
		163	897	1,060	378	337	247	138	111	87	1,298	2,358	418	314	275	3,365	1,287	1,139	1,002	896
Midland	..	225	1,042	1,267	395	377	284	157	107	96	1,416	2,683	453	371	292	3,799	1,166	1,012	889	789
	I	150	688	838	265	255	173	93	70	61	917	1,755	304	224	187	2,470	786	674	591	551
	II	75	354	429	130	122	111	64	37	35	499	928	149	147	105	1,329	380	338	298	238
East	..	45	229	274	104	96	56	30	19	19	324	598	129	75	71	873	273	183	157	114
South West	..	36	231	267	112	69	64	48	23	29	345	612	116	83	65	876	256	164	137	128
Wales	I	47	438	485	176	154	129	64	43	37	603	1,088	195	157	125	1,565	520	387	336	333
	II	38	323	361	133	126	93	47	34	28	461	822	147	125	99	1,193	402	295	273	278
		9	115	124	43	28	36	17	9	9	142	266	48	32	26	372	118	92	63	55
Density Summaries—																				
	County Boroughs	363	1,927	2,290	756	687	481	267	206	196	2,593	4,883	907	686	583	7,059	2,673	2,454	2,079	1,884
	Other Urban Districts	266	1,521	1,787	651	584	441	229	166	126	2,197	3,984	733	603	408	5,728	1,809	1,397	1,212	1,120
Rural Districts	..	203	1,111	1,314	451	395	300	179	112	89	1,526	2,840	486	383	278	3,987	1,086	788	712	601
England and Wales.	March Quarter	256	1,456	1,712	655	594	455	256	194	172	2,326	4,038	818	757	560	6,173	2,667	2,302	2,059	1,880
	June	298	1,379	1,677	513	503	354	207	142	116	1,835	3,512	608	470	351	4,441	1,431	1,186	1,118	958
	September	256	1,359	1,615	504	406	275	132	110	103	1,530	3,145	494	300	263	4,292	1,097	905	621	559
Wales.	December	224	1,334	1,558	548	467	315	183	121	94	1,728	3,286	596	434	334	4,650	1,666	1,505	1,101	918

\* For constitution of Geographical Regions see note on first page of Table 17.

TABLE 14. INFANT MORTALITY (DEATHS UNDER 1 YEAR AND VARIOUS SUB-DIVISIONS OF THE FIRST YEAR PER 1,000 LIVE BIRTHS), 1931.  
 By Sex, Age, Cause and Legitimacy—England and Wales.  
 By Age, Cause and Legitimacy—Greater London, Aggregates of County Boroughs and of other Urban and Rural Districts.

All Causes—	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales ..	M 75.20 F 57.07 P 66.35	35.77 27.20 31.59	12.60 9.02 10.85	10.76 7.83 9.33	8.62 6.84 7.75	7.45 6.17 6.83	73.07 55.08 64.29	34.68 26.14 30.51	12.14 8.65 10.44	10.41 7.50 8.99	8.46 6.73 7.61	7.38 6.07 6.74	120.89 99.98 110.73	59.20 50.14 54.80	22.50 17.08 19.87	18.14 15.10 16.66	12.05 9.24 10.68	9.00 8.43 8.72
Greater London ..	59.01	25.63	10.38	10.11	7.19	5.70	56.31	24.29	9.78	9.59	7.04	5.61	118.07	54.90	23.50	21.48	10.47	7.71
County Boroughs ..	77.02	33.67	12.75	11.70	9.92	8.99	74.81	32.68	12.28	11.25	9.75	8.84	123.85	54.57	22.74	21.26	13.33	11.95
Other Urban Districts ..	64.84	32.97	10.41	8.04	6.98	6.45	63.15	31.95	10.12	7.87	6.83	6.38	103.34	56.18	16.95	11.89	10.39	7.93
Rural Districts ..	57.81	32.13	8.75	6.35	5.74	4.84	56.11	31.07	8.42	6.13	5.68	4.81	92.01	53.33	15.51	10.73	6.99	5.45
All Urban Districts ..	68.44	31.46	11.37	10.06	8.24	7.31	66.28	30.37	10.93	9.69	8.09	7.21	115.68	55.18	21.02	18.23	11.66	9.59
I. Common Infectious Diseases (6-10, 44 : 4)	M 3.13 F 3.20 P 3.16	0.05 0.06 0.05	0.36 0.45 0.41	0.61 0.57 0.59	0.91 0.85 0.88	1.21 1.27 1.24	3.11 3.18 3.14	0.05 0.06 0.06	0.36 0.45 0.40	0.61 0.56 0.58	0.89 0.85 0.87	1.20 1.25 1.23	3.60 3.74 3.67	— — —	0.48 0.37 0.43	0.55 0.81 0.68	1.32 0.81 1.07	1.25 1.76 1.50
Greater London ..	2.46	0.05	0.40	0.61	0.67	0.73	2.45	0.05	0.40	0.60	0.67	0.73	2.57	—	0.37	0.92	0.55	0.73
County Boroughs ..	4.47	0.05	0.40	0.79	1.31	1.93	4.41	0.05	0.38	0.78	1.28	1.92	5.71	—	0.74	1.06	1.90	2.01
Other Urban Districts ..	2.79	0.06	0.39	0.53	0.73	1.08	2.78	0.06	0.40	0.53	0.73	1.06	2.87	—	0.14	0.41	0.82	1.50
Rural Districts ..	2.19	0.06	0.44	0.30	0.58	0.81	2.18	0.07	0.44	0.30	0.58	0.79	2.39	—	0.34	0.17	0.51	1.36
All Urban Districts ..	3.40	0.05	0.40	0.66	0.95	1.34	3.37	0.05	0.40	0.65	0.94	1.33	4.01	—	0.45	0.81	1.22	1.53
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)



TABLE 14—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
II. Tuberculous Diseases (23-32)																		
England and Wales ..	M 1.17 F 0.93 P 1.05	0.01 0.01 0.01	0.09 0.05 0.07	0.26 0.22 0.24	0.42 0.33 0.37	0.39 0.32 0.36	1.16 0.93 1.05	0.01 0.01 0.01	0.08 0.04 0.06	0.26 0.22 0.24	0.41 0.32 0.37	0.39 0.33 0.36	1.38 0.95 1.17	— 0.07 0.04	0.14 0.15 0.14	0.28 0.07 0.18	0.55 0.51 0.53	0.42 0.15 0.28
Greater London ..	0.79	—	0.05	0.20	0.31	0.23	0.81	—	0.05	0.20	0.31	0.24	0.37	—	—	0.18	0.18	—
County Boroughs ..	1.25	0.01	0.07	0.32	0.40	0.45	1.27	0.01	0.06	0.33	0.39	0.46	0.85	0.11	0.11	—	0.42	0.21
Other Urban Districts ..	1.08	0.01	0.08	0.24	0.40	0.36	1.03	0.01	0.07	0.23	0.37	0.35	2.05	—	0.27	0.27	1.09	0.41
Rural Districts ..	0.95	0.02	0.06	0.15	0.38	0.33	0.93	0.03	0.06	0.14	0.38	0.32	1.36	—	0.17	0.34	0.34	0.51
All Urban Districts ..	1.08	0.01	0.07	0.26	0.37	0.37	1.07	0.01	0.06	0.27	0.36	0.37	1.13	0.05	0.14	0.14	0.59	0.23
III. Diarrhoea and Enteritis (119)																		
England and Wales ..	M 6.15 F 4.20 P 5.20	0.68 0.39 0.54	1.84 1.02 1.44	1.94 1.33 1.64	1.04 0.89 0.97	0.65 0.56 0.60	5.84 3.94 4.91	0.67 0.37 0.53	1.68 0.97 1.33	1.85 1.22 1.55	1.01 0.83 0.92	0.63 0.54 0.58	12.67 9.82 11.29	0.76 0.73 0.75	5.19 2.13 3.70	3.81 3.66 3.74	1.80 2.27 2.03	1.11 1.03 1.07
Greater London ..	6.65	0.32	1.65	2.41	1.49	0.78	6.17	0.32	1.49	2.22	1.39	0.76	17.08	0.37	5.33	6.43	3.67	1.29
County Boroughs ..	6.90	0.69	1.98	2.21	1.23	0.79	6.43	0.69	1.83	2.05	1.14	0.73	16.82	0.74	5.29	5.61	3.17	2.01
Other Urban Districts ..	3.78	0.54	1.08	1.05	0.66	0.44	3.69	0.53	1.02	1.03	0.66	0.44	5.74	0.68	2.32	1.64	0.68	0.41
Rural Districts ..	2.84	0.48	0.81	0.75	0.45	0.35	2.79	0.45	0.79	0.74	0.46	0.36	3.92	1.19	1.36	0.85	0.34	0.17
All Urban Districts ..	5.77	0.55	1.59	1.86	1.10	0.67	5.43	0.55	1.47	1.74	1.04	0.64	13.23	0.63	4.32	4.50	2.48	1.31
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

## IV. Developmental and Wasting

Diseases (157-9, 161 (a) & (b))															
England and Wales ..															
M	33.10	26.89	4.33	1.31	0.35	0.22	32.22	26.25	4.15	1.26	0.34	0.22	51.79	40.57	8.24
F	25.39	20.98	2.93	0.99	0.32	0.16	24.58	20.42	2.77	0.92	0.31	0.15	42.95	33.06	6.45
P	29.34	24.01	3.65	1.15	0.34	0.19	28.49	23.41	3.48	1.10	0.33	0.19	47.50	36.92	7.37
Greater London ..															
County Boroughs ..															
Other Urban Districts } excluding Greater London.															
Rural Districts	24.42	19.25	3.59	1.18	0.28	0.12	23.55	18.60	3.42	1.14	0.27	0.13	43.52	33.60	7.34
All Urban Districts ..	31.33	25.29	4.07	1.34	0.41	0.24	30.46	24.62	3.93	1.28	0.39	0.23	49.92	39.34	6.98
	30.42	25.44	3.43	1.10	0.24	0.21	29.72	24.95	3.26	1.08	0.24	0.20	46.34	36.63	7.38
	29.38	24.61	3.30	0.89	0.43	0.15	28.42	24.02	3.07	0.78	0.40	0.15	48.73	36.46	8.01
	29.33	23.86	3.73	1.22	0.32	0.20	28.51	23.26	3.57	1.18	0.31	0.20	47.17	37.04	7.20

## V. Miscellaneous Diseases

(remainder)															
England and Wales ..															
M	31.66	8.14	5.99	6.64	5.90	4.99	30.73	7.69	5.87	6.42	5.81	4.93	51.44	17.86	8.45
F	23.35	5.76	4.57	4.73	4.44	3.86	22.46	5.27	4.41	4.57	4.41	3.80	42.51	16.27	7.99
P	27.60	6.98	5.30	5.71	5.19	4.43	26.70	6.51	5.16	5.52	5.13	4.38	47.11	17.09	8.22
Greater London ..															
County Boroughs ..															
Other Urban Districts } excluding Greater London.															
Rural Districts	24.70	6.01	4.69	5.71	4.46	3.84	23.33	5.32	4.42	5.42	4.41	3.75	54.54	20.93	10.47
All Urban Districts ..	33.04	7.63	6.23	7.03	6.58	5.58	32.23	7.31	6.07	6.81	6.55	5.49	50.13	14.38	9.62
	26.82	6.92	5.43	5.15	4.95	4.36	25.93	6.40	5.37	5.00	4.83	4.33	47.02	18.86	6.83
	22.43	6.95	4.13	4.25	3.90	3.20	21.79	6.51	4.06	4.16	3.86	3.20	35.44	15.68	5.62
	28.87	6.99	5.58	6.06	5.50	4.74	27.89	6.51	5.43	5.85	5.44	4.67	50.19	17.46	8.91

## Measles (7)

England and Wales ..															
M	1.23	0.01	0.04	0.11	0.35	0.71	1.24	0.01	0.04	0.12	0.35	0.71	1.04	—	—
F	1.04	—	0.03	0.10	0.31	0.61	1.03	—	0.03	0.10	0.31	0.60	1.32	—	—
P	1.14	0.01	0.03	0.11	0.33	0.66	1.14	0.01	0.03	0.11	0.33	0.66	1.17	—	—
Greater London ..															
County Boroughs ..															
Other Urban Districts } excluding Greater London.															
Rural Districts	0.27	0.01	0.01	0.04	0.10	0.11	0.27	0.01	0.01	0.04	0.11	0.10	0.37	—	—
All Urban Districts ..	1.98	—	0.07	0.21	0.58	1.13	1.98	—	0.07	0.20	0.57	1.14	2.12	—	—
	1.06	0.01	0.01	0.09	0.28	0.67	1.08	0.01	0.01	0.10	0.29	0.67	0.82	—	—
	0.68	0.02	0.03	0.03	0.21	0.39	0.68	0.02	0.03	0.03	0.21	0.38	0.85	—	—
	1.25	0.00	0.03	0.13	0.36	0.72	1.25	0.00	0.03	0.13	0.36	0.72	1.26	—	—

## Whooping cough (9)

England and Wales ..															
M	1.66	0.03	0.29	0.45	0.47	0.42	1.63	0.03	0.29	0.45	0.45	0.41	2.15	—	—
F	1.92	0.05	0.41	0.42	0.48	0.57	1.91	0.05	0.41	0.42	0.48	0.56	2.13	—	—
P	1.78	0.04	0.35	0.43	0.47	0.49	1.77	0.04	0.35	0.44	0.47	0.48	2.14	—	—
Greater London ..															
County Boroughs ..															
Other Urban Districts } excluding Greater London.															
Rural Districts	1.85	0.03	0.35	0.50	0.48	0.48	1.87	0.03	0.36	0.50	0.49	0.49	1.29	—	—
All Urban Districts ..	2.17	0.03	0.31	0.52	0.61	0.70	2.13	0.03	0.30	0.51	0.59	0.69	3.07	—	—
	1.57	0.05	0.36	0.41	0.40	0.34	1.54	0.05	0.37	0.41	0.38	0.32	2.05	—	—
	1.37	0.02	0.37	0.26	0.35	0.37	1.36	0.03	0.37	0.26	0.35	0.36	1.53	—	—
	1.88	0.04	0.34	0.48	0.50	0.52	1.87	0.04	0.34	0.48	0.49	0.51	2.30	—	—



TABLE 14—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Diphtheria (10)																		
	M 0·16	0·01	0·02	0·02	0·05	0·06	0·15	0·01	0·01	0·01	0·02	0·05	0·06	—	0·14	0·07	0·14	—
	F 0·16	0·00	0·01	0·04	0·05	0·06	0·16	0·00	0·01	0·01	0·03	0·05	0·06	—	—	0·15	—	—
	P 0·16	0·01	0·02	0·03	0·05	0·06	0·16	0·01	0·01	0·01	0·03	0·05	0·06	—	0·07	0·11	0·07	—
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
England and Wales ..																		
	M 0·24	—	0·03	0·06	0·06	0·09	0·22	—	0·03	0·03	0·05	0·05	0·09	—	0·18	0·37	0·18	—
	F 0·20	0·01	0·02	0·04	0·08	0·05	0·19	0·01	0·01	0·01	0·03	0·08	0·05	—	0·11	0·11	0·11	—
	P 0·09	—	—	0·02	0·02	0·05	0·09	—	—	—	0·02	0·02	0·05	—	—	—	—	—
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Greater London																		
	M 0·17	0·00	0·02	0·04	0·06	0·06	0·16	0·00	0·01	0·01	0·03	0·05	0·06	—	0·09	0·14	0·09	—
	F 0·11	0·02	0·02	0·01	0·02	0·05	0·12	0·02	0·02	0·01	0·01	0·03	0·05	—	—	—	—	—
	P 0·17	0·00	0·02	0·04	0·06	0·06	0·16	0·00	0·01	0·01	0·03	0·05	0·06	—	0·09	0·14	0·09	—
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Influenza (11)																		
	M 0·95	0·09	0·19	0·24	0·24	0·19	0·96	0·09	0·20	0·22	0·22	0·24	0·20	—	—	0·62	0·14	—
	F 0·67	0·05	0·16	0·15	0·17	0·14	0·66	0·05	0·15	0·15	0·15	0·17	0·14	—	0·29	0·22	0·15	0·15
	P 0·81	0·07	0·17	0·20	0·21	0·16	0·81	0·07	0·18	0·19	0·19	0·21	0·17	—	0·14	0·43	0·14	0·07
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
England and Wales ..																		
	M 0·43	—	0·08	0·12	0·12	0·11	0·41	—	0·08	0·09	0·09	0·13	0·12	—	0·18	0·73	—	—
	F 0·91	0·06	0·21	0·24	0·23	0·17	0·90	0·06	0·21	0·22	0·22	0·24	0·16	—	0·11	0·74	0·11	0·21
	P 0·90	0·07	0·20	0·21	0·22	0·19	0·91	0·08	0·20	0·22	0·22	0·22	0·20	—	0·27	0·14	0·41	—
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Greater London																		
	M 0·89	0·16	0·17	0·17	0·22	0·18	0·94	0·17	0·18	0·18	0·18	0·23	0·19	—	—	0·54	—	—
	F 0·79	0·05	0·18	0·20	0·20	0·16	0·78	0·05	0·17	0·19	0·19	0·20	0·16	—	0·18	0·54	0·18	0·09
	P 0·89	0·05	0·18	0·20	0·20	0·16	0·78	0·05	0·17	0·19	0·19	0·20	0·16	—	0·18	0·54	0·18	0·09
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Tuberculosis of nervous system (24)																																	
England and Wales ..														M	0.64	0.00	0.03	0.13	0.25	0.23	0.63	0.00	0.04	0.13	0.24	0.22	0.83	—	—	0.07	0.42	0.35	
														F	0.51	0.01	0.01	0.11	0.20	0.18	0.52	0.00	0.01	0.11	0.20	0.19	0.44	0.07	—	—	0.07	0.22	0.07
														P	0.58	0.00	0.02	0.12	0.22	0.21	0.58	0.00	0.02	0.12	0.22	0.21	0.64	0.04	—	—	0.07	0.32	0.21
Greater London ..														0.43	—	0.02	0.02	0.07	0.18	0.15	0.44	—	0.02	0.08	0.18	0.16	0.18	—	—	0.18	—		
County Boroughs														0.69	0.01	0.03	0.16	0.24	0.24	0.25	0.69	0.00	0.03	0.16	0.24	0.25	0.53	0.11	—	0.32	0.11		
Other Urban Districts														0.60	—	0.03	0.14	0.24	0.20	0.20	0.58	—	0.03	0.14	0.22	0.19	0.96	—	—	0.14	0.55	0.27	
Rural Districts														0.52	0.01	0.02	0.08	0.21	0.21	0.21	0.51	0.01	0.02	0.08	0.21	0.19	0.85	—	—	0.17	0.17	0.51	
All Urban Districts ..														0.59	0.00	0.03	0.13	0.23	0.23	0.21	0.59	0.00	0.03	0.13	0.22	0.21	0.59	0.05	—	0.05	0.36	0.14	
Tuberculosis of intestines and peritoneum (25)														M	0.20	0.01	0.03	0.04	0.07	0.06	0.21	0.01	0.03	0.05	0.07	0.06	0.07	—	—	0.07	—	—	
England and Wales ..														F	0.13	—	0.02	0.03	0.04	0.04	0.11	—	0.01	0.03	0.03	0.04	0.51	—	—	0.15	—	—	
..														P	0.16	0.00	0.02	0.03	0.06	0.05	0.16	0.00	0.02	0.04	0.05	0.05	0.28	—	—	0.11	—	0.07	
Greater London ..														0.05	—	—	—	0.02	0.02	0.01	0.05	—	—	0.03	0.02	0.01	—	—	—	—	—	—	
County Boroughs														0.18	0.00	0.02	0.04	0.06	0.06	0.05	0.18	0.00	0.02	0.04	0.06	0.05	0.11	—	—	0.11	—	—	
Other Urban Districts														0.19	0.01	0.03	0.03	0.06	0.06	0.07	0.17	0.01	0.02	0.03	0.05	0.07	0.68	—	—	0.27	0.27	0.14	
Rural Districts														0.23	—	0.04	0.04	0.08	0.08	0.06	0.22	—	0.03	0.04	0.08	0.07	0.34	—	—	0.17	0.17	—	
All Urban Districts ..														0.15	0.00	0.02	0.03	0.05	0.05	0.05	0.14	0.00	0.01	0.03	0.05	0.05	0.27	—	—	0.09	0.14	0.05	
Other tuberculous diseases (23, 26-32)														M	0.33	0.00	0.02	0.09	0.10	0.11	0.32	0.00	0.02	0.08	0.10	0.11	0.48	—	—	0.07	0.21	0.14	0.07
England and Wales ..														F	0.29	0.00	0.02	0.08	0.09	0.10	0.30	0.00	0.02	0.08	0.09	0.10	—	—	—	—	—	—	—
..														P	0.31	0.00	0.02	0.09	0.10	0.10	0.31	0.00	0.02	0.08	0.10	0.11	0.25	—	—	0.04	0.11	0.07	0.04
Greater London ..														0.31	—	0.03	0.10	0.10	0.10	0.07	0.32	—	0.03	0.10	0.11	0.08	0.18	—	—	0.18	—	—	—
County Boroughs														0.39	—	0.02	0.12	0.09	0.16	0.16	0.39	—	0.01	0.12	0.09	0.16	0.21	—	—	0.11	—	—	0.11
Other Urban Districts														0.29	—	0.02	0.07	0.10	0.09	0.09	0.28	—	0.02	0.07	0.10	0.10	0.41	—	—	0.14	0.27	—	—
Rural Districts														0.20	0.02	0.01	0.03	0.09	0.06	0.06	0.20	0.02	0.01	0.03	0.09	0.06	0.17	—	—	0.17	—	—	—
All Urban Districts ..														0.33	—	0.02	0.10	0.10	0.10	0.11	0.34	—	0.02	0.10	0.10	0.12	0.27	—	—	0.09	0.09	0.05	0.05
Syphilis (34)														M	0.57	0.24	0.20	0.08	0.02	0.02	0.47	0.20	0.16	0.07	0.02	0.02	2.84	1.11	1.04	0.35	0.21	0.14	0.14
England and Wales ..														F	0.44	0.18	0.13	0.09	0.04	0.02	0.37	0.13	0.12	0.08	0.03	0.02	2.05	1.17	0.37	0.29	0.22	0.22	—
..														P	0.51	0.21	0.17	0.09	0.03	0.02	0.42	0.16	0.14	0.07	0.02	0.02	2.46	1.14	0.71	0.32	0.21	0.07	
Greater London ..														0.49	0.17	0.18	0.10	0.10	0.03	0.02	0.39	0.12	0.16	0.07	0.03	0.02	2.75	1.29	0.55	0.73	0.18	—	—
County Boroughs														0.65	0.26	0.20	0.14	0.03	0.01	0.56	0.22	0.16	0.14	0.02	0.02	0.01	2.54	1.06	0.95	0.21	0.32	—	—
Other Urban Districts														0.41	0.20	0.12	0.06	0.02	0.02	0.31	0.14	0.10	0.05	0.01	0.02	0.02	2.73	1.50	0.68	0.41	0.14	—	—
Rural Districts														0.43	0.18	0.16	0.01	0.04	0.04	0.36	0.15	0.14	0.01	0.01	0.03	0.03	1.70	0.68	0.51	—	0.17	0.17	0.34
All Urban Districts ..														0.53	0.21	0.17	0.10	0.03	0.03	0.02	0.43	0.17	0.14	0.09	0.02	0.02	2.66	1.26	0.77	0.41	0.23	—	—



TABLE 14—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Meningitis (79)																		
England and Wales ..	M 0.42	0.06	0.07	0.09	0.11	0.10	0.42	0.05	0.07	0.09	0.11	0.10	0.35	0.07	—	0.14	0.07	0.07
	F 0.40	0.03	0.06	0.08	0.12	0.11	0.38	0.03	0.06	0.08	0.11	0.10	0.66	0.07	—	0.07	0.29	0.22
	P 0.41	0.04	0.06	0.09	0.11	0.10	0.40	0.04	0.06	0.09	0.11	0.10	0.50	0.07	—	0.11	0.18	0.14
Greater London ..	0.35	0.08	0.04	0.08	0.09	0.06	0.35	0.08	0.04	0.08	0.08	0.07	0.37	0.18	—	—	0.18	—
	County Boroughs 0.45	0.04	0.07	0.10	0.15	0.08	0.44	0.04	0.07	0.10	0.15	0.07	0.63	—	—	0.21	0.21	0.21
	Other Urban Districts 0.44	0.04	0.06	0.07	0.10	0.17	0.43	0.04	0.07	0.07	0.09	0.17	0.68	0.14	—	0.14	0.27	0.14
	Rural Districts 0.34	0.02	0.07	0.09	0.09	0.07	0.35	0.02	0.08	0.09	0.09	0.07	0.17	—	—	—	—	0.17
	All Urban Districts .. 0.42	0.05	0.06	0.09	0.12	0.11	0.42	0.05	0.06	0.08	0.11	0.11	0.59	0.09	—	0.14	0.23	0.14
Convulsions (86)																		
England and Wales ..	M 2.70	1.39	0.50	0.41	0.28	0.13	2.66	1.39	0.48	0.41	0.26	0.13	3.60	1.38	1.04	0.42	0.62	0.14
	F 1.74	0.85	0.34	0.23	0.18	0.15	1.72	0.85	0.33	0.21	0.18	0.15	2.35	0.73	0.66	0.66	0.15	0.15
	P 2.23	1.12	0.42	0.32	0.23	0.14	2.20	1.13	0.40	0.31	0.22	0.14	2.99	1.07	0.85	0.53	0.39	0.14
Greater London ..	0.98	0.57	0.11	0.17	0.11	0.02	0.95	0.58	0.10	0.15	0.11	0.01	1.65	0.37	0.37	0.55	0.18	0.18
	County Boroughs 2.35	1.25	0.42	0.29	0.25	0.14	2.30	1.25	0.39	0.28	0.24	0.13	3.28	1.27	0.95	0.42	0.42	0.21
	Other Urban Districts 2.75	1.39	0.59	0.36	0.25	0.16	2.72	1.39	0.57	0.35	0.25	0.16	3.42	1.37	0.96	0.68	0.27	0.14
	Rural Districts 2.59	1.09	0.52	0.48	0.27	0.23	2.55	1.09	0.49	0.47	0.25	0.25	3.24	1.02	1.02	0.51	0.68	—
	All Urban Districts .. 2.15	1.13	0.40	0.29	0.21	0.11	2.11	1.13	0.38	0.27	0.21	0.11	2.93	1.08	0.81	0.54	0.32	0.18
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Bronchitis (106)																		
England and Wales ..	M 4.08 F 3.19 P 3.65	0.66 0.46 0.57	1.24 0.97 1.11	1.00 0.87 0.94	0.68 0.47 0.58	0.51 0.41 0.46	4.08 3.15 3.62	0.67 0.47 0.57	1.25 0.93 1.09	0.98 0.86 0.92	0.68 0.48 0.58	0.50 0.41 0.46	4.22 4.10 4.17	0.48 0.29 0.39	1.04 1.83 1.42	1.38 1.10 1.25	0.69 0.37 0.53	0.62 0.51 0.57
Greater London ..	2.18	0.33	0.62	0.75	0.23	0.26	2.12	0.34	0.57	0.74	0.24	0.24	3.49	0.18	1.65	0.92	0.18	0.55
County Boroughs ..	4.61	0.67	1.40	1.19	0.76	0.60	4.60	0.69	1.38	1.17	0.77	0.59	4.87	0.32	1.80	1.59	0.42	0.74
Other Urban Districts ..	4.01	0.60	1.35	0.90	0.64	0.52	3.95	0.58	1.35	0.88	0.62	0.51	5.33	0.96	1.37	1.23	1.09	0.68
Rural Districts ..	2.98	0.58	0.77	0.75	0.52	0.36	3.02	0.61	0.77	0.74	0.53	0.37	2.22	—	0.68	1.02	0.34	0.17
All Urban Districts ..	3.81	0.56	1.19	0.98	0.59	0.49	3.77	0.57	1.17	0.97	0.59	0.48	4.68	0.50	1.62	1.31	0.59	0.68
Pneumonia (107-109)																		
England and Wales ..	M 13.13 F 9.90 P 11.55	0.93 0.78 0.86	2.48 1.96 2.22	3.37 2.33 2.86	3.35 2.53 2.95	3.00 2.29 2.65	12.96 9.73 11.38	0.93 0.76 0.85	2.47 1.92 2.20	3.28 2.27 2.78	3.32 2.53 2.93	2.96 2.25 2.61	16.69 13.71 15.24	0.90 1.25 1.07	2.63 2.79 2.71	5.33 3.74 4.56	4.02 2.64 3.35	3.81 3.30 3.56
Greater London ..	11.42	1.07	2.23	3.03	2.65	2.44	11.07	1.05	2.12	2.90	2.61	2.39	19.10	1.47	4.77	5.88	3.49	3.49
County Boroughs ..	15.00	1.01	2.74	3.72	3.93	3.61	14.85	1.01	2.71	3.64	3.95	3.55	18.30	0.95	3.38	5.61	3.60	4.76
Other Urban Districts ..	10.64	0.71	2.16	2.41	2.84	2.52	10.49	0.70	2.19	2.36	2.78	2.46	14.08	0.96	1.50	3.69	4.24	3.69
Rural Districts ..	7.12	0.60	1.43	1.87	1.76	1.46	7.07	0.58	1.45	1.83	1.77	1.45	8.18	1.02	1.19	2.73	1.70	1.53
All Urban Districts ..	12.63	0.92	2.42	3.11	3.24	2.95	12.43	0.91	2.39	3.02	3.22	2.89	17.10	1.08	3.11	5.04	3.78	4.10
Other respiratory diseases (104, 105, 110-114)																		
England and Wales ..	M 0.38 F 0.19 P 0.28	0.14 0.04 0.09	0.07 0.05 0.06	0.07 0.03 0.05	0.05 0.04 0.04	0.05 0.04 0.04	0.36 0.19 0.28	0.13 0.03 0.08	0.06 0.05 0.05	0.07 0.03 0.05	0.05 0.04 0.04	0.05 0.04 0.05	0.69 0.22 0.46	0.21 0.07 0.14	0.28 0.07 0.18	0.07 0.07 0.07	0.14 — 0.07	— — —
Greater London ..	0.26	0.06	0.09	0.04	0.05	0.02	0.24	0.06	0.08	0.04	0.03	0.03	0.55	—	0.18	—	0.37	—
County Boroughs ..	0.30	0.08	0.07	0.07	0.03	0.05	0.28	0.07	0.07	0.06	0.03	0.05	0.63	0.32	0.11	0.21	—	—
Other Urban Districts ..	0.32	0.13	0.05	0.04	0.06	0.05	0.32	0.13	0.04	0.04	0.06	0.05	0.41	0.14	0.27	—	—	—
Rural Districts ..	0.24	0.07	0.03	0.04	0.05	0.05	0.25	0.08	0.03	0.04	0.05	0.05	0.17	—	0.17	—	—	—
All Urban Districts ..	0.30	0.09	0.07	0.05	0.04	0.04	0.28	0.09	0.06	0.05	0.04	0.05	0.54	0.18	0.18	0.09	0.09	—
Inflammation of the stomach (118 : 1)																		
England and Wales ..	M 0.43 F 0.35 P 0.39	0.05 0.07 0.06	0.16 0.12 0.14	0.12 0.09 0.11	0.06 0.05 0.06	0.03 0.02 0.03	0.39 0.32 0.36	0.04 0.07 0.05	0.15 0.10 0.13	0.10 0.08 0.09	0.06 0.05 0.06	0.03 0.02 0.03	1.25 0.95 1.10	0.21 0.07 0.14	0.42 0.51 0.46	0.55 0.22 0.39	0.07 0.07 0.07	— 0.07 0.04
Greater London ..	0.22	0.01	0.11	0.06	0.02	0.02	0.17	0.01	0.09	0.03	0.02	0.02	1.47	—	0.55	0.73	0.18	—
County Boroughs ..	0.46	0.05	0.17	0.12	0.07	0.05	0.43	0.04	0.15	0.11	0.07	0.05	1.06	0.21	0.53	0.32	—	—
Other Urban Districts ..	0.40	0.07	0.13	0.14	0.06	0.01	0.38	0.06	0.13	0.13	0.07	—	0.96	0.27	0.14	0.41	—	0.14
Rural Districts ..	0.42	0.10	0.15	0.08	0.06	0.03	0.39	0.11	0.12	0.08	0.05	0.03	1.02	—	0.68	0.17	0.17	—
All Urban Districts ..	0.38	0.05	0.14	0.11	0.06	0.03	0.35	0.04	0.13	0.10	0.06	0.02	1.13	0.18	0.41	0.45	0.05	0.05



TABLE 14—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Diarrhoea and enteritis (119)																		
England and Wales ..	M 6.15 F 4.20 P 5.20	0.68 0.39 0.54	1.84 1.02 1.44	1.94 1.33 1.64	1.04 0.89 0.97	0.65 0.56 0.60	5.84 3.94 4.91	0.67 0.37 0.53	1.68 0.97 1.33	1.85 1.22 1.55	1.01 0.83 0.92	0.63 0.54 0.58	12.67 9.82 11.29	0.76 0.73 0.75	5.19 2.13 3.70	3.81 3.66 3.74	1.80 2.27 2.03	1.11 1.03 1.07
Greater London ..	6.65	0.32	1.65	2.41	1.49	0.78	6.17	0.32	1.49	2.22	1.39	0.76	17.08	0.37	5.33	6.43	3.67	1.29
County Boroughs ..	6.90	0.69	1.98	2.21	1.23	0.79	6.43	0.69	1.83	2.05	1.14	0.73	16.82	0.74	5.29	5.61	3.17	2.01
Other Urban Districts ..	3.78	0.54	1.08	1.05	0.66	0.44	3.69	0.53	1.02	1.03	0.66	0.44	5.74	0.68	2.32	1.64	0.68	0.41
Rural Districts ..	2.84	0.48	0.81	0.75	0.45	0.35	2.79	0.45	0.79	0.74	0.46	0.36	3.92	1.19	1.36	0.85	0.34	0.17
All Urban Districts ..	5.77	0.55	1.59	1.86	1.10	0.67	5.43	0.55	1.47	1.74	1.04	0.64	13.23	0.63	4.32	4.50	2.48	1.31
Hernia, intestinal obstruction (122)																		
England and Wales ..	M 0.82 F 0.41 P 0.62	0.14 0.08 0.11	0.09 0.03 0.06	0.27 0.12 0.20	0.20 0.12 0.16	0.11 0.06 0.09	0.81 0.42 0.62	0.13 0.08 0.11	0.09 0.03 0.06	0.27 0.12 0.19	0.20 0.13 0.16	0.12 0.06 0.09	1.11 0.29 0.71	0.28 0.07 0.18	0.14 — 0.07	0.42 0.15 0.28	0.28 0.07 0.18	— — —
Greater London ..	0.67	0.10	0.06	0.23	0.17	0.11	0.70	0.10	0.07	0.24	0.17	0.12	0.18	—	—	—	0.18	—
County Boroughs ..	0.62	0.12	0.06	0.19	0.18	0.07	0.60	0.11	0.06	0.18	0.17	0.07	0.95	0.21	—	0.32	0.42	—
Other Urban Districts ..	0.62	0.10	0.06	0.21	0.14	0.10	0.61	0.10	0.06	0.20	0.15	0.10	0.82	0.27	0.14	0.41	—	—
Rural Districts ..	0.56	0.12	0.06	0.15	0.15	0.08	0.56	0.12	0.05	0.14	0.16	0.08	0.68	0.17	0.17	0.34	—	—
All Urban Districts ..	0.63	0.11	0.06	0.21	0.17	0.09	0.63	0.10	0.06	0.21	0.16	0.09	0.72	0.18	0.05	0.27	0.23	—
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

Congenital malformations (157)

England and Wales ..	M	6.08	3.55	1.57	0.64	0.19	0.12	6.11	3.59	1.56	0.65	0.19	0.12	5.40	2.77	1.80	0.42	0.28	0.14
	F	4.95	3.12	0.99	0.51	0.22	0.11	4.89	3.11	0.95	0.51	0.22	0.10	6.16	3.30	1.83	0.44	0.37	0.22
	P	5.53	3.34	1.29	0.58	0.21	0.12	5.52	3.35	1.26	0.58	0.20	0.11	5.77	3.03	1.82	0.43	0.32	0.18
Greater London County Boroughs Other Urban Districts Rural Districts All Urban Districts ..	..	4.87	2.74	1.32	0.55	0.18	0.10	4.82	2.72	1.28	0.55	0.17	0.10	6.06	3.12	2.02	0.55	0.37	—
	excluding Greater London.	5.49	3.29	1.33	0.55	0.21	0.12	5.51	3.32	1.31	0.56	0.21	0.11	4.97	2.64	1.59	0.32	0.21	0.21
	..	5.85	3.62	1.24	0.68	0.18	0.12	5.85	3.66	1.19	0.70	0.19	0.11	5.88	2.73	2.46	0.27	0.14	0.27
	..	5.80	3.64	1.26	0.52	0.27	0.12	5.76	3.63	1.26	0.51	0.25	0.12	6.65	3.92	1.19	0.68	0.68	0.17
All Urban Districts ..	..	5.46	3.27	1.30	0.59	0.19	0.11	5.46	3.29	1.26	0.60	0.19	0.11	5.54	2.79	1.98	0.36	0.23	0.18

Congenital debility (158)

England and Wales ..	M	4.04	2.23	1.02	0.56	0.15	0.08	3.86	2.21	0.94	0.50	0.14	0.08	7.82	2.84	2.84	1.80	0.35	—
	F	2.62	1.55	0.55	0.38	0.08	0.06	2.46	1.53	0.47	0.33	0.08	0.05	6.16	2.05	2.13	1.61	0.22	0.15
	P	3.35	1.90	0.79	0.47	0.12	0.07	3.18	1.88	0.71	0.41	0.11	0.07	7.01	2.46	2.49	1.71	0.28	0.07
Greater London County Boroughs Other Urban Districts Rural Districts All Urban Districts ..	..	2.28	0.92	0.74	0.51	0.09	0.02	2.12	0.88	0.65	0.48	0.08	0.03	5.88	1.65	2.75	1.29	0.18	—
	excluding Greater London.	3.65	1.80	0.92	0.65	0.18	0.11	3.46	1.76	0.84	0.58	0.16	0.11	7.62	2.54	2.43	2.01	0.53	0.11
	..	3.63	2.45	0.72	0.33	0.05	0.07	3.46	2.40	0.63	0.30	0.05	0.07	7.38	3.42	2.73	1.09	—	0.14
	..	3.52	2.30	0.73	0.32	0.13	0.03	3.37	2.33	0.67	0.22	0.12	0.03	6.65	1.87	2.04	2.39	0.34	—
All Urban Districts ..	..	3.31	1.80	0.81	0.51	0.11	0.08	3.13	1.77	0.72	0.46	0.10	0.08	7.11	2.61	2.61	1.53	0.27	0.09

Premature Birth (159)

England and Wales ..	M	20.38	18.63	1.61	0.11	0.02	0.01	19.68	18.00	1.54	0.11	0.02	0.01	35.31	32.13	3.18	—	—	—
	F	16.11	14.68	1.32	0.10	0.02	—	15.56	14.19	1.27	0.08	0.02	—	28.15	25.29	2.42	0.44	—	—
	P	18.30	16.70	1.47	0.10	0.02	0.01	17.67	16.14	1.41	0.10	0.02	0.01	31.83	28.80	2.81	0.21	—	—
Greater London County Boroughs Other Urban Districts Rural Districts All Urban Districts ..	..	15.04	13.50	1.40	0.12	0.02	—	14.42	12.92	1.36	0.12	0.02	—	28.64	26.26	2.20	0.18	—	—
	excluding Greater London.	19.89	18.02	1.71	0.13	0.02	0.01	19.19	17.38	1.66	0.13	0.02	0.01	34.69	31.62	2.86	0.21	—	—
	..	18.99	17.46	1.43	0.09	—	0.01	18.49	17.00	1.40	0.08	—	0.01	30.34	27.88	2.19	0.27	—	—
	..	17.90	16.63	1.18	0.06	0.03	—	17.20	16.08	1.04	0.05	0.03	—	32.03	27.77	4.09	0.17	—	—
All Urban Districts ..	..	18.39	16.72	1.54	0.11	0.01	0.01	17.78	16.15	1.50	0.11	0.01	0.01	31.78	29.08	2.48	0.23	—	—

Injury at birth (160)

England and Wales ..	M	2.59	2.52	0.06	0.01	0.00	0.00	2.56	2.48	0.05	0.01	0.00	0.00	3.25	3.18	0.07	—	—	—
	F	1.61	1.57	0.04	0.00	0.00	—	1.59	1.54	0.04	0.00	0.00	—	2.05	2.05	—	—	—	—
	P	2.11	2.05	0.05	0.01	0.00	0.00	2.08	2.02	0.05	0.01	0.00	0.00	2.67	2.63	0.04	—	—	—
Greater London County Boroughs Other Urban Districts Rural Districts All Urban Districts ..	..	2.02	1.91	0.08	0.02	0.01	—	1.96	1.86	0.08	0.02	0.01	—	3.12	3.12	—	—	—	—
	excluding Greater London.	2.30	2.25	0.04	0.00	0.00	—	2.32	2.26	0.04	0.00	0.00	—	2.01	2.01	—	—	—	—
	..	1.90	1.86	0.04	—	—	—	1.85	1.81	0.04	—	—	—	3.01	2.87	0.14	—	—	—
	..	2.18	2.13	0.03	0.01	—	0.01	2.14	2.09	0.03	0.01	—	0.01	2.90	2.90	—	—	—	—
All Urban Districts ..	..	2.09	2.03	0.05	0.01	0.00	—	2.07	2.01	0.05	0.01	0.00	—	2.61	2.57	0.05	—	—	—



TABLE 14—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Atelectasis (161a)																		
England and Wales ..	M 1.97 F 1.31 P 1.65	1.91 1.28 1.60	0.06 0.03 0.05	— — —	— — —	— — —	1.95 1.28 1.62	1.89 1.25 1.58	0.06 0.03 0.04	— — —	— — —	— — —	2.42 2.05 2.24	2.28 1.98 2.14	0.14 0.07 0.11	— — —	— — —	— — —
Greater London ..	1.80	1.70	0.10	—	—	—	1.75	1.67	0.08	—	—	—	2.75	2.39	0.37	—	—	—
County Boroughs ..	1.80	1.74	0.06	—	—	—	1.79	1.73	0.05	—	—	—	2.01	1.90	0.11	—	—	—
Other Urban Districts ..	1.40	1.39	0.01	—	—	—	1.38	1.37	0.01	—	—	—	1.91	1.91	—	—	—	—
Rural Districts ..	1.60	1.56	0.04	—	—	—	1.55	1.51	0.04	—	—	—	2.56	2.56	—	—	—	—
All Urban Districts ..	1.66	1.61	0.05	—	—	—	1.64	1.59	0.05	—	—	—	2.16	2.03	0.14	—	—	—
Icterus neonatorum (161b)																		
England and Wales ..	M 0.63 F 0.40 P 0.52	0.57 0.35 0.46	0.06 0.04 0.05	— 0.00 0.00	— — —	— — —	0.62 0.39 0.51	0.57 0.35 0.46	0.05 0.04 0.05	— 0.00 0.00	— — —	— — —	0.83 0.44 0.64	0.55 0.44 0.50	0.28 — 0.14	— — —	— — —	— — —
Greater London ..	0.43	0.39	0.04	—	—	—	0.44	0.40	0.04	—	—	—	0.18	0.18	—	—	—	—
County Boroughs ..	0.51	0.44	0.06	0.00	—	—	0.50	0.43	0.06	0.00	—	—	0.63	0.63	—	—	—	—
Other Urban Districts ..	0.55	0.52	0.03	—	—	—	0.55	0.52	0.03	—	—	—	0.68	0.68	—	—	—	—
Rural Districts ..	0.56	0.48	0.09	—	—	—	0.54	0.48	0.06	—	—	—	1.02	0.34	0.68	—	—	—
All Urban Districts ..	0.50	0.46	0.04	0.00	—	—	0.50	0.45	0.05	0.00	—	—	0.54	0.54	—	—	—	—
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)





TABLE 15. INFANT MORTALITY FROM CERTAIN CAUSES, 1931. (Deaths under 1 year and various sub-divisions of the first year per 1,000 live births.)

England and Wales, Geographical Regions. (See footnote to Table 17.)

Area.	All Causes.						I.—Common Infectious Diseases (6-10, 44 : 4).						II.—Tuberculous Diseases (23-32).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	66.35	31.59	10.85	9.33	7.75	6.83	3.16	0.05	0.41	0.59	0.88	1.24	1.05	0.01	0.07	0.24	0.37	0.3
South East ..	53.83	25.65	9.10	8.26	6.04	4.78	2.10	0.05	0.39	0.50	0.53	0.64	0.87	0.00	0.05	0.20	0.35	0.2
Greater London	59.01	25.63	10.38	10.11	7.19	5.70	2.46	0.05	0.40	0.61	0.67	0.73	0.79	—	0.05	0.20	0.31	0.2
Remainder of South East ..	45.47	25.68	7.04	5.28	4.17	3.29	1.53	0.05	0.36	0.31	0.30	0.51	1.00	0.01	0.06	0.19	0.41	0.3
North ..	79.63	35.71	13.07	11.56	10.05	9.24	4.36	0.07	0.41	0.72	1.25	1.92	1.30	0.02	0.08	0.33	0.48	0.4
North I ..	88.78	37.79	14.06	13.87	11.52	11.54	5.71	0.05	0.42	0.84	1.49	2.91	1.94	—	0.12	0.51	0.77	0.5
North II ..	75.45	34.82	12.86	9.33	9.06	9.38	4.06	0.13	0.31	0.45	0.89	2.28	1.56	0.04	0.13	0.22	0.63	0.5
North III ..	73.77	35.85	11.84	10.17	8.67	7.23	2.90	0.06	0.30	0.51	0.82	1.22	1.22	—	0.06	0.36	0.39	0.4
North IV ..	79.78	34.92	13.35	11.82	10.40	9.30	4.64	0.06	0.49	0.85	1.45	1.78	1.01	0.03	0.06	0.26	0.36	0.2
Midland ..	66.62	33.06	10.15	8.81	7.74	6.87	3.28	0.04	0.39	0.53	1.04	1.27	0.96	0.01	0.05	0.21	0.30	0.3
Midland I ..	66.47	32.37	10.30	8.83	7.75	7.22	3.45	0.03	0.43	0.51	1.06	1.42	0.89	0.01	0.05	0.18	0.29	0.3
Midland II ..	66.92	34.43	9.85	8.76	7.72	6.17	2.95	0.08	0.31	0.57	1.01	0.98	1.09	—	0.05	0.26	0.31	0.4
East ..	55.90	30.50	9.54	6.39	5.48	3.98	1.85	—	0.49	0.45	0.38	0.52	1.22	0.03	0.14	0.21	0.35	0.4
South West ..	52.94	29.71	8.68	5.56	4.65	4.34	2.51	0.10	0.61	0.71	0.54	0.54	0.85	—	0.07	0.07	0.27	0.4
Wales ..	74.20	36.97	12.28	9.14	7.94	7.87	3.17	0.05	0.31	0.50	0.83	1.49	0.94	—	0.05	0.21	0.28	0.4
Wales I ..	76.40	37.34	12.58	9.23	8.54	8.70	3.44	0.06	0.19	0.53	0.97	1.69	0.88	—	0.03	0.19	0.28	0.3
Wales II ..	67.44	35.84	11.37	8.86	6.07	5.30	2.31	—	0.67	0.39	0.39	0.87	1.16	—	0.10	0.29	0.29	0.4
III.—Diarrhoea and Enteritis (119).							IV.—Developmental and Wasting Diseases (157-9, 161a & b).						V.—Miscellaneous Diseases (Remainder).					
England and Wales	5.20	0.54	1.44	1.64	0.97	0.60	29.34	24.01	3.65	1.15	0.34	0.19	27.60	6.98	5.30	5.71	5.19	4.4
South East ..	5.00	0.31	1.26	1.74	1.12	0.57	24.18	19.40	3.30	1.06	0.28	0.13	21.69	5.89	4.10	4.76	3.76	3.1
Greater London	6.65	0.32	1.65	2.41	1.49	0.78	24.42	19.25	3.59	1.18	0.28	0.12	24.70	6.01	4.69	5.71	4.46	3.8
Remainder of South East ..	2.33	0.29	0.64	0.66	0.53	0.22	23.78	19.64	2.84	0.87	0.29	0.14	16.83	5.69	3.14	3.24	2.64	2.1
North ..	6.24	0.72	1.77	1.98	1.07	0.70	32.76	26.75	4.10	1.32	0.39	0.21	34.96	8.17	6.71	7.21	6.87	6.0
North I ..	6.29	0.77	1.49	2.12	1.17	0.75	33.41	28.14	3.82	1.10	0.19	0.16	41.45	8.86	8.21	9.30	7.90	7.1
North II ..	4.69	0.49	1.61	1.47	0.67	0.45	32.05	26.07	3.79	1.29	0.58	0.31	33.08	8.08	7.01	5.89	6.29	5.8
North III ..	4.70	0.60	1.44	1.42	0.81	0.43	32.13	26.88	3.71	1.12	0.21	0.21	32.80	8.30	6.33	6.76	6.44	4.9
North IV ..	7.43	0.81	2.12	2.35	1.27	0.89	33.00	26.21	4.50	1.53	0.54	0.22	33.71	7.80	6.18	6.84	6.78	6.1
Midland ..	5.35	0.58	1.55	1.58	0.95	0.69	30.96	25.86	3.36	1.08	0.38	0.28	26.07	6.57	4.80	5.40	5.07	4.2
Midland I ..	5.62	0.47	1.76	1.76	0.92	0.72	30.59	25.41	3.41	1.11	0.39	0.26	25.92	6.45	4.65	5.27	5.08	4.4
Midland II ..	4.82	0.80	1.14	1.24	1.01	0.62	31.69	26.74	3.26	1.01	0.36	0.31	26.38	6.81	5.08	5.67	5.03	3.7
East ..	2.48	0.31	0.94	0.42	0.59	0.21	28.75	23.51	3.74	1.15	0.31	0.03	21.59	6.64	4.23	4.16	3.84	2.7
South West ..	2.14	0.41	0.71	0.54	0.20	0.27	28.01	23.13	3.36	0.88	0.44	0.20	19.43	6.07	3.93	3.36	3.19	2.8
Wales ..	4.37	0.83	1.13	1.23	0.61	0.57	33.43	27.95	3.95	1.16	0.17	0.21	32.29	8.15	6.85	6.05	6.05	5.2
Wales I ..	4.44	0.81	1.13	1.31	0.63	0.56	34.27	28.67	4.04	1.10	0.22	0.25	33.36	7.79	7.20	6.10	6.45	5.8
Wales II ..	4.14	0.87	1.16	0.96	0.58	0.58	30.83	25.72	3.66	1.35	—	0.10	29.00	9.25	5.78	5.88	4.82	3.9
Measles (7).							Whooping cough (9).						Syphilis (34).					
England and Wales	1.14	0.01	0.03	0.11	0.33	0.66	1.78	0.04	0.35	0.43	0.47	0.49	0.51	0.21	0.17	0.09	0.03	0.0
South East ..	0.27	0.01	0.00	0.04	0.08	0.12	1.57	0.03	0.34	0.39	0.38	0.42	0.43	0.17	0.13	0.08	0.03	0.0
Greater London	0.27	0.01	0.01	0.04	0.10	0.11	1.85	0.03	0.35	0.50	0.48	0.48	0.49	0.17	0.18	0.10	0.03	0.0
Remainder of South East ..	0.26	0.03	—	0.04	0.05	0.14	1.12	0.03	0.32	0.22	0.22	0.32	0.32	0.17	0.05	0.06	0.04	—
North ..	1.95	—	0.06	0.22	0.53	1.14	2.16	0.05	0.33	0.47	0.62	0.69	0.60	0.27	0.19	0.10	0.01	0.0
North I ..	3.47	—	0.12	0.28	0.93	2.14	2.03	0.05	0.30	0.56	0.42	0.70	0.72	0.19	0.23	0.23	0.02	0.0
North II ..	2.23	—	0.04	0.27	0.40	1.52	1.56	0.04	0.27	0.13	0.45	0.67	0.54	0.18	0.09	0.09	0.04	0.1
North III ..	1.03	—	0.02	0.13	0.26	0.62	1.72	0.04	0.26	0.32	0.56	0.54	0.64	0.41	0.21	0.02	—	—
North IV ..	1.71	—	0.05	0.23	0.54	0.89	2.59	0.06	0.39	0.59	0.78	0.77	0.53	0.24	0.19	0.08	0.01	0.0
Midland ..	1.37	0.01	0.05	0.07	0.45	0.78	1.69	0.02	0.32	0.42	0.50	0.43	0.48	0.16	0.17	0.08	0.07	0.0
Midland I ..	1.52	—	0.05	0.09	0.47	0.90	1.27	0.01	0.24	0.37	0.37	0.29	0.52	0.14	0.20	0.08	0.09	0.0
Midland II ..	1.06	0.03	0.05	0.03	0.41	0.54	2.51	0.03	0.49	0.52	0.78	0.70	0.39	0.18	0.10	0.08	0.03	—
East ..	0.31	—	0.03	—	0.07	0.21	1.40	—	0.42	0.45	0.28	0.24	0.63	0.28	0.28	0.03	—	0.0
South West ..	0.24	—	—	—	0.14	0.10	2.20	0.10	0.61	0.68	0.41	0.41	0.34	0.20	0.07	—	—	0.0
Wales ..	1.75	—	0.02	0.12	0.47	1.13	1.13	0.02	0.28	0.31	0.26	0.26	0.59	0.19	0.21	0.14	0.02	0.0
Wales I ..	1.91	—	—	0.09	0.56	1.25	1.19	0.03	0.19	0.38	0.28	0.31	0.63	0.22	0.19	0.19	—	0.0
Wales II ..	1.25	—	0.10	0.19	0.19	0.77	0.96	—	0.58	0.10	0.19	0.10	0.48	0.10	0.29	—	0.10	—



TABLE 15—continued.

Area.	Meningitis (79).						Convulsions (86).						Bronchitis (106).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	0.41	0.04	0.06	0.09	0.11	0.10	2.23	1.12	0.42	0.32	0.23	0.14	3.65	0.57	1.11	0.94	0.58	0.46
South East ..	0.32	0.05	0.05	0.06	0.09	0.07	0.94	0.51	0.13	0.16	0.10	0.04	2.02	0.35	0.59	0.60	0.27	0.21
Greater London	0.35	0.08	0.04	0.08	0.09	0.06	0.98	0.57	0.11	0.17	0.11	0.02	2.18	0.33	0.62	0.75	0.23	0.26
Remainder of South East ..	0.27	—	0.08	0.03	0.09	0.08	0.87	0.40	0.16	0.16	0.08	0.08	1.75	0.38	0.54	0.36	0.34	0.13
North ..	0.48	0.05	0.06	0.10	0.14	0.13	3.22	1.69	0.59	0.40	0.35	0.20	5.43	0.81	1.70	1.35	0.80	0.77
North I ..	0.51	0.02	—	0.14	0.21	0.14	4.66	2.19	1.14	0.61	0.40	0.33	9.05	1.33	2.63	2.42	1.42	1.24
North II ..	0.58	—	0.04	0.22	0.09	0.22	3.26	1.79	0.49	0.40	0.45	0.13	4.82	0.63	1.88	0.94	0.85	0.54
North III ..	0.34	—	0.09	0.09	0.07	0.07	2.83	1.65	0.43	0.28	0.34	0.13	4.57	0.73	1.42	1.26	0.64	0.52
North IV ..	0.53	0.10	0.07	0.05	0.16	0.15	2.78	1.46	0.45	0.36	0.32	0.19	4.44	0.66	1.40	1.03	0.60	0.75
Midland ..	0.44	0.03	0.09	0.11	0.14	0.07	1.75	0.81	0.36	0.30	0.14	0.15	3.13	0.49	0.85	0.78	0.63	0.38
Midland I ..	0.42	0.04	0.07	0.12	0.10	0.09	1.27	0.69	0.17	0.17	0.12	0.12	3.05	0.46	0.84	0.81	0.63	0.31
Midland II ..	0.49	0.03	0.13	0.10	0.21	0.03	2.69	1.04	0.73	0.54	0.18	0.21	3.29	0.54	0.88	0.73	0.62	0.52
East ..	0.42	0.03	0.07	0.07	0.10	0.14	1.75	0.70	0.38	0.24	0.17	0.24	3.04	0.56	0.87	0.73	0.59	0.28
South West ..	0.24	0.03	—	0.07	0.03	0.10	1.46	0.54	0.37	0.27	0.17	0.10	2.71	0.37	0.88	0.78	0.47	0.20
Wales ..	0.43	0.02	0.07	0.12	0.07	0.14	5.60	2.74	1.25	0.87	0.50	0.24	4.80	0.73	1.54	1.06	0.83	0.64
Wales I ..	0.44	0.03	0.09	0.06	0.09	0.16	5.63	2.75	1.25	0.94	0.47	0.22	5.48	0.85	1.72	1.13	0.97	0.81
Wales II ..	0.39	—	—	0.29	—	0.10	5.49	2.70	1.25	0.67	0.58	0.29	2.70	0.39	0.96	0.87	0.39	0.10
Area.	Pneumonia (107-109).						Congenital malformations (157).						Congenital debility (158).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	11.55	0.86	2.22	2.86	2.95	2.65	5.53	3.34	1.29	0.58	0.21	0.12	3.35	1.90	0.79	0.47	0.12	0.07
South East ..	9.45	0.97	1.88	2.49	2.15	1.96	4.83	2.79	1.22	0.53	0.18	0.11	2.52	1.23	0.74	0.45	0.08	0.01
Greater London	11.42	1.07	2.23	3.03	2.65	2.44	4.87	2.74	1.32	0.55	0.18	0.10	2.28	0.92	0.74	0.51	0.09	0.02
Remainder of South East ..	6.26	0.80	1.31	1.61	1.35	1.19	4.77	2.88	1.06	0.49	0.19	0.14	2.90	1.74	0.74	0.35	0.08	—
North ..	14.96	0.89	2.74	3.71	4.07	3.55	5.85	3.59	1.34	0.61	0.21	0.10	3.96	2.26	0.87	0.56	0.16	0.10
North I ..	16.23	0.84	2.61	4.27	4.31	4.20	5.85	3.54	1.49	0.63	0.09	0.09	4.62	3.08	1.05	0.35	0.07	0.07
North II ..	15.22	1.21	3.44	2.90	3.66	4.02	5.76	3.66	1.12	0.54	0.31	0.13	3.66	1.79	0.85	0.63	0.22	0.18
North III ..	13.81	0.99	2.72	3.35	3.73	3.02	5.96	3.69	1.39	0.60	0.19	0.09	3.13	2.12	0.58	0.32	0.02	0.09
North IV ..	14.97	0.79	2.65	3.84	4.25	3.44	5.82	3.54	1.31	0.63	0.25	0.09	4.20	2.10	0.96	0.77	0.27	0.10
Midland ..	11.51	0.80	2.16	2.86	2.92	2.77	5.67	3.46	1.28	0.54	0.23	0.15	3.39	2.03	0.67	0.44	0.12	0.12
Midland I ..	11.96	0.84	2.28	2.78	3.07	3.00	5.70	3.51	1.28	0.54	0.24	0.13	3.08	1.70	0.67	0.46	0.13	0.12
Midland II ..	10.62	0.73	1.92	3.03	2.64	2.31	5.60	3.37	1.27	0.54	0.23	0.18	3.99	2.67	0.67	0.41	0.10	0.13
East ..	7.06	0.80	1.68	1.89	1.64	1.05	5.66	3.42	1.19	0.80	0.21	0.03	3.60	2.06	1.08	0.35	0.10	—
South West ..	6.04	0.61	1.53	1.19	1.29	1.42	6.14	3.90	1.05	0.54	0.44	0.20	3.12	2.14	0.75	0.24	—	—
Wales ..	11.24	0.52	2.29	2.20	3.19	3.05	6.28	3.90	1.58	0.61	0.07	0.12	4.06	2.65	0.78	0.45	0.09	0.09
Wales I ..	11.80	0.53	2.60	2.03	3.29	3.35	6.17	3.66	1.75	0.53	0.09	0.13	4.16	2.69	0.72	0.50	0.13	0.13
Wales II ..	9.54	0.48	1.35	2.70	2.89	2.12	6.65	4.62	1.06	0.87	—	0.10	3.76	2.50	0.96	0.29	—	—
Area.	Premature birth (159).						Injury at birth (160).						Suffocation—in bed or not stated how (182 pt.).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	18.30	16.70	1.47	0.10	0.02	0.01	2.11	2.05	0.05	0.01	0.00	0.00	0.47	0.19	0.15	0.10	0.02	0.01
South East ..	14.76	13.43	1.23	0.08	0.01	—	1.96	1.87	0.07	0.01	0.01	—	0.46	0.15	0.19	0.09	0.02	0.00
Greater London	15.04	13.50	1.40	0.12	0.02	—	2.02	1.91	0.08	0.02	0.01	—	0.45	0.13	0.23	0.06	0.02	0.01
Remainder of South East ..	14.30	13.30	0.96	0.03	0.01	—	1.88	1.80	0.05	0.01	0.01	—	0.48	0.18	0.13	0.14	0.03	—
North ..	20.64	18.69	1.77	0.14	0.02	0.01	2.16	2.11	0.04	0.00	—	0.00	0.38	0.17	0.10	0.08	0.02	0.00
North I ..	20.84	19.51	1.19	0.12	0.02	—	2.05	2.01	0.02	0.02	—	—	0.28	0.16	0.09	0.02	—	—
North II ..	20.45	18.62	1.65	0.13	0.04	—	1.79	1.79	—	—	—	—	0.40	0.18	0.04	0.13	—	0.04
North III ..	20.47	18.66	1.59	0.21	—	0.02	2.00	1.99	0.02	—	—	—	0.62	0.26	0.15	0.15	0.06	—
North IV ..	20.69	18.37	2.16	0.12	0.02	0.02	2.38	2.29	0.07	—	—	0.01	0.28	0.11	0.09	0.05	0.02	—
Midland ..	19.89	18.42	1.36	0.09	0.03	0.01	2.29	2.24	0.05	—	—	—	0.64	0.28	0.18	0.13	0.03	0.02
Midland I ..	20.05	18.46	1.44	0.10	0.03	0.01	2.36	2.29	0.07	—	—	—	0.63	0.31	0.14	0.12	0.03	0.03
Midland II ..	19.59	18.32	1.19	0.05	0.03	—	2.15	2.12	0.03	—	—	—	0.65	0.21	0.26	0.16	0.03	—
East ..	17.05	15.69	1.36	—	—	—	2.03	2.03	—	—	—	—	0.59	0.24	0.10	0.17	0.03	0.03
South West ..	17.13	15.57	1.46	0.10	—	—	2.37	2.37	—	—	—	—	0.51	0.20	0.17	0.10	0.03	—
Wales ..	20.58	19.02	1.46	0.09	—	—	1.96	1.94	0.02	—	—	—	0.40	0.19	0.12	0.09	—	—
Wales I ..	21.35	19.84	1.44	0.06	—	—	1.69	1.66	0.03	—	—	—	0.34	0.19	0.09	0.06	—	—
Wales II ..	18.21	16.47	1.54	0.19	—	—	2.79	2.79	—	—	—	—	0.58	0.19	0.19	0.19	—	—



TABLE 16. INFANT MORTALITY (ALL INFANTS AND ILLEGITIMATE INFANTS). NUMBERS AND DEATH-RATES PER 1,000 LIVE BIRTHS, 1931.

England and Wales, Geographical Regions.\*  
London and Metropolitan Boroughs, County Boroughs.  
Aggregates of Urban and of Rural Districts in each Administrative County.

ALL INFANTS.										Area.		ILLEGITIMATE INFANTS.									
DEATHS.								Deaths per 1,000 Live Births.				Deaths per 1,000 Live Births.		DEATHS.							
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.	Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.		
6562	7419	5985	6861	5898	4899	4315	41939	32	66	England and Wales	55	111	661	487	391	558	468	300	245	3110	
1827	1851	1495	1836	1666	1218	964	10857	26	54	SOUTH-EAST ..	53	104	250	128	106	180	155	77	59	955	
1171	1103	918	1293	1259	896	710	7350	26	59	Greater London..	55	118	169	67	63	128	117	57	42	643	
656	748	577	543	407	322	254	3507	26	45	Remainder of S.E.	50	84	81	61	43	52	38	20	17	312	
623	669	516	595	488	325	304	3520	26	51	Midland Section..	53	91	76	33	23	35	31	18	13	223	
1204	1182	979	1241	1178	893	660	7337	25	56	Southern Section	53	109	174	95	83	145	124	59	46	726	
2442	2880	2358	2810	2486	2162	1987	17125	36	80	NORTH ..	60	126	227	183	161	208	186	128	109	1202	
493	577	551	603	595	494	495	3808	38	89	North I ..	68	131	45	37	39	37	42	17	17	234	
262	293	225	288	209	203	210	1690	35	75	North II ..	62	122	25	33	20	29	19	15	13	154	
627	712	575	632	543	463	386	3938	36	74	North III ..	59	116	65	38	32	43	31	32	24	263	
1060	1298	1007	1287	1139	1002	896	7689	35	80	North IV ..	57	131	92	75	70	99	94	64	55	548	
1267	1416	1116	1166	1012	889	789	7655	33	67	MIDLAND..	53	107	105	80	53	76	65	58	49	486	
838	917	715	786	674	591	551	5072	32	66	Midland I ..	51	112	66	50	28	61	37	41	35	318	
429	499	401	380	338	298	238	2583	34	67	Midland II ..	56	100	39	30	25	15	28	17	14	168	
274	324	275	273	183	157	114	1600	30	56	EAST ..	51	87	23	33	26	28	9	11	9	139	
267	345	264	256	164	137	128	1561	30	53	SOUTH-WEST ..	47	89	23	21	20	26	19	6	5	120	
485	603	477	520	387	336	333	3141	37	74	WALES ..	52	108	33	42	25	40	34	20	14	208	
361	461	371	402	295	273	278	2441	37	76	Wales I..	57	118	26	28	15	27	21	15	11	143	
124	142	106	118	92	63	55	700	36	67	Wales II..	44	93	7	14	10	13	13	5	3	63	
2290	2593	2176	2673	2454	2079	1884	16149	34	77	Summary of Areas Outside Greater London.											
1787	2197	1744	1809	1397	1212	1120	11266	33	65	County Boroughs ..	55	124	213	160	143	215	201	126	113	1171	
1314	1526	1147	1086	788	712	601	7174	32	58	Other Urban Districts	56	103	164	142	105	124	87	76	58	756	
618	565	487	756	800	603	441	4270	25	65	Rural Districts ..	53	92	115	118	80	91	63	41	32	540	
1	1	2	—	—	—	1	5	66	82	LONDON Ad. Co.	54	121	102	44	38	85	81	39	24	413	
—	—	—	—	—	—	—	—	—	—	City of London ..	200	200	1	—	—	—	—	—	—	1	
28	18	22	25	18	22	9	142	27	57	Inner and Middle Temples.	—	—	—	—	—	—	—	—	—	—	
14	14	21	15	23	12	13	112	25	57	Battersea ..	63	83	4	1	1	—	—	2	—	8	
18	21	8	32	41	24	17	161	26	88	Bermondsey ..	111	133	5	—	—	—	1	—	—	6	
26	26	25	43	42	27	19	208	21	56	Bethnal Green ..	56	148	2	1	—	4	1	—	—	8	
4	6	2	4	8	2	5	31	16	42	Camberwell..	51	103	4	1	2	2	1	4	—	14	
14	12	6	26	12	11	12	93	18	53	Chelsea ..	26	104	1	1	—	3	1	1	1	8	
12	9	9	10	16	14	9	79	25	66	Deptford ..	55	127	1	—	2	4	—	—	—	7	
22	13	21	33	27	23	15	154	25	68	Finsbury ..	46	123	3	—	—	—	3	1	1	8	
19	7	12	15	19	12	13	97	25	65	Fulham ..	32	77	3	—	2	4	1	2	—	12	
17	27	15	43	42	33	26	203	18	60	Greenwich ..	29	114	—	—	1	1	2	—	—	4	
25	20	22	21	25	19	8	140	32	68	Hackney ..	49	254	5	—	1	7	10	7	1	31	
16	10	5	15	10	3	1	60	32	61	Hammersmith ..	51	114	2	4	2	3	4	2	1	18	
5	4	2	5	4	1	5	26	31	74	Hampstead..	35	70	3	—	—	2	1	—	—	6	
48	42	47	51	52	64	36	340	25	63	Holborn ..	68	91	2	1	—	—	1	—	—	4	
19	20	18	33	56	31	11	188	23	76	Islington ..	37	127	3	3	3	9	6	4	3	31	
52	43	37	43	40	33	25	273	29	60	Kensington..	36	123	1	3	4	8	9	2	—	27	
26	29	16	21	28	19	16	155	23	50	Lambeth ..	78	118	13	7	3	6	5	—	1	35	
31	21	15	26	38	26	25	182	32	87	Lewisham ..	19	85	1	1	—	1	4	1	1	9	
20	26	27	41	39	34	24	211	27	77	Paddington ..	70	119	13	2	2	4	5	1	2	29	
7	7	3	10	25	12	6	70	16	66	Poplar ..	92	158	2	2	2	1	—	1	1	9	
22	26	22	36	43	32	19	200	24	67	St. Marylebone ..	67	133	6	1	1	2	4	—	2	16	
12	9	9	20	30	25	21	126	18	75	St. Pancras..	47	114	7	2	3	6	7	2	2	29	
21	27	21	38	33	17	22	179	24	61	Shoreditch ..	61	143	2	1	—	—	—	2	2	7	
49	38	26	56	53	56	31	309	29	78	Southwark ..	44	88	2	3	1	4	2	—	—	12	
7	4	9	7	5	5	5	42	26	54	Stepney ..	91	182	6	3	1	2	3	3	2	20	
52	44	41	44	38	23	25	267	32	62	Stoke Newington ..	30	30	—	—	—	—	—	—	—	1	
9	17	8	19	17	11	8	89	28	74	Wandsworth ..	55	140	4	2	5	6	7	2	2	28	
22	24	16	24	16	12	14	128	29	59	Westminster ..	66	113	5	4	1	4	2	1	—	17	
										Woolwich ..	34	138	1	1	—	2	1	1	2	8	

\* The counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 16.—continued.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.								Deaths per 1,000 Live Births.		Area.	Deaths per 1,000 Live Births.		DEATHS.							
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
COUNTY BOROUGH.																				
										ENGLAND (excluding Monmouth).										
17	21	14	24	25	26	22	149	38	110	Barnsley ..	75	175	2	2	2	3	—	4	1	14
4	18	9	16	8	8	4	67	32	69	Barrow-in-Furness ..	21	21	—	1	—	—	—	—	—	1
7	3	3	6	3	5	4	31	16	39	Bath ..	22	65	1	—	—	—	2	—	—	3
30	27	33	38	42	31	35	236	33	86	Birkenhead ..	75	142	3	1	5	2	1	3	2	17
224	201	121	195	188	150	136	1215	32	70	Birmingham ..	59	128	20	9	5	11	9	11	9	74
8	13	10	17	12	19	13	92	20	60	Blackburn ..	46	123	—	1	2	3	—	—	2	8
15	14	15	8	7	10	8	77	42	74	Blackpool ..	57	66	2	2	2	1	—	—	—	7
35	31	20	37	20	30	23	196	35	80	Bolton ..	84	140	2	5	2	2	2	1	1	15
14	37	17	21	25	24	21	159	41	95	Bootle ..	89	143	1	3	1	1	1	—	—	8
13	21	11	15	7	4	3	74	38	63	Bournemouth ..	40	91	2	2	—	3	2	—	—	9
54	58	42	44	42	27	24	291	38	71	Bradford ..	69	122	8	6	3	6	4	3	—	30
23	15	19	22	13	4	10	106	29	54	Brighton ..	41	54	3	1	2	1	—	—	1	8
50	57	50	49	35	28	34	303	26	50	Bristol ..	46	107	3	5	1	3	6	1	2	21
18	24	10	18	15	17	8	110	40	85	Burnley ..	69	155	3	1	—	1	4	—	—	9
5	11	9	10	9	2	6	52	31	65	Burton-upon-Trent ..	—	130	—	—	—	2	1	—	—	3
5	9	8	6	9	5	7	49	33	73	Bury ..	83	250	1	1	—	2	2	—	—	6
7	4	1	4	4	2	3	25	34	71	Canterbury ..	59	59	—	1	—	—	—	—	—	1
7	14	9	11	7	11	10	69	31	70	Carlisle ..	78	156	2	1	2	1	2	2	—	10
5	8	8	7	7	6	5	46	31	69	Chester ..	30	61	—	1	—	—	—	—	1	2
28	31	26	19	20	12	10	146	34	59	Coventry ..	90	164	2	2	2	3	—	—	2	11
27	26	34	36	35	22	14	194	26	57	Croydon ..	30	134	—	1	4	8	3	3	3	22
11	14	15	14	10	11	6	81	36	73	Darlington ..	113	145	1	3	3	—	1	—	1	9
21	32	21	26	20	17	10	147	32	63	Derby ..	74	106	5	1	1	—	3	—	—	10
7	14	6	9	8	8	6	58	36	78	Dewsbury ..	49	98	—	2	—	1	1	—	—	4
10	10	6	11	7	9	2	55	25	53	Doncaster ..	52	69	2	1	—	1	—	—	—	4
14	11	11	14	13	14	16	93	30	78	Dudley ..	69	207	2	—	—	—	1	1	2	6
7	5	2	2	3	4	1	24	22	37	Eastbourne ..	44	67	1	1	—	—	—	—	1	3
20	18	16	19	27	12	9	121	26	59	East Ham ..	—	70	—	—	—	1	1	—	1	3
7	13	10	4	12	2	5	53	32	57	Exeter ..	—	21	—	—	—	1	—	—	—	1
16	29	35	43	49	35	44	251	32	101	Gateshead ..	43	159	—	2	1	3	4	1	—	11
9	3	7	4	5	7	1	36	23	43	Gloucester ..	—	28	—	—	—	1	—	—	—	1
4	7	8	10	10	5	5	49	23	58	Gt. Yarmouth ..	61	163	—	—	3	2	—	1	2	8
17	15	18	16	16	10	8	100	30	61	Grimsby ..	70	88	1	3	4	—	—	1	1	10
14	18	15	22	16	7	4	96	38	77	Halifax ..	14	99	1	—	—	4	1	1	—	7
7	13	5	6	1	4	3	39	33	51	Hastings ..	17	33	—	1	—	—	—	1	—	2
18	20	15	7	10	8	8	86	38	61	Huddersfield ..	21	43	1	—	—	—	—	—	1	2
7	20	16	13	11	9	5	81	31	59	Ipswich ..	42	85	1	2	—	2	—	1	—	6
56	77	64	102	61	68	61	489	33	81	Kingston-upon-Hull ..	44	106	5	4	3	8	3	4	2	29
93	77	64	91	87	80	62	554	32	77	Leeds ..	53	125	13	4	2	5	8	6	7	45
40	36	32	42	31	32	22	235	29	64	Leicester ..	55	121	4	3	3	1	4	3	4	22
8	6	7	10	10	3	4	48	23	52	Lincoln ..	—	17	—	—	—	—	1	—	—	1
187	219	187	243	317	307	291	1751	32	94	Liverpool ..	39	150	12	8	13	17	32	25	21	128
129	155	133	215	169	134	114	1049	34	85	Manchester ..	59	145	15	8	15	24	19	7	5	93
50	43	27	45	45	42	45	297	40	100	Middlesbrough ..	78	162	4	7	1	3	6	3	1	25
45	73	60	62	75	78	74	467	35	92	Newcastle-on-Tyne ..	48	111	3	4	3	2	5	5	1	23
14	15	21	11	10	10	6	87	41	71	Northampton ..	48	65	1	2	—	—	1	—	—	4
27	16	22	14	9	10	9	107	33	55	Norwich ..	52	72	1	1	3	1	1	—	—	7
57	62	59	52	60	48	41	379	38	82	Nottingham ..	41	103	7	1	4	4	6	3	5	30
35	35	37	35	18	23	22	205	55	106	Oldham ..	114	187	5	3	6	3	4	1	1	23
11	8	11	8	9	2	5	54	25	44	Oxford ..	85	106	1	—	3	—	—	—	—	5
30	35	37	42	36	29	20	229	30	67	Plymouth ..	44	125	6	—	1	6	5	2	—	20
42	34	45	33	29	31	25	239	28	55	Portsmouth ..	55	109	5	1	9	9	2	1	3	30
18	29	22	30	30	19	19	167	37	89	Preston ..	51	215	1	2	1	4	4	3	2	17
12	13	12	11	9	5	4	66	25	45	Reading ..	65	91	1	1	3	—	2	—	—	7
11	19	9	10	13	6	8	76	34	66	Rochdale ..	67	135	2	2	2	2	2	—	2	12
14	20	23	21	15	12	14	119	45	93	Rotherham ..	104	125	—	2	3	—	—	—	1	6
37	29	24	24	28	24	26	192	41	88	St. Helens ..	68	153	3	1	—	1	3	—	1	9
44	45	46	76	58	48	34	351	37	97	Salford ..	86	186	5	5	2	6	3	3	2	26
90	94	83	99	72	49	46	533	34	69	Sheffield ..	42	106	7	2	2	5	6	2	4	28
17	21	12	21	18	9	9	107	33	70	Smethwick ..	54	135	1	1	—	1	—	1	1	5
24	20	15	30	23	14	17	143	19	47	Southampton ..	31	92	3	1	—	3	2	2	1	12
15	20	10	7	6	7	1	66	33	48	Southend-on-Sea ..	86	97	5	2	1	—	—	1	—	9
13	10	8	7	5	7	6	56	38	68	Southport ..	36	55	—	1	1	1	—	—	—	3
30	42	37	41	45	39	38	272	46	115	South Shields ..	169	218	3	7	3	4	4	2	3	26
19	34	22	22	14	15	10	136	44	79	Stockport ..	77	108	2	2	1	1	—	—	—	7
70	74	60	78	90	75	73	520	39	100	Stoke-on-Trent ..	54	130	5	6	2	5	4	7	2	31



TABLE 16.—continued.

ALL INFANTS.										Area.	ILLEGITIMATE INFANTS.									
DEATHS.								Deaths per 1,000 Live Births.			DEATHS.									
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
COUNTY BOROUGH—continued.																				
43	54	57	75	76	48	52	405	38	99	Sunderland..	58	116	5	1	2	3	3	—	2	16
16	16	8	22	17	11	12	102	31	78	Tynemouth..	133	200	2	3	1	1	1	1	9	
10	13	15	8	19	10	4	79	39	82	Wakefield ..	21	63	—	—	1	—	1	—	3	
10	12	15	6	10	6	3	62	28	46	Wallasey ..	16	81	—	1	—	2	1	—	5	
20	26	25	25	12	25	17	150	35	74	Walsall ..	17	50	—	—	1	2	—	—	3	
21	23	21	32	30	8	14	149	44	100	Warrington..	58	212	1	1	1	3	3	—	2	11
15	20	19	24	21	27	20	146	32	86	West Bromwich ..	16	109	—	1	—	2	2	2	7	
51	38	27	71	65	42	36	330	22	63	West Ham ..	65	138	6	1	1	5	2	1	1	17
13	22	19	23	27	15	17	136	38	96	West Hartlepool ..	116	246	5	2	1	5	3	—	1	17
27	24	20	33	24	24	13	165	44	103	Wigan ..	39	118	1	—	1	2	—	1	1	6
25	19	29	32	21	18	15	159	32	69	Wolverhampton ..	63	175	2	1	2	5	2	2	—	14
14	9	6	3	8	4	4	48	38	62	Worcester ..	121	242	4	—	—	—	2	—	2	8
14	19	17	10	5	7	11	83	36	60	York ..	41	68	2	1	—	2	—	—	5	
WALES AND MONMOUTH.																				
40	45	46	58	34	31	36	290	35	77	Cardiff ..	53	192	1	5	2	8	6	2	5	29
9	21	12	22	34	14	8	120	37	105	Merthyr Tydfil ..	22	109	—	1	—	3	1	—	5	
16	33	25	13	15	6	18	126	46	79	Newport, Mon. ..	20	59	—	—	1	—	1	1	3	
21	35	28	37	20	28	24	193	30	70	Swansea ..	39	79	—	1	2	1	1	1	6	

## ADMINISTRATIVE COUNTIES.

NOTE :—The following figures relate to the aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.

										ENGLAND (ex- cluding Monmouth).									
21	27	21	10	13	17	5	114	35	58	Bedford .. U.D.	43	76	3	1	—	2	1	—	7
12	16	11	3	4	4	1	51	33	43	.. R.D.	51	77	—	2	—	—	—	1	3
6	10	10	4	4	2	4	40	24	38	Berks .. U.D.	27	41	—	1	—	—	—	—	3
23	26	14	8	6	7	7	91	30	43	.. R.D.	40	50	2	2	—	1	—	—	5
19	21	10	15	6	8	9	88	26	46	Bucks .. U.D.	62	72	4	1	1	—	—	—	7
15	17	20	14	4	8	6	84	26	41	.. R.D.	38	50	1	2	—	—	—	—	4
4	6	6	6	7	3	1	33	21	42	Cambs .. U.D.	59	88	—	1	1	—	—	—	3
8	8	9	15	5	4	2	51	24	49	.. R.D.	63	146	1	—	2	—	—	2	7
70	74	52	64	47	35	35	377	29	57	Cheshire .. U.D.	45	89	6	4	1	7	2	—	22
29	34	21	31	8	14	11	148	28	50	.. R.D.	62	110	5	2	2	4	1	1	16
13	18	16	18	7	10	13	95	24	49	Cornwall .. U.D.	84	121	4	2	3	3	—	1	13
32	44	29	16	10	11	5	147	41	58	.. R.D.	80	106	3	3	3	2	1	—	12
25	28	35	26	19	17	19	169	42	80	Cumberland .. U.D.	53	97	2	1	3	2	1	1	11
23	18	10	12	9	9	11	92	35	63	.. R.D.	110	174	3	6	3	3	1	1	19
52	68	47	57	58	43	26	351	32	68	Derby .. U.D.	65	114	5	5	2	3	3	2	21
69	61	54	55	32	40	36	347	36	67	.. R.D.	35	70	5	—	2	2	—	3	14
34	25	27	24	21	10	8	149	31	53	Devon .. U.D.	50	83	3	2	1	1	2	1	10
24	37	27	28	9	11	20	156	28	49	.. R.D.	33	46	1	2	2	1	—	1	7
8	23	13	20	13	9	9	95	23	49	Dorset .. U.D.	47	112	—	4	1	1	4	—	12
9	19	13	11	11	9	7	79	25	49	.. R.D.	13	50	1	—	—	2	—	1	4
132	142	130	155	133	115	106	913	38	87	Durham .. U.D.	65	123	12	6	10	7	9	4	53
117	107	98	82	91	84	79	658	42	85	.. R.D.	58	99	8	3	7	4	5	2	31
8	9	6	10	3	8	4	48	27	56	Ely, I. of .. U.D.	28	139	—	1	—	—	—	—	—
4	7	5	6	2	6	4	34	29	62	.. R.D.	—	—	—	—	—	—	—	—	—
136	165	118	127	109	73	77	805	28	54	Essex .. U.D.	69	104	14	10	4	4	3	4	42
37	47	35	35	29	11	13	207	28	48	.. R.D.	17	50	2	1	—	4	2	—	7
12	28	12	11	5	7	6	81	35	55	Gloucester .. U.D.	38	88	3	—	—	2	1	—	9
34	36	37	26	17	21	17	188	31	55	.. R.D.	46	57	1	6	1	1	—	1	10
7	14	7	4	3	4	3	42	46	69	Hereford .. U.D.	68	136	1	1	1	1	1	—	12
9	13	14	8	6	7	4	61	33	57	.. R.D.	68	164	2	2	1	2	1	2	6
44	38	33	38	18	21	17	209	28	51	Hertford .. U.D.	62	99	6	2	2	4	1	—	16
9	20	8	11	6	9	2	65	21	36	.. R.D.	29	29	1	1	—	—	—	—	2
4	2	2	2	1	3	—	14	19	33	Huntingdon .. U.D.	—	—	—	—	—	—	—	—	—
11	3	4	2	3	4	2	29	39	64	.. R.D.	40	40	—	—	1	—	—	—	—
99	106	119	96	67	61	41	589	26	47	Kent .. U.D.	62	111	14	9	9	11	5	5	57
56	47	32	41	29	22	14	241	27	48	.. R.D.	54	112	4	7	1	7	5	—	23
241	326	220	255	199	163	140	1544	37	72	Lancs .. U.D.	52	105	17	14	10	9	8	17	83
35	49	40	36	24	19	26	229	35	64	.. R.D.	105	132	5	5	2	1	1	—	13
22	30	14	11	20	10	15	122	33	62	Leicester .. U.D.	83	111	2	3	1	1	1	—	8
36	40	29	21	14	23	10	173	35	58	.. R.D.	49	66	1	3	2	—	1	—	—
12	9	7	7	6	4	3	48	35	61	Lincs, Holland U.D.	81	97	2	3	—	1	—	—	—
13	14	7	15	6	8	7	70	35	71	.. R.D.	48	97	1	—	2	3	—	—	—
6	10	6	7	2	4	4	39	34	60	Lincs, Kesteven U.D.	—	24	—	—	—	—	—	1	—
8	13	15	9	10	6	3	64	33	58	.. R.D.	69	103	1	2	1	1	—	—	1
24	27	22	29	21	14	13	150	36	73	Lincs, Lindsey U.D.	76	153	4	4	1	6	2	1	13
20	23	25	20	10	11	7	116	30	51	.. R.D.	35	90	2	2	1	1	4	2	1
225	214	175	224	177	103	113	1231	25	50	Middlesex .. U.D.	53	103	31	10	10	14	20	8	99
3	8	7	4	6	3	5	36	20	39	.. R.D.	—	83	—	—	—	—	1	—	—
8	8	7	9	5	5	1	43	27	50	Norfolk .. U.D.	34	52	1	1	—	—	—	1	—
47	50	34	38	22	16	15	222	31	53	.. R.D.	52	74	4	5	3	4	—	—	1

TABLE 16.—*continued.*

ALL INFANTS.										Deaths per 1,000 Live Births.		ILLEGITIMATE INFANTS.									
DEATHS.								Area.				Deaths per 1,000 Live Births.		DEATHS.							
1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.							Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.
ADMINISTRATIVE COUNTIES—continued.																					
8	26	17	6	8	3	7	75	39	57	Northants ..	U.D.	148	185	1	3	4	—	—	—	10	
15	15	10	9	6	4	1	60	25	37	Northants ..	R.D.	33	49	—	2	—	—	—	—	3	
49	67	70	67	54	48	57	412	35	77	North'berland ..	U.D.	62	112	3	5	7	5	—	—	27	
21	11	22	19	18	10	10	111	37	76	North'berland ..	R.D.	57	136	3	1	1	3	—	—	12	
51	64	61	57	39	45	29	346	38	75	Notts ..	U.D.	45	85	2	2	4	3	—	—	15	
37	43	26	25	30	15	30	206	34	67	Notts ..	R.D.	74	125	5	4	1	3	—	—	17	
1	3	5	—	4	2	3	18	17	34	Oxford ..	U.D.	—	36	—	—	—	—	—	—	1	
4	9	9	9	5	3	2	41	16	29	Oxford ..	R.D.	46	46	2	—	1	—	—	—	3	
7	4	7	8	10	5	4	45	28	70	Peterborough, ..	U.D.	57	143	1	1	—	—	—	—	5	
—	3	3	—	—	3	1	10	42	70	Peterborough, ..	R.D.	125	125	—	—	1	—	—	—	1	
—	—	—	1	—	—	—	1	—	24	Rutland ..	U.D.	—	—	—	—	—	—	—	—	—	
1	1	3	1	—	—	—	6	22	27	Rutland ..	R.D.	—	—	—	—	—	—	—	—	—	
24	10	14	13	16	9	5	91	27	50	Salop ..	U.D.	17	51	2	—	—	1	—	—	6	
26	22	15	18	11	9	11	112	29	52	Salop ..	R.D.	28	76	1	3	—	5	—	—	11	
21	22	18	25	10	5	13	114	27	50	Somerset ..	U.D.	57	148	2	2	1	6	1	—	13	
31	48	33	24	16	17	12	181	33	53	Somerset ..	R.D.	42	77	—	1	5	1	2	—	11	
33	37	21	25	17	16	12	161	25	44	Southants. ..	U.D.	65	90	5	4	1	1	1	—	14	
33	42	19	22	19	9	9	153	24	38	Southants. ..	R.D.	34	73	1	3	3	2	3	—	15	
86	127	98	107	88	83	92	681	34	74	Staffs ..	U.D.	84	154	6	7	6	6	2	3	35	
43	41	37	35	20	19	20	215	34	60	Staffs ..	R.D.	32	78	4	—	1	3	1	2	12	
9	12	11	10	8	5	6	61	25	47	Suffolk, East ..	U.D.	83	83	2	1	1	—	—	—	4	
16	38	18	12	8	12	6	110	38	59	Suffolk, East ..	R.D.	68	94	1	5	2	1	—	—	11	
1	5	6	3	5	2	3	25	21	45	Suffolk, West ..	U.D.	—	71	—	—	—	1	—	—	2	
7	15	11	8	3	5	2	51	37	58	Suffolk, West ..	R.D.	82	82	1	2	1	—	—	—	4	
01	98	64	64	63	49	32	471	25	44	Surrey ..	U.D.	66	127	15	8	7	11	9	4	58	
15	27	21	11	5	12	4	95	26	39	Surrey ..	R.D.	56	93	4	—	2	1	2	—	10	
13	19	10	14	9	3	4	72	26	44	Sussex, East ..	U.D.	71	91	4	1	2	—	1	—	9	
12	14	13	12	12	8	3	74	22	43	Sussex, East ..	R.D.	71	114	2	3	—	1	2	—	8	
7	9	11	19	11	6	1	64	18	42	Sussex, West ..	U.D.	25	76	2	—	1	2	1	—	6	
16	25	9	7	9	3	6	75	31	47	Sussex, West ..	R.D.	105	118	4	3	1	—	1	—	9	
26	32	26	21	18	11	16	150	33	58	Warwick ..	U.D.	23	92	—	2	—	1	1	2	8	
31	42	27	26	20	20	5	171	31	54	Warwick ..	R.D.	58	87	4	—	2	2	—	—	9	
5	9	3	3	4	3	4	31	46	84	Westmorland ..	U.D.	83	167	2	—	—	—	—	—	4	
7	9	4	7	4	1	—	32	36	58	Westmorland ..	R.D.	53	79	1	1	—	1	—	—	3	
9	6	5	3	2	2	2	29	29	42	Wight, I. of ..	U.D.	—	—	—	—	—	—	—	—	—	
1	—	—	—	1	—	—	2	3	6	Wight, I. of ..	R.D.	—	—	—	—	—	—	—	—	—	
27	26	15	18	6	9	7	108	33	52	Wilts ..	U.D.	58	70	1	3	1	1	—	—	6	
24	32	23	20	10	10	5	124	31	49	Wilts ..	R.D.	50	80	1	2	2	1	2	—	8	
37	48	38	30	23	20	21	217	36	63	Worcester ..	U.D.	67	101	3	3	2	1	—	2	12	
12	21	15	13	7	10	10	88	30	56	Worcester ..	R.D.	25	76	—	1	1	1	1	—	6	
9	11	9	14	6	4	6	59	29	58	Yorks, E.R. ..	U.D.	29	88	1	—	1	2	—	—	6	
17	16	15	13	14	15	10	100	30	62	Yorks, E.R. ..	R.D.	63	126	2	3	2	3	2	1	14	
34	35	30	37	30	21	35	222	33	74	Yorks, N.R. ..	U.D.	31	80	—	4	1	2	3	2	13	
29	33	19	18	10	12	9	130	36	58	Yorks, N.R. ..	R.D.	93	143	3	6	4	4	1	—	20	
84	226	184	188	148	154	118	1202	36	72	Yorks, W.R. ..	U.D.	61	110	17	10	11	12	3	8	68	
02	122	91	98	89	66	65	633	38	77	Yorks, W.R. ..	R.D.	84	148	12	8	8	4	7	7	49	
WALES AND MONMOUTH.																					
5	5	2	5	1	1	3	22	45	82	Anglesey ..	U.D.	32	65	—	1	—	1	—	—	2	
3	10	4	5	8	4	3	37	35	76	Anglesey ..	R.D.	30	90	—	2	—	2	1	—	6	
5	2	4	3	2	4	2	22	45	91	Brecon ..	U.D.	231	308	3	—	—	1	—	—	4	
11	4	14	6	4	1	3	43	44	65	Brecon ..	R.D.	26	53	—	1	—	—	—	—	2	
11	12	12	8	7	4	5	59	43	73	Caernarvon. ..	U.D.	91	145	—	1	4	1	2	—	8	
6	4	3	14	11	10	3	51	16	64	Caernarvon. ..	R.D.	59	118	2	—	1	1	2	—	6	
3	5	3	3	1	1	—	13	48	79	Cardigan ..	U.D.	—	118	—	—	—	—	—	—	2	
11	7	5	10	8	5	2	40	27	72	Cardigan ..	R.D.	50	75	—	2	—	1	—	—	3	
11	17	11	14	5	6	6	70	37	66	Carmarthen ..	U.D.	51	103	1	1	—	1	—	—	4	
22	22	23	30	19	14	9	139	41	86	Carmarthen ..	R.D.	88	138	1	4	2	3	1	—	11	
10	12	5	10	12	2	7	58	36	77	Denbigh ..	U.D.	45	136	—	1	1	—	3	—	6	
28	19	24	16	16	14	9	126	44	77	Denbigh ..	R.D.	70	128	2	2	2	2	1	—	11	
7	7	7	8	4	5	2	40	28	53	Flint ..	U.D.	26	53	—	—	1	1	—	—	2	
15	13	8	9	5	3	5	58	34	54	Flint ..	R.D.	23	45	1	—	—	—	—	—	2	
19	153	119	120	96	95	105	807	39	80	Glamorgan ..	U.D.	55	114	8	8	5	6	7	6	44	
30	43	20	25	20	26	25	189	32	65	Glamorgan ..	R.D.	75	118	4	3	—	—	2	2	11	
3	4	4	4	2	2	1	20	39	71	Merioneth ..	U.D.	—	45	—	—	—	—	—	—	1	
4	3	1	2	1	2	1	14	21	36	Merioneth ..	R.D.	—	—	—	—	—	—	—	—	—	
69	79	63	67	39	45	40	402	40	76	Monmouth ..	U.D.	61	104	7	4	2	4	1	2	22	
8	7	6	7	7	3	2	40	24	47	Monmouth ..	R.D.	61	61	1	—	1	—	—	—	2	
4	3	3	2	3	—	—	15	42	64	Montgomery ..	U.D.	48	48	—	1	—	—	—	—	1	
8	12	6	6	2	1	2	37	51	72	Montgomery ..	R.D.	61	61	1	1	1	—	—	—	3	
8	11	7	3	3	3	4	39	39	59	Pembroke ..	U.D.	77	128	1	2	—	1	1	—	5	
5	12	8	6	7	4	7	49	36	70	Pembroke ..	R.D.	24	143	—	1	—	2	2	—	6	
2	1	2	—	1	1	—	7	65	91	Radnor ..	U.D.	—	—	—	—	—	—	—	—	—	
2	2	2	7	—</																	



TABLE 17. POPULATION, BIRTHS, DEATHS, } England and Wales, Geographical Regions, Counties,  
INFANT MORTALITY, NATURAL INCREASE, } County Boroughs, Other Urban Districts, Rural  
1931. } Districts.

NOTE.—The estimates of population shown in the following table have been based primarily on the 1931 Census returns (*see Section "Population" in Text*). An \* denotes change in boundary during the year, and the population has, in each case, been adjusted in order to make it comparable with the records of births and deaths. The mid-year population of these areas, as constituted after the change in boundary, will be found in Appendix A. The births and deaths exclude still births. Deaths are transferred to the area of residence of the deceased person; births occurring away from home have been transferred to the area of residence of the parent. Deaths of non-civilians have been excluded from local areas throughout this table, the districts in which this exclusion appreciably affects the rates being referred to in footnotes.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENGLAND AND WALES.	39,988,000	309,122	294,873	14,443	13,643	632,081	15.8	249,717	241,913	491,630§	12.3	41,939	66	3.5
REGIONAL SUMMARY (see note at foot):														
South East ..	13,415,060*	98,448	94,062	4,726	4,448	201,684	15.0	76,625	77,167	153,792	11.6†	10,857	54	3.4
Greater Lon- don.‡	8,192,240	60,933	58,176	2,802	2,644	124,555	15.2	46,487	46,179	92,666	11.3†	7,350	59	3.9
Remainder of South East.	5,222,820*	37,515	35,886	1,924	1,804	77,129	14.8	30,138	30,988	61,126	11.9†	3,507	45	2.9
SUPPLEMENTARY SUB-DIVISIONS OF SOUTH EAST REGION (see note at foot):														
Midland Sec- tion.	4,505,900	34,357	32,801	1,302	1,210	69,670	15.5	23,572	23,475	47,047	10.5†	3,520	51	5.0
Southern Sec- tion.	8,909,160*	64,091	61,261	3,424	3,238	132,014	14.8	53,053	53,692	106,745	12.1†	7,337	56	2.7
North ..	13,164,390	105,005	100,532	4,911	4,603	215,051	16.3	87,988	84,034	172,022	13.1†	17,125	80	3.2
North I ..	2,254,620	21,041	20,069	932	851	42,893	19.0	15,325	13,669	28,994	12.9†	3,808	89	6.3
North II ..	1,279,670	10,909	10,233	679	579	22,400	17.5	8,729	8,223	16,952	13.3†	1,690	75	4.2
North III ..	3,464,920	26,052	25,048	1,174	1,110	53,384	15.4	22,496	21,424	43,920	12.7†	3,938	74	2.7
North IV ..	6,165,180	47,003	45,182	2,126	2,063	96,374	15.6	41,438	40,718	82,156	13.3†	7,689	80	2.7
Midland ..	6,951,270	56,712	53,667	2,248	2,277	114,904	16.5	42,568	39,887	82,455	11.9†	7,655	67	4.4
Midland I ..	4,561,500	37,696	35,765	1,422	1,424	76,307	16.7	28,234	26,487	54,721	12.0†	5,072	66	4.3
Midland II ..	2,389,770	19,016	17,902	826	853	38,597	16.2	14,334	13,400	27,734	11.6†	2,583	67	4.4
East ..	1,816,040	13,669	13,351	847	758	28,625	15.8	11,279	11,111	22,390	12.4†	1,600	56	3.4
South West ..	2,047,920*	14,554	13,584	708	641	29,487	14.4	13,250	13,848	27,098	13.4†	1,561	53	1.0
Wales ..	2,593,320	20,734	19,677	1,003	916	42,330	16.3	17,518	15,866	33,384	12.9†	3,141	74	3.4
Wales I ..	1,904,840	15,803	14,930	634	583	31,950	16.8	12,618	10,851	23,469	12.3†	2,441	76	4.2
Wales II ..	688,480	4,931	4,747	369	333	10,380	15.1	4,900	5,015	9,915	14.4†	700	67	0.3
DENSITY SUMMARY OF ALL AREAS OUTSIDE GREATER LONDON:														
County	12,695,800*	102,231	97,996	4,824	4,631	209,682	16.5	84,515	80,752	165,267	13.1†	16,149	77	3.4
County Boroughs.														
Other Urban Districts.	11,234,872*	85,464	80,964	3,817	3,499	173,744	15.5	69,836	68,734	138,570	12.4†	11,266	65	3.3
Rural Districts	7,865,088*	60,494	57,737	3,000	2,869	124,100	15.8	48,390	46,248	94,638	12.1†	7,174	58	3.3

† Death-rates based upon estimated civilian populations as follows:—South East, 13,306,170\*; Greater London, 8,177,000; Remainder of South East, 5,129,170\*; Midland section of South East, 4,489,790; Southern section of South East, 8,816,380\*; North 13,149,400; North I, 2,253,500; North II, 1,270,500; North III, 3,462,600; North IV, 6,162,800; Midland, 6,946,400; Midland 4,557,600; Midland II, 2,388,800; East, 1,809,400; South West, 2,015,530\*; Wales, 2,591,100; Wales I, 1,904,100; Wales II, 687,000. England and Wales (excluding Greater London)—County Boroughs, 12,652,810\*; Other Urban Districts, 11,173,242; Rural Districts, 7,814,948\*.

\* Population adjusted to allow for change in boundary during the year. For mid-year population *see* Appendix A.

§ Including 462 deaths of non-civilians.

† For the constitution of Greater London, *see* pp. 63–65 of the Preliminary Report on the Census of England and Wales, 1931.

REGIONAL SUMMARY.—The country has been re-divided into regions, after consultation with other Government Departments with a view to securing greater homogeneity in the character of the sectional populations than was provided by the old groupings into North, Midlands, South (including London) and Wales. In order to maintain continuity the parts of the new "South East" region comprised in the former "Midlands" and "South" respectively, are shown separately. "North" and "Wales" are identical in both groupings, "Midlands" comprises "Midland" and "East" together with the Midland section of "South East" "South (including London)" comprises "South West" and the Southern section of "South East".

The counties in the various regions are as follows:—

South East.	North I.	Midland I.	East.	Wales I.
Bedfordshire.	Durham.	Gloucestershire.	Cambridgeshire.	Brecknockshire.
Berkshire.	Northumberland.	Herefordshire.	Ely, Isle of.	Carmarthenshire.
Buckinghamshire.		Shropshire.	Huntingdonshire.	Glamorganshire.
Essex.	North II.	Staffordshire.	Lincolnshire—	Monmouthshire.
Hertfordshire.	Cumberland.	Warwickshire.	Parts of Holland.	
Kent.	Westmorland.	Worcestershire.	„ Kesteven.	Wales II.
London.	Yorkshire, East Riding.		„ Lindsey.	Anglesey.
Middlesex.	„ North Riding.	Midlands II.	Norfolk.	Caernarvonshire.
Oxfordshire.		Derbyshire.	Rutlandshire.	Cardiganshire.
Southampton.	North III.	Leicestershire.	Suffolk, East.	Denbighshire.
Surrey.	Yorkshire, West Riding.	Northamptonshire.	„ West.	Flintshire.
Sussex, East.	York C.B.	Nottinghamshire.		Merionethshire.
„ West.	North IV.	Peterborough, Soke of.	South West.	Montgomeryshire.
Wight, Isle of.	Cheshire.		Cornwall.	Pembrokeshire.
	Lancashire.		Devonshire.	Radnorshire.
			Dorsetshire.	
			Somersetshire.	
			Wiltshire.	



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000, Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000, Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENGLAND(exclud- ing Monmouth)														
BEDFORDSHIRE : ADMINISTRATIVE COUNTY.	220,680	1,533	1,490	74	57	3,154	14·3	1,290	1,337	2,627	12·0†	165	52	2·3
URBAN DISTRICTS	141,860	923	949	52	40	1,964	13·8	802	832	1,634	11·5†	114	58	2·3
Ampthill ..	2,157	14	13	—	1	28	13·0	9	14	23	10·7	2	71	2·3
Bedford M.B...	40,050	248	240	9	11	508	12·7	252	265	517	12·9	28	55	—0·2
Biggleswade ..	5,895	44	49	3	3	99	16·8	38	34	72	12·2	4	40	4·6
Dunstable M.B.	8,993	62	53	6	2	123	13·7	53	50	103	11·5	4	33	2·2
Kempston ..	5,412	47	33	2	1	83	15·3	26	20	46	8·9†	2	24	6·4
Leighton Buzzard.	7,012	42	60	—	2	104	14·8	36	54	90	12·8	1	10	2·0
Luton M.B ..	69,220	445	478	28	20	971	14·0	368	374	742	10·7	72	74	3·3
Sandy .. ..	3,121	21	23	4	—	48	15·4	20	21	41	13·1	1	21	2·3
RURAL DISTRICTS	78,820	610	541	22	17	1,190	15·1	488	505	993	12·8†	51	43	2·3
Ampthill ..	19,870	130	123	5	6	264	13·3	139	124	263	13·2	11	42	0·1
Bedford .. ..	21,000	172	160	6	3	341	16·2	137	144	281	13·4	16	47	2·8
Biggleswade ..	21,050	172	145	1	5	323	15·3	117	144	261	13·4†	15	46	1·9
Eaton Bray ..	3,941	28	26	2	1	57	14·5	29	23	52	13·2	2	35	1·3
Eaton Socon ..	3,210	18	21	1	—	40	12·5	18	15	33	10·3	—	—	2·2
Luton .. ..	9,749	90	66	7	2	165	16·9	48	55	103	10·6	7	42	6·3
BERKSHIRE : COUNTY BORO' :	311,430	2,180	2,224	140	111	4,655	14·9	1,834	1,865	3,699	12·0†	197	42	2·9
Reading .. ..	97,550	701	699	36	41	1,477	15·1	584	585	1,169	12·0†	66	45	3·1
ADMINISTRATIVE COUNTY.	213,880	1,479	1,525	104	70	3,178	14·9	1,250	1,280	2,530	11·9†	131	41	3·0
URBAN DISTRICTS	71,880	476	516	45	28	1,065	14·8	406	484	890	12·6†	40	38	2·2
Abingdon M.B.	7,313	46	54	3	—	103	14·1	53	54	107	14·6	4	39	—0·5
Maidenhead M.B.	17,450	113	127	13	12	265	15·2	90	105	195	11·2	8	30	4·0
Newbury M.B.	13,150	100	91	10	4	205	15·6	73	87	160	12·2	4	20	3·4
New Windsor M.B.	20,180	126	164	10	10	310	15·4	105	124	229	11·9†	10	32	3·5
Wallingford M.B.	2,801	14	14	—	—	28	10·0	21	21	42	15·0	—	—	—5·0
Wantage ..	3,717	28	21	3	1	53	14·3	19	33	52	14·0	7	132	0·3
Wokingham M.B.	7,269	49	45	6	1	101	13·9	45	60	105	14·4	7	69	—0·5
RURAL DISTRICTS	142,000	1,003	1,009	59	42	2,113	14·9	844	796	1,640	11·6†	91	43	3·3
Abingdon ..	12,320	99	110	4	2	215	17·5	74	59	133	10·8	7	33	6·7
Bradfield ..	14,740	103	97	2	5	207	14·0	90	87	177	12·0	7	34	2·0
Cookham ..	14,910	111	90	3	5	209	14·0	72	77	149	10·0	10	48	4·0
Easthampstead	18,420	119	120	13	4	256	13·9	100	116	216	12·3†	15	59	1·6
Faringdon (part of)†	9,557	67	75	5	3	150	15·7	53	59	112	11·7	5	33	4·0
Hungerford ..	8,590	59	83	4	6	152	17·7	59	46	105	12·2	9	59	5·5
Newbury ..	12,140	78	63	4	2	147	12·1	84	64	148	12·2	5	34	—0·1
Wallingford ..	9,668	81	69	2	—	152	15·7	45	47	92	9·7†	6	39	6·0
Wantage ..	11,920	94	98	7	3	202	16·9	80	82	162	13·6	10	50	3·3
Windsor ..	9,765	49	63	6	5	123	12·6	57	51	108	11·1	6	49	1·5
Wokingham ..	19,970	143	141	9	7	300	15·0	130	108	238	11·9	11	37	3·1

† Death-rates based upon estimated civilian populations as follows :—Bedfordshire—Administrative County, 218,910; Urban Districts, 141,600; Kempston U.D., 5,152; Rural Districts, 77,310; Biggleswade R.D., 19,540. Berkshire, 309,180; Reading C.B., 97,300; Administrative County, 211,880; Urban Districts, 70,880; New Windsor M.B., 19,180; Rural Districts, 141,000; Easthampstead R.D., 17,620; Wallingford R.D., 9,468.

† The remainder of Faringdon Rural District is in Gloucestershire.



TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BUCKINGHAMSHIRE ADMINISTRATIVE COUNTY.	271,760	1,891	1,893	86	91	3,961	14.6	1,475	1,474	2,949	11.0†	172	43	3
URBAN DISTRICTS.	125,520*	918	908	48	49	1,923	15.3	647	659	1,306	10.4	88	46	4
Aylesbury M.B.	13,280	73	110	7	5	195	14.7	62	88	150	11.3	8	41	3
Beaconsfield ..	4,670	29	25	1	1	56	12.0	22	31	53	11.3	3	54	0
Bletchley ..	6,156	50	34	3	1	88	14.3	32	32	64	10.4	2	23	3
Buckingham M.B.	3,019	24	13	—	—	37	12.3	20	25	45	14.9	4	108	-2
Chepping Wy- combe M.B.	28,700	236	232	6	16	490	17.1	137	127	264	9.2	18	37	7
Chesham .. ..	8,816	50	55	—	2	107	12.1	57	44	101	11.5	5	47	0
Eton .. ..	3,324	18	18	2	—	38	11.4	13	11	24	7.2	2	53	4
Linslade .. ..	2,416	8	15	1	—	24	9.9	14	13	27	11.2	1	42	-1
Marlow .. ..	5,005	34	41	2	3	80	16.0	29	36	65	13.0	6	75	3
Newport Pag- nell.	3,924	28	22	1	—	51	13.0	26	26	52	13.3	4	78	-0
Slough .. ..	33,430*	307	288	24	17	636	19.0	155	142	297	8.9	29	46	10
Wolverton ..	12,780	61	55	1	4	121	9.5	80	84	164	12.8	6	50	-3
RURAL DISTRICTS.	146,240*	973	985	38	42	2,038	13.9	828	815	1,643	11.5†	84	41	2
Amersham ..	28,750	190	164	2	9	365	12.7	146	133	279	9.7	17	47	3
Aylesbury ..	22,210	140	149	4	6	299	13.5	126	111	237	12.7†	15	50	0
Buckingham ..	7,624	35	46	3	—	84	11.0	48	54	102	13.4	4	48	-2
Eton .. ..	29,300*	216	228	8	9	461	15.7	131	173	304	10.4	17	37	5
Hambleton ..	1,923	10	10	2	—	22	11.4	9	11	20	10.4	1	45	1
Long Crendon..	3,744	24	24	1	2	51	13.6	27	27	54	14.4	5	98	-0
Newport Pag- nell.	13,660	92	66	7	2	167	12.2	90	93	183	13.4	3	18	-1
Wing .. ..	5,427	27	37	—	2	66	12.2	43	38	81	14.9	1	15	-2
Winslow .. ..	6,122	31	35	—	4	70	11.4	38	32	70	11.4	2	29	—
Wycombe ..	27,480	208	226	11	8	453	16.5	170	143	313	11.4	19	42	5
CAMBRIDGESHIRE : ADMINISTRATIVE COUNTY.	139,990	907	840	44	38	1,829	13.1	804	867	1,671	12.0†	84	46	1
URBAN DISTRICT : Cambridge M.B.	67,000	399	347	21	13	780	11.6	333	416	749	11.2	33	42	0
RURAL DISTRICTS.	72,990	508	493	23	25	1,049	14.4	471	451	922	12.7†	51	49	1
Caxton and Arrington.	7,255	43	40	5	1	89	12.3	57	45	102	14.1	6	67	-1
Chesterton ..	26,830	185	198	8	6	397	14.8	154	151	305	11.4	18	45	3
Linton .. ..	9,877	74	63	1	8	146	14.8	63	68	131	13.6†	4	27	1
Melbourn ..	7,723	42	35	—	3	80	10.4	66	65	131	17.0	3	38	-6
Newmarket ..	18,900	145	143	9	7	304	16.1	114	105	219	11.6	16	53	4
Swavesey ..	2,405	19	14	—	—	33	13.7	17	17	34	14.1	4	121	-0
CHESHIRE :	1,092,310*	7,882	7,527	337	335	16,081	14.7	6,550	6,569	13,119	12.0†	1,005	62	2
COUNTY BORO'S	413,790	3,168	3,023	133	147	6,471	15.6	2,710	2,730	5,440	13.1	480	74	2
Birkenhead ..	148,500	1,361	1,256	60	60	2,737	18.4	1,028	963	1,991	13.4	236	86	5
Chester .. ..	41,380	345	293	16	17	671	16.2	285	261	546	13.2	46	69	3
Stockport ..	126,600	831	825	31	34	1,721	13.6	841	913	1,754	13.9	136	79	-0
Wallasey .. ..	97,310	631	649	26	36	1,342	13.8	556	593	1,149	11.8	62	46	2

† Death-rates based upon estimated civilian populations as follows:—Buckinghamshire—Administrative County, 268,200; Rural Districts, 142,680\*; Aylesbury R.D., 18,650. Cambridgeshire—Administrative County, 139,750; Rural Districts, 72,750; Linton R.D., 9,637; Cheshire, 1,092,000\*.

\* Population adjusted to allow for change in boundary during the year. For mid-year population, see Appendix A.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—cont.														
ADMINISTRATIVE COUNTY.	678,520*	4,714	4,504	204	188	9,610	14.2	3,840	3,839	7,679	11.3†	525	55	2.9
PARISH DISTRICTS	471,100	3,259	3,153	123	124	6,659	14.1	2,747	2,731	5,478	11.6	377	57	2.5
Allderley Edge	3,104	14	16	—	4	34	11.0	15	32	47	15.1	2	59	-4.1
Alsager .. ..	2,845	10	19	1	—	30	10.5	16	20	36	12.7	2	67	-2.2
Altrincham ..	21,250	169	140	3	9	321	15.1	122	130	252	11.9	15	47	3.2
Ashton and Bromborough	26,950	249	222	11	7	489	18.1	137	104	241	8.9	22	45	9.2
Bollington ..	5,050	27	28	1	2	58	11.5	34	19	53	10.5	2	34	1.0
Bowdon .. ..	3,263	10	17	2	—	29	8.9	14	24	38	11.6	—	—	-2.7
Bredbury and Romiley.	10,950	75	74	—	3	152	13.9	62	66	128	11.7	7	46	2.2
Buglawton ..	1,673	9	8	—	—	17	10.2	10	3	13	7.8	—	—	2.4
Cheshire and Gatley.	18,590	131	129	—	2	262	14.1	91	83	174	9.4	11	42	4.7
Compstall ..	864	7	6	1	—	14	16.2	5	6	11	12.7	—	—	3.5
Congleton M.B.	13,020	92	94	7	3	196	15.1	93	81	174	13.4	11	56	1.7
Crewe M.B. ..	46,230	351	309	14	12	686	14.8	298	242	540	11.7	35	51	3.1
Culkinfield M.B.	19,550	123	137	4	9	273	14.0	132	123	255	13.0	28	103	1.0
Ellesmere Port and Whitby.	19,080	225	220	8	5	458	24.0	97	72	169	8.9	31	68	15.1
Hale .. ..	10,580	52	50	1	3	106	10.0	52	59	111	10.5	6	57	-0.5
Handforth ..	1,039	8	6	—	—	14	13.5	7	5	12	11.5	—	—	2.0
Hazel Grove and Bramhall.	13,320	72	54	2	2	130	9.8	84	95	179	13.4	16	123	-3.6
Hollingworth ..	2,308	13	8	—	—	21	9.1	20	18	38	16.5	3	143	-7.4
Hoole .. ..	5,802	32	39	1	1	73	12.6	26	35	61	10.5	2	27	2.1
Hoylake and West Kirby.	16,100	74	97	6	5	182	11.3	84	93	177	11.0	9	49	0.3
Hyde M.B. ..	32,340	173	166	6	6	351	10.9	199	238	437	13.5	24	68	-2.6
Knutsford ..	5,900	48	43	5	—	96	16.3	42	39	81	13.7	8	83	2.6
Lymm .. ..	5,679	44	36	1	—	81	14.3	37	33	70	12.3	5	62	2.0
Macclesfield M.B.	35,370	231	202	9	12	454	12.8	179	230	409	11.6	20	44	1.2
Marples .. ..	7,237	43	26	—	1	70	9.7	51	55	106	14.6	3	43	-4.9
Middlewich ..	5,517	46	51	4	6	107	19.4	33	26	59	10.7	3	28	8.7
Mottram-in- Longdendale.	2,630	9	16	1	1	27	10.3	16	18	34	12.9	2	74	-2.6
Nantwich ..	7,152	48	54	3	2	107	15.0	48	46	94	13.1	7	65	1.9
Neston and Parkgate	5,771	50	43	3	2	98	17.0	34	24	58	10.1	3	31	6.9
Northwich ..	18,830	134	142	7	6	289	15.3	110	92	202	10.7	14	48	4.6
Runcorn .. ..	18,310	146	147	3	2	298	16.3	107	89	196	10.7	18	60	5.6
Sale .. ..	28,200	182	180	3	3	368	13.0	142	162	304	10.8	18	49	2.2
Sandbach ..	6,463	53	43	1	3	100	15.5	46	36	82	12.7	8	80	2.8
Satleybridge M.B.	25,130	164	182	9	6	361	14.4	164	183	347	13.8	29	80	0.6
Stapleford ..	2,434	17	14	1	1	33	13.6	15	20	35	14.4	1	30	-0.8
Wilmslow ..	9,725	51	61	3	2	117	12.0	49	63	112	11.5	5	43	0.5
Winsford ..	11,100	68	70	2	4	144	13.0	67	59	126	11.4	7	49	1.6
Woodsley-cum- Whaley	1,744	9	4	—	—	13	7.5	9	8	17	9.7	—	—	-2.2

Death-rate based upon estimated civilian population of 678,210.\*

Population adjusted to allow for change in boundary during the year. For mid-year population see Appendix A.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—cont.														
RURAL DISTRICTS	207,420*	1,455	1,351	81	64	2,951	14.2	1,093	1,108	2,201	10.6†	148	50	3
Bucklow.. ..	21,880*	149	154	5	4	312	14.3	112	109	221	10.1	19	61	4
Chester .. ..	16,200	104	110	3	11	228	14.1	75	88	163	10.3†	9	39	3
Congleton ..	13,140	98	88	3	4	193	14.7	91	75	166	12.6	14	73	2
Disley .. ..	3,178	16	14	2	—	32	10.1	16	19	35	11.0	2	63	—0
Macclesfield ..	19,240	112	109	10	5	236	12.3	96	103	199	10.3	11	47	2
Malpas .. ..	4,288	40	32	3	1	76	17.7	36	28	64	14.9	5	66	2
Nantwich .. ..	26,680	178	164	12	7	361	13.5	142	147	289	10.8	22	61	2
Northwich ..	26,570	215	190	6	13	424	16.0	158	127	285	10.7	24	57	5
Runcorn.. ..	32,570	223	199	14	7	443	13.6	138	173	311	9.5	17	38	4
Tarvin .. ..	13,130	109	86	7	4	206	15.7	79	87	166	12.6	8	39	3
Tintwistle ..	2,034	14	11	2	—	27	13.3	14	8	22	10.8	—	—	2
Wirral ... ..	28,510	197	194	14	8	413	14.5	136	144	280	9.8	17	41	4
CORNWALL:														
ADMINISTRATIVE COUNTY.	312,450	2,196	2,066	112	108	4,482	14.3	2,112	2,266	4,378	14.0†	242	54	0
URBAN DISTRICTS	141,250	980	864	50	57	1,951	13.8	966	1,116	2,082	14.8†	95	49	—1
Bodmin M.B. ..	5,498	31	29	1	1	62	11.3	33	28	61	11.6†	3	48	—0
Callington ..	1,774	10	9	3	1	23	13.0	7	6	13	7.3	1	43	5
Camborne ..	14,070	95	71	2	5	173	12.3	94	113	207	14.7	5	29	—2
Falmouth M.B.	12,910	92	92	7	3	194	15.0	91	96	187	14.5	8	41	0
Fowey M.B. ..	2,185	9	8	—	—	17	7.8	16	15	31	14.2	1	59	—6
Hayle .. ..	869	9	3	2	1	15	17.3	11	13	24	27.6	2	133	—10
Helston M.B. ..	2,541	16	18	2	1	37	14.6	19	19	38	15.0	1	27	—0
Launceston M.B.	4,031	28	27	1	—	56	13.9	28	32	60	14.9	2	36	—1
Liskeard M.B.	4,138	32	24	2	2	60	14.5	33	39	72	17.4	4	67	—2
Looe .. ..	2,730	15	14	—	—	29	10.6	22	30	52	19.0	1	34	—8
Lostwithiel M.B.	1,304	3	5	1	2	11	8.4	12	10	22	16.9	—	—	—8
Ludgvan.. ..	1,868	12	20	2	2	36	19.3	23	28	51	27.3	3	83	—8
Madron .. ..	3,220	16	25	—	1	42	13.0	27	23	50	15.5	2	48	—2
Newquay .. ..	5,595	23	29	2	2	56	10.0	32	36	68	12.2	3	54	—2
Padstow .. ..	1,646	10	10	1	—	21	12.8	11	11	22	13.4	—	—	—0
Paul .. ..	5,514	32	40	—	1	73	13.2	37	50	87	15.8	5	68	—2
Penryn M.B. ..	3,430	36	31	4	1	72	21.0	22	24	46	13.4	4	56	7
Penzance M.B.	11,040	69	62	3	10	144	13.0	73	103	176	15.9	7	49	—2
Phillack .. ..	3,220	21	13	2	1	37	11.5	22	31	53	16.5	4	108	—5
Redruth .. ..	9,874	89	64	2	3	158	16.0	67	80	147	14.9	7	44	1
St. Austell ..	8,267	59	46	2	5	112	13.5	54	55	109	13.2	6	54	0
St. Ives M.B. ..	6,391	36	40	3	3	82	12.8	33	51	84	13.1	3	37	—0
St. Just .. ..	4,332	47	30	2	3	82	18.9	34	33	67	15.5	5	61	3
Saltash M.B. ..	3,540	23	18	—	—	41	11.6	24	40	64	18.1	—	—	—6
Stratton and Bude.	3,631	31	23	3	3	60	16.5	23	40	63	17.4	2	33	—0
Torpoint.. ..	3,978	36	28	—	2	66	16.6	25	19	44	11.1	5	76	5
Truro M.B. ..	11,250	82	79	3	3	167	14.8	75	74	149	13.2	9	54	1
Wadebridge ..	2,404	18	6	—	1	25	10.4	18	17	35	14.6	2	80	—4
RURAL DISTRICTS	171,200	1,216	1,202	62	51	2,531	14.8	1,146	1,150	2,296	13.4	147	58	1
Bodmin .. ..	10,260	90	69	4	2	165	16.1	48	63	111	10.8	11	67	5
Calstock .. ..	4,394	25	17	1	2	45	10.2	36	26	62	14.1	—	—	—3
Camelford ..	7,422	47	50	1	—	98	13.2	58	49	107	14.4	9	92	—1

† Death-rates based upon estimated civilian populations as follows:—Cheshire—Rural Districts, 207,110\*; Chester R.D., 15,890. Cornwall—Administrative County, 312,200; Urban Districts, 141,000; Bodmin M.B., 5,248.

\* Population adjusted to allow for change in boundary during the year. For mid-year populations, see Appendix A.

† Death-rates based upon estimated civilian populations as follows:—Cumberland, 262,560; Carlisle C.B., 57,290.  
‡ The remainder of Holsworthy Rural District is in Devonshire.



TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.								
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14
DERBYSHIRE :	762,100	6,280	5,909	236	242	12,667	16.6	4,452	4,035	8,487	11.1†	845	67
COUNTY BORO' :													
Derby .. ..	143,600	1,141	1,086	47	47	2,321	16.2	850	782	1,632	11.4†	147	63
ADMINISTRATIVE COUNTY.	618,500	5,139	4,823	189	195	10,346	16.7	3,602	3,253	6,855	11.1	698	67
URBAN DISTRICTS	318,000	2,599	2,393	84	101	5,177	16.3	1,900	1,744	3,644	11.5	351	68
Alfreton .. ..	21,360	183	184	7	4	378	17.7	126	109	235	11.0	29	77
Alvaston and Boulton.	3,321	22	37	3	—	62	18.7	12	31	43	12.9	9	145
Ashbourne ..	4,473	45	31	—	1	77	17.2	30	36	66	14.8	5	65
Bakewell ..	2,968	21	21	—	—	42	14.2	15	13	28	9.4	3	71
Baslow and Bubnell.	836	2	7	—	—	9	10.8	9	8	17	20.3	1	111
Belper .. ..	13,150	110	90	5	1	206	15.7	78	80	158	12.0	11	53
Bolsover ..	11,900	120	103	4	5	232	19.5	61	46	107	9.0	20	86
Bonsall .. ..	1,173	7	12	1	1	21	17.9	6	11	17	14.5	4	190
Brampton and Walton.	2,328	21	17	1	1	40	17.2	15	9	24	10.3	2	50
Buxton M.B. ..	14,930	110	87	6	8	211	14.1	73	89	162	10.9	8	38
Chesterfield M.B.	64,480	562	501	22	30	1,115	17.3	402	334	736	11.4	97	87
Clay Cross ..	8,579	93	84	4	6	187	21.8	55	50	105	12.2	12	64
Dronfield ..	4,538	28	32	1	1	62	13.7	26	16	42	9.3	1	16
Glossop M.R. ..	19,710	102	121	2	5	230	11.7	137	160	297	15.1	11	48
Heage .. ..	4,082	41	27	1	—	69	16.9	30	13	43	10.5	4	58
Heanor .. ..	22,600	176	204	3	6	389	17.2	127	111	238	10.5	23	59
Ilkeston M.B.	33,200	315	265	6	12	598	18.0	224	164	388	11.7	41	69
Long Eaton ..	22,710	162	149	5	2	318	14.0	117	102	219	9.6	16	50
New Mills ..	8,620	56	45	—	2	103	11.9	55	51	106	12.3	6	58
North Darley	4,324	42	38	5	3	88	20.4	23	19	42	9.7	3	34
Ripley .. ..	13,530	102	88	1	3	194	14.3	78	69	147	10.9	10	52
South Darley	735	7	5	—	1	13	17.7	9	7	16	21.8	2	154
Swadlincote District.	20,520	176	140	4	5	325	15.8	110	114	224	10.9	20	62
The Matlocks	10,020	61	69	2	3	135	13.5	58	78	136	13.6	8	59
Wirksworth ..	3,913	35	36	1	1	73	18.7	24	24	48	12.3	5	68
RURAL DISTRICTS	300,500*	2,540	2,430	105	94	5,169	17.2	1,702	1,509	3,211	10.7	347	67
Ashbourne ..	10,340	89	75	10	4	178	17.2	67	46	113	10.9	11	62
Bakewell ..	18,280	127	153	2	4	286	15.6	111	106	217	11.9	9	31
Belper .. ..	25,080	182	158	4	8	352	14.0	122	123	245	9.8	19	54
Blackwell ..	43,080	433	392	27	19	871	20.2	253	233	486	11.3	63	72
Chapel-en-le- Frith.	17,760	137	113	4	4	258	14.5	95	81	176	9.9	13	50
Chesterfield ..	83,260	776	764	35	23	1,598	19.2	469	404	873	10.5	111	69
Clowne .. ..	17,870	163	176	—	5	344	19.3	99	84	183	10.2	38	110
Glossop Dale ..	3,963	21	13	—	—	34	8.6	32	24	56	14.1	3	88
Hartshorn and Seals.	8,676	58	65	5	2	130	15.0	54	45	99	11.4	5	38
Hayfield .. ..	4,233	30	26	1	2	59	13.9	39	22	61	14.4	7	119
Norton .. ..	6,550	33	30	2	—	65	9.9	32	34	66	10.1	4	62
Repton .. ..	18,600	137	116	3	7	263	14.1	105	92	197	10.6	18	68
Shardlow ..	38,420	324	307	11	15	657	17.1	197	191	388	10.1	38	58
Sudbury .. ..	2,539	19	22	1	—	42	16.5	20	14	34	13.4	4	95

† Death-rates based upon estimated civilian populations as follows:—Derbyshire, 761,900; Derby C.B., 143,400.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DERBYSHIRE—cont.														
URBAN DISTRICTS —cont.														
Civil Parishes of Codnor Park & Shipley. Ad- ministered by R.D. Council of Basford (Notts).	1,849	11	20	—	1	32	17·3	7	10	17	9·2	4	125	8·1
DEVONSHIRE :	721,140	5,126	4,760	252	228	10,366	14·4	4,811	4,967	9,778	13·9†	587	57	0·5
COUNTY BORO'S	272,900	2,133	2,021	107	100	4,361	16·0	1,820	1,873	3,693	14·4†	282	65	1·6
Exeter .. ..	65,400	474	413	27	20	934	14·3	441	421	862	13·3†	53	57	1·0
Plymouth ..	207,500	1,659	1,608	80	80	3,427	16·5	1,379	1,452	2,831	14·8†	229	67	1·7
ADMINISTRATIVE COUNTY.	448,240	2,993	2,739	145	128	6,005	13·4	2,991	3,094	6,085	13·6†	305	51	—0·2
URBAN DISTRICTS	223,700	1,387	1,306	68	52	2,813	12·6	1,548	1,669	3,217	14·4†	149	53	—1·8
Ashburton ..	2,481	18	13	—	1	32	12·9	26	15	41	16·5	2	63	—3·6
Axminster ..	2,341	15	19	1	1	36	15·4	14	15	29	12·4	2	56	3·0
Bampton ..	1,370	14	7	—	—	21	15·3	7	7	14	10·2	3	143	5·1
Barnstaple M.B.	14,470	111	91	3	6	211	14·6	112	110	222	15·3	12	57	—0·7
Bideford M.B.	8,875	52	58	3	2	115	13·0	52	51	103	11·6	7	61	1·4
Brixham ..	8,059	57	63	—	1	121	15·0	51	46	97	12·0	5	41	3·0
Buckfastleigh	2,384	16	14	2	—	32	13·4	22	18	40	16·8	2	63	—3·4
Budleigh	2,969	13	10	—	—	23	7·7	14	16	30	10·1	2	87	—2·4
Salterton.														
Crediton .. ..	3,533	27	19	2	—	48	13·6	23	35	58	16·4	1	21	—2·8
Dartmouth M.B.	6,899	38	38	1	3	80	11·6	54	30	84	13·3†	4	50	—1·7
Dawlish .. ..	4,362	23	19	4	1	47	10·8	37	38	75	17·2	2	43	—6·4
Exmouth .. ..	14,460	79	77	3	8	167	11·5	99	131	230	15·9	8	48	—4·4
Great Torrington M.B.	2,876	15	17	—	—	32	11·1	22	24	46	16·0	5	156	—4·9
Holsworthy ..	1,356	13	11	1	—	25	18·4	6	6	12	8·8	1	40	9·6
Honiton M.B. ..	3,124	19	23	—	1	43	13·8	21	22	43	13·8	2	46	—
Ilfracombe ..	8,685	39	41	5	1	86	9·9	63	79	142	16·4	6	70	—6·5
Ivybridge ..	1,591	21	8	—	—	29	18·2	9	9	18	11·3	1	34	6·9
Kingsbridge ..	2,965	14	17	1	—	32	10·8	24	33	57	19·2	2	63	—8·4
Lynton .. ..	1,823	5	12	3	—	20	11·0	10	13	23	12·6	1	50	—1·6
Newton Abbot	14,970	87	98	1	3	189	12·6	119	127	246	16·4	7	37	—3·8
Norham .. ..	5,491	34	42	—	2	78	14·2	35	33	68	12·4	4	51	1·8
Okehampton M.B.	3,307	14	15	1	2	32	9·7	22	28	50	15·1	—	—	—5·4
Ottery St. Mary	3,656	23	22	1	—	46	12·6	29	26	55	15·0	3	65	—2·4
Paignton .. ..	17,730	93	81	2	4	180	10·2	120	137	257	14·5	11	61	—4·3
Salcombe ..	2,210	7	13	—	—	20	9·0	17	18	35	15·8	2	100	—6·8
Seaton .. ..	2,273	14	11	—	—	25	11·0	18	10	28	12·3	—	—	—1·3
Sidmouth ..	5,498	38	29	5	—	72	13·1	42	45	87	15·8	2	28	—2·7
South Molton..	2,814	19	14	—	—	33	11·7	18	19	37	13·1	2	61	—1·4
M.B.														

† Death-rates based upon estimated civilian populations as follows:—Devonshire, 703,280; County Boroughs, 256,580; Exeter C.B., 64,780; Plymouth C.B., 191,800; Administrative County, 446,700; Urban Districts, 223,100; Dartmouth M.B., 6,299.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DEVONSHIRE—cont.														
URBAN DISTRICTS —cont.														
Tavistock ..	4,478	23	31	3	—	57	12.7	33	27	60	13.4	7	123	—0
Teignmouth ..	9,693	51	48	4	2	105	10.8	46	73	119	12.3	4	38	—1
Tiverton M.B.	9,802	66	64	3	4	137	14.0	57	67	124	12.7	7	51	—1
Torquay M.B...	42,700	289	257	17	9	572	13.4	295	326	621	14.5	32	56	—1
Totnes M.B. ..	4,455	40	24	2	1	67	15.0	31	35	66	14.8	—	—	0
RURAL DISTRICTS :	224,540	1,606	1,433	77	76	3,192	14.2	1,443	1,425	2,868	12.8†	156	49	1
Axminster ..	10,400	64	67	—	1	132	12.7	73	84	157	15.1	8	61	—2
Barnstaple ..	18,090	136	118	3	9	266	14.7	130	113	243	13.4	11	41	1
Bideford ..	5,505	42	38	—	2	82	14.9	43	23	66	12.0	8	98	2
Broadwood	2,159	13	17	1	1	32	14.8	15	9	24	11.1	1	31	3
Widger.														
Crediton ..	10,000	74	74	4	1	153	15.3	77	68	145	14.5	8	52	0
Culmstock ..	3,148	23	19	—	—	42	13.3	17	20	37	11.8	1	24	1
Holsworthy	6,592	49	48	1	2	100	15.2	36	61	97	14.7	11	110	0
(part of)‡														
Honiton ..	9,494	56	73	3	7	139	14.6	57	79	136	14.3	5	36	0
Kingsbridge ..	10,830	81	59	5	2	147	13.6	60	63	123	11.4	3	20	2
Newton Abbot	21,250	171	150	6	10	337	15.9	142	140	282	13.3	22	65	2
Okehampton ..	12,470	86	77	8	6	177	14.2	78	92	170	13.8†	9	51	0
Plympton St. Mary.	26,570	192	157	11	6	366	13.8	142	151	293	11.4†	13	36	2
St. Thomas ..	28,040	181	158	11	5	355	12.7	175	171	346	12.3	10	28	0
South Molton..	9,723	79	65	2	3	149	15.3	55	42	97	10.0	4	27	5
Tavistock ..	15,330	101	85	7	4	197	12.9	97	104	201	13.1	9	46	—0
Tiverton ..	14,840	107	103	6	9	225	15.2	107	94	201	13.5	18	80	1
Torrington ..	8,059	60	48	2	4	114	14.1	48	38	86	10.7	3	26	3
Totnes ..	12,040	91	77	7	4	179	14.9	91	73	164	13.6	12	67	1
DORSETSHIRE :														
ADMINISTRATIVE COUNTY.	239,400*	1,746	1,618	100	87	3,551	14.8	1,515	1,539	3,054	13.0†	174	49	1
URBAN DISTRICTS														
BlandfordForum M.B.	3,295	20	28	1	1	50	15.2	26	23	49	14.9	2	40	0
Bridport M.B.	5,858	29	34	4	4	71	12.1	49	56	105	17.9	3	42	—5
Dorchester M.B.	9,917	90	73	5	2	170	17.1	62	73	135	14.0†	16	94	3
Lyme RegisM.B.	2,423	13	14	2	3	32	13.2	16	20	36	14.9	2	63	—1
Poole M.B. ..	56,780	445	400	28	24	897	15.8	334	375	709	12.5	41	46	3
Portland ..	11,802	75	87	2	2	166	14.1	59	48	107	12.6†	5	30	1
Shaftesbury M.B.	2,339	13	14	—	—	27	11.5	17	19	36	15.4	2	74	—3
Sherborne ..	7,094	36	37	1	2	76	10.7	39	36	75	10.6	1	13	0
Swanage ..	5,902	33	33	2	1	69	11.7	29	41	70	11.9	2	29	—0
Wareham M.B.	2,126*	18	22	3	1	44	20.7	12	15	27	12.7	2	45	8
Weymouth and Melcombe Regis M.B.	21,530	132	134	11	7	284	13.2	138	147	285	13.2	16	56	—
Wimborne Min- ster.	3,854	17	23	—	1	41	10.6	25	17	42	10.9	3	73	—0
RURAL DISTRICTS :														
Beaminster ..	7,942	61	57	3	—	121	15.2	65	67	132	16.6	8	66	—1
Blandford ..	7,574	50	54	1	2	107	14.1	44	51	95	12.5	—	—	1

† Death-rates based upon estimated civilian populations as follows:—Devonshire—Rural Districts, 223,600; Okehampton R.D., 12,350; Plympton St. Mary R.D., 25,750. Dorsetshire—Administrative County, 234,230\*; Urban Districts, 129,380\*; Dorchester M.B., 9,677; Portland U.D., 8,502; Rural Districts, 104,850.\*

\* Population adjusted to allow for change in boundary during the year. For mid-year population see Appendix A.

‡ The remainder of Holsworthy Rural District is in Cornwall.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOUTHAMPTONSHIRE —cont.														
RURAL DISTRICTS —cont.														
Widport .. ..	6,735	50	39	1	2	92	13.7	51	52	103	15.3	10	109	-1.6
Widport .. ..	4,146	41	32	5	3	81	19.5	33	27	60	14.5	3	37	5.0
Widport .. ..	8,913	68	45	1	1	115	12.9	62	59	121	13.6	9	78	-0.7
Widport .. ..	7,573*	78	60	5	3	146	19.3	48	42	90	11.9	6	41	7.4
Widport .. ..	8,989	56	54	4	2	116	12.9	57	70	127	14.1	4	34	-1.2
Widport .. ..	5,019	39	34	2	4	79	15.7	31	37	68	13.5	2	25	2.2
Widport .. ..	7,839	45	56	3	1	105	13.4	57	53	110	14.0	5	48	-0.6
Widport .. ..	14,190*	120	98	4	5	227	16.0	81	54	135	10.7†	13	57	5.3
Widport .. ..	11,000	83	83	4	8	178	16.2	75	63	138	12.5	5	28	3.7
Widport .. ..	16,560	134	107	8	8	257	15.5	105	94	199	12.0	14	54	3.5
SOUTHAMPTONSHIRE —cont.														
Widport .. ..	1,497,380	14,619	13,905	624	577	29,725	19.9	10,219	9,153	19,372	12.9	2,716	91	7.0
Widport .. ..	566,980	5,618	5,388	233	224	11,463	20.2	4,267	3,813	8,080	14.3	1,145	100	5.9
Widport .. ..	72,750	558	496	35	27	1,116	15.3	456	452	908	12.5	81	73	2.8
Widport .. ..	123,700	1,224	1,188	36	33	2,481	20.1	896	815	1,711	13.8	251	101	6.3
Widport .. ..	114,200	1,120	1,123	59	60	2,362	20.7	956	831	1,787	15.6	272	115	5.1
Widport .. ..	187,600	2,020	1,929	67	71	4,087	21.8	1,412	1,289	2,701	14.4	405	99	7.4
Widport .. ..	68,730	696	652	36	33	1,417	20.6	547	426	973	14.2	136	96	6.4
SOUTHAMPTONSHIRE —cont.														
Widport .. ..	930,400	9,001	8,517	391	353	18,262	19.6	5,952	5,340	11,292	12.1	1,571	86	7.5
SOUTHAMPTONSHIRE —cont.														
Widport .. ..	523,700	5,157	4,915	228	203	10,503	20.1	3,454	3,004	6,458	12.3	913	87	7.8
Widport .. ..	16,090	156	149	7	9	321	20.0	104	96	200	12.4	32	100	7.6
Widport .. ..	4,003	19	27	3	3	52	13.0	29	20	49	12.2	1	19	0.8
Widport .. ..	9,178	76	76	5	2	159	17.3	57	63	120	13.1	14	88	4.2
Widport .. ..	18,260	237	216	7	2	462	25.3	88	61	149	8.2	28	61	17.1
Widport .. ..	12,180	95	86	7	4	192	15.8	72	49	121	9.9	8	42	5.9
Widport .. ..	32,780	309	294	17	12	632	19.3	219	170	389	11.9	59	93	7.4
Widport .. ..	17,180	169	162	9	9	349	20.3	124	102	226	13.2	37	106	7.1
Widport .. ..	16,490	143	173	6	4	326	19.8	115	89	204	12.4	29	89	7.4
Widport .. ..	12,320	119	118	5	9	251	20.4	91	70	161	13.1	19	76	7.3
Widport .. ..	11,730	90	88	6	3	187	15.9	63	79	142	12.1	18	96	3.8
Widport .. ..	16,720	142	128	5	6	281	16.8	120	98	218	13.0	16	57	3.8
Widport .. ..	27,330	244	269	12	4	529	19.4	223	162	385	14.1	48	91	5.3
Widport .. ..	20,380	248	204	2	9	463	22.7	178	157	335	16.4	52	112	6.3
Widport .. ..	24,290	249	263	9	10	531	21.9	171	152	323	13.3	51	96	8.6
Widport .. ..	17,860	174	192	6	11	383	21.4	108	92	200	11.2	26	68	10.2
Widport .. ..	10,610	124	101	1	4	230	21.7	57	57	114	10.7	16	70	11.0
Widport .. ..	32,180	350	337	22	16	725	22.5	253	221	474	14.7	79	109	7.8
Widport .. ..	6,460	74	59	4	3	140	21.7	43	42	85	13.2	17	121	8.5
Widport .. ..	14,440	109	104	2	2	217	15.0	78	62	140	9.7	11	51	5.3
Widport .. ..	19,530	275	239	12	5	531	27.2	130	93	223	11.4	38	72	15.8
Widport .. ..	12,740	111	98	3	6	218	17.1	74	78	152	11.9	16	73	5.2
Widport .. ..	16,430	184	146	7	4	341	20.8	110	93	203	12.4	38	111	8.4
Widport .. ..	1,705	15	6	1	—	22	12.9	19	16	35	20.5	1	45	-7.6
Widport .. ..	24,690	211	243	9	14	477	19.3	137	137	274	11.1	53	111	8.2
Widport .. ..	68,400	686	613	37	27	1,363	19.9	447	409	856	12.5	108	79	7.4

\* Population adjusted to allow for change in boundary during the year. For mid-year population see Appendix A.

† Death-rate based upon estimated civilian population of 12,560.\*



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DURHAM—cont.														
URBAN DISTRICTS —cont.														
Tanfield .. ..	9,266	73	79	3	3	158	17.1	50	55	105	11.3	10	63	
Tow Law .. ..	3,558	36	29	2	4	71	20.0	30	26	56	15.7	6	85	
Washington ..	17,210	197	159	8	7	371	21.6	98	85	183	10.6	37	100	
Whickham .. ..	20,640	176	198	9	7	390	18.9	128	119	247	12.0	34	87	
Willington .. ..	9,050	66	59	2	4	131	14.5	38	51	89	9.8	11	84	
RURAL DISTRICTS	406,700	3,844	3,602	163	150	7,759	19.1	2,498	2,336	4,834	11.9	658	85	
Auckland .. ..	53,190	440	442	20	17	919	17.3	324	315	639	12.0	73	79	
Barnard Castle	10,280	83	76	9	4	172	16.7	75	70	145	14.1	8	47	
Chester-le-Street	53,350	497	468	31	20	1,016	19.0	323	331	654	12.3	86	85	
Darlington .. ..	8,818	68	55	2	3	128	14.5	52	67	119	13.5	10	78	
Durham .. ..	31,600	287	266	11	20	584	18.5	192	196	388	12.3	46	79	
Easington .. ..	89,130	1,036	957	29	33	2,055	23.1	575	479	1,054	11.8	181	88	
Hartlepool .. ..	3,909	26	22	1	2	51	13.0	24	14	38	9.7	4	78	
Houghton-le- Spring.	27,700	267	265	9	12	553	20.0	193	141	334	12.1	56	101	
Lanchester .. ..	33,930	306	277	24	11	618	18.2	183	196	379	11.2	54	87	
Sedgefield .. ..	36,780	320	286	10	11	627	17.0	193	190	383	10.4	54	86	
South Shields	20,630	177	144	4	3	328	15.9	141	116	257	12.5	29	88	
Stockton .. ..	6,542	66	56	1	3	126	19.3	37	38	75	11.5	12	95	
Sunderland .. ..	22,170	209	218	10	8	445	20.1	122	120	242	10.9	36	81	
Weardale .. ..	8,671	62	70	2	3	137	15.8	64	63	127	14.6	9	66	
ELY, ISLE OF:														
ADMINISTRATIVE COUNTY.	77,580	686	662	34	29	1,411	18.2	461	409	870	11.2	82	58	
URBAN DISTRICTS	44,990	417	411	18	18	864	19.2	265	250	515	11.4	48	56	
Chatteris .. ..	5,017	41	44	3	3	91	18.1	37	37	74	14.7	6	66	
Ely .. ..	8,363	62	62	1	3	128	15.3	54	31	85	10.2	10	78	
March .. ..	11,340	116	101	6	7	230	20.3	53	63	116	10.2	11	48	
Whittlesey .. ..	8,360	89	82	4	1	176	21.1	53	45	98	11.7	8	45	
Wisbech M.B.	11,910	109	122	4	4	239	20.1	68	74	142	11.9	13	54	
RURAL DISTRICTS	32,590	269	251	16	11	547	16.8	196	159	355	10.9	34	62	
Ely .. ..	13,530	97	84	2	6	189	14.0	94	69	163	12.0	14	74	
North Witchford	5,123	45	41	4	—	90	17.6	24	26	50	9.8	—	—	
Thorney .. ..	2,147	13	14	—	3	30	14.0	11	5	16	7.5	2	67	
Wisbech .. ..	11,790	114	112	10	2	238	20.2	67	59	126	10.7	18	76	
ESSEX:	1,758,470	13,976	13,194	416	429	28,015	15.9	9,632	9,205	18,837	10.7†	1,529	55	
COUNTY BORO'S..	557,900	4,315	4,111	131	128	8,685	15.6	3,262	3,121	6,383	11.4	517	60	
East Ham .. ..	142,800	1,022	980	25	18	2,045	14.3	762	764	1,526	10.7	121	59	
Southend-on-Sea	118,400	662	619	42	51	1,374	11.6	706	767	1,473	12.4	66	48	
West Ham .. ..	296,700	2,631	2,512	64	59	5,266	17.7	1,794	1,590	3,384	11.4	330	63	
ADMINISTRATIVE COUNTY.	1,200,570	9,661	9,083	285	301	19,330	16.1	6,370	6,084	12,454	10.4†	1,012	52	
URBAN DISTRICTS	921,920	7,540	7,077	197	208	15,022	16.3	4,658	4,453	9,111	9.9†	805	54	
Barking M.B.	51,830	475	451	13	8	947	18.3	277	260	537	10.4	62	65	
Benfleet .. ..	12,070	94	76	3	1	174	14.4	79	57	136	11.3	7	40	
Braintree .. ..	8,947	64	66	2	5	137	15.3	43	57	100	11.2	4	29	

† Death-rates based upon estimated civilian populations as follows:—Essex, 1,753,000; Administrative County, 1,195,100; Urban Districts, 917,000.

TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000, Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000, Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. I	2	3	4	5	6	7	8	9	10	11	12	13	14	15
—cont.														
RURAL DISTRICTS														
atwood ..	6,898	38	38	2	2	80	11.6	48	49	97	14.1	1	13	-2.5
htlingsea ..	4,050	26	19	—	—	45	11.1	31	17	48	11.9	1	22	-0.8
khurst Hill	5,459	46	38	—	2	86	15.8	35	28	63	11.5	6	70	4.3
ham-on-	3,417	22	16	—	1	39	11.4	29	24	53	15.5	2	51	-4.1
ouch.														
vey Island	3,262	21	20	1	—	42	12.9	26	22	48	14.7	3	71	-1.8
msford M.B.	26,720	199	197	3	13	412	15.4	125	136	261	9.8	20	49	5.6
ngford ..	22,180	217	190	4	4	415	18.7	108	86	194	8.7	22	53	10.0
ton ..	14,990	85	89	6	4	184	12.3	93	96	189	12.6	9	49	-0.3
hester M.B.	48,720	353	346	18	15	732	15.0	253	268	521	11.6†	36	49	3.4
enham ..	90,870	1,052	1,047	22	21	2,142	23.6	356	297	653	7.2	133	62	16.4
ing ..	4,870	34	28	3	2	67	13.8	38	34	72	14.8	2	30	-1.0
ton-on-Sea	1,911	6	4	—	—	10	5.2	9	14	23	12.0	2	200	-6.8
ys Thurrock	18,290	163	120	3	2	288	15.7	99	64	163	8.9	9	31	6.8
stead ..	5,862	42	39	—	—	81	13.8	32	40	72	12.3	5	62	1.5
wich M.B.	12,100	98	91	6	5	200	16.5	57	56	113	9.6†	12	60	6.9
nchurch ..	28,590	291	271	5	9	576	20.1	126	112	238	8.4†	36	63	11.7
rd M.B. ..	132,150	1,017	921	21	20	1,979	15.0	592	602	1,194	9.0	110	56	6.0
ton M.B. ..	128,600	917	847	21	27	1,812	14.1	670	695	1,365	10.6	71	39	3.5
ghton ..	7,336	73	32	1	3	109	14.9	36	26	62	8.5	6	55	6.4
don M.B. ..	6,545	57	40	1	2	100	15.3	46	38	84	12.8	4	40	2.5
fleet ..	8,505	85	98	5	1	189	22.2	37	54	91	10.7	15	79	11.5
leigh ..	6,257	55	38	5	2	100	16.0	41	28	69	11.0	4	40	5.0
nford ..	35,670	372	335	15	11	733	20.5	214	155	369	10.3	35	48	10.2
ron Walden	6,114	24	36	1	1	62	10.1	34	30	64	10.5	1	16	-0.4
I.B.														
eburyness..	6,695	59	58	4	3	124	18.5	29	26	55	9.2†	7	56	9.3
ury ..	16,740	205	200	6	7	418	25.0	82	66	148	8.8	33	79	16.2
tham Holy	7,013	57	54	2	—	113	16.1	33	41	74	10.6	5	44	5.5
ross.														
thamstow	134,420	949	949	17	32	1,947	14.5	693	710	1,403	10.4	110	56	4.1
I.B.														
lton on the	2,861	25	15	1	—	41	14.3	16	17	33	11.5	2	49	2.8
aze.														
nstead ..	19,260	88	84	1	2	175	9.1	86	111	197	10.2	10	57	-1.1
st Mersea	1,987	8	12	—	—	20	10.1	18	17	35	17.6	—	—	-7.5
ham ..	4,357	40	28	—	1	69	15.8	20	14	34	7.8	3	43	8.0
venhoe ..	2,174	16	9	1	—	26	12.0	22	16	38	17.5	2	77	-5.5
odford ..	24,200	167	175	4	2	348	14.4	125	90	215	8.9	15	43	5.5
RURAL DISTRICTS	278,650	2,121	2,006	88	93	4,308	15.5	1,712	1,631	3,343	12.0†	207	48	3.5
champ ..	3,947	21	20	2	2	45	11.4	29	33	62	15.7	4	89	-4.3
ericay ..	39,980	286	275	12	13	586	14.7	232	203	435	10.9†	34	58	3.8
intree ..	21,620	146	156	3	6	311	14.4	128	131	259	12.0	19	61	2.4
mpstead ..	2,289	13	19	—	—	32	14.0	14	15	29	12.7	2	63	1.3
lmsford ..	28,550	216	226	8	14	464	16.3	177	173	350	12.3	18	39	4.0
nmow ..	15,700	125	124	7	7	263	16.8	109	118	227	14.5	7	27	2.3
ping ..	17,600	139	93	7	9	248	14.1	98	103	201	11.6†	9	36	2.5
lstead ..	9,793	69	61	3	1	134	13.7	62	54	116	11.8	3	22	1.9
nden and	18,870	148	134	6	5	293	15.5	137	112	249	13.2	16	55	2.3
Winstree.														
ldon ..	16,080	122	105	4	5	236	14.7	100	98	198	12.3	8	34	2.4
gar ..	11,520	87	96	5	5	193	16.8	71	58	129	11.2	12	62	5.6
sett ..	20,400	164	172	7	6	349	17.1	107	100	207	10.1	20	57	7.0
chford..	16,860	144	145	6	3	298	17.7	117	92	209	12.4	22	74	5.3
mford ..	15,040	152	104	7	2	265	17.6	79	71	150	10.0	16	60	7.6
Iron Walden	9,622	57	61	2	2	122	12.7	68	78	146	15.2	5	41	-2.5
unsted ..	6,919	56	59	—	3	118	17.1	32	45	77	11.1	2	17	6.0
ndring ..	23,860	176	156	9	10	351	14.7	152	147	299	12.5	10	28	2.2

† Death-rates based upon estimated civilian populations as follows:—Essex—Colchester M.B., 45,090; Harwich M.B., 1,800; Hornchurch U.D., 28,310; Shoeburyness U.D., 5,985; Rural Districts, 278,100; Billericay R.D., 39,730; Chipping R.D., 17,300.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.								
<i>Col. 1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>	<i>6</i>	<i>7</i>	<i>8</i>	<i>9</i>	<i>10</i>	<i>11</i>	<i>12</i>	<i>13</i>	<i>14</i>
GLoucestershire:	789,940*	5,783	5,525	265	223	11,796	14.9	4,845	5,039	9,884	12.5†	608	52
COUNTY BORO's:	452,810	3,388	3,262	123	110	6,883	15.2	2,660	2,800	5,460	12.1†	339	49
Bristol .. ..	399,900	2,985	2,858	104	93	6,040	15.1	2,310	2,427	4,737	11.9†	303	50
Gloucester ..	52,910	403	404	19	17	843	15.9	350	373	723	13.7	36	43
ADMINISTRATIVE COUNTY.	337,130*	2,395	2,263	142	113	4,913	14.6	2,185	2,239	4,424	13.2†	269	55
URBAN DISTRICTS	113,500	739	650	41	39	1,469	12.9	768	849	1,617	14.2	81	55
Awre .. ..	1,006	3	3	—	—	6	6.0	16	8	24	23.9	—	—
Charlton Kings	4,728	31	20	1	2	54	11.4	29	40	69	14.6	4	74
Cheltenham M.B.	50,900	312	289	26	30	657	12.9	329	427	756	14.9	24	37
Cirencester ..	7,203	37	33	2	—	72	10.0	53	53	106	14.7	7	97
Coleford .. ..	2,776	18	28	1	1	48	17.3	23	21	44	15.9	—	—
Kingswood ..	13,440	114	82	3	1	200	14.9	90	62	152	11.3	17	85
Mangotsfield ..	11,360	78	71	2	1	152	13.4	62	69	131	11.5	12	79
Nailsworth ..	3,217	23	22	—	—	45	14.0	16	26	42	13.1	3	67
Newnham ..	1,085	6	6	1	—	13	12.0	5	6	11	10.1	—	—
Stow-on-the- Wold	1,245	8	7	—	1	16	12.9	11	8	19	15.3	—	—
Stroud .. ..	8,333	52	44	2	1	99	11.9	62	59	121	14.5	7	71
Tetbury .. ..	2,198	21	11	—	—	32	14.6	18	14	32	14.6	1	31
Tewkesbury M.B.	4,295	25	25	2	2	54	12.6	33	45	78	18.2	4	74
Westbury-on- Severn	1,714	11	9	1	—	21	12.3	21	11	32	18.7	2	95
RURAL DISTRICTS.	223,630*	1,656	1,613	101	74	3,444	15.4	1,417	1,390	2,807	12.6†	188	55
Campden ..	7,503*	65	66	1	5	137	18.3	42	53	95	12.7	6	44
Cheltenham ..	5,650	38	35	5	3	81	14.3	28	35	63	11.2	—	—
Chipping Sodbury	24,580	175	201	9	7	392	15.9	135	129	264	10.7	16	41
Cirencester ..	12,050	87	75	3	6	171	14.2	82	62	144	12.0	13	76
Dursley .. ..	13,210	89	84	3	2	178	13.5	85	98	183	13.9	10	56
East Dean and United Parishes	19,960	188	179	13	10	390	19.5	122	125	247	12.4	24	62
Faringdon (part of)†	976	7	7	—	—	14	14.3	5	5	10	10.2	—	—
Gloucester ..	14,750	76	91	10	6	183	12.4	80	79	159	10.8	5	27
Lydney .. ..	10,538	83	92	2	3	180	17.1	73	56	129	13.7†	12	67
Marston Sicca..	418*	1	2	—	—	3	7.2	3	6	9	21.5	—	—
Newent .. ..	7,111*	53	48	2	3	106	14.9	45	46	91	12.8	5	47
Northleach ..	7,095	60	41	3	2	106	14.9	59	57	116	16.4	11	104
Pebworth ..	783*	4	9	—	—	13	16.6	7	7	14	17.9	2	154
Stow-on-the- Wold (pt. of)†	6,113*	46	46	5	—	97	15.9	37	43	80	13.1	6	62
Stroud .. ..	27,380	152	154	6	4	316	11.5	198	214	412	15.0	17	54
Tetbury ..	3,803	26	21	2	—	49	12.9	14	10	24	6.3	—	—
Tewkesbury (part of)†	4,287*	31	25	4	1	61	14.2	33	17	50	11.7	3	49
Thornbury ..	19,480	153	157	9	9	328	16.8	126	122	248	12.7	12	37
Warmley ..	9,014	78	69	7	—	154	17.1	48	65	113	12.5	14	91
West Dean ..	14,300	127	108	9	7	251	17.6	96	74	170	11.9	22	88
Wheatenhurst	6,370	57	47	1	4	109	17.1	43	39	82	12.9	4	37
Winchcomb (part of)†	8,259*	60	56	7	2	125	15.1	56	48	104	12.6	6	48

† Death-rates based upon estimated civilian populations as follows:—Gloucestershire, 788,540.\* County Boroughs, 452,510.  
Bristol C.B., 399,600; Administrative County, 336,030.\* Rural Districts, 222,530.\* Lydney R.D., 9,438.

\* Population adjusted to allow for change in boundary during the year. For mid-year population *see* Appendix A.

† The remainder of Faringdon Rural District is in Berkshire. The remaining parts of Tewkesbury and Winchcomb Rural Districts are in Worcestershire. Prior to 1st April, 1931, part of Stow-on-the-Wold, Rural District was in Worcestershire.

TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
FORDSHIRE ADMINISTRATIVE COUNTY	110,770	839	732	56	61	1,688	15.2	804	750	1,554	14.0	103	61	1.2
TOWN DISTRICTS	40,830*	301	264	27	17	609	14.9	295	281	576	14.1	42	69	0.8
Barnyard ..	1,545	6	6	—	—	12	7.8	9	10	19	12.3	1	83	-4.5
Barnford M.B.	23,890	177	159	14	7	357	14.9	162	173	335	14.0	28	78	0.9
Barnston ..	1,747	10	13	3	1	27	15.5	14	11	25	14.3	2	74	1.2
Barnbury ..	3,435	26	19	2	—	47	13.7	40	19	59	17.2	2	43	-3.5
Barnminster M.B.	5,599	45	38	5	7	95	17.0	45	35	80	14.3	5	53	2.7
Barn-on-Wye ..	4,614*	37	29	3	2	71	15.4	25	33	58	12.6	4	56	2.8
RURAL DISTRICTS.	69,940*	538	468	29	44	1,079	15.4	509	469	978	14.0	61	57	1.4
Barnwardine ..	1,841	11	11	1	2	25	13.6	17	10	27	14.7	2	80	-1.1
Barnyard ..	7,452	58	60	3	5	126	16.9	63	48	111	14.9	13	103	2.0
Barnre ..	5,985	41	45	3	3	92	15.4	61	38	99	16.5	4	43	-1.1
Barnford ..	13,380	80	86	6	10	182	13.6	73	82	155	11.6	7	38	2.0
Barnston ..	4,639	44	25	3	3	75	16.2	27	26	53	11.4	5	67	4.8
Barnbury ..	8,719	67	54	3	5	129	14.8	67	59	126	14.5	9	70	0.3
Barnminster and Wigmore	10,460	97	74	5	6	182	17.4	78	89	167	16.0	8	44	1.4
Barnss ..	2,443*	14	15	2	4	35	14.3	28	31	59	24.2	3	86	-9.9
Barnss and Whit- church.	8,590*	66	64	1	5	136	15.8	48	47	95	11.1	6	44	4.7
Barnobley ..	6,004	58	34	2	1	95	15.8	45	36	81	13.5	4	42	2.3
Barnitchurch ..	427*	2	—	—	—	2	4.7	2	3	5	11.7	—	—	-7.0
FORDSHIRE: ADMINISTRATIVE COUNTY	401,900	2,956	2,713	121	109	5,899	14.7	2,054	2,119	4,173	10.4	274	46	4.3
TOWN DISTRICTS	281,000	2,099	1,857	90	72	4,118	14.7	1,432	1,505	2,937	10.5	209	51	4.2
Barnldock ..	3,161	28	24	—	—	52	16.5	25	18	43	13.6	1	19	2.9
Barnnet ..	14,510	87	97	4	3	191	13.2	89	88	177	12.2	12	63	1.0
Barnshop's Stort- ford	9,735	72	55	3	3	133	13.7	49	53	102	10.5	9	68	3.2
Barnshy ..	11,460	82	68	6	5	161	14.0	50	52	102	8.9	5	31	5.1
Barnshunt ..	14,720	104	110	6	4	224	15.2	74	93	167	11.3	14	63	3.9
Barnorleywood ..	3,192	22	14	1	1	38	11.9	10	17	27	8.5	1	26	3.4
Barnst Barnet Valley.	18,600	152	126	5	2	285	15.3	97	96	193	10.4	23	81	4.9
BarnreatBerkhamp- stead.	8,431	53	43	2	1	99	11.7	31	54	85	10.1	1	10	1.6
Barnrpenden ..	8,349	45	38	2	—	85	10.2	41	51	92	11.0	7	82	-0.8
Barnemel Hemp- stead M.B.	15,120	103	105	7	2	217	14.4	77	79	156	10.3	9	41	4.1
Barnertford M.B.	11,610	99	71	7	4	181	15.6	74	57	131	11.3	6	33	4.3
Barnitchin ..	14,350	110	94	3	7	214	14.9	64	74	138	9.6	11	51	5.3
Barnoddesdon ..	6,759	63	53	4	2	122	18.1	38	30	68	10.1	6	49	8.0
Barnetchworth ..	14,430	103	107	2	5	217	15.0	40	65	105	7.3	9	41	7.7
Barnickmansworth	10,740	95	92	1	1	189	17.6	52	57	109	10.1	9	48	7.5
Barnoyston ..	3,793	27	19	1	—	47	12.4	30	32	62	16.3	3	64	-3.9
Barnst. Albans M.B.	28,460	196	164	13	8	381	13.4	174	169	343	12.1	20	52	1.3
Barnawbridgeworth	2,565	15	13	—	1	29	11.3	15	18	33	12.9	2	69	-1.6
Barnevenage ..	5,515	45	34	2	1	82	14.9	45	39	84	15.2	4	49	-0.3
Barnring ..	4,329	33	29	1	1	64	14.8	33	32	65	15.0	4	63	-0.2
Barnware ..	6,070	49	40	—	1	90	14.8	43	43	86	14.2	9	100	0.6
BarnWatford M.B.	56,500	430	363	18	18	829	14.7	261	264	525	9.3	43	52	5.4
BarnVelwyn Garden City.	8,601	86	98	2	2	188	21.9	20	24	44	5.1	1	5	16.8

\* Population adjusted to allow for change in boundary during the year. For mid-year population see Appendix A.



TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000, Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000, Total Population.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.								
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14
<b>HERTFORDSHIRE:</b>													
—cont.													
<b>RURAL DISTRICTS:</b>	120,900	857	856	31	37	1,781	14.7	622	614	1,236	10.2	65	36
Ashwell .. ..	3,488	22	25	1	—	48	13.8	35	25	60	17.2	—	—
Barnet .. ..	6,312	65	56	—	1	122	19.3	27	30	57	9.0	9	74
Berkhampstead ..	5,252	41	37	2	1	81	15.4	23	35	58	11.0	4	49
Buntingford ..	4,582	25	35	1	3	64	14.0	36	30	66	14.4	1	16
Hadham .. ..	5,426	28	31	—	3	62	11.4	44	36	80	14.7	4	65
Hatfield .. ..	11,260	107	88	2	7	204	18.1	51	55	106	9.4	5	25
Hemel Hempstead.	8,276	66	60	3	1	130	15.7	37	31	68	8.2	3	23
Hertford .. ..	7,581	38	54	1	3	96	12.7	40	43	83	10.9	2	21
Hitchin .. ..	14,590	103	98	5	5	211	14.5	77	74	151	10.3	6	28
St. Albans .. ..	19,630	144	152	5	7	308	15.7	97	83	180	9.2	13	42
Ware .. ..	12,290	60	72	6	2	140	11.4	59	81	140	11.4	6	43
Watford .. ..	18,530	126	110	2	4	242	13.1	80	75	155	8.4	10	41
Welwyn .. ..	3,683	32	38	3	—	73	19.8	16	16	32	8.7	2	27
<b>HUNTINGDONSHIRE:</b>													
<b>ADMINISTRATIVE COUNTY.</b>													
<b>URBAN DISTRICTS</b>	25,700	191	217	10	7	425	16.5	142	149	291	11.3	14	33
Godmanchester M.B.	1,968	13	18	2	—	33	16.8	18	10	28	14.2	1	30
Huntingdon M.B.	4,044	23	23	3	2	51	12.6	22	21	43	10.6	2	39
Old Fletton ..	7,563	73	81	2	—	156	20.6	30	41	71	9.4	6	38
Ramsey .. ..	5,173	39	53	1	1	94	18.2	28	27	55	10.6	2	21
St. Ives M.B.	2,671	18	18	—	2	38	14.2	13	18	31	11.6	1	26
St. Neots .. ..	4,281	25	24	2	2	53	12.4	31	32	63	14.7	2	38
<b>RURAL DISTRICTS</b>	30,440	210	221	14	11	456	15.0	218	189	407	13.4	29	64
Huntingdon ..	6,493	36	53	5	2	96	14.8	58	38	96	14.8	8	83
Norman Cross	5,861	59	56	2	3	120	20.5	39	35	74	12.6	8	67
Oundle (part of)†	977	13	6	1	—	20	20.5	9	10	19	19.4	3	150
St. Ives .. ..	9,312	52	65	5	3	125	13.4	55	58	113	12.1	8	64
St. Neots .. ..	6,597	43	36	1	3	83	12.6	49	42	91	13.8	2	24
Thrapston (part of)†	718	5	4	—	—	9	12.5	4	4	8	11.1	—	—
C.P. of Sibson cum Stibington, administered by R.D. C. of Barnack (Soke of Peterborough).	482	2	1	—	—	3	6.2	4	2	6	12.4	—	—
<b>KENT:</b>	1,209,260	8,819	8,449	376	380	18,024	14.9	6,856	6,988	13,844	11.7†	855	47
<b>COUNTY BORO:</b>													
Canterbury ..	24,450	196	138	12	5	351	14.4	149	165	314	13.1†	25	71
<b>ADMINISTRATIVE COUNTY.</b>	1,184,810	8,623	8,311	364	375	17,673	14.9	6,707	6,823	13,530	11.6†	830	47

† Death-rates based upon estimated civilian populations as follows:—Kent, 1,186,130; Canterbury C.B., 24,030; Administrative County, 1,162,100.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000, Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000, Total Population.	Number.	Rate per 1,000 births.	
		M	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
—cont.														
URBAN DISTRICTS	847,090	6,202	5,927	256	259	12,644	14.9	4,772	4,980	9,752	11.8†	589	47	3.1
Maidstone .. ..	15,280	89	103	8	2	202	13.2	104	80	184	12.0	8	40	1.2
Maidstone .. ..	43,710	275	281	5	8	569	13.0	220	235	455	10.4	22	39	2.6
Maidstone .. ..	33,150	268	278	8	6	560	16.9	144	134	278	8.4	27	48	8.5
Maidstone and St. Peter's. Maidstone M.B....	12,470	40	52	2	2	96	7.7	57	101	158	12.7	3	31	-5.0
Maidstone M.B....	45,430	303	288	9	17	617	13.6	221	276	497	10.9	29	47	2.7
Maidstone M.B.	43,000	396	345	17	16	774	18.0	323	275	598	14.4†	49	63	3.6
Maidstone .. ..	8,141	77	97	3	3	180	22.1	40	28	68	11.4†	7	39	10.7
Maidstone .. ..	9,391	46	41	3	2	92	9.8	48	59	107	11.4	6	65	-1.6
Maidstone .. ..	16,000	149	124	2	2	277	17.3	68	49	117	7.3	14	51	10.0
Maidstone .. ..	29,290	205	207	7	10	429	14.6	133	113	246	8.4	16	37	6.2
Maidstone M.B. ..	13,320	123	107	5	7	242	18.2	90	99	189	14.2	8	33	4.0
Maidstone M.B. ..	40,920	317	326	20	12	675	16.5	227	214	441	11.3†	33	49	5.2
Maidstone .. ..	32,920	254	218	10	10	492	14.9	192	170	362	11.0	37	75	3.9
Maidstone M.B.	10,030	72	60	8	6	146	14.6	76	75	151	15.1	10	68	-0.5
Maidstone M.B.	34,090	228	219	13	21	481	14.1	223	241	464	13.6	19	40	0.5
Maidstone M.B.	60,600	476	453	15	18	962	15.9	318	317	635	12.5†	50	52	3.4
Maidstone M.B.	35,490	348	285	12	16	661	18.6	202	191	393	11.3†	22	33	7.3
Maidstone Bay ..	10,520	69	52	7	6	134	12.7	68	79	147	14.0	3	22	-1.3
Maidstone M.B. ..	8,110	55	46	2	6	109	13.4	42	46	88	10.9†	2	18	2.5
Maidstone M.B. ..	2,757	17	18	1	3	39	14.1	17	16	33	14.5†	—	—	-0.4
Maidstone M.B.	42,320	335	286	8	15	644	15.2	250	223	473	11.2†	30	47	4.0
Maidstone M.B....	30,730	159	156	6	7	328	10.7	172	188	360	11.7	15	46	-1.0
Maidstone Romney M.B.	1,566	9	13	—	—	22	14.0	13	14	27	17.2	1	45	-3.2
Maidstone .. ..	16,520	162	129	2	3	296	17.9	81	74	155	9.4	8	27	8.5
Maidstone .. ..	27,820	205	230	11	11	457	16.4	143	176	319	11.5	28	61	4.9
Maidstone .. ..	2,956	18	22	2	1	43	14.5	19	14	33	11.2	4	93	3.3
Maidstone M.B.	33,450	237	233	20	6	496	14.8	191	238	429	12.8	28	56	2.0
Maidstone M.B.	30,920	217	194	4	8	423	13.7	186	203	389	12.9†	15	35	0.8
Maidstone Tunbridge Wells M.B.	34,660	182	209	15	1	407	11.7	228	308	536	15.5	21	52	-3.8
Maidstone .. ..	2,649	15	15	—	2	32	12.1	15	13	28	13.2†	3	94	-1.1
Maidstone M.B.	3,268	28	17	1	1	47	14.4	32	27	59	18.1	4	85	-3.7
Maidstone .. ..	10,270	65	49	3	3	120	11.7	51	49	100	9.7	5	42	2.0
Maidstone .. ..	16,560	140	119	3	4	266	16.1	86	87	173	10.6†	13	49	5.5
Maidstone .. ..	12,290	81	88	3	2	174	14.2	51	75	126	10.3	7	40	3.9
Maidstone .. ..	20,090	178	161	1	5	345	17.2	115	111	226	11.2	11	32	6.0
Maidstone .. ..	7,308	54	61	1	1	117	16.0	43	68	111	15.2	5	43	0.8
Maidstone .. ..	8,545	60	76	1	1	138	16.1	39	39	78	9.1	6	43	7.0
Maidstone M.B.	3,415	25	24	—	1	50	14.6	17	32	49	14.3	3	60	0.3
Maidstone .. ..	16,680	104	114	10	7	235	14.1	99	100	199	11.9	9	38	2.2
Maidstone .. ..	5,176	28	29	3	1	61	11.8	31	37	68	17.0†	—	—	-5.2
Maidstone .. ..	10,820	59	61	3	3	126	11.6	74	78	152	14.0	6	48	-2.4
Maidstone .. ..	4,458	34	41	2	3	80	17.9	23	28	51	11.4	2	25	6.5
RURAL DISTRICTS :	337,720	2,421	2,384	108	116	5,029	14.9	1,935	1,843	3,778	11.3†	241	48	3.6
Maidstone .. ..	10,890	73	74	8	2	157	14.4	72	64	136	12.5	11	70	1.9
Maidstone .. ..	12,310	70	68	4	3	145	11.8	70	69	139	11.3	5	34	0.5
Maidstone .. ..	39,290	326	303	14	20	663	16.9	192	201	393	10.1†	27	41	6.8
Maidstone .. ..	13,310	74	68	3	3	148	11.1	83	81	164	12.3	6	41	-1.2
Maidstone .. ..	31,260	223	220	3	10	456	14.6	142	134	276	8.8	25	55	5.8

† Death-rates based upon estimated civilian populations as follows:—Kent—Urban Districts, 827,500; Chatham M.B., 1,530; Cheriton U.D., 5,941; Dover M.B., 38,940; Gillingham M.B., 50,700; Gravesend M.B., 34,840; Hythe M.B., 8,050; Lydd M.B., 2,277; Maidstone M.B., 42,080; Rochester M.B., 30,220; Sandgate U.D., 2,129; Sheerness U.D., 16,350; Valmer U.D., 3,996; Rural Districts, 334,600; Bromley R.D., 39,080.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000, Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000, Total Population.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.								
<i>Col. 1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>	<i>6</i>	<i>7</i>	<i>8</i>	<i>9</i>	<i>10</i>	<i>11</i>	<i>12</i>	<i>13</i>	<i>14</i>
<b>KENT—<i>cont.</i></b>													
<b>RURAL DISTRICTS —<i>cont.</i></b>													
Dover .. ..	8,652	62	61	1	1	125	14·4	45	52	97	11·4†	2	16
East Ashford ..	15,540	105	98	1	3	207	13·3	89	79	168	10·8	10	48
Eastry .. ..	18,430	174	182	8	8	372	20·2	100	96	196	10·6	22	59
Elham .. ..	8,846	60	66	3	4	133	15·0	41	57	98	11·3†	4	30
Faversham ..	13,340	100	101	3	4	208	15·6	83	77	160	12·0	12	58
Hollingbourne	14,240	88	102	7	9	206	14·5	83	81	164	11·5	5	24
Hoo .. ..	4,468	37	33	2	1	73	16·3	24	16	40	9·0	8	110
Isle of Thanet..	13,680	83	71	5	5	164	12·0	91	70	161	12·7†	13	79
Maidstone ..	17,210	126	107	5	3	241	14·0	114	109	223	13·0	10	41
Malling .. ..	25,250	176	182	9	10	377	14·9	162	157	319	12·7†	15	40
Milton .. ..	6,946	55	48	4	3	110	15·8	52	40	92	13·2	7	64
Romney Marsh	2,881	17	19	1	3	40	13·9	18	15	33	11·5	3	75
Sevenoaks ..	26,350	195	182	7	10	394	15·0	144	146	290	11·0	23	58
Sheppey .. ..	5,664	40	46	2	1	89	15·7	30	36	66	12·5†	3	34
Strood .. ..	15,990	100	118	1	5	224	14·0	112	69	181	12·2†	10	45
Tenterden ..	6,246	46	46	2	2	96	15·4	44	42	86	13·8	4	42
Tonbridge ..	18,720	127	130	9	4	270	14·4	95	102	197	10·5	9	33
West Ashford..	8,207	64	59	6	2	131	16·0	49	50	99	12·1	7	53
<b>LANCASHIRE :</b>													
COUNTY BORO'S.	5,072,870*	39,121	37,655	1,789	1,728	80,293	15·8	34,888	34,149	69,037	13·6†	6,684	83
Barrow-in- Furness	66,540	452	474	28	19	973	14·6	465	351	816	12·3	67	69
Blackburn ..	123,900	768	706	39	26	1,539	12·4	822	933	1,755	14·2	92	60
Blackpool ..	98,360	463	478	58	48	1,047	10·6	726	759	1,485	15·1	77	74
Bolton .. ..	179,200	1,170	1,185	48	59	2,462	13·7	1,144	1,269	2,413	13·5	196	80
Bootle .. ..	77,160	817	794	22	34	1,667	21·6	605	536	1,141	14·8	159	95
Burnley .. ..	99,180	623	611	27	31	1,292	13·0	696	713	1,409	14·2	110	85
Bury .. ..	56,560	324	323	8	16	671	11·9	400	416	816	14·5†	49	73
Liverpool ..	862,900	9,010	8,761	422	433	18,626	21·6	6,437	5,839	12,276	14·2	1,751	94
Manchester ..	772,090*	5,993	5,701	333	310	12,337	16·0	5,481	5,164	10,645	13·8	1,049	85
Oldham .. ..	141,900	935	870	62	61	1,928	13·6	1,027	996	2,023	14·3	205	106
Preston .. ..	120,100	914	888	39	40	1,881	15·7	790	871	1,661	13·8	167	89
Rochdale ..	91,160	548	514	51	38	1,151	12·6	659	710	1,369	15·0	76	66
St. Helens ..	108,300	1,103	1,016	29	30	2,178	20·1	743	611	1,354	12·5	192	88
Salford .. ..	225,900	1,766	1,715	83	57	3,621	16·0	1,670	1,539	3,209	14·2	351	97
Southport ..	77,280	378	391	25	30	824	10·7	511	645	1,156	15·0	56	68
Warrington ..	80,320	763	669	22	30	1,484	18·5	600	474	1,074	13·4†	149	100
Wigan .. ..	86,150	796	751	26	25	1,598	18·5	607	616	1,223	14·2	165	103
ADMINISTRATIVE COUNTY.	1,805,870	12,298	11,808	467	441	25,014	13·9	11,505	11,707	23,212	12·9†	1,773	71
URBAN DISTRICTS	1,540,490*	10,505	10,129	406	388	21,428	13·9	9,914	10,187	20,101	13·1†	1,544	72
Abram .. ..	6,757	59	50	—	1	110	16·3	42	36	78	11·5	7	64
Accrington M.B.	43,380	236	212	8	7	463	10·7	308	307	615	14·2	26	56
Adlington ..	4,228	21	19	2	—	42	9·9	26	34	60	14·2	6	143
Ashton-in- Makerfield.	20,760	182	172	5	5	364	17·5	155	123	278	13·4	32	88
Ashton-under- Lyne M.B.	51,840	361	352	25	27	765	14·8	341	370	711	13·7	53	69
Aspull .. ..	7,266	64	50	1	1	116	16·0	51	40	91	12·5	9	78
Atherton ..	20,150	147	176	2	3	328	16·3	125	110	235	11·7	27	82

† Death-rates based upon estimated civilian populations as follows :—Dover R.D., 8,532; Elham R.D., 8,656; Isle of Thanet R.D., 12,710; Malling R.D., 25,180; Sheppey R.D., 5,284; Strood, R.D., 14,810. Lancashire, 5,070,800; \* County Boroughs, 3,266,400; \* Bury C.B., 56,260; Warrington C.B., 80,020; Administrative County, 1,804,400; Urban Districts, 1,539,260.

\* Population adjusted to allow for change in boundary during the year. For mid-year population see Appendix A.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ASHIRE—cont.														
N DISTRICTS														
ont.														
enshaw ..	8,546	59	48	1	3	111	13.0	56	57	113	13.2	3	27	-0.2
cup M.B. ..	20,840	148	144	5	4	301	14.4	163	169	332	15.9	23	76	-1.5
rowford ..	5,309	38	25	—	1	64	12.1	36	41	77	14.5	7	109	-2.4
inge and	5,171	19	34	1	1	55	10.6	37	45	82	15.9	8	145	-5.3
Winstanley														
ckrod ..	3,646	31	19	1	2	53	14.5	19	22	41	11.2	2	38	3.3
erfield ..	7,766	42	38	2	3	85	10.9	46	47	93	12.0	4	47	-1.1
nforth ..	3,181	26	20	—	3	49	15.4	24	34	58	18.2	5	102	-2.8
dderton ..	27,750	151	181	6	6	344	12.4	197	170	367	13.2	27	78	-0.8
orley M.B.	31,180	217	215	11	12	455	14.6	203	225	428	13.7	36	79	0.9
urch ..	6,243	32	34	3	2	71	11.4	47	40	87	13.9	6	85	-2.5
yton-le-Moors	7,980	54	49	2	5	110	13.8	31	47	78	9.8	8	73	4.0
heroe M.B.	12,070	67	72	1	2	142	11.8	91	79	170	14.1	8	56	-2.3
ne M.B. ..	24,000	145	134	12	8	299	12.5	168	175	343	14.3	33	110	-1.8
ampton ..	14,950	110	88	3	2	203	13.6	91	97	188	12.6	10	49	1.0
ston ..	1,956	7	14	—	—	21	10.7	14	11	25	12.8	3	143	-2.1
ton-in-	10,340	71	74	5	7	157	15.2	93	81	174	16.8	11	70	-1.6
Gurness														
arwen M.B. ..	36,420	187	216	4	6	413	11.3	265	303	568	15.6	34	82	-4.3
nton ..	17,580	110	88	2	3	203	11.5	118	103	221	12.6	14	69	-1.1
oylsden ..	13,400	88	103	8	5	204	15.2	78	83	161	12.0	13	64	3.2
cles M.B. ..	44,770	290	298	12	6	606	13.5	245	279	524	11.7	52	86	1.8
lsworth ..	15,920	116	93	6	4	219	13.8	86	100	186	11.7	14	64	2.1
nworth ..	28,720	161	181	5	7	354	12.3	168	195	363	12.6	30	85	-0.3
etwood ..	23,430	231	211	7	4	453	19.3	137	112	249	10.6	20	44	8.7
mbby ..	7,922	49	52	3	3	107	13.5	34	56	90	11.4	6	56	2.1
wood ..	7,443	36	34	1	2	73	9.8	51	49	100	14.6†	6	82	-4.8
borne ..	7,411	79	87	4	2	172	23.2	41	40	81	10.9	15	87	12.3
ange ..	2,157	6	6	2	—	14	6.5	18	21	39	18.1	1	71	-11.6
eat Crosby ..	18,280	99	103	4	4	210	11.5	90	106	196	10.7	9	43	0.8
eat Harwood	12,930	83	71	1	3	158	12.2	72	84	156	12.1	10	63	0.1
slingden M.B.	16,820	93	90	4	2	189	11.2	119	128	247	14.7	18	95	-3.5
ydock ..	10,430	98	103	5	4	210	20.1	65	61	126	12.1	19	90	8.0
ywood M.B.	26,240	199	142	6	13	360	13.7	205	209	414	15.8	25	69	-2.1
adley ..	21,800	166	183	4	1	354	16.2	173	158	331	15.2	41	116	1.0
arwich ..	15,850	94	86	2	5	187	11.8	98	82	180	11.4	9	48	0.4
yton with	5,368	20	23	—	3	46	8.6	24	28	52	9.7	3	65	-1.1
Roby.														
ne in Maker-	22,070	254	231	7	7	499	22.6	159	149	308	14.0	51	102	8.6
field.														
am ..	13,030	114	97	1	—	212	16.3	72	50	122	9.4	10	47	6.9
arsley ..	9,846	66	67	2	2	137	13.9	60	49	109	11.1	7	51	2.8
ckham ..	4,115	45	35	2	4	86	20.9	30	27	57	13.9	4	47	7.0
ncaster M.B.	43,870	308	318	11	14	651	14.8	288	244	532	12.2†	39	60	2.6
thom and	1,950*	17	7	1	—	25	12.8	16	11	27	13.8	3	120	-1.0
Burscough.														
es ..	4,795	30	28	—	2	60	12.5	34	38	72	15.0	3	50	-2.5
gh M.B. ..	45,800	361	338	13	9	721	15.7	274	273	547	11.9	71	98	3.8
yland ..	10,710	83	70	4	5	162	15.1	53	57	110	10.3	3	19	4.8
herland ..	16,110	167	141	6	9	323	20.1	108	101	209	13.0	21	65	7.1
tleborough ..	12,150	70	87	6	1	164	13.5	83	99	182	15.0	17	104	-1.5
tle Crosby ..	1,078	5	7	—	—	12	11.1	6	5	11	10.2	1	83	0.9
tle Hulton ..	7,975	50	47	2	1	100	12.5	50	46	96	12.0	5	50	0.5
tle Lever ..	5,023	26	25	—	2	53	10.6	28	30	58	11.5	7	132	-0.9

† Death-rates based upon estimated civilian populations as follows:—Fulwood U.D., 6,833; Lancaster M.B., 43,620.

\* Population adjusted to allow for change in boundary during the year. For mid-year population see Appendix A.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—cont.														
URBAN DISTRICTS —cont.														
Longridge ..	4,190	31	30	—	—	61	14.6	23	45	68	16.2	5	82	—
Lytham ..	24,840	109	92	1	7	209	8.4	162	197	359	14.5	11	53	—
St. Anne's M.B.														
Middleton M.B.	29,520	203	172	7	9	391	13.2	207	232	439	14.9	39	100	—
Milnrow ..	8,733	52	58	2	1	113	12.9	55	61	116	13.3	5	44	—
Morecambe and Heysham M.B.	23,700	118	139	7	8	272	11.5	166	194	360	15.2	14	51	—
Mossley M.B. ..	12,190	82	55	4	3	144	11.8	82	62	144	11.8	8	56	—
Nelson M.B. ..	38,640	190	195	11	10	406	10.5	237	269	506	13.1	18	44	—
Newton-in- Makerfield.	20,370	193	168	11	5	377	18.5	129	112	241	11.8	30	80	—
Norden ..	4,296	23	32	—	—	55	12.8	27	39	66	15.4	2	36	—
Ormskirk ..	14,810*	84	98	4	5	191	12.9	88	92	180	12.2†	6	31	—
Orrell ..	7,016	45	46	—	3	94	13.4	39	42	81	11.5	4	43	—
Oswaldtwistle	14,390	82	75	4	3	164	11.4	84	107	191	13.3	6	37	—
Padiham ..	11,740	80	73	3	3	159	13.5	72	79	151	12.9	11	69	—
Poulton le Fylde	3,291	20	13	1	2	36	10.9	24	23	47	14.3	4	111	—
Preesall ..	2,012	14	24	1	1	40	19.9	12	10	22	10.9	1	25	—
Prescot ..	9,530	76	74	2	2	154	16.2	65	62	127	13.3	9	58	—
Prestwich ..	23,980	145	132	8	3	288	12.0	134	158	292	12.2	25	87	—
Radcliffe ..	24,970	166	155	10	3	334	13.4	164	158	322	12.9	27	81	—
Rainford ..	3,508	31	24	—	2	57	16.2	28	8	36	10.3	3	53	—
Ramsbottom ..	15,050	82	87	4	3	176	11.7	93	117	210	14.0	17	97	—
Rawtenstall ..	28,890	178	174	10	5	367	12.7	181	207	388	13.4	18	49	—
M.B.														
Rishton ..	6,705	37	31	1	—	69	10.3	35	57	92	13.7	5	72	—
Royton ..	16,890	86	91	9	5	191	11.3	128	114	242	14.3	23	120	—
Skelmersdale ..	6,235	57	38	1	3	99	15.9	35	33	68	10.9	4	40	—
Standish with Langtree.	7,337	50	54	2	1	107	14.6	59	46	105	14.3	13	121	—
Stretford ..	56,940	396	366	13	15	790	13.9	297	312	609	10.7	43	54	—
Swinton and Pendlebury.	32,890	240	206	4	—	450	13.7	176	213	389	11.8	30	67	—
Thornton Cleveleys.	10,080	70	57	4	3	134	13.3	66	58	124	12.3	9	67	—
Tottington ..	6,585	39	45	—	—	84	12.8	30	44	74	11.2	4	48	—
Trawden ..	2,572	12	13	2	1	28	10.9	14	25	39	15.2	3	107	—
Turton ..	11,930	62	61	1	1	125	10.5	71	86	157	13.2	6	48	—
Tyldesley with Shakerley.	15,020	110	110	3	5	228	15.2	91	87	178	11.9	20	88	—
Ulverston ..	9,082	68	56	3	1	128	14.1	77	78	155	17.1	8	63	—
Upholland ..	5,538	50	52	1	1	104	18.8	28	32	60	10.8	4	38	—
Urmston ..	9,339	61	66	1	3	131	14.0	60	69	129	13.8	10	76	—
Walton-le-Dale	12,810	105	80	3	1	189	14.8	77	96	173	13.5	8	42	—
Wardle ..	4,453	17	20	2	3	42	9.4	35	28	63	14.1	7	167	—
Waterloo with Seaforth.	31,160	214	244	16	7	481	15.4	211	208	419	13.6†	24	50	—
Westhoughton	16,210	108	119	3	3	233	14.4	91	103	194	12.0	19	82	—
Whitefield ..	9,222	56	71	1	2	130	14.1	68	69	137	14.9	10	77	—
Whitworth ..	8,445	67	56	3	3	129	15.3	70	60	130	15.4	12	93	—
Widnes M.B. ..	40,980	408	384	7	10	809	19.7	302	235	537	13.1	67	83	—
Withnell ..	3,059	19	22	1	—	42	13.7	19	13	32	10.5	1	24	—
Worsley ..	14,620	81	83	4	4	172	11.8	90	111	201	13.7	16	93	—

† Death-rates based upon estimated civilian populations as follows:—Lancashire—Ormskirk U.D., 14,710\*; Waterloo with Seaforth U.D., 30,890.

\* Population adjusted to allow for change in boundary during the year. For mid-year population *see* Appendix A.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—cont.														
RURAL DISTRICTS.	265,380*	1,793	1,679	61	53	3,586	13.5	1,591	1,520	3,111	11.7†	229	64	1.8
Barton-upon- Irwell	15,600	114	100	3	1	218	14.0	94	92	186	11.9	18	83	2.1
Blackburn ..	11,280	61	67	—	2	130	11.5	37	59	96	8.5	7	54	3.0
Burnley .. ..	17,630	102	101	5	2	210	11.9	133	141	274	15.5	15	71	—3.6
Bury .. ..	8,920	58	41	4	2	105	11.8	63	45	108	12.1	9	86	—0.3
Chorley .. ..	22,270	138	144	4	3	289	13.0	134	125	259	11.6	19	66	1.4
Clitheroe.. ..	9,089	47	33	—	2	82	9.0	44	42	86	9.5	6	73	—0.5
Fylde .. ..	15,770	123	125	8	3	259	16.4	96	88	184	11.7	14	54	4.7
Garstang .. ..	11,570	79	77	2	1	159	13.7	68	69	137	11.8	9	57	1.9
Lancaster .. ..	9,556	58	68	4	3	133	13.9	61	61	122	12.8	8	60	1.1
Leigh .. ..	11,540	74	82	3	2	161	14.0	74	61	135	11.7	21	130	2.3
Limehurst .. ..	8,839	43	44	3	1	91	10.3	55	49	104	12.1†	3	33	—1.8
Lunesdale .. ..	6,520	55	45	—	2	102	15.6	41	36	77	11.8	5	49	3.8
Preston .. ..	30,030	216	196	5	8	425	14.2	164	177	341	11.4	19	45	2.8
Sefton .. ..	2,508	29	22	2	2	55	21.9	18	17	35	14.0	1	18	7.9
Ulverston .. ..	16,380	102	110	5	6	223	13.6	103	127	230	14.0	14	63	—0.4
Warrington .. ..	16,290	108	92	5	4	209	12.8	82	66	148	9.1	15	72	3.7
West Lancashire	22,570*	173	129	4	4	310	13.7	143	121	264	11.7	23	74	2.0
Whiston .. ..	22,850	170	156	4	4	334	14.6	121	103	224	9.8	17	51	4.8
Wigan .. ..	6,168	43	47	—	1	91	14.8	60	41	101	16.4	6	66	—1.6
LEICESTERSHIRE :														
COUNTY BORO' :	545,510	4,227	4,041	178	198	8,644	15.8	3,212	3,106	6,318	11.6†	530	61	4.2
Leicester .. ..	241,300	1,751	1,751	87	95	3,684	15.3	1,503	1,481	2,984	12.4	235	64	2.9
ADMINISTRATIVE COUNTY.	304,210	2,476	2,290	91	103	4,960	16.3	1,709	1,625	3,334	11.0†	295	59	5.3
URBAN DISTRICTS	122,110	1,013	898	34	38	1,983	16.2	680	635	1,315	10.8†	122	62	5.4
Ashby de la Zouch.	5,152	35	34	1	—	70	13.6	40	27	67	13.0	4	57	0.6
Ashby Woulds	3,391	22	29	—	1	52	15.3	16	12	28	8.3	3	58	7.0
Coalville .. ..	22,130	199	177	4	7	387	17.5	141	115	256	11.6	37	96	5.9
Hinckley .. ..	16,210	145	115	5	8	273	16.8	85	90	175	10.8	22	81	6.0
Loughborough M.B.	27,090	222	207	9	6	444	16.4	135	142	277	10.2	22	50	6.2
Market Harboro'	9,274	69	50	3	4	126	13.6	35	51	86	9.3	2	16	4.3
Melton Mowbray	10,390	92	78	4	3	177	17.0	90	59	149	14.3	13	73	2.7
Oadby .. ..	4,714	27	38	1	1	67	14.2	18	23	41	8.7	3	45	5.5
Quorndon .. ..	2,605	24	19	—	—	43	16.5	13	18	31	11.9	2	47	4.6
Shepshed .. ..	5,820	46	43	1	3	93	16.0	32	27	59	10.1	1	11	5.9
Thurmaston .. ..	3,794	40	28	3	2	73	19.2	24	23	47	12.4	5	68	6.8
Wigston Magna	11,540	92	80	3	3	178	15.4	51	48	99	8.7†	8	45	6.7
RURAL DISTRICTS.	182,100	1,463	1,392	57	65	2,977	16.3	1,029	990	2,019	11.1	173	58	5.2
Ashby de la Zouch.	17,530	136	153	4	7	300	17.1	94	88	182	10.4	20	67	6.7
Barrow upon Soar.	30,750	244	217	11	14	486	15.8	176	182	358	11.6	29	60	4.2
Belvoir .. ..	3,003	16	24	4	2	46	15.3	20	15	35	11.7	2	43	3.6
Billesdon.. ..	10,760	70	77	1	1	149	13.8	64	48	112	10.4	9	60	3.4
Blaby .. ..	33,240	330	321	7	8	666	20.0	150	149	299	9.0	37	56	11.0
Castle Donington	6,544	42	42	3	2	89	13.6	41	44	85	13.0	6	67	0.6
Hallaton .. ..	1,613	6	11	—	—	17	10.5	9	9	18	11.2	1	59	—0.7
Hinckley .. ..	17,170	130	118	3	4	255	14.9	96	69	165	9.6	8	31	5.3

† Death-rates based upon estimated civilian populations as follows:—Lancashire—Rural Districts, 265,140\*; Limehurst R.D. 8,599. Leicestershire, 545,300; Administrative County, 304,000; Urban Districts, 121,900; Wigston Magna U.D., 11,330.

\* Population adjusted to allow for change in boundary during the year. For mid-year population see Appendix A.



TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LEICESTERSHIRE —cont.														
RURAL DISTRICTS —cont.														
Loughborough	4,836	39	29	2	1	71	14.7	32	33	65	13.4	4	56	1.3
Lutterworth ..	10,730	86	61	3	1	151	14.1	70	77	147	13.7	7	46	0.4
Market Bosworth	23,780	195	184	4	16	399	16.8	147	133	280	11.8	36	90	5.0
Market Harboro'	7,484	53	47	—	2	102	13.6	40	57	97	13.0	6	59	0.8
Melton Mowbray	14,660	116	108	15	7	246	16.8	90	86	176	12.0	8	33	4.8
LINCOLNSHIRE : PARTS OF HOLLAND.														
ADMINISTRATIVE COUNTY.	92,000	848	800	66	58	1,772	19.3	545	519	1,064	11.6	118	67	7.1
URBAN DISTRICTS	40,640	377	352	31	31	791	19.5	249	241	490	12.1	48	61	7.1
Boston M.B. ..	16,570	154	152	11	13	330	19.9	108	92	200	12.1	15	45	7.1
Holbeach ..	6,020	73	51	7	4	135	22.4	40	32	72	12.0	11	81	10.0
Long Sutton ..	2,883	23	28	3	4	58	20.1	13	15	28	9.7	4	69	10.0
Spalding ..	12,590	101	93	8	6	208	16.5	77	83	160	12.7	13	63	3.1
Sutton Bridge	2,577	26	28	2	4	60	23.3	11	19	30	11.6	5	83	11.1
RURAL DISTRICTS.	51,360	471	448	35	27	981	19.1	296	278	574	11.2	70	71	7.1
Boston .. ..	23,930	233	195	17	12	457	19.1	141	134	275	11.5	41	90	7.1
Crowland ..	2,810	26	33	2	—	61	21.7	18	19	37	13.2	3	49	8.1
East Elloe ..	10,110	88	97	7	4	196	19.4	61	55	116	11.5	10	51	7.1
Spalding ..	14,510	124	123	9	11	267	18.4	76	70	146	10.1	16	60	8.1
LINCOLNSHIRE : PARTS OF KESTEVEN.														
ADMINISTRATIVE COUNTY.	109,660	802	851	54	46	1,753	16.0	684	683	1,367	12.8†	103	59	3.1
URBAN DISTRICTS	41,430	317	289	21	21	648	15.6	250	247	497	12.0	39	60	3.1
Bourne .. ..	4,890	39	38	6	—	83	17.0	27	21	48	9.8	7	84	7.1
Grantham M.B.	19,610	141	139	7	13	300	15.3	127	119	246	12.5	17	57	2.1
Sleaford .. ..	7,006	57	43	5	5	110	15.7	36	43	79	11.3	6	55	4.1
Stamford M.B.	9,924	80	69	3	3	155	15.6	60	64	124	12.5	9	58	3.1
RURAL DISTRICTS.	68,230	485	562	33	25	1,105	16.2	434	436	870	13.3†	64	58	2.1
East Kesteven	18,730	146	154	7	5	312	16.7	107	102	209	12.6†	13	42	4.1
North Kesteven	19,340	139	146	6	8	299	15.5	134	127	261	13.6†	18	60	1.1
South Kesteven	14,100	89	139	11	5	244	17.3	87	87	174	12.3	16	66	5.1
West Kesteven	16,060	111	123	9	7	250	15.6	106	120	226	14.5†	17	68	1.1
LINCOLNSHIRE : PARTS OF LINDSEY.														
COUNTY BORO'S.	158,380	1,238	1,159	99	75	2,571	16.2	996	948	1,944	12.3†	148	58	3.1
Grimsby .. ..	92,280	819	717	66	48	1,650	17.9	599	513	1,112	12.1	100	61	5.1
Lincoln .. ..	66,100	419	442	33	27	921	13.9	397	435	832	12.6†	48	52	1.1
ADMINISTRATIVE COUNTY.	261,600	2,040	2,025	132	130	4,327	16.5	1,673	1,518	3,191	12.2	266	61	4.1

† Death-rates based upon estimated civilian populations as follows:—Lincolnshire (Kesteven)—Administrative County, 106,930; Rural Districts, 65,500; East Kesteven, 16,630; North Kesteven, 19,220; West Kesteven, 15,550; Lincolnshire: Lindsey, 419,740; County Boroughs, 158,140; Lincoln C.B., 65,860.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LINCOLNSHIRE :														
TOWNS OF LINDSEY —cont.														
URBAN DISTRICTS	127,300	955	979	62	56	2,052	16.1	839	720	1,559	12.2	150	73	3.9
Alford .. ..	2,202	15	9	2	1	27	12.3	21	19	40	18.2	6	222	-5.9
Barton-upon- Humber.	6,310	45	53	3	—	101	16.0	46	36	82	13.0	7	69	3.0
Brigg .. ..	4,039	38	38	2	—	78	19.3	31	25	56	13.9	7	90	5.4
Cleethorpes ..	28,740	208	234	8	15	465	16.2	155	133	288	10.0	28	60	6.2
Crowle .. ..	2,841	28	26	—	—	54	19.0	24	23	47	16.5	3	56	2.5
Gainsborough..	18,700	144	119	9	10	282	15.1	119	129	248	13.3	18	64	1.8
Horncastle ..	3,441	21	27	2	3	53	15.4	27	33	60	17.4	4	75	-2.0
Louth M.B. ..	9,591	53	67	7	5	132	13.8	71	90	161	16.8	6	45	-3.0
Mablethorpe and Sutton	3,585	19	14	—	2	35	9.8	27	22	49	13.7	4	114	-3.9
Market Rasen	2,063	12	9	1	—	22	10.7	22	13	35	17.0	2	91	-6.3
Roxby-cum- Risby.	547	13	1	1	1	16	29.3	4	3	7	12.8	4	250	16.5
Scunthorpe and Frodingham.	33,990	278	309	18	11	616	18.1	218	131	349	10.3	51	83	7.8
Skegness .. ..	7,925	49	55	6	7	117	14.8	46	45	91	11.5	6	51	3.3
Winterton .. ..	1,975	26	13	1	1	41	20.8	17	11	28	14.2	4	98	6.6
Woodhall Spa	1,351	6	5	2	—	13	9.6	11	7	18	13.3	—	—	-3.7
RURAL DISTRICTS.														
Caistor .. ..	12,640	101	100	8	11	220	17.4	81	71	152	12.0	9	41	5.4
Gainsborough..	13,870	121	108	6	6	241	17.4	110	88	198	14.3	19	79	3.1
Glanford Brigg	28,190	237	254	10	14	515	18.3	163	169	332	11.8	27	52	6.5
Grimsby .. ..	10,650	81	97	4	1	183	17.2	52	56	108	10.1	9	49	7.1
Horncastle ..	11,640	88	84	3	4	179	15.4	77	72	149	12.8	9	50	2.6
Isle of Axholme	6,439	61	45	4	2	112	17.4	46	43	89	13.8	6	54	3.6
Louth .. ..	16,610	123	109	9	13	254	15.3	98	101	199	12.0	11	43	3.3
Sibsey .. ..	3,061	29	24	3	—	56	18.3	22	13	35	11.4	5	89	6.9
Spilsby .. ..	19,910	160	144	16	16	336	16.9	103	116	219	11.0	14	42	5.9
Welton .. ..	11,290	84	81	7	7	179	15.9	82	69	151	13.4	7	39	2.5
LONDON :														
	4,374,300	31,897	30,366	1,741	1,680	65,684	15.0	27,437	26,851	54,288	12.4†	4,270	65	2.6
CITY OF LONDON .														
	9,380	27	29	2	3	61	6.5	71	64	135	14.4	5	82	-7.9
INNER AND MIDDLE TEMPLES.														
	330	—	1	—	—	1	3.0	4	3	7	21.2	—	—	-18.2
METROPOLITAN BOROUGHES :														
Battersea .. ..	159,800	1,180	1,201	53	43	2,477	15.5	992	939	1,931	12.1	142	57	3.4
Bermondsey ..	112,400	950	963	23	22	1,958	17.4	743	668	1,411	12.6	112	57	4.8
Bethnal Green	109,200	933	849	26	28	1,836	16.8	734	634	1,368	12.5	161	88	4.3
Camberwell ..	252,100	1,859	1,709	62	74	3,704	14.7	1,544	1,456	3,000	11.9	208	56	2.8
Chelsea .. ..	57,220	332	326	34	43	735	12.8	423	382	805	14.1	31	42	-1.3

† Death-rates based upon estimated civilian populations as follows :—London, 4,363,800.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LONDON—cont.														
METROPOLITAN BORO'S—cont.														
Deptford ..	107,200	851	839	27	28	1,745	16.3	686	598	1,284	12.0	93	53	4.
Finsbury ..	70,120	589	542	28	37	1,196	17.1	515	464	979	14.0	79	66	3.
Fulham ..	151,200	1,089	1,037	76	79	2,281	15.1	956	901	1,857	12.3	154	68	2.
Greenwich ..	100,640	731	727	18	17	1,493	14.8	582	551	1,133	11.4†	97	65	3.
Hackney ..	217,000	1,684	1,553	66	56	3,359	15.5	1,239	1,254	2,493	11.5	203	60	4.
Hammersmith	135,100	983	932	77	81	2,073	15.3	825	827	1,652	12.2	140	68	3.
Hampstead ..	87,740	488	410	46	40	984	11.2	460	565	1,025	11.7	60	61	—0.
Holborn ..	34,470	158	150	23	21	352	10.2	275	217	492	14.3	26	74	—4.
Islington ..	324,600	2,683	2,478	114	131	5,406	16.7	2,028	2,087	4,115	12.7	340	63	4.
Kensington ..	174,800	1,133	1,132	112	108	2,485	14.2	1,066	1,389	2,455	14.1†	188	76	0.
Lambeth ..	295,900	2,194	2,033	142	154	4,523	15.3	1,885	1,863	3,748	12.7	273	60	2.
Lewisham ..	220,800	1,534	1,475	59	47	3,115	14.1	1,026	1,228	2,254	10.2	155	50	3.
Paddington ..	140,300	923	915	123	121	2,082	14.8	883	948	1,831	13.1	182	87	1.
Poplar ..	156,300	1,330	1,344	41	24	2,739	17.5	1,035	907	1,942	12.4	211	77	5.
St. Marylebone	93,460	484	463	67	53	1,067	11.4	606	619	1,225	13.1	70	66	—1.
St. Pancras ..	195,600	1,395	1,316	134	121	2,966	15.2	1,362	1,250	2,612	13.4†	200	67	1.
Shoreditch ..	98,260	855	780	22	27	1,684	17.1	639	588	1,227	12.5	126	75	4.
Southwark ..	172,900	1,412	1,380	79	57	2,928	16.9	1,329	1,099	2,428	14.0	179	61	2.
Stepney ..	226,500	1,958	1,891	64	46	3,959	17.5	1,616	1,352	2,968	13.1†	309	78	4.
Stoke Newington	51,380	391	355	15	18	779	15.2	319	336	655	12.7	42	54	2.
Wandsworth ..	353,200	2,162	1,972	106	94	4,334	12.3	1,925	2,104	4,029	11.4	267	62	0.
Westminster ..	119,000	511	545	74	77	1,207	10.1	821	752	1,573	13.6†	89	74	—3.
Woolwich ..	147,400	1,078	1,019	28	30	2,155	14.6	848	806	1,654	11.6†	128	59	3.
MIDDLESEX.														
ADMINISTRATIVE COUNTY	1,643,790	12,486	12,032	538	451	25,507	15.5	7,889	8,119	16,008	9.8†	1,267	50	5.
URBAN DISTRICTS	1,593,570*	12,039	11,580	523	442	24,584	15.4	7,705	7,919	15,624	9.8†	1,231	50	5.
Acton M.B. ..	70,560	473	489	28	29	1,019	14.4	347	396	743	10.5	62	61	3.
Brentford and Chiswick ..	62,700	434	416	21	24	895	14.3	311	343	654	10.4	44	49	3.
Ealing M.B. ..	117,900	879	822	39	26	1,766	15.0	580	613	1,193	10.1	84	48	4.
Edmonton ..	77,720	682	639	24	14	1,359	17.5	392	388	780	10.0	74	54	7.
Enfield ..	68,220	499	449	32	11	991	14.5	379	331	710	10.4	53	53	4.
Feltham ..	16,120	144	169	4	2	319	19.8	68	76	144	9.1†	14	44	10.
Finchley ..	58,830	385	346	14	16	761	12.9	268	320	588	10.0	42	55	2.
Friern Barnet	23,240	148	144	7	5	304	13.1	85	95	180	7.7	18	59	5.
Hampton ..	12,870	87	93	1	2	183	14.2	63	56	119	9.2	9	49	5.
Hampton Wick	2,950	31	16	3	3	53	18.0	20	4	24	8.1	1	19	9.
Harrow-on-the-Hill.	26,990	217	203	10	8	438	16.2	135	120	255	9.4	12	27	6.
Hayes and Harlington	23,990	257	242	9	7	515	21.5	92	84	176	7.3	28	54	14.
Hendon ..	114,370*	823	753	38	35	1,649	14.4	432	449	881	7.7†	62	38	6.
Heston and Isleworth.	76,230	677	621	24	21	1,343	17.6	390	364	754	10.0†	66	49	7.
Hornsey M.B.	95,590	550	539	30	20	1,139	11.9	462	596	1,058	11.1	60	53	0.
Kingsbury ..	16,710	197	190	4	5	396	23.7	73	62	135	8.1	19	48	15.
Ruislip Northwood.	15,880	123	119	6	3	251	15.8	64	67	131	8.6†	12	48	7.
Southall	39,280	347	295	10	5	657	16.7	181	164	345	8.8	40	61	7.
Norwood.														
Southgate ..	55,460	318	330	7	8	663	12.0	265	247	512	9.2	30	45	2.
Staines ..	21,250	166	178	8	7	359	16.9	95	101	196	9.2	11	31	7.

† Death-rates based upon estimated civilian populations as follows:—Metropolitan Boroughs—Greenwich, 99,640; Kensington, 174,600; St. Pancras, 195,200; Stepney, 225,800; Westminster, 115,600; Woolwich, 142,600. Middlesex—Administrative County, 1,639,300. Urban Districts, 1,589,080\*; Feltham U.D., 15,790; Hendon U.D., 113,980\*; Heston and Isleworth U.D., 75,360; Ruislip Northwood U.D., 15,220.

\* Population adjusted to allow for change in boundary during the year. For mid-year population, see Appendix A.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MIDDLESEX—cont.														
URBAN DISTRICTS —cont.														
Sunbury-on- Thames.	13,330	120	123	8	6	257	19.3	72	75	147	11.0	5	19	8.3
Teddington ..	23,420	194	162	6	9	371	15.8	109	158	267	11.4	15	40	4.4
Tottenham ..	159,300	1,133	1,136	33	43	2,345	14.7	824	801	1,625	10.2	125	53	4.5
Twickenham M.B.	39,980	290	283	18	20	611	15.3	234	205	439	11.0	24	39	4.3
Uxbridge ..	31,660	321	284	7	11	623	19.7	169	153	322	10.9†	37	59	8.8
Wealdstone ..	27,090	293	269	7	6	575	21.2	117	112	229	8.5	26	45	12.7
Wembley ..	48,590	386	365	16	13	780	16.1	194	193	387	8.0	35	45	8.1
Willesden ..	185,630	1,370	1,426	87	65	2,948	15.9	960	978	1,938	10.4	172	58	5.5
Wood Green ..	54,520	347	342	17	13	719	13.2	248	301	549	10.1	32	45	3.1
Yiewsley & West Drayton.	13,190	148	137	5	5	295	22.4	76	67	143	11.0†	19	64	11.4
RURAL DISTRICTS.	50,220*	447	452	15	9	923	18.4	184	200	384	7.6	36	39	10.8
Hendon .. ..	44,620*	392	393	13	9	807	18.1	161	173	334	7.5	29	36	10.6
South Mimms	5,600	55	59	2	—	116	20.7	23	27	50	8.9	7	60	11.8
NORFOLK:	503,530	3,723	3,674	231	202	7,830	15.6	3,119	3,191	6,310	12.6†	421	54	3.0
COUNTY BORO'S:	183,500	1,343	1,313	72	74	2,802	15.3	1,114	1,153	2,267	12.4†	156	56	2.9
Great Yarmouth	56,700	413	382	23	26	844	14.9	371	371	742	13.1	49	58	1.8
Norwich .. ..	126,800	930	931	49	48	1,958	15.4	743	782	1,525	12.1†	107	55	3.3
ADMINISTRATIVE COUNTY.	320,030	2,380	2,361	159	128	5,028	15.7	2,005	2,038	4,043	12.6†	265	53	3.1
URBAN DISTRICTS	60,380	393	412	34	24	863	14.3	351	419	770	12.8	43	50	1.5
Cromer .. ..	3,948	19	15	2	1	37	9.4	14	22	36	9.1	—	—	0.3
Diss .. ..	3,398	12	25	3	2	42	12.4	29	29	58	17.1	4	95	—4.7
Downham Market	2,455	10	20	1	1	32	13.0	23	15	38	15.5	—	—	—2.5
East Dereham	5,619	41	42	4	3	90	16.0	25	39	64	11.4	5	56	4.6
King's Lynn M.B.	20,480	156	164	8	7	335	16.4	103	128	231	11.3	15	45	5.1
New Hunstanton	2,986	12	16	—	—	28	9.4	9	21	30	10.0	—	—	—0.6
North Walsham	4,129	22	28	3	3	56	13.6	33	36	69	16.7	4	71	—3.1
Sheringham ..	3,954	25	14	—	1	40	10.1	17	45	62	15.7	4	100	—5.6
Swaffham ..	2,751	18	15	3	1	37	13.4	26	21	47	17.1	2	54	—3.7
Thetford M.B.	4,114	27	18	5	1	51	12.4	36	22	58	14.1	3	59	—1.7
Walsoken ..	4,069	40	37	3	3	83	20.4	19	27	46	11.3	5	60	9.1
Wells .. ..	2,477	11	18	2	1	32	12.9	17	14	31	12.5	1	31	0.4
RURAL DISTRICTS	259,650	1,987	1,949	125	104	4,165	16.0	1,654	1,619	3,273	12.6†	222	53	3.4
Aylsham .. ..	16,170	114	99	8	4	225	13.9	109	107	216	13.4	14	62	0.5
Blofield .. ..	14,550	90	115	5	1	211	14.5	91	81	172	11.8	5	24	2.7
Depwade .. ..	17,610	113	127	6	8	254	14.4	131	114	245	13.9	22	87	0.5
Docking .. ..	16,140	142	121	11	12	286	17.7	117	107	224	14.2†	15	52	3.5
Downham ..	15,600	151	143	11	10	315	20.2	107	103	210	13.5	17	54	6.7
East and West Flegg.	10,050	79	95	—	5	179	17.8	60	66	126	12.5	8	45	5.3
Erpingham ..	16,730	117	106	6	9	238	14.2	86	116	202	12.1	12	50	2.1
Forehoe .. ..	12,890	115	101	9	8	233	18.1	76	78	154	11.9	8	34	6.2
Freebridge Lynn	12,330	73	66	7	1	147	11.9	81	76	157	12.7	4	27	—0.8
Henstead ..	10,690	83	76	3	2	164	15.3	78	65	143	13.4	13	79	1.9

† Death-rate based upon estimated civilian populations as follows:—Middlesex—Uxbridge U.D., 29,560; Yiewsley and West Drayton U.D., 13,050; Norfolk, 502,450; County Boroughs, 182,800; Norwich C.B., 126,100; Administrative County, 319,650; Rural Districts, 259,270; Docking R.D., 15,760.

\* Population adjusted to allow for change in boundary during the year. For mid-year population, *see* Appendix A.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORFOLK—cont.														
RURAL DISTRICTS —cont.														
King's Lynn ..	937	10	9	—	—	19	20·3	12	3	15	16·0	3	158	4
Loddon and Clavering ..	11,800	94	83	5	2	184	15·6	73	70	143	12·1	8	43	3
Marshland ..	14,220	134	124	10	9	277	19·5	94	87	181	12·7	21	76	6
Mitford and Launditch. ..	17,040	113	128	8	6	255	15·0	102	100	202	11·9	10	39	3
St. Faith's ..	14,170	118	130	6	2	256	18·1	74	69	143	10·1	10	39	8
Smallburgh ..	13,730	97	80	3	8	188	13·7	91	93	184	13·4	8	43	0
Swaffham ..	6,771	46	35	6	3	90	13·3	45	42	87	12·8	6	67	0
Thetford ..	9,312	80	100	6	9	195	20·9	55	48	103	11·1	12	62	9
Walsingham ..	15,810	115	114	7	2	238	15·1	89	97	186	11·8	14	59	3
Wayland ..	13,100	103	97	8	3	211	16·1	83	97	180	13·7	12	57	2
NORTHAMPTON- SHIRE :	311,320	2,075	1,905	94	83	4,157	13·4	1,802	1,759	3,561	11·4†	222	53	2
COUNTY BORO' :														
Northampton	92,970	607	564	28	34	1,233	13·3	538	551	1,089	11·7†	87	71	1
ADMINISTRATIVE COUNTY.	218,350	1,468	1,341	66	49	2,924	13·4	1,264	1,208	2,472	11·3†	135	46	2
URBAN DISTRICTS	103,900	673	591	32	22	1,318	12·7	590	561	1,151	11·1	75	57	1
Brackley M.B.	2,305	15	10	1	—	26	11·3	18	17	35	15·2	1	38	—3
Burton Latimer	3,585	18	18	1	1	38	10·6	18	12	30	8·4	1	26	—2
Daventry M.B.	3,612	25	25	1	1	52	14·4	31	40	71	19·7	4	77	—5
Desborough ..	4,449	37	22	—	1	60	13·5	16	23	39	8·8	1	17	—2
Finedon ..	4,141	39	29	1	1	70	16·9	27	21	48	11·6	4	57	—5
Higham Ferrers M.B.	2,950	12	18	—	—	30	10·2	17	15	32	10·8	2	67	—0
Irthlingborough	4,769	34	27	2	1	64	13·4	26	24	50	10·5	4	63	—2
Kettering ..	31,340	230	213	9	9	461	14·7	177	162	339	10·8	37	80	—2
Oundle ..	2,672	8	8	1	—	17	6·4	16	20	36	13·5	1	59	—7
Raunds ..	3,687	21	16	—	—	37	10·0	19	21	40	10·8	1	27	—0
Rothwell ..	4,520	26	21	2	2	51	11·3	25	21	46	10·2	1	20	—1
Rushden ..	14,280	75	75	8	3	161	11·3	80	74	154	10·8	8	50	—0
Wellingborough	21,590	133	109	6	3	251	11·6	120	111	231	10·7	10	40	—0
RURAL DISTRICTS :	114,450	795	750	34	27	1,606	14·0	674	647	1,321	11·5†	60	37	2
Brackley ..	6,170	40	47	2	2	91	14·7	32	44	76	12·3	7	77	—2
Brixworth ..	11,830	73	80	3	2	158	13·4	73	84	157	13·3	5	32	—0
Crick ..	2,404	19	17	1	2	39	16·2	22	19	41	17·1	2	51	—0
Daventry ..	13,580	95	86	2	3	186	13·7	83	79	162	12·0†	3	16	—1
Easton-on-the- Hill.	1,455	12	15	2	—	29	19·9	11	5	16	11·0	—	—	—8
Gretton ..	1,391	11	5	1	—	17	12·2	9	9	18	12·9	—	—	—0
Hardingstone	7,282	52	31	1	2	86	11·8	59	35	94	12·9	2	23	—1
Kettering ..	9,619	73	65	2	3	143	14·9	44	45	89	9·3	6	42	—5
MiddletonCheney	2,351	13	18	1	—	32	13·6	7	10	17	7·2	1	31	—6
Northampton	11,440	88	71	3	1	163	14·2	50	36	86	7·5	5	31	—6
Oundle (part of)†	6,133	51	38	2	2	93	15·2	39	39	78	12·7	5	54	—2
Oxendon ..	4,134	33	24	2	1	60	14·5	31	24	55	13·3	3	50	—1
Potterspury ..	4,623	29	28	2	3	62	13·4	21	37	58	12·5	3	48	—0
Thrapston (part of)†.	9,954	62	75	3	2	142	14·3	67	56	123	12·4	1	7	—1
Towcester ..	9,324	67	57	5	2	131	14·0	54	50	104	11·2	7	53	—2
Wellingborough	12,760	77	93	2	2	174	13·6	72	75	147	11·5	10	57	—2

† Death rates based upon estimated civilian populations as follows:—Northamptonshire, 311,040; Northampton C.B., 92,740; Administrative County, 218,300; Rural Districts, 114,400; Daventry R.D., 13,530.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORTHUMBERLAND:	757,240	6,422	6,164	308	274	13,168	17.4	5,106	4,516	9,622	12.7†	1,092	83	4.7
COUNTY BORO'S.	349,190	3,124	2,991	121	131	6,367	18.2	2,485	2,144	4,629	13.3†	569	89	4.9
Newcastle-upon-Tyne.	284,400	2,443	2,406	100	107	5,056	17.8	2,062	1,751	3,813	13.4†	467	92	4.4
Tynemouth ..	64,790	681	585	21	24	1,311	20.2	423	393	816	12.6†	102	78	7.6
ADMINISTRATIVE COUNTY.	408,050	3,298	3,173	187	143	6,801	16.7	2,621	2,372	4,993	12.2†	523	77	4.5
URBAN DISTRICTS	306,150	2,585	2,513	136	106	5,340	17.4	1,986	1,773	3,759	12.3†	412	77	5.1
Alnwick .. ..	6,875	54	43	1	3	101	14.7	58	48	106	15.4	7	69	-0.7
Amble .. ..	4,171	42	36	3	4	85	20.4	37	38	75	18.0	6	71	2.4
Washington ..	29,720	302	278	16	12	608	20.5	208	165	373	12.6	52	86	7.9
Bedlingtonshire	27,590	249	234	10	10	503	18.2	170	151	321	11.6	40	80	6.6
Berwick-upon-Tweed M.B.	12,250	94	101	9	5	209	17.1	78	85	163	13.6†	8	38	3.5
Blyth M.B. ..	31,760	281	293	13	4	591	18.6	204	185	389	12.2	49	83	6.4
Cramlington ..	8,315	61	83	7	1	152	18.3	52	49	101	12.1	10	66	6.2
Earsdon .. ..	13,260	150	128	6	7	291	21.9	75	57	132	10.0	19	65	11.9
Gosforth .. ..	18,020	97	88	5	2	192	10.7	101	98	199	11.0	15	78	-0.3
Hexham .. ..	8,798	71	72	7	6	156	17.7	60	61	121	13.8	7	45	3.9
Longbenton ..	14,130	108	98	7	6	219	15.5	83	75	158	11.2	16	73	4.3
Forpeth M.B.	7,397	60	68	2	4	134	18.1	62	48	110	14.9	13	97	3.2
Fewbiggin by the Sea	6,939	55	52	2	3	112	16.1	44	51	95	13.7	11	98	2.4
Fewburn .. ..	19,720	159	161	9	6	335	17.0	130	110	240	12.2	27	81	4.8
Furthoe .. ..	9,376	69	70	4	7	150	16.0	73	41	114	12.2	6	40	3.8
Rothbury .. ..	1,208	6	4	1	—	11	9.1	9	7	16	13.2	—	—	-4.1
Seaton Delaval	7,447	68	57	2	2	129	17.3	39	33	72	9.7	10	78	7.6
Seahill .. ..	2,612	24	27	2	1	54	20.7	17	11	28	10.7	7	130	10.0
Wallsend M.B.	44,890	422	424	21	18	885	19.7	308	282	590	13.1	76	86	6.6
Wetslade .. ..	7,802	71	71	—	2	144	18.5	55	44	99	12.7	19	132	5.8
Whitley and Monkseaton	23,870	142	125	9	3	279	11.7	123	134	257	10.8	14	50	0.9
RURAL DISTRICTS	101,900	713	660	51	37	1,461	14.3	635	599	1,234	12.1	111	76	2.2
Alnwick .. ..	12,390	85	87	5	5	182	14.7	71	75	146	11.8	13	71	2.9
Elford .. ..	4,433	24	35	2	3	64	14.4	34	30	64	14.4	5	78	—
Ellingham ..	5,106	38	37	2	1	78	15.3	38	28	66	12.9	4	51	2.4
Castle Ward ..	13,930	100	85	6	4	195	14.0	79	70	149	10.7	17	87	3.3
Glendale .. ..	7,926	67	53	10	5	135	17.0	57	58	115	14.5	10	74	2.5
Haltwhistle ..	8,850	49	47	5	2	103	11.6	56	51	107	12.1	5	49	-0.5
Hexham .. ..	20,740	126	127	5	7	265	12.8	135	130	265	12.8	25	94	—
Forpeth .. ..	19,200	149	127	9	6	291	15.2	105	96	201	10.5	22	76	4.7
Newcastle-upon-Tyne Moot Hall and precincts)	5	—	—	—	—	—	—	—	—	—	—	—	—	—
Orham and Islandshires	4,913	37	38	4	1	80	16.3	33	29	62	12.6	9	113	3.7
Rothbury ..	4,407	38	24	3	3	68	15.4	27	32	59	13.4	1	15	2.0
NOTTINGHAMSHIRE	718,800	6,056	5,682	292	313	12,343	17.2	4,539	4,213	8,752	12.2	931	75	5.0
COUNTY BORO'S:														
Nottingham ..	270,900	2,230	2,126	143	149	4,648	17.2	1,895	1,779	3,674	13.6	379	82	3.6
ADMINISTRATIVE COUNTY.	447,900	3,826	3,556	149	164	7,695	17.2	2,644	2,434	5,078	11.3	552	72	5.9

† Death-rates based upon estimated civilian populations as follows:—Northumberland, 756,120; County Boroughs, 348,320; Newcastle-upon-Tyne C.B., 283,600; Tynemouth C.B., 64,720; Administrative County, 407,800; Urban Districts, 305,900; Berwick-upon-Tweed M.B., 12,000.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NOTTINGHAM- SHIRE—cont.														
URBAN DISTRICTS	273,100	2,301	2,123	82	95	4,601	16.8	1,665	1,457	3,122	11.4	346	75	
Arnold .. ..	14,620	125	110	1	8	244	16.7	88	77	165	11.3	19	78	
Beeston .. ..	16,180	170	154	3	6	333	20.6	103	79	182	11.2	25	75	
Carlton .. ..	22,750	200	178	4	9	391	17.2	120	100	220	9.7	10	26	
East Retford M.B.	14,280	125	124	4	3	256	17.9	81	83	164	11.5	22	86	
Eastwood ..	5,409	48	51	—	—	99	18.3	38	37	75	13.9	6	61	
Hucknall.. ..	17,540	142	126	5	4	277	15.8	108	104	212	12.1	17	61	
Huthwaite ..	5,151	37	47	—	3	87	16.9	36	35	71	13.8	10	115	
Kirkby-in- Ashfield.	17,980	168	157	9	9	343	19.1	119	101	220	12.2	31	90	
Mansfield M.B.	46,290	353	319	18	16	706	15.3	307	223	530	11.4	64	91	
Mansfield Woodhouse.	13,850	116	130	6	5	257	18.6	66	75	141	10.2	16	62	
Newark M.B.	18,050	156	136	5	9	306	17.0	119	122	241	13.4	18	59	
Sutton-in- Ashfield.	25,390	207	192	6	9	414	16.3	139	134	273	10.8	42	101	
Warsop .. ..	10,900	114	120	4	2	240	22.0	74	45	119	10.9	28	117	
West Bridgford	17,860	86	78	1	2	167	9.4	122	104	226	12.7	8	48	
Worksop ..	26,850	254	201	16	10	481	17.9	145	138	283	10.5	30	62	
RURAL DISTRICTS:	174,800	1,525	1,433	67	69	3,094	17.7	979	977	1,956	11.2	206	67	
Basford .. ..	52,660	468	409	14	16	907	17.2	265	296	561	10.7	60	66	
Bingham .. ..	15,410	98	96	8	5	207	13.4	98	98	196	12.7	9	43	
East Retford ..	15,530	90	118	4	8	220	14.2	93	102	195	12.6	12	55	
Leake .. ..	4,460	32	24	2	—	58	13.0	26	23	49	11.0	6	103	
Misterton ..	3,941	28	27	—	1	56	14.2	27	30	57	14.5	4	71	
Newark .. ..	9,305	82	62	7	5	156	16.8	49	57	106	11.4	9	58	
Nottingham (Shire Hall)	4	—	—	—	—	—	—	—	—	—	—	—	—	
Skegby .. ..	13,240	138	139	5	5	287	21.7	74	65	139	10.5	24	84	
Southwell ..	32,330	318	265	15	15	613	19.0	191	156	347	10.7	42	69	
Stapleford ..	13,200	108	126	3	8	245	18.6	91	76	167	12.7	17	69	
Worksop ..	14,720	163	167	9	6	345	23.4	65	74	139	9.4	23	67	
OXFORDSHIRE :	209,300	1,515	1,479	67	73	3,134	15.0	1,232	1,221	2,453	11.8†	113	36	
COUNTY BORO' :														
Oxford .. ..	80,810	571	598	20	27	1,216	15.0	421	446	867	10.8†	54	44	
ADMINISTRATIVE COUNTY.	128,490	944	881	47	46	1,918	14.9	811	775	1,586	12.4†	59	31	
URBAN DISTRICTS	36,270	257	242	14	14	527	14.5	237	217	454	12.5	18	34	
Banbury M.B.	13,930	95	76	6	7	184	13.2	90	76	166	11.9	8	43	
Bicester .. ..	3,073	36	22	2	1	61	19.9	22	17	39	12.7	1	16	
Chipping Norton M.B.	3,470	25	20	1	3	49	14.1	21	23	44	12.7	1	20	

† Death-rates based upon estimated civilian populations as follows:—Oxfordshire, 208,480; Oxford C.B., 80,530; Administrative County, 127,950.

TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
OXFORDSHIRE —cont.														
URBAN DISTRICTS —cont.														
Henley-on- Thames .. ..	6,549	49	53	2	2	106	16.2	37	40	77	11.8	2	19	4.4
Thame .. ..	3,127	17	28	1	1	47	15.0	25	27	52	16.6	4	85	-1.6
Wheatley ..	1,256	14	15	—	—	29	23.1	8	6	14	11.1	—	—	12.0
Witney .. ..	3,384	10	21	1	—	32	9.5	26	21	47	13.9	1	31	-4.4
Woodstock M.B.	1,481	11	7	1	—	19	12.8	8	7	15	10.1	1	53	2.7
RURAL DISTRICTS.	92,220	687	639	33	32	1,391	15.1	574	558	1,132	12.3†	41	29	2.8
Banbury ..	10,770	73	70	5	3	151	14.0	71	65	136	12.6	4	26	1.4
Bicester ..	9,394	68	71	4	1	144	15.3	69	55	124	14.0†	—	—	1.3
Chipping Norton	10,200	63	53	4	2	122	12.0	51	60	111	10.9	4	33	1.1
Crowmarsh ..	5,063	44	27	1	5	77	15.2	33	22	55	10.9	3	39	4.3
Culham .. ..	2,712	11	18	—	1	30	11.1	10	12	22	8.1	4	133	3.0
Goring .. ..	3,370	16	18	—	1	35	10.4	23	14	37	11.0	—	—	-0.6
Headington ..	6,549	58	53	2	4	117	17.9	23	30	53	8.1	2	17	9.8
Henley .. ..	11,860	65	76	2	5	148	12.5	76	84	160	13.5	6	41	-1.0
Thame .. ..	5,459	41	38	2	2	83	15.2	42	36	78	14.3	3	36	0.9
Witney .. ..	16,930	141	131	7	5	284	16.8	117	119	236	13.9	11	39	2.9
Woodstock ..	9,913	107	84	6	3	200	20.2	59	61	120	12.1	4	20	8.1
PETERBOROUGH, SOKE OF: ADMINISTRATIVE COUNTY.														
URBAN DISTRICT: Peterborough M.B.	43,750	311	298	21	14	644	14.7	280	241	521	11.9	45	70	2.8
RURAL DISTRICTS.	8,290	67	67	5	3	142	17.1	49	46	95	11.9†	10	70	5.2
Barnack .. ..	2,331	11	20	—	—	31	13.3	14	10	24	11.7†	1	32	1.6
Peterborough	5,959	56	47	5	3	111	18.6	35	36	71	11.9	9	81	6.7
SHROPSHIRE: ADMINISTRATIVE COUNTY.														
URBAN DISTRICT: Shropshire .. ..	3,340	19	20	—	2	41	12.3	17	25	42	12.6	1	24	-0.3
RURAL DISTRICTS.	14,620	113	103	9	1	226	15.5	91	101	192	13.1	6	27	2.4
Ketton .. ..	2,752	21	19	1	—	41	14.9	15	17	32	11.6	3	73	3.3
Shropshire ..	6,087	46	48	5	1	100	16.4	33	44	77	12.6	1	10	3.8
Uppingham ..	5,781	46	36	3	—	85	14.7	43	40	83	14.4	2	24	0.3
SHROPSHIRE: ADMINISTRATIVE COUNTY.														
URBAN DISTRICTS: Bishop's Castle M.B.	115,580 1,345	898 13	792 13	64 —	54 1	1,808 27	15.6 20.1	747 13	787 9	1,534 22	13.3† 16.4	91 —	50 —	2.3 3.7
Bridgnorth M.B.	5,087	36	36	5	2	79	15.5	34	38	72	14.2	3	38	1.3
Church Stretton	1,606	11	4	1	—	16	10.0	13	17	30	18.7	—	—	-8.7
Lawley .. ..	7,369	79	51	5	1	136	18.5	47	47	94	12.8	5	37	5.7
Ellesmere ..	1,869	9	13	1	—	23	12.3	12	16	28	15.0	1	43	-2.7

† Death-rates based upon estimated civilian populations as follows:—Oxfordshire—Rural Districts, 91,680; Bicester R.D., 8,854; Peterborough, Soke of—Administrative County, 51,760. Rural Districts, 8,010; Barnack R.D., 2,051; Shropshire—Administrative County 243,500; Urban Districts, 115,000.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SHROPSHIRE—cont														
URBAN DISTRICTS —cont.														
Ludlow M.B. . .	5,684	53	33	2	2	90	15.8	26	44	70	12.3	1	11	3
Market Drayton	4,707	36	28	6	4	74	15.7	32	41	73	15.5	6	81	0
Newport . .	3,429	18	25	2	1	46	13.4	21	21	42	12.2	1	22	1
Oakengates . .	11,240	96	85	1	3	185	16.5	46	64	110	9.8	13	70	6
Oswestry M.B.	9,770	59	80	7	3	149	15.3	76	73	149	15.3	7	47	—
Shrewsbury M.B.	32,680	252	217	14	18	501	15.3	217	195	412	12.8†	30	60	2
Wellington . .	8,734	64	58	4	4	130	14.9	58	57	115	13.2	4	31	1
Wem . . . .	2,134	15	14	—	—	29	13.6	13	18	31	14.5	1	34	—
Wenlock M.B.	13,970	121	93	11	10	235	16.8	105	117	222	15.9	12	51	0
Whitchurch . .	5,956	36	42	5	5	88	14.8	34	30	64	10.7	7	80	4
RURAL DISTRICTS.														
Atcham . . . .	22,610	177	149	14	12	352	15.6	134	127	261	11.5	22	63	4
Bridgnorth . .	8,205	81	71	5	7	164	20.0	33	49	82	10.0	3	18	10
Burford . . . .	1,143	9	4	1	—	14	12.2	5	11	16	14.0	1	71	—1
Chirbury . . .	3,050	20	20	2	1	43	14.1	29	17	46	15.1	4	93	—1
Church Stretton	4,454	31	27	2	3	63	14.1	31	26	57	12.8	4	63	1
Cleobury Mortimer	6,911	71	56	4	4	135	19.5	41	57	98	14.2	10	74	5
Clun . . . . .	5,941	50	39	3	2	94	15.8	33	23	56	9.4	—	—	6
Drayton . . . .	7,387	61	56	5	7	129	17.5	40	52	92	12.5	5	39	5
Ellesmere . . .	7,514	68	62	5	6	141	18.8	45	48	93	12.4	3	21	6
Ludlow . . . .	8,643	74	63	4	4	145	16.8	46	49	95	11.0	6	41	5
Newport . . . .	5,469	47	44	3	—	94	17.2	23	42	65	11.9	6	64	5
Oswestry . . . .	16,220	120	132	13	8	273	16.8	109	91	200	12.3	19	70	4
Shifnal . . . .	7,641	58	63	4	2	127	16.6	51	54	105	13.7	5	39	2
Teme . . . . .	1,542	11	10	—	2	23	14.9	8	4	12	7.8	—	—	2
Wellington . . .	11,180	86	84	6	3	179	16.0	76	63	139	12.4	10	56	3
Wem . . . . .	8,502	56	75	4	7	142	16.7	61	52	113	13.3	11	77	3
Whitchurch . .	2,088	14	10	2	—	26	12.5	14	16	30	14.4	3	115	—1
SOMERSETSHIRE :														
COUNTY BORO' :														
Bath . . . . .	68,120	383	372	21	25	801	11.8	410	558	968	14.2	31	39	—2
ADMINISTRATIVE COUNTY.														
URBAN DISTRICTS.	173,750	1,117	1,055	50	38	2,260	13.0	1,012	1,181	2,193	12.6†	114	50	0
Bridgwater M.B.	17,140	133	138	14	7	292	17.0	117	121	238	13.9	27	92	3
Burnham-on-Sea	5,128	28	28	2	1	59	11.5	30	40	70	13.7	1	17	—2
Chard M.B. . .	4,045	19	19	2	—	40	9.9	21	22	43	10.6	2	50	—0
Clevedon . . .	6,769	45	34	2	1	82	12.1	40	81	121	17.9	3	37	—5
Crewkerne . . .	3,486	18	20	1	1	40	11.5	16	23	39	11.2	3	75	0
Frome . . . . .	10,580	72	68	1	1	142	13.4	69	78	147	13.9	7	49	—0
Glastonbury M.B.	4,498	21	23	—	—	44	9.8	31	31	62	13.8	—	—	—4
Highbridge . .	2,554	21	27	—	1	49	19.2	20	19	39	15.3	5	102	3
Ilminster . . .	2,271	15	9	—	—	24	10.6	11	16	27	11.9	2	83	—1
Midsomer Norton	7,725	54	57	2	1	114	14.8	40	34	74	9.6	8	70	5
Minehead . . .	6,060	34	30	2	1	67	11.1	30	44	74	12.2	3	45	—1
Portishead . .	3,837	22	14	—	—	36	9.4	27	30	57	14.9	1	28	—5

† Death-rates based upon estimated civilian populations as follows:—Shropshire—Shrewsbury M.B., 32,100; Somersetshire, 471,720; Administrative County, 403,600; Urban Districts, 173,500.

TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOMERSETSHIRE —cont.														
URBAN DISTRICTS —cont.														
Radstock ..	3,606	33	27	1	—	61	16.9	16	16	32	8.9	2	33	8.0
Shepton Mallet	4,125	36	25	—	—	61	14.8	26	23	49	11.9	1	16	2.9
Street ..	4,460	32	24	—	1	57	12.8	21	31	52	11.7	3	53	1.1
Taunton M.B.	25,710	155	147	4	10	316	12.3	152	178	330	13.0†	13	41	-0.7
Witchet ..	1,930	14	19	1	1	35	18.1	15	14	29	15.0	3	86	3.1
Wells ..	7,335	53	48	1	2	104	14.2	40	47	87	11.9	5	48	2.3
Wells M.B.	4,767	30	33	1	—	64	13.4	32	32	64	13.4	1	16	—
Weston-super- Mare.	27,310	132	119	9	7	267	9.8	164	198	362	13.3	14	52	-3.5
Wiveliscombe..	1,254	3	3	2	—	8	6.4	9	10	19	15.2	—	—	-8.8
Yeovil M.B.	19,160	147	143	5	3	298	15.6	85	93	178	9.3	10	34	6.3
RURAL DISTRICTS.	230,100	1,712	1,588	76	66	3,442	15.0	1,562	1,514	3,076	13.4	181	53	1.6
Exbridge..	24,940	180	163	4	6	353	14.2	162	175	337	13.5	16	45	0.7
Gloucester ..	14,130	87	80	4	—	171	12.1	93	71	164	11.6	10	58	0.5
Stridwater ..	17,010	134	117	11	10	272	16.0	152	136	288	16.9	12	44	-0.9
Hard ..	11,910	90	92	7	4	193	16.2	85	74	159	13.4	13	67	2.8
Wotton ..	15,500	139	128	7	5	279	18.0	91	98	189	12.2	19	68	5.8
Wulverton ..	4,561	24	43	3	1	71	15.6	20	14	34	7.5	4	56	8.1
Worm ..	10,420	76	89	4	—	169	16.2	80	68	148	14.2	13	77	2.0
Weynsham ..	12,500	101	90	3	2	196	15.7	58	77	135	10.8	3	15	4.9
Wangport ..	12,480	95	71	3	2	171	13.7	87	91	178	14.3	7	41	-0.6
Wong Ashton ..	20,170	136	129	4	4	273	13.5	130	138	268	13.3	15	55	0.2
Shepton Mallet	9,187	80	79	4	3	166	18.1	55	67	122	13.3	11	66	4.8
Taunton ..	17,000	105	112	1	9	227	13.4	122	109	231	13.6	17	75	-0.2
Wells ..	5,752	53	44	3	2	102	17.7	46	41	87	15.1	5	49	2.6
Wells ..	9,990	76	72	1	4	153	15.3	70	56	126	12.6	9	59	2.7
Wilton ..	12,140	80	74	4	3	161	13.3	79	81	160	13.2	8	50	0.1
Wincanton ..	16,020	112	96	7	4	219	13.7	127	107	234	14.6	7	32	-0.9
Yeovil ..	16,390	144	109	6	7	266	16.2	105	111	216	13.2	12	45	3.0
SOUTHAMPTON :														
COUNTY BORO'S.	530,380*	4,131	3,915	273	232	8,551	16.1	3,176	3,260	6,436	12.6†	456	53	3.5
Bournemouth..	106,380*	535	548	57	42	1,182	11.1	671	821	1,492	14.0	74	63	-2.9
Portsmouth ..	248,400	2,114	1,947	140	135	4,336	17.5	1,441	1,509	2,950	12.9†	239	55	4.6
Southampton ..	175,600	1,482	1,420	76	55	3,033	17.3	1,064	930	1,994	11.4	143	47	5.9
ADMINISTRATIVE COUNTY.	469,060*	3,770	3,532	176	184	7,662	16.3	2,606	2,461	5,067	11.5†	314	41	4.8
URBAN DISTRICTS.	212,850	1,841	1,677	91	64	3,673	17.3	1,185	1,086	2,271	11.8†	161	44	5.5
Aldershot M.B.	34,240	337	312	13	5	667	19.5	141	120	261	11.5†	34	51	8.0
ton ..	5,940	52	50	3	2	107	18.0	48	34	82	13.8	4	37	4.2
Andover M.B.	9,575	82	75	5	3	165	17.2	70	44	114	11.9	11	67	5.3
Ashted M.B.	13,790	117	118	6	—	241	17.5	64	86	150	10.9	8	33	6.6
Christchurch M.B.	9,066	84	73	10	6	173	19.1	65	51	116	12.9†	13	75	6.2
Eastleigh and Bishopstoke.	18,360	169	156	5	4	334	18.2	114	90	204	11.1	13	39	7.1
Farnham ..	11,560	100	73	3	6	182	15.7	61	75	136	11.8	11	60	3.9
Farnborough ..	16,720	149	131	3	5	288	17.2	75	59	134	11.1†	12	42	6.1

† Death-rates based upon estimated civilian populations as follows:—Somersetshire—Taunton M.B., 25,460; Southampton, 1,070\*; County Boroughs, 510,880\*; Portsmouth C.B., 228,900; Administrative County, 440,190\*; Urban Districts, 1,800; Aldershot M.B., 22,740; Christchurch M.B., 8,976; Farnborough U.D., 12,120.

\* Population adjusted to allow for change in boundary during the year. For mid-year population see Appendix A.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS..				Deaths under 1 year.		Natural Increase per
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOUTHAMPTON —cont.														
URBAN DISTRICTS —cont.														
Fleet .. ..	4,478	36	34	3	1	74	16.5	23	25	48	10.7	1	14	
Gosport M.B...	37,580	334	335	20	15	704	18.7	178	193	371	11.1†	29	41	
Havant .. ..	4,179	28	20	—	2	50	12.0	37	27	64	15.3	6	120	—
Lymington M.B.	5,008	37	33	2	3	75	15.0	37	33	70	14.0	2	27	
Milton .. ..	5,186	33	41	1	1	76	14.7	36	30	66	12.7	4	53	
Petersfield ..	4,435	37	28	2	—	67	15.1	21	35	56	12.6	—	—	
Romsey M.B.	4,886	35	41	—	3	79	16.2	27	36	63	12.9	1	13	
Warblington ..	4,257	39	30	3	—	72	16.9	28	26	54	12.7	3	42	
Winchester M.B.	23,590	172	127	12	8	319	13.5	160	122	282	12.3†	9	28	
RURAL DISTRICTS.	256,210*	1,929	1,855	85	120	3,989	15.6	1,421	1,375	2,796	11.3†	153	38	
Alresford.. ..	7,029	44	62	1	4	111	15.8	44	43	87	12.4	4	36	
Alton .. ..	19,410	152	155	5	9	321	16.5	99	84	183	11.7†	12	37	
Andover .. ..	14,170	127	96	2	4	229	16.2	54	66	120	10.1†	4	17	
Basingstoke ..	15,170	112	98	4	8	222	14.6	75	76	151	10.1†	7	32	
Catherington ..	6,618	51	37	2	2	92	13.9	39	31	70	10.6	2	22	
Christchurch ..	5,898*	49	47	4	2	102	17.3	46	43	89	15.1	4	39	
Droxford.. ..	13,540	103	107	9	8	227	16.8	85	89	174	12.9	9	40	
Fareham.. ..	16,210	145	125	5	11	286	17.6	90	72	162	10.0†	13	45	
Fordingbridge	6,376	37	37	2	3	79	12.4	38	32	70	11.0	2	25	
Hartley Wintney	22,000	154	136	7	2	299	13.6	114	101	215	10.0†	14	47	
Havant .. ..	11,330	88	79	2	3	172	15.2	82	72	154	13.6	9	52	
Hursley .. ..	6,369	47	47	3	3	100	15.7	40	35	75	11.8	7	70	
Kingsclere ..	8,453	42	56	3	1	102	12.1	51	58	109	12.9	5	49	
Lymington ..	11,510	94	81	4	9	188	16.3	69	76	145	12.6	5	27	
New Forest ..	23,860	203	192	7	12	414	17.4	110	131	241	10.3†	19	46	
Petersfield ..	11,450	78	97	5	6	186	16.2	68	61	129	11.3	6	32	
Ringwood ..	8,233	57	55	4	9	125	15.2	59	57	116	14.1	4	32	
Romsey .. ..	7,806	63	57	3	4	127	16.3	43	39	82	10.5	9	71	
South Stoneham	15,050	121	115	5	5	246	16.3	67	72	139	9.4†	7	28	
Stockbridge ..	6,072	45	39	2	5	91	15.0	36	35	71	11.7	2	22	
Whitchurch ..	6,396	34	44	2	2	82	12.8	36	38	74	11.6	3	37	
Winchester ..	13,260	83	93	4	8	188	14.2	76	64	140	10.9†	6	32	
STAFFORDSHIRE :														
COUNTY BORO'S.	735,880*	6,712	6,340	244	259	13,555	18.4	4,765	4,236	9,001	12.2	1,134	84	
Burton-upon- Trent.	49,930	397	375	12	11	795	15.9	328	301	629	12.6	52	65	
Smethwick ..	85,390	782	717	19	18	1,536	18.0	487	472	959	11.2	107	70	
Stoke-on-Trent	279,900	2,555	2,401	109	130	5,195	18.6	1,955	1,675	3,630	13.0	520	100	
Walsall .. ..	104,100*	1,031	943	30	30	2,034	19.5	644	534	1,178	11.3	150	74	
West Bromwich	82,160*	843	791	31	33	1,698	20.7	545	453	998	12.1	146	86	
Wolverhampton	134,400	1,104	1,113	43	37	2,297	17.1	806	801	1,607	12.0	159	69	
ADMINISTRATIVE COUNTY.	710,150*	6,321	6,050	179	202	12,752	18.0	4,376	3,933	8,309	11.7†	896	70	

† Death-rates based upon estimated civilian populations as follows:—Southampton—Gosport M.B., 33,360; Winchester M.B., 22,950; Rural Districts, 248,390\*; Alton R.D., 15,680; Andover R.D., 11,910; Basingstoke R.D., 14,980; Fareham R.D., 16,120; Hartley Wintney R.D., 21,600; New Forest R.D., 23,310; South Stoneham R.D., 14,860; Winchester R.D., 12,850; Staffordshire, 1,444,570\*; Administrative County, 708,690.

\* Population adjusted to allow for change in boundary during the year. For mid-year population see Appendix A.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE —cont.														
URBAN DISTRICTS	495,800*	4,574	4,386	106	121	9,187	18.5	3,107	2,764	5,871	11.8	681	74	6.7
Amblecote ..	3,081	23	23	—	1	47	15.3	15	19	34	11.0	1	21	4.3
Audley .. ..	13,730	101	98	8	2	209	15.2	74	87	161	11.7	8	38	3.5
Biddulph ..	8,368	87	77	1	2	167	20.0	54	50	104	12.4	17	102	7.6
Bilston .. ..	31,750	378	336	8	13	735	23.1	213	195	408	12.9	52	71	10.2
Brierley Hill ..	14,540	135	145	2	1	283	19.5	104	85	189	13.0	21	74	6.5
Brownhills ..	18,580	168	162	4	7	341	18.4	96	79	175	9.4	20	59	9.0
Cannock .. ..	34,850	333	314	12	14	673	19.3	234	198	432	12.4	61	91	6.9
Coseley .. ..	25,480	249	238	8	8	503	19.7	156	134	290	11.4	29	58	8.3
Darlaston ..	20,060	188	224	—	6	418	20.8	138	95	233	11.6	34	81	9.2
Kidsgrove ..	10,070	90	83	1	3	177	17.6	58	70	128	12.7	13	73	4.9
Leek .. .. .	18,730	131	141	4	1	277	14.8	135	113	248	13.2	27	97	1.6
Lichfield M.B.	8,587	71	50	4	1	126	14.7	55	53	108	12.6	9	71	2.1
Newcastle-under- Lyme M.B.	23,430	219	211	7	7	444	19.0	167	163	330	14.1	37	83	4.9
Quarry Bank..	8,229	74	64	1	—	139	16.9	54	52	106	12.9	12	86	4.0
Rowley Regis..	41,820	342	345	11	7	705	16.9	250	225	475	11.4	49	70	5.5
Rugeley .. ..	5,295	53	54	—	4	111	21.0	36	41	77	14.5	15	135	6.5
Sedgley .. ..	19,480	163	161	6	6	336	17.2	98	94	192	9.9	19	57	7.3
Short Heath ..	5,138	65	35	—	—	100	19.5	19	25	44	8.6	3	30	10.9
Stafford M.B.	29,430	189	153	—	6	348	11.8	172	168	340	11.6	22	63	0.2
Stone .. .. .	5,988	48	45	—	3	96	16.0	36	36	72	12.0	5	52	4.0
Tamworth M.B.	7,567	77	70	2	3	152	20.1	49	48	97	12.8	9	59	7.3
Tettenhall ..	5,765	45	31	—	—	76	13.2	46	33	79	13.7	2	26	—0.5
Tipton .. .. .	36,260	392	429	5	7	833	23.0	235	197	432	11.9	58	70	11.1
Uttoxeter ..	5,912	64	36	3	2	105	17.8	38	28	66	11.2	9	86	6.6
Wednesbury M.B.	31,950*	314	302	4	7	627	19.6	202	189	391	12.2	55	88	7.4
Wednesfield ..	9,450	84	111	—	—	195	20.6	38	35	73	7.7	6	31	12.9
Willenhall ..	21,460	228	221	5	3	457	21.3	141	97	238	11.1	38	83	10.2
Wolstanton United.	30,800	263	227	10	7	507	16.5	194	155	349	11.3	50	99	5.2
RURAL DISTRICTS.	214,350*	1,747	1,664	73	81	3,565	16.6	1,269	1,169	2,438	11.5†	215	60	5.1
Blore Heath ..	2,622	22	16	3	1	42	16.0	25	10	35	13.3	4	95	2.7
Cannock .. ..	20,970	181	216	7	8	412	19.6	110	94	204	9.7	22	53	9.9
Cheadle .. ..	27,830	240	212	8	8	468	16.8	153	143	296	10.6	24	51	6.2
Gnosall .. ..	4,714	34	31	3	5	73	15.5	35	26	61	12.9	4	55	2.6
Kingswinford	22,970	203	181	3	10	397	17.3	146	140	286	12.5	39	98	4.8
Leek .. .. .	15,110	115	126	4	5	250	16.5	93	77	170	11.3	15	60	5.2
Lichfield .. ..	29,890*	227	205	15	11	458	15.3	173	148	321	11.3†	31	68	4.0
Mayfield .. ..	3,709	24	23	2	—	49	13.2	28	26	54	14.6	4	82	—1.4
Newcastle-under- Lyme.	6,140	45	36	1	4	86	14.0	35	41	76	12.4	5	58	1.6
Seisdon .. ..	17,840	132	122	6	11	271	15.2	96	98	194	10.9	12	44	4.3
Stafford .. ..	9,664	92	82	2	2	178	18.4	53	69	122	12.6	10	56	5.8
Stone .. .. .	12,490	97	86	3	1	187	15.0	75	80	155	12.4	13	70	2.6
Tamworth (part of).‡	7,361	66	65	4	4	139	18.9	50	39	89	12.1	8	58	6.8

† Death-rates based upon estimated civilian populations as follows:—Staffordshire—Rural Districts, 212,890\*; Lichfield R.D., 28,430\*.

\* Population adjusted to allow for change in boundary during the year. For mid-year population *see* Appendix A.

‡ The remainder of Tamworth Rural District is in Warwickshire.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE —cont.														
RURAL DISTRICTS —cont.														
Tutbury .. ..	9,289	73	74	1	6	154	16·6	57	53	110	11·8	2	13	4
Uttoxeter .. ..	7,794	48	58	4	—	110	14·1	49	43	92	11·8	4	36	2
Walsall .. ..	15,300*	145	127	7	5	284	18·6	88	81	169	11·0	18	63	2
Civil Parishes of Blymhill and Weston under Lizard, admin- istered by R.D.C. of Shif- nal (Shrop- shire).	657	3	4	—	—	7	10·7	3	1	4	6·1	—	—	4
SUFFOLK EAST :	293,960	2,197	2,107	117	119	4,540	15·4	1,818	1,793	3,611	12·4†	252	56	3
COUNTY BORO' :														
Ipswich .. ..	87,770	669	637	36	35	1,377	15·7	488	545	1,033	11·8	81	59	3
ADMINISTRATIVE COUNTY.	206,190	1,528	1,470	81	84	3,163	15·3	1,330	1,248	2,578	12·6†	171	54	2
URBAN DISTRICTS.	85,940	613	628	30	18	1,289	15·0	510	508	1,018	11·9†	61	47	3
Aldeburgh M.B.	2,487	12	14	1	—	27	10·9	13	25	38	15·3	—	—	—4
Beccles M.B. ..	6,486	46	56	3	3	108	16·7	46	39	85	13·1	4	37	3
Bungay .. ..	3,093	25	24	—	—	49	15·8	24	24	48	15·5	2	41	0
Eye M.B. .. ..	1,732	11	7	1	2	21	12·1	14	8	22	12·7	2	95	—0
Felixstowe .. ..	11,850	62	69	4	5	140	11·8	65	72	137	12·1†	13	93	—0
Halesworth ..	1,992	20	9	1	—	30	15·1	7	9	16	8·0	2	67	2
Leiston cum Sizewell.	4,189	27	26	—	1	54	12·9	20	16	36	8·6	—	—	4
Lowestoft M.B.	41,170	328	347	16	7	698	17·0	227	219	446	10·8	35	50	6
Saxmundham ..	1,241	7	9	1	—	17	13·7	13	6	19	15·3	—	—	—1
Southwold M.B.	2,677	14	15	—	—	29	10·8	20	22	42	15·7	2	69	—4
Stowmarket ..	4,277	25	23	3	—	51	11·9	30	32	62	14·5	—	—	—2
Woodbridge ..	4,746	36	29	—	—	65	13·7	31	36	67	14·1	1	15	—0
RURAL DISTRICTS.	120,250	915	842	51	66	1,874	15·6	820	740	1,560	13·1†	110	59	2
Blything .. ..	16,520	152	120	6	7	285	17·3	125	107	232	14·0	15	53	3
Bosmere and Claydon.	14,590	117	114	9	10	250	17·1	108	80	188	12·9	18	72	4
East Stow .. ..	7,255	54	43	3	5	105	14·5	35	41	76	10·5	1	10	2
Hartismere ..	10,400	66	62	5	9	142	13·7	80	81	161	15·5	9	63	—1
Hoxne .. ..	9,005	66	64	7	7	144	16·0	80	75	155	17·2	6	42	—1
Mutford and Lothingland.	11,940	103	99	5	6	213	17·8	82	63	145	12·1	18	85	—1
Plomesgate ..	14,110	111	92	4	9	216	15·3	91	96	187	13·3	12	56	—3
Samford .. ..	13,840	80	82	5	4	171	12·4	94	69	163	12·8†	11	64	—0
Wangford .. ..	4,320	36	33	1	2	72	16·7	30	29	59	13·7	6	83	—3
Woodbridge ..	18,270	130	133	6	7	276	15·1	95	99	194	10·9†	14	51	—3
SUFFOLK WEST : ADMINISTRATIVE COUNTY.	105,240	695	672	37	40	1,444	13·7	711	719	1,430	13·6†	76	53	0

† Death-rates based upon estimated civilian populations as follows:—Suffolk East, 291,860; Administrative County, 204,090; Urban Districts, 85,390; Felixstowe U.D., 11,300; Rural Districts, 118,700; Samford R.D., 12,740; Woodbridge R.D., 17,820; Suffolk West—Administrative County, 104,990.

\* Population adjusted to allow for change in boundary during the year. For mid-year population see Appendix A.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SUFFOLK WEST —cont.														
URBAN DISTRICTS.	41,220	274	257	14	14	559	13·6	274	280	554	13·5†	25	45	0·1
Bury St. Edmunds M.B.	16,550	114	116	2	4	236	14·3	115	108	223	13·7†	11	47	0·6
Glensford ..	1,252	9	11	—	—	20	16·0	11	13	24	19·2	1	50	—3·2
Hadleigh ..	2,929	18	18	1	—	37	12·6	15	30	45	15·4	1	27	—2·8
Haverhill ..	3,805	18	14	3	2	37	9·7	29	17	46	12·1	4	108	—2·4
Newmarket ..	9,722	60	52	5	4	121	12·4	55	51	106	10·9	7	58	1·5
Sudbury M.B.	6,962	55	46	3	4	108	15·5	49	61	110	15·8	1	9	—0·3
RURAL DISTRICTS.	64,020	421	415	23	26	885	13·8	437	439	876	13·7	51	58	0·1
Brandon .. ..	5,602	42	41	3	2	88	15·7	36	32	68	12·1	7	80	3·6
Clare .. ..	6,919	36	35	3	1	75	10·8	51	43	94	13·6	3	40	—2·8
Cosford .. ..	9,489	46	71	5	6	128	13·5	57	62	119	12·5	4	31	1·0
Melford .. ..	11,350	65	65	3	7	140	12·3	76	70	146	12·9	7	50	—0·6
Mildenhall ..	7,802	55	50	3	1	109	14·0	51	60	111	14·2	7	64	—0·2
Moulton .. ..	1,987	11	14	—	—	25	12·6	14	15	29	14·6	5	200	—2·0
Thedwastre ..	8,031	56	45	3	6	110	13·7	56	71	127	15·8	3	27	—2·1
Thingoe .. ..	12,840	110	94	3	3	210	16·4	96	86	182	14·2	15	71	2·2
SURREY:	1,176,840	8,098	7,699	389	339	16,525	14·0	5,973	6,266	12,239	10·5†	760	46	3·5
COUNTY BORO'														
Croydon .. ..	233,800	1,711	1,525	100	64	3,400	14·5	1,274	1,403	2,677	11·4	194	57	3·1
ADMINISTRATIVE COUNTY.	943,040	6,387	6,174	289	275	13,125	13·9	4,699	4,863	9,562	10·2†	566	43	3·7
URBAN DISTRICTS.	762,860	5,182	5,023	230	226	10,661	14·0	3,752	3,982	7,734	10·2†	471	44	3·8
Barnes .. ..	42,280	218	213	13	6	450	10·6	218	238	456	10·8	28	62	—0·2
Beddington and Wallington.	26,230	190	186	4	—	380	14·5	111	129	240	9·1	10	26	5·4
Carshalton ..	28,620	244	224	5	6	479	16·7	100	116	216	7·5	21	44	9·2
Caterham and Warlingham	19,760	134	139	6	7	286	14·5	82	80	162	8·8†	15	52	5·7
Chertsey .. ..	17,400	120	121	4	3	248	14·3	85	72	157	9·0	6	24	5·3
Coulsdon and Purley.	37,300	228	227	10	7	472	12·7	120	168	288	7·7	11	23	5·0
Dorking .. ..	9,981	67	55	7	4	133	13·3	53	73	126	12·6	6	45	0·7
East and West Molesey.	8,429	77	67	3	7	154	18·3	61	46	107	12·7	5	32	5·6
Egham .. ..	15,900	106	105	8	6	225	14·2	70	70	140	8·8	11	49	5·4
Epsom † .. ..	27,460	130	136	6	10	282	10·3	88	88	176	6·4	15	53	3·9
Esher and the Dittons.	16,910	99	93	4	6	202	11·9	85	84	169	10·0	9	45	1·9
Farnham .. ..	18,150	110	126	7	3	246	13·6	95	114	209	11·5	9	37	2·1
Frimley and Camberley.	16,360	132	136	8	5	281	17·2	72	69	141	10·5†	10	36	6·7
Godalming M.B.	10,660	69	58	4	2	133	12·5	53	74	127	11·9	5	38	0·6
Guildford M.B.	30,690	211	192	17	9	429	14·0	168	182	350	11·5†	17	40	2·5
Ham .. ..	2,308	12	21	—	—	33	14·3	12	12	24	10·4	1	30	3·9
Haslemere ..	4,241	25	25	1	1	52	12·3	23	28	51	12·0	2	38	0·3
Kingston-on- Thames M.B.	38,760	217	233	20	19	489	12·6	242	251	493	12·8†	28	57	—0·2
Leatherhead ..	7,190	51	37	2	2	92	12·8	35	42	77	10·7	3	33	2·1
Merton and Morden.	41,610	281	336	5	6	628	15·1	169	164	333	8·0	31	49	7·1

† Death rates based upon estimated civilian populations as follows:—Suffolk West—Urban Districts, 40,970; Bury St. Edmunds M.B., 16,300. Surrey, 1,170,000: Administrative County, 936,200; Urban Districts, 757,900; Caterham and Warlingham U.D. 18,330; Frimley and Camberley U.D., 13,470; Guildford M.B., 30,460; Kingston-on-Thames, M.B., 38,510.

‡ A considerable proportion of the population of this area was enumerated in Mental Hospitals, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000, Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000, Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SURREY—cont.														
URBAN DISTRICTS —cont.														
Mitcham ..	57,510	537	535	15	21	1,108	19·3	291	274	565	9·8	47	42	9·
Reigate M.B. . .	30,620	179	161	7	8	355	11·6	169	194	363	11·9	15	42	—0·
Richmond M.B.	37,300	214	204	16	16	450	12·1	223	255	478	12·8	26	58	—0·
Surbiton ..	29,170	255	209	6	11	481	16·5	154	187	341	11·7	22	46	4·
Sutton and Cheam.	45,810	378	338	20	10	746	16·3	229	203	432	9·4	31	42	6·
The Maldens and Coombe.	23,500	169	165	1	6	341	14·5	93	103	196	8·3	13	38	6·
Walton - upon - Thames.	17,640	107	133	6	7	253	14·3	99	101	200	11·3	11	43	3·
Weybridge ..	7,114	58	40	2	—	100	14·1	33	36	69	9·7	5	50	4·
Wimbledon M.B.	58,840	301	303	15	23	642	10·9	358	366	724	12·3	45	70	—1·
Windlesham ..	5,167	37	44	1	1	83	16·1	34	30	64	12·4	—	—	3·
Woking .. ..	29,950	226	161	7	14	408	13·6	127	133	260	8·7†	13	32	4·
RURAL DISTRICTS:	180,180	1,205	1,151	59	49	2,464	13·7	947	881	1,828	10·3†	95	39	3·
Chertsey .. ..	13,180	96	79	3	2	180	13·7	67	52	119	9·0	3	17	4·
Dorking .. ..	11,070	87	90	5	5	187	16·9	72	61	133	12·0	10	53	4·
Epsom .. ..	40,750	263	250	9	12	534	13·1	183	150	333	8·2	20	37	4·
Farnham.. ..	15,680	129	121	9	4	263	16·8	79	86	165	10·8†	8	30	6·
Godstone .. ..	22,890	139	142	12	8	301	13·1	124	112	236	10·3	9	30	2·
Guildford .. ..	24,090	139	145	7	7	298	12·4	121	130	251	11·1†	12	40	1·
Hambleton .. ..	24,270	149	127	6	3	285	11·7	154	145	299	12·3	18	63	—0·
Reigate .. ..	28,250	203	197	8	8	416	14·7	147	145	292	10·3	15	36	4·
SUSSEX EAST :	535,730	3,206	3,114	210	212	6,742	12·6	3,310	3,907	7,217	13·5†	315	47	—0·
COUNTY BORO'S.	262,630	1,577	1,545	127	126	3,375	12·9	1,694	2,017	3,711	14·2†	169	50	—1·
Brighton .. ..	145,000	929	883	72	76	1,960	13·5	930	1,086	2,016	14·0†	106	54	—0·
Eastbourne .. ..	55,710	297	309	24	21	651	11·7	331	384	715	12·8	24	37	—1·
Hastings .. ..	61,920	351	353	31	29	764	12·3	433	547	980	15·8	39	51	—3·
ADMINISTRATIVE COUNTY.	273,100	1,629	1,569	83	86	3,367	12·3	1,616	1,890	3,506	12·8	146	43	—0·
URBAN DISTRICTS.	140,400	781	751	47	52	1,631	11·6	873	1,052	1,925	13·7	72	44	—2·
Battle .. ..	3,444	20	18	—	1	39	11·3	16	15	31	9·0	—	—	2·
Bexhill M.B. . .	20,460	115	107	6	8	236	11·5	107	145	252	12·3	12	51	—0·
Burgess Hill ..	6,031	48	35	3	2	88	14·6	50	42	92	15·3	4	45	—0·
Cuckfield.. ..	2,068	7	3	1	1	12	5·8	16	16	32	15·5	1	83	—9·
East Grinstead	7,991	46	48	2	2	98	12·3	51	55	106	13·3	7	71	—1·
Haywards Heath	5,206	39	34	2	—	75	14·4	39	46	85	16·3	4	53	—1·
Hove M.B. ..	53,770	232	232	25	30	519	9·7	338	457	795	14·8	24	46	—5·
Lewes M.B. ..	10,790	63	71	2	2	138	12·8	65	83	148	13·7	3	22	—0·
Newhaven ..	6,397	48	47	—	2	97	15·2	52	54	106	16·6	5	52	—1·
Portslade-by-Sea	9,454	86	76	2	2	166	17·6	52	46	98	10·4	6	36	7·
Rye M.B. ..	3,858	24	27	2	—	53	13·7	32	33	65	16·8	2	38	—3·
Seaford .. ..	7,338	32	32	2	1	67	9·1	39	41	80	10·9	4	60	—1·
Uckfield .. ..	3,593	21	21	—	1	43	12·0	16	19	35	9·7	—	—	2·
RURAL DISTRICTS.	132,700	848	818	36	34	1,736	13·1	743	838	1,581	11·9	74	43	1·
Battle .. ..	6,749	53	47	2	—	102	15·1	41	47	88	13·0	4	39	2·
Chailey .. ..	13,900	84	81	4	5	174	12·5	74	77	151	10·9	11	63	1·
Cuckfield.. ..	18,180	112	105	3	4	224	12·3	94	115	209	11·5	11	49	0·

† Death-rates based upon estimated civilian populations as follows:—Surrey—Woking U.D., 29,790; Rural Districts, 178,300; Farnham R.D., 15,270; Guildford R.D., 22,620. Sussex East, 535,230; County Boroughs, 262,130; Brighton C.B., 144,500.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SEX EAST —cont.														
RAL DISTRICTS —cont.														
Eastbourne ..	6,464	43	44	1	4	92	14.2	40	40	80	12.4	1	11	1.8
East Grinstead ..	15,160	102	84	2	4	192	12.7	83	104	187	12.3	13	68	0.4
Eastleigh ..	19,910	141	149	4	5	299	15.0	99	113	212	10.6	8	27	4.4
Eastleigh ..	2,455	13	10	3	—	26	10.6	13	13	26	10.6	—	—	—
Eastleigh ..	5,179	49	35	2	1	87	16.8	23	27	50	9.7	5	57	7.1
Eastleigh ..	7,133	47	51	2	1	101	14.2	52	55	107	15.0	5	50	—0.8
Eastleigh ..	12,900	76	73	9	5	163	12.6	72	88	160	12.4	4	25	0.2
Eastleigh ..	24,670	128	139	4	5	276	11.2	152	159	311	12.6	12	43	—1.4
SEX WEST:														
ADMINISTRATIVE COUNTY														
Administrative County	216,760	1,484	1,495	84	71	3,134	14.5	1,317	1,491	2,808	13.0†	139	44	1.5
URBAN DISTRICTS														
Arundel M.B.	2,400	20	10	—	1	31	12.9	19	15	34	14.2	1	32	—1.3
Bognor Regis	12,600	76	84	6	2	168	13.3	63	86	149	11.8	5	30	1.5
Chichester M.B.	13,920	88	103	7	7	205	14.7	65	79	144	10.6†	6	29	4.1
Horsham ..	13,550	90	96	3	1	190	14.0	87	90	177	13.1	10	53	0.9
Littlehampton	9,721	79	70	4	2	155	15.9	65	79	144	14.8	8	52	1.1
Moreham-by-Sea.	8,610	64	59	6	5	134	15.6	49	46	95	11.0	10	75	4.6
Southwick	6,069	38	57	3	5	103	17.0	31	44	75	12.4	4	39	4.6
Worthing M.B.	44,320	275	234	13	14	536	12.1	293	397	690	15.6	20	37	—3.5
RAL DISTRICTS.														
Rural Districts	105,570	754	782	42	34	1,612	15.3	645	655	1,300	12.3†	75	47	3.0
East Preston ..	8,062	59	61	7	2	129	16.0	49	50	99	12.3	9	70	3.7
Horsham ..	21,160	125	147	10	6	288	13.6	142	126	268	12.7	12	42	0.9
Midhurst ..	14,700	98	88	2	4	192	13.1	85	77	162	11.0	5	26	2.1
Networth ..	8,210	62	58	3	1	124	15.1	60	56	116	14.1	3	24	1.0
Peyning West	12,430	98	91	6	6	201	16.2	73	73	146	11.7	8	40	4.5
Shakeham ..	9,377	68	79	7	5	159	17.0	60	68	128	13.7	7	44	3.3
Vestbourne ..	9,471	72	87	2	2	163	17.2	60	57	117	12.4	11	67	4.8
Vesthampnett	22,160	172	171	5	8	356	16.1	116	148	264	12.1†	20	56	4.0
WARWICKSHIRE:														
Warwickshire	1,548,070*	12,631	12,106	411	423	25,571	16.5	9,121	8,401	17,522	11.3†	1,682	66	5.2
COUNTY BORO'S.														
County Boro's.	1,180,630*	9,757	9,404	324	319	19,804	16.8	7,044	6,414	13,458	11.4	1,361	69	5.4
Birmingham ..	1,011,730*	8,536	8,201	284	292	17,313	17.1	6,139	5,628	11,767	11.6	1,215	70	5.5
Coventry ..	168,900	1,221	1,203	40	27	2,491	14.7	905	786	1,691	10.0	146	59	4.7
ADMINISTRATIVE COUNTY.														
Administrative County.	367,440*	2,874	2,702	87	104	5,767	15.7	2,077	1,987	4,064	11.1†	321	56	4.6
URBAN DISTRICTS														
Urban Districts	177,760*	1,293	1,200	36	51	2,580	14.5	1,063	1,051	2,114	11.9	150	58	2.6
Bedworth ..	12,240	129	117	1	4	251	20.5	80	69	149	12.2	15	60	8.3
Bulkington ..	2,750	35	24	—	1	60	21.8	21	20	41	14.9	5	83	6.9
Kenilworth ..	7,620*	49	45	1	3	98	12.9	51	41	92	12.1	6	61	0.8
Nuneaton M.B.	46,640*	403	417	9	12	841	18.0	258	236	494	10.6	50	59	7.4
Royal Leamington Spa M.B.	29,490*	193	167	10	15	385	13.1	197	242	439	14.9	21	55	—1.8
Rugby ..	24,310	115	132	3	6	256	10.5	134	138	272	11.2	16	63	—0.7
Stratford-on-Avon M.B.	11,460	70	73	2	—	145	12.7	74	66	140	12.2	10	69	0.5

† Death-rates based upon estimated civilian populations as follows:—Sussex West—Administrative County, 216,200; Urban Districts, 110,900; Chichester M.B., 13,630; Rural Districts, 105,300; Westhampnett R.D., 21,890. Warwickshire, 1,547,820\*; Administrative County, 367,190\*.

\* Population adjusted to allow for change in boundary during the year. For mid-year population see Appendix A.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WARWICKSHIRE —cont.														
URBAN DISTRICTS —cont.														
Sutton Coldfield M.B.	29,610*	210	155	4	6	375	12·7	156	170	326	11·0	18	48	1
Warwick M.B.	13,640*	89	70	6	4	169	12·4	92	69	161	11·8	9	53	0
RURAL DISTRICTS	189,680*	1,581	1,502	51	53	3,187	16·8	1,014	936	1,950	10·3†	171	54	6
Alcester ..	11,620*	82	96	3	5	186	16·0	75	72	147	12·7	14	75	3
Atherstone ..	22,020	203	212	6	5	426	19·3	121	106	227	10·3	28	66	9
Brailes.. ..	1,357*	11	13	1	—	25	18·4	9	16	25	18·4	—	—	—
Farnborough ..	1,379	13	9	—	—	22	16·0	8	5	13	9·4	1	45	6
Foleshill ..	18,410	237	178	4	5	424	23·0	84	75	159	8·6	22	52	14
Meriden ..	18,500*	133	148	3	5	289	15·6	101	92	193	10·4	16	55	5
Monks Kirby ..	1,458	18	13	—	—	31	21·3	12	15	27	18·5	3	97	2
Nuneaton ..	5,646*	64	70	1	1	136	24·1	28	26	54	9·6	10	74	14
Rugby ..	21,950	172	161	12	3	348	15·9	97	92	189	8·6	18	52	7
Shipston-on- Stour.	5,692*	37	36	1	6	80	14·1	48	41	89	15·6	5	63	—1
Solihull ..	30,750*	211	218	9	7	445	14·5	154	132	286	9·3	20	45	5
Southam ..	9,738	78	69	3	3	153	15·7	63	68	131	13·5	8	52	2
Stratford-on- Avon.	11,820*	95	92	2	3	192	16·2	70	66	136	11·5	11	57	4
Tamworth (part of).‡	16,700	137	109	4	4	254	15·2	80	70	150	9·0	11	43	6
Warwick ..	12,640*	90	78	2	6	176	13·9	64	60	124	10·0†	4	23	3
WESTMORLAND : ADMINISTRATIVE COUNTY	64,250	441	419	28	34	922	14·4	443	435	878	13·7	63	68	0
URBAN DISTRICTS	28,230	174	172	12	12	370	13·1	203	217	420	14·9	31	84	—1
Ambleside ..	2,248	8	11	—	—	19	8·5	20	22	42	18·7	—	—	—10
Appleby M.B...	1,575	9	4	1	1	15	9·5	7	9	16	10·2	—	—	—0
Grasmere ..	798	4	2	1	—	7	8·8	9	3	12	15·0	—	—	—6
Kendal M.B.	15,570	108	110	9	8	235	15·1	104	122	226	14·5	28	119	0
Kirkby Lonsdale	1,385	8	12	1	—	21	15·2	14	7	21	15·2	—	—	—
Shap .. ..	1,190	9	12	—	1	22	18·5	10	9	19	16·0	2	91	2
Windermere ..	5,464	28	21	—	2	51	9·3	39	45	84	15·4	1	20	—6
RURAL DISTRICTS	36,020	267	247	16	22	552	15·3	240	218	458	12·7	32	58	2
East Westmor- land.	10,620	87	78	6	5	176	16·6	82	69	151	14·2	10	57	2
South Westmor- land.	18,580	132	112	5	7	256	13·8	116	108	224	12·1	13	51	1
West Ward ..	6,820	48	57	5	10	120	17·6	42	41	83	12·2	9	75	5
WIGHT, ISLE OF : ADMINISTRATIVE COUNTY	85,400	506	467	35	29	1,037	12·1	544	603	1,147	13·5†	31	30	—1
URBAN DISTRICTS	56,430	346	305	24	23	698	12·4	356	426	782	13·9	29	42	—1
Cowes .. ..	9,994	66	48	3	1	118	11·8	54	63	117	11·7	4	34	0
East Cowes ..	4,559	33	28	—	—	61	13·4	24	25	49	10·7	5	82	2
Newport M.B.	11,340	86	78	9	8	181	16·0	69	84	153	13·5	5	28	2

† Death-rates based upon estimated civilian populations as follows:—Warwickshire—Rural Districts, 189,430\*; Warwick R.D., 12,390\*; Isle of Wight—Administrative County, 84,770.

\* Population adjusted to allow for change in boundary during the year. For mid-year population see Appendix A.

‡ The remainder of Tamworth Rural District is in Staffordshire.

TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WIGHT, ISLE OF —cont.														
URBAN DISTRICTS —cont.														
Ryde M.B. ..	10,310	64	44	5	7	120	11·6	75	73	148	14·4	8	67	—2·8
St. Helens ..	5,317	36	33	4	3	76	14·3	36	40	76	14·3	4	53	—
Sandown ..	5,712	24	34	2	2	62	10·9	37	41	78	13·7	2	32	—2·8
Shanklin ..	4,514	15	15	—	—	30	6·6	33	45	78	17·3	1	33	—10·7
Ventnor .. ..	4,684	22	25	1	2	50	10·7	28	55	83	17·7	—	—	—7·0
RURAL DISTRICT.														
Isle of Wight ..	28,970	160	162	11	6	339	11·7	188	177	365	12·9†	2	6	—1·2
WILTSHIRE :														
ADMINISTRATIVE COUNTY	302,960	2,274	2,125	97	89	4,585	15·1	1,828	1,823	3,651	12·4†	232	51	2·7
URBAN DISTRICTS														
145,610	1,000	978	44	42	2,064	14·2	842	865	1,707	11·7†	108	52	2·5	
Bradford-on- Avon.	4,693	32	27	3	2	64	13·6	28	34	62	13·2	5	78	0·4
Calne M.B. ..	3,483	18	17	—	1	36	10·3	21	17	38	10·9	2	56	—0·6
Chippenham M.B.	8,464	46	49	2	3	100	11·8	58	49	107	12·6	8	80	—0·8
Devizes M.B.	5,969	47	48	5	4	104	17·4	45	39	84	14·1	5	48	3·3
Malmesbury M.B.	2,271	12	10	1	—	23	10·1	14	16	30	13·2	2	87	—3·1
Marlborough M.B.	4,273	27	20	1	—	48	11·2	29	27	56	13·1	2	42	—1·9
Melksham ..	3,898	22	40	1	—	63	16·2	16	19	35	9·0	2	32	7·2
Salisbury M.B.	26,460	199	185	15	11	410	15·5	146	170	316	11·9	19	46	3·6
Swindon M.B.	62,700	456	432	11	11	910	14·5	342	340	682	10·9	51	56	3·6
Trowbridge ..	11,990	69	78	3	3	153	12·8	68	86	154	13·0†	2	13	—0·2
Warminster ..	5,203	35	26	—	7	68	13·1	29	32	61	11·7	6	88	1·4
Westbury ..	4,018	15	28	2	—	45	11·2	24	26	50	12·4	2	44	—1·2
Wilton M.B. ..	2,188	22	18	—	—	40	18·3	22	10	32	14·6	2	50	3·7
RURAL DISTRICTS														
157,350	1,274	1,147	53	47	2,521	16·0	986	958	1,944	13·1†	124	49	2·9	
Amesbury ..	16,890	175	163	4	4	346	20·5	67	67	134	10·9†	23	66	9·6
Bradford-on- Avon.	5,335	35	41	1	1	78	14·6	36	34	70	13·1	—	—	1·5
Calne .. ..	4,731	28	36	—	—	64	13·5	29	38	67	14·2	2	31	—0·7
Chippenham ..	14,310	119	91	8	5	223	15·6	103	114	217	15·2	13	58	0·4
Cricklade and Wootton Bas- sett.	11,390	91	80	1	3	175	15·4	72	68	140	12·3	3	17	3·1
Devizes .. ..	12,690	94	80	6	2	182	14·3	83	73	156	12·6†	5	27	1·7
Highworth ..	15,500	116	125	4	4	249	16·1	103	87	190	12·3	15	60	3·8
Malmesbury ..	8,301	72	58	4	2	136	16·4	64	47	111	13·4	5	37	3·0
Marlborough	4,218	39	41	1	1	82	19·4	23	22	45	10·7	3	37	8·7
Melksham ..	5,044	35	33	—	—	68	13·5	32	30	62	12·3	2	29	1·2
Mere .. ..	4,393	25	20	2	2	49	11·2	20	31	51	11·6	5	102	—0·4
Pewsey .. ..	14,180	139	129	6	9	283	20·0	80	76	156	14·5†	12	42	5·5
Ramsbury ..	6,240	52	46	—	3	101	16·2	43	43	86	13·8	8	79	2·4
Salisbury ..	10,100	75	67	7	6	155	15·3	60	51	111	11·5†	5	32	3·8

† Death-rates based upon estimated civilian populations as follows:—Isle of Wight, R.D., 28,340; Wiltshire—Administrative County, 294,100; Urban Districts, 145,500; Trowbridge U.D., 11,880; Rural Districts, 148,600 Amesbury R.D., 12,290; Devizes R.D., 12,430; Pewsey R.D., 10,750; Salisbury R.D., 9,640.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WILTSHIRE—cont.														
RURAL DISTRICTS														
—cont.														
Tisbury .. ..	6,542	56	37	3	2	98	15.0	41	38	79	12.1	9	92	2
Warminster ..	5,226	46	31	2	—	79	15.1	42	47	89	17.0	5	63	—1
Westbury and Whorwells- down.	6,534	33	38	1	2	74	11.3	48	48	96	14.7	4	54	—3
Wilton .. ..	5,726	44	31	3	1	79	13.8	40	44	84	14.7	5	63	—0
WORCESTERSHIRE	422,610*	3,478	3,255	126	134	6,993	16.5	2,797	2,560	5,357	12.7†	446	64	3
COUNTY BORO'S.	110,900*	981	917	29	33	1,960	17.7	772	706	1,478	13.3	141	72	4
Dudley .. ..	60,050	604	558	13	16	1,191	19.8	424	354	778	13.0	93	78	6
Worcester ..	50,850*	377	359	16	17	769	15.1	348	352	700	13.8	48	62	1
ADMINISTRATIVE COUNTY.	311,710*	2,497	2,338	97	101	5,033	16.1	2,025	1,854	3,879	12.5†	305	61	3
URBAN DISTRICTS	207,070*	1,737	1,600	59	60	3,456	16.7	1,272	1,212	2,484	12.0	217	63	4
Bewdley M.B...	2,774	24	20	1	2	47	16.9	16	21	37	13.3	4	85	3
Bromsgrove ..	9,681	91	99	1	5	196	20.2	69	60	129	13.3	13	66	6
Droitwich M.B.	4,113	40	33	5	2	80	19.5	28	29	57	13.9	2	25	5
Evesham M.B.	8,791	65	70	3	2	140	15.9	50	49	99	11.3	4	29	4
Halesowen ..	31,450	258	236	6	5	505	16.1	193	144	337	10.7	30	59	5
Kidderminster M.B.	29,100	233	208	14	7	462	15.9	240	205	445	15.3	39	84	0
Lye and Wolles- cote.	12,390	105	87	—	4	196	15.8	81	74	155	12.5	12	61	3
Malvern .. ..	16,230	91	64	5	11	171	10.5	104	116	220	13.6	10	58	—3
North Broms- grove.	11,050	92	94	2	2	190	17.2	45	40	85	7.7	8	42	9
Oldbury .. ..	36,370	371	366	11	10	758	20.8	190	213	403	11.1	52	69	9
Redditch .. ..	19,130*	151	129	3	4	287	15.0	91	89	180	9.4	13	45	5
Stourbridge M.B.	19,980	159	145	5	4	313	15.7	108	128	236	11.8	18	58	3
Stourport ..	6,011	57	49	3	2	111	18.5	57	44	101	16.8	12	108	1
RURAL DISTRICTS	104,640*	760	738	38	41	1,577	15.1	753	642	1,395	13.4†	88	56	1
Bromsgrove ..	19,780	135	137	3	3	278	14.1	128	94	222	11.2	9	32	2
Droitwich ..	11,870*	77	78	4	5	164	13.8	87	80	167	14.1	7	43	—0
Evesham ..	12,600*	98	101	6	5	210	16.7	77	56	133	10.6	7	33	6
Feckenham ..	3,759	21	16	—	1	38	10.1	31	24	55	14.6	1	26	—4
Kidderminster	7,815	59	60	3	1	123	15.7	50	48	98	12.5	7	57	3
Martley .. ..	12,420*	97	102	5	9	213	17.1	103	91	194	15.6	18	85	1
Pershore ..	12,850*	79	86	7	4	176	13.7	86	84	170	13.4†	10	57	0
Rock .. ..	2,144	15	21	—	2	38	17.7	21	16	37	17.3	4	105	0
Shipston-on- Stour.	1,078*	15	9	—	—	24	22.3	10	9	19	17.6	2	83	4
Stow on the Wold (part of)‡	73*	1	1	—	—	2	27.4	1	1	2	27.4	1	500	—
Tenbury ..	4,179	39	26	2	3	70	16.8	34	28	62	14.8	3	43	2
Tewkesbury (part of)‡	2,106*	13	10	1	1	25	11.9	16	17	33	15.7	4	160	—3
Upton on Severn	13,360*	105	88	6	7	206	15.4	102	91	193	14.4	13	63	1
Winchcomb (part of)‡	339*	3	2	—	—	5	14.7	3	3	6	17.7	—	—	—3
Civil Parishes of Redmarley d'Abitôt and Staunton, ad- ministered by R.D.C. of Newent(Glos)	267*	3	1	1	—	5	18.7	4	—	4	15.0	2	400	3

† Death-rates based upon estimated civilian populations as follows:—Worcestershire, 422,400\*; Administrative County, 311,500\*; Rural Districts, 104,430\*; Pershore R.D., 12,640\*.

\* Population adjusted to allow for change in boundary during the year. For mid-year population *see* Appendix A.

‡ The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Gloucestershire.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE :														
EAST RIDING..	483,400	4,290	3,932	245	208	8,675	17·9	3,276	3,072	6,348	13·1†	648	75	4·8
COUNTY BORO' :														
Kingston-upon- Hull.	315,200	3,030	2,736	147	127	6,040	19·2	2,223	1,946	4,169	13·2	489	81	6·0
ADMINISTRATIVE COUNTY.	168,200	1,260	1,196	98	81	2,635	15·7	1,053	1,126	2,179	13·0†	159	60	2·7
URBAN DISTRICTS														
Beverley M.B.	14,010	135	108	9	4	256	18·3	97	121	218	15·6	16	63	2·7
Bridlington M.B.	19,110	108	121	15	9	253	13·2	108	162	270	14·1	13	51	-0·9
Cottingham ..	5,915	44	32	2	—	78	13·2	36	28	64	10·8	4	51	2·4
Filey .. ..	3,619	24	20	2	1	47	13·0	22	36	58	16·0	4	85	-3·0
Great Driffield	5,884	44	35	6	5	90	15·3	39	46	85	14·4	6	67	0·9
Hedon M.B. ..	1,508	12	6	1	—	19	12·6	10	14	24	15·9	2	105	-3·3
Hessle .. ..	6,264	41	31	1	1	74	11·8	38	43	81	12·9	3	41	-1·1
Hornsea .. ..	4,317	25	25	1	1	52	12·0	23	28	51	11·8	2	38	0·2
Norton .. ..	3,904	33	24	2	1	60	15·4	23	23	46	11·8	3	50	3·6
Pocklington ..	2,741	9	16	3	2	30	10·9	19	19	38	13·9	3	100	-3·0
Withernsea ..	4,028	26	28	—	2	56	13·9	27	37	64	15·9	3	54	-2·0
RURAL DISTRICTS														
Beverley .. ..	12,310	101	77	6	8	192	15·6	67	70	137	11·3†	13	68	4·3
Bridlington ..	7,760	69	50	7	7	133	17·1	49	55	104	13·4	8	60	3·7
Driffield .. ..	11,100	90	90	11	5	196	17·7	95	62	157	14·1	12	61	3·6
Escrick .. ..	5,883	46	38	2	4	90	15·3	31	31	62	10·5	5	56	4·8
Howden .. ..	12,300	104	106	2	4	216	17·6	88	87	175	14·2	10	46	3·4
Norton .. ..	5,538	49	47	1	4	101	18·2	29	22	51	9·2	4	40	9·0
Pattingham ..	7,310	51	71	5	1	128	17·5	46	41	87	11·9	2	16	5·6
Pocklington ..	10,550	87	86	8	6	187	17·7	79	67	146	13·8	14	75	3·9
Riccall .. ..	5,245	36	45	2	4	87	16·6	31	37	68	13·0	8	92	3·6
Sculcoates ..	9,406	66	60	4	1	131	13·9	32	37	69	7·3	8	61	6·6
Sherburn.. ..	2,206	14	23	2	3	42	19·0	12	15	27	12·2	4	95	6·8
Skirlaugh ..	7,292	46	57	6	8	117	16·0	52	45	97	13·3	12	103	2·7
YORKSHIRE :														
NORTH RIDING	469,240	3,955	3,823	246	211	8,235	17·5	3,209	2,993	6,202	13·5†	649	79	4·0
COUNTY BORO' :														
Middlesbrough	138,900	1,397	1,417	83	71	2,968	21·4	1,072	882	1,954	14·1	297	100	7·3
ADMINISTRATIVE COUNTY.	330,340	2,558	2,406	163	140	5,267	15·9	2,137	2,111	4,248	13·2†	352	67	2·7
URBAN DISTRICTS														
Eston .. ..	31,410	316	303	10	14	643	20·5	238	211	449	14·3	59	92	6·2
Guisborough ..	6,226	43	56	5	3	107	17·2	53	42	95	15·3	5	47	1·9
Hinderwell ..	2,129	16	17	1	1	35	16·4	22	17	39	18·3	6	171	-1·9
Kirklington cum Upland	250	2	1	—	—	3	12·0	1	1	2	8·0	—	—	4·0
Loftus .. ..	7,666	59	61	5	2	127	16·6	46	35	81	10·6	6	47	6·0
Malton .. ..	4,372	21	28	5	3	57	13·0	26	30	56	12·8	1	18	0·2
Masham .. ..	1,971	11	13	—	—	24	12·2	13	13	26	13·2	2	83	-1·0
Northallerton	4,732	39	26	1	2	68	14·4	36	32	68	14·4	3	44	—
Pickering ..	3,642	32	23	1	—	56	15·4	25	28	53	14·6	5	89	0·8
Redcar M.B. ..	20,250	163	162	7	7	339	16·7	130	105	235	11·6	21	62	5·1

† Death-rates based upon estimated civilian populations as follows:—Yorkshire, 483,190; East Riding—Administrative County, 167,990; Rural Districts, 96,690; Beverley R.D., 12,100; North Riding, 460,500; Administrative County, 321,600; Urban Districts, 180,900.



TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE :														
NORTH RIDING														
—cont.														
URBAN DISTRICTS														
—cont.														
Richmond M.B.	4,797	46	30	2	4	82	17.1	26	27	53	11.5†	4	49	5
Saltburn by the Sea.	3,977	13	17	—	2	32	8.0	24	27	51	12.8	1	31	—4
Scalby .. ..	2,678	11	15	—	—	26	9.7	14	19	33	13.5†	—	—	—3
Scarborough M.B.	40,780	239	223	26	20	508	12.5	266	347	613	15.0	38	75	—2
Skelton and Brotton.	13,710	108	100	9	3	220	16.0	99	81	180	13.1	19	86	2
Thornaby-on-Tees M.B.	21,510	260	224	9	13	506	23.5	129	114	243	11.3	41	81	12
Whitby .. ..	11,230	97	78	5	3	183	16.3	75	98	173	15.4	11	60	0
RURAL DISTRICTS	149,010	1,082	1,029	77	63	2,251	15.1	914	884	1,798	12.8†	130	58	2
Aysgarth.. ..	4,263	32	29	—	—	61	14.3	35	30	65	15.2	3	49	—0
Bedale .. ..	6,586	47	44	8	1	100	15.2	43	42	85	12.9	5	50	2
Croft .. ..	2,169	18	8	—	1	27	12.4	10	13	23	10.6	2	74	1
Easingwold ..	9,647	57	60	4	7	128	13.3	76	79	155	16.1	8	63	—2
Flaxton .. ..	14,350	121	102	6	6	235	16.4	74	61	135	10.1†	14	60	6
Guisborough ..	7,336	54	50	2	2	108	14.7	53	49	102	13.9	11	102	0
Helmsley .. ..	5,067	33	38	2	2	75	14.8	25	27	52	10.3	1	13	4
Kirkby Moorside	4,767	46	35	3	4	88	18.5	22	33	55	11.5	7	80	7
Leyburn .. ..	7,079	46	39	2	3	90	12.7	42	44	86	12.1	8	89	0
Malton .. ..	5,852	36	41	3	5	85	14.5	34	28	62	10.6	4	47	3
Middlesbrough	2,974	18	19	—	—	37	12.4	16	23	39	13.1	1	27	—0
Northallerton..	7,600	47	65	6	7	125	16.4	58	51	109	14.3	7	56	2
Pickering .. ..	5,674	33	49	7	2	91	16.0	47	39	86	15.2	5	55	0
Reeth .. ..	2,283	10	21	—	2	33	14.5	22	16	38	16.6	1	30	—2
Richmond .. ..	17,850	158	157	7	3	325	18.2	60	60	120	11.4†	19	58	6
Scarborough ..	6,570	51	35	2	—	88	13.4	55	38	93	14.2	8	91	—0
Startforth .. ..	4,319	29	24	2	1	56	13.0	31	36	67	15.5	1	18	—2
Stokesley .. ..	12,200	90	75	6	3	174	14.3	78	64	142	11.6	5	29	2
Thirsk .. ..	12,030	94	79	13	7	193	16.0	62	85	147	12.2	12	62	3
Wath .. ..	2,058	10	19	2	3	34	16.5	10	13	23	11.2	1	29	5
Whitby .. ..	8,336	52	40	2	4	98	11.8	61	53	114	13.7	7	71	—1
YORKSHIRE :														
WEST RIDING..														
3,378,970	25,374	24,422	1,141	1,070	52,007	15.4	21,980	20,914	42,894	12.7†	3,855	74	2	
COUNTY BORO'S:														
1,837,180	13,169	12,677	674	587	27,107	14.8	12,238	11,591	23,829	13.0†	2,020	75	1	
Barnsley .. ..	72,160	663	613	53	27	1,356	18.8	546	450	996	13.8	149	110	5
Bradford .. ..	300,900	1,930	1,906	131	114	4,081	13.6	2,084	2,212	4,296	14.3	291	71	—0
Dewsbury .. ..	54,410	351	351	27	14	743	13.7	387	415	802	14.7	58	78	—1
Doncaster .. ..	63,440	522	460	29	29	1,040	16.4	411	294	705	11.1	55	53	5
Halifax .. ..	98,750	606	568	37	34	1,245	12.6	696	769	1,465	14.9†	96	77	—2
Huddersfield ..	114,300	681	675	21	26	1,403	12.3	754	812	1,566	13.7	86	61	—1
Leeds .. ..	486,400	3,522	3,338	193	167	7,220	14.8	3,387	3,120	6,507	13.4	554	77	1
Rotherham .. ..	70,130	634	593	24	24	1,275	18.2	449	400	849	12.1	119	93	6
Sheffield .. ..	517,300	3,810	3,706	133	130	7,779	15.0	3,117	2,723	5,840	11.3	533	69	3
Wakefield .. ..	59,390	450	467	26	22	965	16.2	407	396	803	13.5	79	82	2
ADMINISTRATIVE COUNTY.	1,541,790	12,205	11,745	467	483	24,900	16.2	9,742	9,323	19,065	12.4†	1,835	74	3

† Death-rates based upon estimated civilian populations as follows:—Yorkshire, North Riding—Richmond M.B., 4,597; Scalby U.D., 2,448; Rural Districts, 140,700; Flaxton R.D., 13,340; Richmond R.D., 10,550, Yorkshire, West Riding, 3,378,230; County Boroughs, 1,836,930; Halifax C.B., 98,500; Administrative County, 1,541,300.

TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WEST YORKSHIRE:														
WEST RIDING —cont.														
URBAN DISTRICTS	1,097,990	8,162	7,863	306	312	16,643	15.2	7,065	6,863	13,928	12.7†	1,202	72	2.5
Adwick le Street	20,620	227	217	8	11	463	22.5	87	83	170	8.2	31	67	14.3
Altofts .. ..	4,999	41	44	1	—	86	17.2	26	23	49	9.8	7	81	7.4
Ardsley East and West.	9,294	73	61	1	3	138	14.8	63	47	110	11.8	17	123	3.0
Baildon .. ..	7,851	49	45	4	2	100	12.7	44	51	95	12.1	6	60	0.6
Barkisland ..	1,563	12	11	—	—	23	14.7	9	9	18	11.5	—	—	3.2
Barnoldswick ..	12,050	46	59	4	3	112	9.3	72	66	138	11.5	5	45	-2.2
Batley M.B. ..	34,890	229	249	14	17	509	14.6	230	235	465	13.3	31	61	1.3
Bentley with Arksey.	16,690	130	150	7	9	296	17.7	110	76	186	11.1	30	101	6.6
Bingley .. ..	20,880	131	109	4	6	250	12.0	139	124	263	12.6	19	76	-0.6
Birkenshaw ..	2,842	15	12	1	—	28	9.9	14	14	28	9.9	1	36	—
Birstal .. ..	7,261	57	49	—	1	107	14.7	49	55	104	14.3	8	75	0.4
Bolton-upon- Dearne	14,380	147	154	2	6	309	21.5	84	69	153	10.6	31	100	10.9
Brighouse M.B.	19,940	112	87	4	2	205	10.3	142	136	278	13.9	16	78	-3.6
Burley in Wharfedale.	4,029	30	23	—	—	53	13.2	27	24	51	12.7	4	75	0.5
Calverley ..	3,649	14	27	—	—	41	11.2	28	22	50	13.7	—	—	-2.5
Castleford ..	21,970	173	191	6	5	375	17.1	151	133	284	12.9	32	85	4.2
Clayton West..	1,866	8	6	—	4	18	9.6	16	7	23	12.3	—	—	-2.7
Conisbrough ..	18,310	249	201	5	4	459	25.1	125	86	211	11.5	45	98	13.6
Cudworth ..	9,514	97	90	3	8	198	20.8	64	45	109	11.5	10	51	9.3
Darfield .. ..	5,297	50	43	—	—	93	17.6	31	31	62	11.7	10	108	5.9
Darton .. ..	12,740	128	116	3	2	249	19.5	63	61	124	9.7	17	68	9.8
Denby and Cumberworth.	3,402	19	17	—	1	37	10.9	17	18	35	10.3	2	54	0.6
Denholme ..	2,690	13	16	1	—	30	11.2	22	21	43	16.0	2	67	-4.8
Dodworth ..	4,292	43	44	—	—	87	20.3	33	19	52	12.1	10	115	8.2
Drighlington ..	4,108	26	31	—	1	58	14.1	26	35	61	14.8	4	69	-0.7
Earby .. ..	5,577	37	26	1	1	65	11.7	41	30	71	12.7	5	77	-1.0
Elland .. ..	10,430	57	51	1	4	113	10.8	48	77	125	12.0	2	18	-1.2
Emley .. ..	1,655	7	10	1	—	18	10.9	8	11	19	11.5	—	—	-0.6
Farsley .. ..	6,216	31	30	1	1	63	10.1	49	48	97	15.6	4	63	-5.5
Featherstone ..	15,010	134	144	6	6	290	19.3	85	94	179	11.9	26	90	7.4
Flockton ..	1,488	7	12	—	—	19	12.8	12	4	16	10.8	—	—	2.0
Garforth ..	3,804	31	18	2	—	51	13.4	33	22	55	14.5	5	98	-1.1
Gildersome ..	3,071	19	16	—	1	36	11.7	22	16	38	12.4	3	83	-0.7
Golcar .. ..	9,934	57	46	2	1	106	10.7	60	47	107	10.8	2	19	-0.1
Goole .. ..	20,340	178	201	10	5	394	19.4	137	131	268	13.2	32	81	6.2
Greasbrough ..	3,645	39	30	1	1	71	19.5	16	21	37	10.2	2	28	9.3
Greetland ..	4,343	23	21	1	—	45	10.4	29	28	57	13.1	1	22	-2.7
Guiseley .. ..	5,672	36	45	1	2	84	14.8	39	45	84	14.8	7	83	—
Gunthwaite and Ingbirchworth	338	3	2	—	—	5	14.8	3	—	3	8.9	—	—	5.9
Harrogate M.B.	38,600	235	195	14	16	460	11.9	226	303	529	13.7	35	76	-1.8
Haworth ..	5,967	31	33	1	1	66	11.1	53	53	106	17.8	6	91	-6.7
Hebden Bridge	6,315	27	24	2	2	55	8.7	38	46	84	13.3	—	—	-4.6

† Death-rate based upon an estimated civilian population of 1,097,500.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING														
—cont.														
URBAN DISTRICTS														
—cont.														
Heckmondwike	9,071	67	68	1	2	138	15.2	66	63	129	14.2	9	65	1
Hemsworth ..	13,140	134	137	7	6	284	21.6	73	71	144	11.0	23	81	10
Hipperholme ..	5,405	32	32	—	1	65	12.0	26	36	62	11.5	—	—	0
Holme .. ..	368	2	1	—	—	3	8.2	3	3	6	16.3	—	—	—8
Holmfirth ..	10,500	48	56	—	2	106	10.1	53	66	119	11.3	3	28	—1
Honley .. ..	4,609	29	11	—	—	40	8.7	41	36	77	16.7	4	100	—8
Horbury .. ..	7,840	34	45	2	1	82	10.5	48	54	102	13.0	9	110	—2
Horsforth ..	11,730	78	65	—	1	144	12.3	71	63	134	11.4	5	35	0
Hoyland Nether	15,350	144	110	7	5	266	17.3	98	97	195	12.7	18	68	4
Hoyland Swaine	803	5	5	—	—	10	12.5	6	6	12	14.9	—	—	—2
Hunsworth ..	1,321	10	8	—	1	19	14.4	8	6	14	10.6	—	—	3
Ilkley .. ..	9,373	53	43	2	1	99	10.6	54	66	120	12.8	8	81	—2
Keighley M.B.	40,890	256	258	11	14	539	13.2	272	283	555	13.6	34	63	—0
Kirkburton ..	3,215	23	18	1	3	45	14.0	17	21	38	11.8	1	22	2
Kirkheaton ..	2,642	12	23	—	—	35	13.2	15	17	32	12.1	3	86	1
Knaresborough	5,901	43	46	1	2	92	15.6	50	48	98	16.6	5	54	—1
Knottingley ..	6,908	76	72	3	2	153	22.1	44	40	84	12.2	8	52	9
Lepton .. ..	3,364	16	29	—	—	45	13.4	24	21	45	13.4	1	22	—
Linthwaite ..	9,787	49	44	1	2	96	9.8	72	60	132	13.5	5	52	—3
Luddenden Foot	2,901	23	15	1	—	39	13.4	22	21	43	14.8	1	26	—1
Maltby .. ..	10,160	140	131	2	4	277	27.3	61	61	122	12.0	28	101	15
Marsden .. ..	5,782	40	37	2	—	79	13.7	30	33	63	10.9	1	13	2
Meltham .. ..	5,058	21	31	—	—	52	10.3	36	34	70	13.8	1	19	—3
Methley .. ..	4,647	36	45	1	2	84	18.1	17	16	33	7.1	4	48	11
Mexborough ..	15,860	117	142	4	5	268	16.9	106	74	180	11.3	20	75	5
Midgley .. ..	1,894	9	16	—	—	25	13.2	15	12	27	14.3	2	80	—1
Mirfield .. ..	12,180	78	77	2	1	158	13.0	91	89	180	14.8	8	51	—1
Morley M.B. ..	23,690	173	142	6	6	327	13.8	166	170	336	14.2	17	52	—0
Mytholmroyd ..	4,493	28	23	1	2	54	12.0	41	38	79	17.6	4	74	—5
New Mill .. ..	4,587	31	26	1	1	59	12.9	27	23	50	10.9	7	119	2
Normanton ..	15,780	126	113	6	5	250	15.8	84	82	166	10.5	21	84	5
Oakworth .. ..	4,017	34	23	1	—	58	14.4	29	36	65	16.2	6	103	—1
Ossett M.B. ..	14,960	102	111	6	5	224	15.0	104	123	227	15.2	16	71	—0
Otley .. ..	11,130	93	78	3	6	180	16.2	63	63	126	11.3	8	44	4
Oxenhope .. ..	2,291	15	16	—	—	31	13.5	8	19	27	11.8	1	32	1
Penistone .. ..	3,268	26	18	—	2	46	14.1	27	13	40	12.2	2	43	1
Pontefract M.B.	19,170	186	165	15	9	375	19.6	147	112	259	13.9†	34	91	5
Pudsey M.B. ..	15,050	96	99	5	4	204	13.6	108	117	225	15.0	13	64	—1
Queensbury ..	5,833	35	28	—	2	65	11.1	35	57	92	15.8	4	62	—4
Rawdon .. ..	4,698	30	28	1	—	59	12.6	25	31	56	11.9	4	68	0
Rawmarsh .. ..	18,780	181	177	8	3	369	19.6	125	93	218	11.6	31	84	8
Ripon M.B. ..	8,495	67	58	3	5	133	15.7	59	64	123	14.5	8	60	1
Rishworth .. ..	935	8	5	2	1	16	17.1	6	6	12	12.8	1	63	4
Rothwell .. ..	15,790	135	118	6	4	263	16.7	104	80	184	11.7	19	72	5
Royston .. ..	7,250	69	79	—	2	150	20.7	51	46	97	13.4	13	87	7
Saddleworth ..	12,620	62	67	2	3	134	10.6	77	76	153	12.1	7	52	—1
Scammonden ..	398	—	1	—	—	1	2.5	3	1	4	10.1	—	—	—7
Selby .. ..	10,030	75	77	5	3	160	16.0	48	58	106	10.6	10	63	5

† Death-rate based upon an estimated civilian population of 18,680.

TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SHIRE :														
EST RIDING														
—cont.														
N DISTRICTS														
—cont.														
Self .. ..	2,566	21	19	2	1	43	16·8	19	27	46	17·9	2	47	-1·1
Elley .. ..	1,580	10	11	—	1	22	13·9	8	13	21	13·3	1	45	0·6
Epsey .. ..	1,670	6	7	1	—	14	8·4	11	10	21	12·6	1	71	-4·2
Epsey .. ..	30,420	210	190	5	8	413	13·6	200	227	427	14·0	30	73	-0·4
Eden .. ..	4,906	27	22	—	1	50	10·2	42	35	77	15·7	2	40	-5·5
Elmanthorpe	3,753	25	11	1	1	38	10·1	29	20	49	13·1	3	79	-3·0
Epton .. ..	12,490	68	70	8	3	149	11·9	69	73	142	11·4	10	67	0·5
Ethwaite ..	5,241	22	22	2	2	48	9·2	34	32	66	12·6	3	63	-3·4
Eth Crosland	3,007	18	21	—	—	39	13·0	16	21	37	12·3	3	77	0·7
Ethowram ..	2,607	14	18	1	1	34	13·0	22	21	43	16·5	1	29	-3·5
Ewerby .. ..	14,810	74	101	4	4	183	12·4	98	119	217	14·7	20	109	-2·3
Eyland .. ..	3,089	16	15	—	1	32	10·4	25	19	44	14·2	1	31	-3·8
Enborough ..	31,250	204	181	6	5	396	12·7	220	222	442	14·1	31	78	-1·4
Erninghead ..	4,874	22	32	5	1	60	12·3	38	38	76	15·6	5	83	-3·3
Erland .. ..	4,285	21	26	2	1	50	11·7	21	33	54	12·6	2	40	-0·9
Erland .. ..	14,750	116	98	2	—	216	14·6	93	87	180	12·2	13	60	2·4
Ecksbridge ..	9,342	80	70	4	2	156	16·7	56	43	99	10·6	7	45	6·1
Einton .. ..	13,970	111	116	4	6	237	17·0	77	74	151	10·8	17	72	6·2
Eurlystone ..	2,645	18	12	—	—	30	11·3	15	15	30	11·3	2	67	—
Eurascoc ..	10,700	131	113	6	2	252	23·6	60	48	108	10·1	34	135	13·5
Eurstonland & Farnley Tyas†	4,045	12	10	—	2	24	5·9	7	15	22	5·4	1	42	0·5
Eckhill .. ..	2,299	17	24	1	2	44	19·1	16	19	35	15·2	3	68	3·9
Edmorden M.B.	22,440	128	137	3	2	270	12·0	187	154	341	15·2	14	52	-3·2
Eath-upon- Dearne.	13,800	136	155	3	5	299	21·7	83	53	136	9·9	19	64	11·8
Ehitley Upper	944	3	5	—	—	8	8·5	5	3	8	8·5	—	—	—
Ehitwood ..	6,286	71	57	3	1	132	21·0	31	30	61	9·7	12	91	11·3
Eombwell ..	18,500	175	176	5	6	362	19·6	98	90	188	10·2	31	86	9·4
Eorsborough..	12,480	135	118	4	8	265	21·2	101	90	191	15·3	32	121	5·9
Eadon .. ..	7,745	53	53	3	2	111	14·3	57	61	118	15·2	7	63	-0·9
AL DISTRICTS	443,800	4,043	3,882	161	171	8,257	18·6	2,677	2,460	5,137	11·6	633	77	7·0
Earnsley ..	4,475	44	40	3	1	88	19·7	21	24	45	10·1	6	68	9·6
Eishophorpe..	2,924	16	30	1	—	47	16·1	14	17	31	10·6	2	43	5·5
Eowland ..	5,560	44	31	2	1	78	14·0	39	28	67	12·1	6	77	1·9
Eoncaster ..	49,680	554	564	18	16	1,152	23·2	275	227	502	10·1	94	82	13·1
Eoole .. ..	8,842	88	80	4	3	175	19·8	57	59	116	13·1	11	63	6·7
Ereat Ouseburn	13,240	109	119	6	10	244	18·4	71	88	159	12·0	13	53	6·4
Ealifax .. ..	6,033	46	30	1	4	81	13·4	42	45	87	14·4	5	62	-1·0
Eemsworth ..	47,560	556	467	26	26	1,075	22·6	364	258	622	13·1	94	87	9·5
Eunslet .. ..	4,335	41	29	—	4	74	17·1	23	30	53	12·2	5	68	4·9
Eighley .. ..	8,630	27	46	1	2	76	8·8	47	53	100	11·6	3	39	-2·8
Eiveton Park..	17,170	150	147	6	3	306	17·8	105	69	174	10·1	23	75	7·7
Einaresborough	9,614	65	65	3	—	133	13·8	55	65	120	12·5	8	60	1·3
Eateley Bridge	6,979	44	49	2	2	97	13·9	36	60	96	13·8	4	41	0·1
Eaustone ..	5,500	42	48	—	2	92	16·7	32	30	62	11·3	4	43	5·4
Eontefract ..	24,230	257	229	13	12	511	21·1	130	121	251	10·4	37	72	10·7
Eipon .. ..	5,093	39	29	3	1	72	14·1	40	31	71	13·9	2	28	0·2
Eotherham ..	39,110	412	413	12	14	851	21·8	212	225	437	11·2	76	89	10·6
Eedbergh ..	4,046	28	17	1	1	47	11·6	19	24	43	10·6	5	106	1·0

† A considerable proportion of the population of this area was enumerated in a Mental Hospital, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING														
—cont.														
RURAL DISTRICTS														
—cont.														
Selby .. ..	5,862	34	37	2	3	76	13.0	50	31	81	13.8	3	39	—
Settle .. ..	14,840	102	104	—	3	209	14.1	83	97	180	12.1	11	53	—
Skipton .. ..	18,660	132	103	4	4	243	13.0	132	138	270	14.5	16	66	—
Tadcaster ..	30,610	239	213	12	7	471	15.4	180	133	313	10.2	31	66	—
Thorne .. ..	31,800	432	434	25	22	913	28.7	198	172	370	11.6	94	103	—
Todmorden ..	4,904	24	34	—	1	59	12.0	33	27	60	12.2	4	68	—
Wakefield ..	18,510	168	173	6	5	352	19.0	106	119	225	12.2	30	85	—
Wetherby ..	16,300	96	138	4	9	247	15.2	87	105	192	11.8	10	40	—
Wharfedale:—														
North ..	3,743	21	21	—	1	43	11.5	15	12	27	7.2	2	47	—
South ..	6,210	31	22	—	6	59	9.5	33	26	59	9.5	3	51	—
Wortley .. ..	29,340	202	170	6	8	386	13.2	178	146	324	11.0	31	80	—
COUNTY BORO':														
York .. ..	85,950	678	626	33	40	1,377	16.0	516	510	1,026	12.2†	83	60	—
WALES AND MONMOUTH.														
ANGLESEY:														
ADMINISTRATIVE														
COUNTY.														
URBAN DISTRICTS	18,010	113	123	19	12	267	14.8	132	156	288	16.0	22	82	—
Amlwch ..	2,522	14	11	5	5	35	13.9	20	22	42	16.7	2	57	—
Reaumaris M.B.	1,663	7	15	3	1	26	15.6	18	15	33	19.8	—	—	—
Holyhead ..	10,430	75	75	6	3	159	15.2	67	95	162	15.5	15	94	—
Llangefni ..	1,745	11	13	4	2	30	17.2	11	18	29	16.6	3	100	—
Menai Bridge	1,650	6	9	1	1	17	10.3	16	6	22	13.3	2	118	—
RURAL DISTRICTS	30,340	207	216	30	37	490	16.2	246	250	496	16.3	37	76	—
Aethwy .. ..	7,955	48	45	5	11	109	13.7	71	71	142	17.9	9	83	—
Dwyran .. ..	2,752	24	24	3	4	55	20.0	23	25	48	17.4	5	91	—
Twrcelyn ..	8,593	51	62	6	7	126	14.7	73	70	143	16.6	10	79	—
Valley .. ..	11,040	84	85	16	15	200	18.1	79	84	163	14.8	13	65	—
BRECKNOCKSHIRE														
ADMINISTRATIVE														
COUNTY.														
URBAN DISTRICTS	16,480	101	128	6	7	242	14.7	115	135	250	15.4†	22	91	—
Brecknock, M.B.	5,386	21	49	2	1	73	13.6	35	41	76	14.7†	3	41	—
Brynmawr ..	7,285	57	59	3	5	124	17.0	38	59	97	13.3	11	89	—
Builth Wells ..	1,609	10	10	—	1	21	13.1	15	8	23	14.3	2	95	—
Hay .. ..	1,477	12	6	—	—	18	12.2	19	23	42	28.4	5	278	—
Llanwrtyd ..	723	1	4	1	—	6	8.3	8	4	12	16.6	1	167	—
RURAL DISTRICTS	40,790	318	302	17	21	658	16.1	288	237	525	12.9	43	65	—
Brecknock:—														
Defynnock & Llangorse Div.	6,163	48	38	2	4	92	14.9	53	31	84	13.6	8	87	—
Merthyr Cynog. Div.	2,066	14	14	—	1	29	14.0	9	11	20	9.7	1	34	—
Builth .. ..	3,853	40	38	2	—	80	20.8	33	22	55	14.3	1	13	—
Crickhowell ..	7,143	61	70	2	4	137	19.2	46	53	99	13.9	8	58	—
Hay .. ..	3,694	21	21	3	2	47	12.7	24	24	48	13.0	2	43	—
Vaynor and Penderyn.	5,030	36	31	1	4	72	14.3	45	32	77	15.3	6	83	—

† Death-rates based upon estimated civilian populations as follows:—York C.B., 84,370; Brecknockshire—Administrative County, 57,060; Urban Districts, 16,270; Brecknock M.B., 5,176.

TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CECKNOCKSHIRE —cont.														
RURAL DISTRICTS —cont.														
Ystradgynlais..	11,850	94	85	7	6	192	16.2	70	58	128	10.8	17	89	5.4
C.P. of Llan- wrthwl ad- ministered by R.D.C. of Rhayader (Radnor).	338	1	1	—	—	2	5.9	3	2	5	14.8	—	—	-8.9
C.P. of Ystrad- felte admin- istered by R.D.C. of Neath (Glam.)	653	3	4	—	—	7	10.7	5	4	9	13.8	—	—	-3.1
CERNARVONSHIRE: ADMINISTRATIVE COUNTY	118,480	735	759	61	45	1,600	13.5	959	945	1,904	16.1	110	69	-2.6
URBAN DISTRICTS	61,210	385	366	36	19	806	13.2	448	467	915	14.9	59	73	-1.7
Bangor M.B. ..	10,990	71	64	4	5	144	13.1	77	80	157	14.3	4	28	-1.2
Bethesda.. ..	4,506	42	30	2	—	74	16.4	37	38	75	16.6	8	108	-0.2
Bettws y Coed	818	2	2	1	—	5	6.1	2	2	4	4.9	—	—	1.2
Caernarvon M.B.	8,414	54	54	6	5	119	14.1	77	62	139	16.5	7	59	-2.4
Conway M.B.	8,132	51	50	2	—	103	12.7	63	60	123	15.1	17	165	-2.4
Criccieth .. .	1,362	4	5	—	—	9	6.6	6	14	20	14.7	—	—	-8.1
Llandudno .. .	12,510	82	69	7	5	163	13.0	77	103	180	14.4	9	55	-1.4
Llanfairfechan	3,087	16	15	1	1	33	10.7	20	20	40	13.0	4	121	-2.3
Penmaenmawr	3,912	18	24	3	1	46	11.8	32	30	62	15.9	3	65	-4.1
Portmadoc .. .	3,935	18	31	4	2	55	14.0	27	33	60	15.2	2	36	-1.2
Pwllheli M.B.	3,544	27	22	6	—	55	15.5	30	25	55	15.5	5	91	—
RURAL DISTRICTS	57,270	350	393	25	26	794	13.9	511	478	989	17.3	51	64	-3.4
Conway .. .. .	4,408	32	35	—	—	67	15.2	18	29	47	10.7	1	15	4.5
Geirionydd .. .	4,011	22	30	2	3	57	14.2	40	28	68	17.0	4	70	-2.8
Glaslyn .. .. .	2,585	19	21	2	—	42	16.2	31	18	49	19.0	2	48	-2.8
Gwyrfaï .. .. .	23,920	142	159	7	11	319	13.3	237	226	463	19.4	27	85	-6.1
Lleyn .. .. .	16,640	106	106	13	11	236	14.2	129	129	258	15.5	13	55	-1.3
Ogwen .. .. .	5,706	29	42	1	1	73	12.8	56	48	104	18.2	4	55	-5.4
CARDIGANSHIRE: ADMINISTRATIVE COUNTY.	54,750	353	310	25	32	720	13.2	417	513	930	17.0	53	74	-3.8
URBAN DISTRICTS	16,720	71	77	8	9	165	9.9	114	153	267	16.0	13	79	-6.1
Aberayron .. .	1,153	7	1	1	1	10	8.7	9	12	21	18.2	—	—	-9.5
Aberystwyth M.B.	9,278	27	38	3	3	71	7.7	54	72	126	13.6	7	99	-5.9
Cardigan M.B.	3,245	24	21	2	3	50	15.4	29	43	72	22.2	5	100	-6.8
Lampeter M.B.	1,956	9	11	—	—	20	10.2	11	13	24	12.3	1	50	-2.1
New Quay .. .	1,088	4	6	2	2	14	12.9	11	13	24	22.1	—	—	-9.2
RURAL DISTRICTS	38,030	282	233	17	23	555	14.6	303	360	663	17.4	40	72	-2.8
Aberayron .. .	6,840	54	45	4	1	104	15.2	48	70	118	17.3	6	58	-2.1
Aberystwyth:—														
North .. .. .	6,365	49	42	1	8	100	15.7	59	64	123	19.3	5	50	-3.6
South .. .. .	4,633	33	15	1	3	52	11.2	22	30	52	11.2	4	77	—
Cardigan .. .	3,021	17	16	1	—	34	11.3	10	33	43	14.2	1	29	-2.9
Lampeter .. .	3,189	15	28	2	2	47	14.7	39	37	76	23.8	9	191	-9.1



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CARDIGANSHIRE— cont.														
RURAL DISTRICTS —cont.														
Llandyssil ..	7,483	57	46	4	2	109	14.6	56	59	115	15.4	6	55	—
Tregaron ..	6,145	53	39	3	7	102	16.6	65	63	128	20.8	8	78	—
Civil Parish of YsguboryCoed administered by R.D.C. of Machynlleth (Montgomery- shire).	354	4	2	1	—	7	19.8	4	4	8	22.6	1	143	—
CARMARTHENSHIRE: ADMINISTRATIVE COUNTY.	180,080	1 298	1,255	68	51	2,672	14.8	1,183	1,108	2,291	12.7	209	78	
URBAN DISTRICTS	74,980	521	495	23	16	1,055	14.1	476	428	904	12.1	70	66	
Ammanford ..	7,187	46	42	1	4	93	12.9	42	29	71	9.9	4	43	
Burry Port ..	5,746	46	33	2	1	82	14.3	41	35	76	13.2	8	98	
Carmarthen .. M.B.	10,210	66	56	5	2	129	12.6	54	74	128	12.5	5	39	
Cwmamman ..	5,246	48	33	3	1	85	16.2	25	23	48	9.1	5	59	
Kidwelly M.B.	3,164	18	17	2	—	37	11.7	21	16	37	11.7	2	54	
Llandilo ..	1,878	10	8	1	—	19	10.1	18	6	24	12.8	—	—	
Llandovery M.B.	2,059	17	18	—	—	35	17.0	16	10	26	12.6	4	114	
Llanelly M.B.	38,730	264	284	9	8	565	14.6	256	226	482	12.4	42	74	
Newcastle-in- Emlyn.	760	6	4	—	—	10	13.2	3	9	12	15.8	—	—	
RURAL DISTRICTS	105,100	777	760	45	35	1,617	15.4	707	680	1,387	13.2	139	86	
Carmarthen ..	24,370	179	201	14	7	401	16.5	167	180	347	14.2	29	72	
Llandilo Fawr	22,510	158	144	7	5	314	13.9	155	127	282	12.5	26	83	
Llandovery ..	6,424	49	49	2	5	105	16.3	45	49	94	14.6	6	57	
Llanelly ..	37,650	309	269	11	11	600	15.9	239	192	431	11.4	56	93	
Llanybyther ..	3,338	20	23	4	3	50	15.0	20	30	50	15.0	4	80	
Newcastle-in- Emlyn.	5,800	26	36	6	1	69	11.9	46	53	99	17.1	7	101	
Whitland ..	5,008	36	38	1	3	78	15.6	35	49	84	16.8	11	141	
DENBIGHSHIRE: ADMINISTRATIVE COUNTY.	157,230	1,152	1,105	64	66	2,387	15.2	1,030	1,016	2,046	13.0†	184	77	
URBAN DISTRICTS	57,030	375	336	25	19	755	13.2	371	408	779	13.7†	58	77	
Abergele and Pensarn.	2,600	21	10	—	1	32	12.3	31	26	57	21.9	2	63	
Colwyn Bay ..	20,270	111	110	10	4	235	11.6	134	148	282	13.9	17	72	
Denbigh M.B. ...	7,646	61	34	1	3	99	12.9	45	48	93	12.2	13	131	
Llangollen ..	2,835	16	20	1	—	37	13.1	16	24	40	14.1	1	27	
Llanrwst ..	2,355	20	12	3	1	36	15.3	19	31	50	21.2	3	83	
Ruthin M.B. ...	2,834	16	18	3	1	38	13.4	17	21	38	13.4	2	53	
Wrexham M.B.	18,490	130	132	7	9	278	15.0	109	110	219	12.0†	20	72	
RURAL DISTRICTS	100,200	777	769	39	47	1,632	16.3	659	608	1,267	12.6	126	77	
Chirk ..	4,814	34	35	1	—	70	14.5	27	31	58	12.0	4	57	
Llangollen ..	3,384	21	20	—	3	44	13.0	32	14	46	13.6	4	91	
Llanrwst ..	4,057	39	21	4	4	68	16.8	31	24	55	13.6	3	44	
Llansilin ..	2,698	19	17	1	1	38	14.1	19	21	40	14.8	4	105	

† Death-rates based upon estimated civilian populations as follows:—Denbighshire—Administrative County, 156,950  
Urban Districts, 56,750; Wrexham M.B., 18,210.

TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
FLINTSHIRE —cont.														
RURAL DISTRICTS —cont.														
Within .. ..	8,961	72	49	1	2	124	13.8	49	71	120	13.4	6	48	0.4
St. Asaph (Denbigh).	7,255	40	56	3	5	104	14.3	46	35	81	11.2	9	87	3.1
Wychale ..	1,964	19	10	2	2	33	16.8	16	21	37	18.8	3	91	-2.0
Vrexham ..	65,220	522	547	25	29	1,123	17.2	427	382	809	12.4	92	82	4.8
P. of Llanellian- yn Rhôs and Llansantffraid Glan Conway administered by R.D.C. of Conway (Caer- narvonshire).	1,847	11	14	2	1	28	15.2	12	9	21	11.4	1	36	3.8
FLINTSHIRE :														
ADMINISTRATIVE COUNTY.	112,480	887	847	49	33	1,816	16.1	691	683	1,374	12.3†	98	54	3.8
URBAN DISTRICTS	46,640	360	351	24	14	749	16.1	255	286	541	11.6	40	53	4.5
Buckley .. ..	6,953	63	61	2	—	126	18.1	45	43	88	12.7	8	63	5.4
Connah's Quay	6,058	52	54	1	3	110	18.2	31	36	67	11.1	4	36	7.1
Flint M.B. ..	7,705	71	61	4	—	136	17.7	37	38	75	9.7	9	66	8.0
Holywell ..	3,405	30	21	—	1	52	15.3	7	29	36	10.6	—	—	4.7
Mold .. ..	5,144	44	45	2	2	93	18.1	29	25	54	10.5	7	75	7.6
Prestatyn ..	4,275	25	31	3	1	60	14.0	28	29	57	13.3	4	67	0.7
Rhyl .. ..	13,100	75	78	12	7	172	13.1	78	86	164	12.5	8	47	0.6
RURAL DISTRICTS	65,840	527	496	25	19	1,067	16.2	436	397	833	12.7†	58	54	3.5
Hawarden ..	26,640	221	227	4	6	458	17.2	163	163	326	12.5†	26	57	4.7
Holywell ..	26,610	220	194	14	5	433	16.3	194	144	338	12.7	23	53	3.6
Overton .. ..	4,717	35	30	2	—	67	14.2	26	28	54	11.4	5	75	2.8
St. Asaph (Flint)	7,873	51	45	5	8	109	13.8	53	62	115	14.6	4	37	-0.8
GLAMORGANSHIRE														
COUNTY BORO'S..	460,780	3,751	3,664	146	127	7,688	16.7	3,081	2,706	5,787	12.6†	603	78	4.1
Cardiff .. ..	223,800	1,805	1,815	81	70	3,771	16.8	1,584	1,274	2,858	12.8†	290	77	4.0
Merthyr Tydfil	71,480	568	528	24	22	1,142	16.0	504	511	1,015	14.2	120	105	1.8
Swansea .. ..	165,500	1,378	1,321	41	35	2,775	16.8	993	921	1,914	11.6	193	70	5.2
ADMINISTRATIVE COUNTY.	769,700	6,483	5,984	238	240	12,945	16.8	5,064	4,211	9,275	12.1	996	77	4.7
URBAN DISTRICTS	588,100	5,003	4,647	193	192	10,035	17.1	3,944	3,287	7,231	12.3	807	80	4.8
Aberdare .. ..	48,880	358	296	13	13	680	13.9	337	309	646	13.2	59	87	0.7
Barry .. ..	38,790	322	295	13	13	643	16.6	279	200	479	12.3	44	68	4.3
Bridgend .. ..	9,977	68	72	5	2	147	14.7	61	46	107	10.7	12	82	4.0
Caerphilly ..	36,120	383	381	13	15	792	21.9	241	201	442	12.2	67	85	9.7
Cowbridge M.B.	1,043	7	8	—	1	16	15.3	9	10	19	18.2	1	63	-2.9
Gelligaer ..	41,360	414	395	22	16	847	20.5	286	193	479	11.6	88	104	8.9
Glyncoiwg ..	10,270	110	116	2	1	229	22.3	68	47	115	11.2	18	79	11.1
Llwchwr .. ..	26,890	204	189	9	6	408	15.2	160	145	305	11.3	33	81	3.9
Maesteg .. ..	25,700	238	243	11	8	500	19.5	174	139	313	12.2	34	68	7.3

† Death-rates based upon estimated civilian populations as follows: Flintshire—Administrative County, 111,990; Rural Districts, 65,350; Hawarden R.D., 26,150. Glamorganshire, 1,230,180; County Boroughs, 460,480; Cardiff C.B., 223,500.



TABLE 17—*cont.*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000, Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000, Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLAMORGANSHIRE —cont.														
URBAN DISTRICTS —cont.														
Mountain Ash	38,580	311	314	9	13	647	16.8	261	201	462	12.0	47	73	
Neath M.B. ..	33,520	246	237	9	9	501	14.9	184	170	354	10.6	45	90	
Ogmore and Garw.	27,130	241	209	10	11	471	17.4	159	142	301	11.1	32	68	
Penarth .. ..	17,550	101	105	3	2	211	12.0	107	83	190	10.8	15	71	
Pontypridd ..	42,950	379	300	15	16	710	16.5	316	247	563	13.1	53	75	
Porthcawl ..	6,210	40	25	1	1	67	10.8	34	36	70	11.3	1	15	
Port Talbot M.B.	40,900	371	340	14	11	736	18.0	248	229	477	11.7	60	82	
Rhondda .. ..	142,230	1,210	1,122	44	54	2,430	17.1	1,020	889	1,909	13.4	198	81	
RURAL DISTRICTS	181,600	1,480	1,337	45	48	2,910	16.0	1,120	924	2,044	11.3	189	65	
Cardiff .. ..	28,840	194	180	4	9	387	13.4	160	168	328	11.4	17	44	
Cowbridge ..	10,520	72	76	4	2	154	14.6	75	55	130	12.4	11	71	
Gower .. ..	9,600	72	69	1	1	143	14.9	63	51	114	11.9	9	63	
Llantrisant and Llantwitfardre	26,090	264	242	11	8	525	20.1	183	131	314	12.0	45	86	
Neath .. ..	40,200	346	304	8	10	668	16.6	228	196	424	10.5	42	63	
Penybont ..	29,330	241	225	7	6	479	16.3	168	132	300	10.2	25	52	
Pontardawe ..	37,020	291	241	10	12	554	15.0	243	191	434	11.7	40	72	
MERIONETHSHIRE ADMINISTRATIVE COUNTY.	42,370	317	299	26	26	668	15.8	294	359	653	15.5†	34	51	
URBAN DISTRICTS	19,310	138	120	11	11	280	14.5	145	162	307	15.9	20	71	
Bala .. ..	1,384	5	8	2	1	16	11.6	13	8	21	15.2	—	—	
Barmouth ..	2,248	13	15	2	1	31	13.8	12	22	34	15.1	—	—	
Dolgellay ..	2,354	21	14	—	1	36	15.3	13	18	31	13.2	—	—	
Ffestiniog ..	9,058	70	60	4	6	140	15.5	72	68	140	15.5	15	107	
Mallwyd .. ..	668	3	3	—	1	7	10.5	4	8	12	18.0	—	—	
Towyn .. ..	3,598	26	20	3	1	50	13.9	31	38	69	19.2	5	100	
RURAL DISTRICTS	23,060	179	179	15	15	388	16.8	149	197	346	15.1†	14	36	
Deudraeth ..	7,285	61	48	4	8	121	16.6	53	67	120	16.8†	3	25	
Dolgellay ..	7,120	50	63	6	3	122	17.1	41	66	107	15.0	1	8	
Edeirnion ..	4,639	34	45	2	3	84	18.1	34	37	71	15.3	5	60	
Penllyn .. ..	3,640	32	22	3	1	58	15.9	21	23	44	12.1	5	86	
C.P. of Pennal administered by R.D.C. of Machynlleth (Montgomery- shire).	376	2	1	—	—	3	8.0	—	4	4	10.6	—	—	
MONMOUTHSHIRE	437,010	3,852	3,597	159	137	7,745	17.7	2,887	2,454	5,341	12.2†	568	73	
COUNTY BORO':														
Newport ..	89,440	815	733	30	21	1,599	17.9	607	559	1,166	13.1†	126	79	
ADMINISTRATIVE COUNTY.	347,570	3,037	2,864	129	116	6,146	17.7	2,280	1,895	4,175	12.0	442	72	

† Death-rates based upon estimated civilian populations as follows:—Merionethshire—Administrative County, 42,240; Rural Districts, 22,930; Deudraeth R.D., 7,155; Monmouthshire, 436,780; Newport C.B., 89,210.

TABLE 17—*cont*

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MOUTHSHIRE —cont.														
AN DISTRICTS	293,000	2,621	2,454	112	100	5,287	18.0	1,913	1,593	3,506	12.0	402	76	6.0
Bercarn. . .	20,680	183	172	11	5	371	17.9	148	120	268	13.0	23	62	4.9
Bergavenny	8,490	55	68	7	7	137	16.1	65	54	119	14.0	4	29	2.1
M.B.														
Bersychan . .	25,820	211	215	14	8	448	17.4	157	133	290	11.2	31	69	6.2
Bertillery . .	31,950	289	282	3	14	588	18.4	186	160	346	10.8	41	70	7.6
Bidas and	9,255	79	103	2	2	186	20.1	51	47	98	10.6	12	65	9.5
Machen.														
Bdwellty . .	30,370	348	319	20	13	700	23.0	195	159	354	11.7	58	83	11.3
Bdenavon . .	11,170	82	82	—	2	166	14.9	80	73	153	13.7	15	90	1.2
Berleon . . .	2,446	12	7	—	—	19	7.8	13	19	32	13.1	3	158	—5.3
Bepstow . .	4,244	30	28	6	1	65	15.3	41	22	63	14.8	2	31	0.5
Bbw Vale . .	31,970	273	246	9	6	534	16.7	209	173	382	11.9	49	92	4.8
Bnfrechfa	4,512	39	35	—	2	76	16.8	32	32	64	14.2	8	105	2.6
Upper.														
Bantarnam . .	7,324	59	68	4	—	131	17.9	39	34	73	10.0	9	69	7.9
Bnmouth M.B.	4,798	39	31	4	2	76	15.8	39	37	76	15.8	6	79	—
Bnyddislwyn	16,320	129	140	8	7	284	17.4	93	74	167	10.2	20	70	7.2
Bntyglo and Blaina.	13,240	132	113	2	2	249	18.8	86	84	170	12.8	16	64	6.0
Bnteg . . . .	11,580	97	57	3	3	160	13.8	78	67	145	12.5	12	75	1.3
Bntypool . .	6,823	66	61	2	2	131	19.2	43	35	78	11.4	8	61	7.8
Bymney . . .	10,610	111	89	4	5	209	19.7	78	71	149	14.0	21	100	5.7
Bca . . . . .	16,730	141	120	3	6	270	16.1	93	77	170	10.2	16	59	5.9
Bedegar . . .	23,370	239	212	10	12	473	20.2	169	106	275	11.8	45	95	8.4
Bk . . . . .	1,298	7	6	—	1	14	10.8	18	16	34	26.2	3	214	—15.4
AL DISTRICTS	54,570	416	410	17	16	859	15.7	367	302	669	12.3	40	47	3.4
Bergavenny	8,733	50	51	2	3	106	12.1	66	44	110	12.6	5	47	—0.5
Bepstow . . .	8,643	62	67	1	3	133	15.4	35	57	92	10.6	6	45	4.8
Bgor . . . . .	6,684	47	54	3	1	105	15.7	56	22	78	11.7	6	57	4.0
Bnmouth . . .	6,393	36	48	3	2	89	13.9	49	58	107	16.7	9	101	—2.8
Bntypool . . .	5,097	28	37	3	3	71	13.9	48	33	81	15.9	3	42	—2.0
B. Mellons . .	19,020	193	153	5	4	355	18.7	113	88	201	10.6	11	31	8.1
BTOMERYSHIRE														
ADMINISTRATIVE COUNTY.	47,980	350	328	37	33	748	15.6	366	306	672	14.0	52	70	1.6
AN DISTRICTS	17,090	105	110	11	10	236	13.8	131	126	257	15.0	15	64	—1.2
Banyllin M.B.	1,434	9	10	1	—	20	13.9	12	12	24	16.7	1	50	—2.8
Banidloes M.B.	2,311	8	14	1	—	23	10.0	19	21	40	17.3	1	43	—7.3
Bachynlleth . .	1,825	10	14	—	3	27	14.8	17	12	29	15.9	—	—	—1.1
Bontgomery	908	4	8	—	—	12	13.2	8	6	14	15.4	—	—	—2.2
M.B.														
Bewtown and Llanllwchaarn.	5,052	36	31	3	4	74	14.6	30	37	67	13.3	4	54	1.3
BWelshpool M.B.	5,560	38	33	6	3	80	14.4	45	38	83	14.9	9	113	—0.5
AL DISTRICTS	30,890	245	218	26	23	512	16.6	235	180	415	13.4	37	72	3.2
Borden . . . .	5,314	43	40	2	5	90	16.9	33	29	62	11.7	5	56	5.2
Banyllin	11,650	95	95	11	9	210	18.0	91	68	159	13.6	17	81	4.4
Bachynlleth	3,586	23	14	4	4	45	12.5	30	27	57	15.9	3	67	—3.4
Bewtown and Llanidloes.	10,340	84	69	9	5	167	16.2	81	56	137	13.2	12	72	3.0



TABLE 17—cont.

AREA.	Esti- mated Resident Popula- tion (Middle 1931).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
PEMBROKESHIRE : ADMINISTRATIVE COUNTY.	86,020	673	605	47	34	1,359	15·8	634	633	1,267	14·8†	88	65	—
URBAN DISTRICTS	39,710	330	294	25	14	663	16·7	285	271	556	14·2†	39	59	—
Fishguard ..	2,909	14	17	3	—	34	11·7	20	15	35	12·0	3	88	—
Goodwick ..	2,232	11	11	—	1	23	10·3	21	19	40	17·9	1	43	—
Haverfordwest M.B.	6,110	49	47	4	4	104	17·0	41	41	82	13·4	5	50	—
Milford Haven	9,365	80	93	5	2	180	19·2	56	38	94	10·0	9	50	—
Narberth... ..	1,043	8	7	—	—	15	14·4	5	7	12	11·5	—	—	—
Neyland .. ..	2,173	25	15	—	—	40	18·4	10	15	25	11·5	2	50	—
Pembroke M.B.	11,940	112	87	11	6	216	18·1	102	95	197	17·3†	16	74	—
Tenby M.B. ..	3,938	31	17	2	1	51	13·0	30	41	71	18·0	3	59	—
RURAL DISTRICTS	46,310	343	311	22	20	696	15·0	349	362	711	15·4	49	70	—
Haverfordwest	18,580	146	129	7	11	293	15·8	125	123	248	13·3	22	75	—
Llanfyrnach ..	2,104	19	17	—	—	36	17·1	18	22	40	19·0	3	83	—
Narberth... ..	10,560	70	75	4	6	155	14·7	85	87	172	16·3	11	71	—
Pembroke .. ..	7,674	51	45	7	2	105	13·7	49	51	100	13·0	7	67	—
St. Dogmells ..	7,392	57	45	4	1	107	14·5	72	79	151	20·4	6	56	—
RADNORSHIRE : ADMINISTRATIVE COUNTY.	20,820	144	155	11	15	325	15·6	131	154	285	13·7	22	68	—
URBAN DISTRICTS	5,570	36	35	3	3	77	13·8	35	48	83	14·9	7	91	—
Knighton .. ..	1,789	13	11	1	3	28	15·7	7	18	25	14·0	2	71	—
Llandrindod Wells.	2,687	19	14	1	—	34	12·7	18	18	36	13·4	2	59	—
Presteign .. ..	1,094	4	10	1	—	15	13·7	10	12	22	20·1	3	200	—
RURAL DISTRICTS	15,250	108	120	8	12	248	16·3	96	106	202	13·2	15	60	—
Colwyn .. ..	1,962	10	7	2	2	21	10·7	12	7	19	9·7	—	—	—
Knighton .. ..	3,894	26	34	1	2	63	16·2	31	29	60	15·4	6	95	—
New Radnor ..	2,584	19	24	2	1	46	17·8	14	17	31	12·0	1	22	—
Painscastle ..	2,128	13	20	2	2	37	17·4	8	15	23	10·8	2	54	—
Rhayader .. ..	4,682	40	35	1	5	81	17·3	31	38	69	14·7	6	74	—

† Death-rates based upon estimated civilian populations as follows:—Pembrokeshire—Administrative County, 85,440; Urban Districts, 39,130; Pembroke M.B., 11,360.

TABLE 18. STILLBIRTHS (LEGITIMATE AND ILLEGITIMATE) (WITH RATIO PER 1,000 TOTAL BIRTHS,) 1931.

England and Wales, Geographical Regions\*.  
London and Metropolitan Boroughs, and  
County Boroughs.  
Aggregates of Urban and of Rural Districts  
in each Administrative County.

*Note.*—Stillbirths occurring away from home have been transferred to the area of usual residence of the mother.

Area.	Legitimate.		Illegitimate.		Total.	Stillbirths per 1,000 Total Births.
	M.	F.	M.	F.		

SUMMARY.								
ENGLAND AND WALES.	..		14,027	11,243	924	739	26,933	41
SOUTH EAST	..	..	3,610	2,785	287	191	6,873	33
Greater London	..	..	2,216	1,706	167	104	4,193	33
Remainder of South East	..		1,394	1,079	120	87	2,680	34
Midland Section	..	..	1,210	973	87	60	2,330	32
Southern Section	..	..	2,400	1,812	200	131	4,543	33
NORTH	..	..	5,256	4,333	346	277	10,212	45
North I	..	..	974	839	46	49	1,908	43
North II	..	..	483	394	51	35	963	41
North III	..	..	1,317	1,085	76	93	2,571	46
North IV.	..	..	2,482	2,015	173	100	4,770	47
MIDLAND	..	..	2,535	2,120	137	127	4,919	41
Midland I	..	..	1,688	1,433	86	83	3,290	41
Midland II	..	..	847	687	51	44	1,629	40
EAST	..	..	612	476	42	34	1,164	39
SOUTH WEST	..	..	647	483	46	45	1,221	40
WALES	..	..	1,367	1,046	66	65	2,544	57
Wales I	..	..	1,047	825	42	42	1,956	58
Wales II	..	..	320	221	24	23	588	54
Density summary of areas outside Greater London :—								
COUNTY BOROUGHS	..		4,882	4,004	319	265	9,470	43
OTHER URBAN DISTRICTS	..		4,207	3,345	238	195	7,985	44
RURAL DISTRICTS	..	..	2,722	2,188	200	175	5,285	41

\* The counties included in the several Geographical Regions are shown on the first page of Table 17.



TABLE 18—*cont.*

Area.	Legitimate		Illegitimate.		Total.	Still-births per 1,000 Total Births.	Area.	Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.
	M.	F.	M.	F.				M.	F.	M.	F.		
LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES.													
London Ad. Co. ..	1,171	873	99	62	2,205	32	County Boroughs						
City of London ..	1	2	—	1	4	62	—contd.						
Inner and Middle Temples.	—	—	—	—	—	—	Dudley .. ..	24	26	2	3	55	4
Metropolitan Boroughs							Eastbourne ..	9	6	1	3	19	2
Battersea .. ..	36	25	3	2	66	26	East Ham .. ..	42	29	1	—	72	3
Bermondsey .. ..	28	19	1	1	49	24	Exeter .. ..	21	20	2	2	45	4
Bethnal Green ..	32	21	3	—	56	30	Gateshead .. ..	66	47	2	3	118	4
Camberwell .. ..	69	53	3	2	127	33	Gloucester .. ..	27	15	—	2	44	5
Chelsea .. ..	15	6	2	3	26	34	Great Yarmouth ..	18	11	—	1	30	3
Deptford .. ..	22	21	5	1	49	27	Grimsby .. ..	37	33	1	2	73	4
Finsbury .. ..	26	20	1	1	48	39	Halifax .. ..	22	18	2	2	44	3
Fulham .. ..	45	26	4	4	79	33	Hastings .. ..	13	12	3	2	30	3
Greenwich .. ..	18	20	1	—	39	25	Huddersfield .. ..	42	25	4	4	75	5
Hackney .. ..	73	43	6	1	123	35	Ipswich .. ..	24	23	2	—	49	3
Hammersmith ..	16	27	2	5	50	24	Kingston-upon Hull	127	96	8	6	237	3
Hampstead .. ..	23	11	1	2	37	36	Leeds .. ..	179	155	15	18	367	4
Holborn .. ..	12	3	—	—	15	41	Leicester .. ..	68	69	8	4	149	3
Islington .. ..	98	64	6	6	174	31	Lincoln .. ..	20	15	1	1	37	3
Kensington .. ..	47	30	8	2	87	34	Liverpool .. ..	379	300	25	18	722	3
Lambeth .. ..	56	65	6	4	131	28	Manchester .. ..	334	247	28	19	628	4
Lewisham .. ..	66	31	2	3	102	32	Middlesbrough ..	62	64	5	4	135	4
Paddington .. ..	39	33	7	3	82	38	Newcastle-upon-Tyne.	105	91	5	3	204	3
Poplar .. ..	53	37	—	2	92	32	Northampton ..	17	22	2	2	43	3
St. Marylebone ..	13	18	6	5	42	38	Norwich .. ..	52	44	2	2	100	4
St. Pancras .. ..	51	40	9	4	104	34	Nottingham .. ..	91	88	6	6	191	3
Shoreditch .. ..	28	28	—	1	57	33	Oldham .. ..	53	37	11	3	104	5
Southwark .. ..	61	35	2	1	99	33	Oxford .. ..	24	12	5	2	43	3
Stepney .. ..	76	57	6	3	142	35	Plymouth .. ..	59	53	8	8	128	3
Stoke Newington ..	19	14	—	—	33	41	Portsmouth .. ..	90	71	12	9	182	4
Wandsworth .. ..	86	71	6	2	165	37	Preston .. ..	54	32	2	1	89	4
Westminster .. ..	25	20	8	1	54	43	Reading .. ..	27	34	4	1	66	4
Woolwich .. ..	37	33	1	2	73	33	Rochdale .. ..	42	24	1	2	69	5
County Boroughs :							Rotherham .. ..	27	27	—	3	57	4
Barnsley .. ..	45	39	2	6	92	64	St. Helens .. ..	61	39	3	—	103	4
Barrow-in-Furness ..	32	22	1	1	56	54	Salford .. ..	93	97	6	3	199	5
Bath .. ..	18	20	—	1	39	46	Sheffield .. ..	193	160	9	8	370	4
Birkenhead .. ..	47	51	5	1	104	37	Smethwick .. ..	22	24	1	—	47	3
Birmingham .. ..	379	325	15	24	743	41	Southampton ..	62	44	2	1	109	3
Blackburn .. ..	46	41	4	3	94	58	Southend-on-Sea ..	23	28	1	1	53	3
Blackpool .. ..	41	21	3	1	66	59	Southport .. ..	19	15	4	4	42	4
Bolton .. ..	93	57	5	3	158	60	South Shields ..	51	36	1	2	90	3
Bootle .. ..	31	30	1	2	64	37	Stockport .. ..	48	46	1	4	99	5
Bournemouth .. ..	19	24	—	3	46	37	Stoke-on-Trent ..	138	132	9	5	284	5
Bradford .. ..	103	78	7	13	201	47	Sunderland .. ..	88	75	5	3	171	4
Brighton .. ..	35	27	5	3	70	34	Tynemouth .. ..	30	35	—	2	67	4
Bristol .. ..	148	90	9	4	251	40	Wakefield .. ..	19	20	—	1	40	4
Burnley .. ..	30	38	—	1	69	51	Wallasey .. ..	32	18	2	1	53	3
Burton-upon-Trent ..	17	14	2	1	34	41	Walsall .. ..	40	33	4	—	77	3
Bury .. ..	19	10	4	—	33	47	Warrington .. ..	42	34	6	2	84	5
Canterbury .. ..	5	3	1	—	9	25	West Bromwich ..	46	29	2	—	77	4
Carlisle .. ..	27	15	3	4	49	48	West Ham .. ..	107	74	5	1	187	3
Chester .. ..	13	16	2	—	31	44	West Hartlepool ..	31	19	3	1	54	3
Coventry .. ..	46	44	3	—	93	36	Wigan .. ..	46	40	2	2	90	5
Croydon .. ..	65	47	5	3	120	34	Wolverhampton ..	46	45	—	2	93	3
Darlington .. ..	36	34	2	1	73	61	Worcester .. ..	18	12	—	1	31	3
Derby .. ..	45	30	3	3	81	34	York .. ..	23	20	1	2	46	3
Dewsbury .. ..	24	22	3	3	52	65	Cardiff .. ..	110	76	2	2	190	4
Doncaster .. ..	28	18	2	—	48	44	Merthyr Tydfil ..	53	31	2	1	87	7
							Newport, Mon. ..	40	34	—	1	75	4
							Swansea .. ..	68	76	4	2	150	5

TABLE 18—cont.

Area.		Legiti- mate.		Illegiti- mate.		Total.	Still- births per 1,000 Total Births.	Area.		Legiti- mate.		Illegiti- mate.		Total.	Still- births per 1,000 Total Births.
		M.	F.	M.	F.					M.	F.	M.	F.		
ADMINISTRATIVE COUNTIES.															
Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.															
Bedford ..	U.D.	30	38	5	6	79	39	Salop ..	U.D.	34	35	3	5	77	41
	R.D.	25	14	3	1	43	35		R.D.	42	48	3	6	99	44
Berkshire ..	U.D.	25	13	1	2	41	37	Somerset ..	U.D.	52	27	4	2	85	36
	R.D.	48	33	4	2	87	40		R.D.	90	46	5	6	147	41
Bucks ..	U.D.	31	20	2	3	56	28	Southants ..	U.D.	74	53	6	3	136	36
	R.D.	25	26	3	2	56	27		R.D.	82	61	7	6	156	38
Cambs ..	U.D.	16	5	1	2	24	30	Staffs ..	U.D.	230	184	10	5	429	45
	R.D.	22	20	—	—	42	38		R.D.	79	75	2	1	157	42
Cheshire ..	U.D.	155	177	8	4	344	49	Suffolk, East	U.D.	24	22	2	1	49	37
	R.D.	64	44	5	3	116	38		R.D.	36	31	4	5	76	39
Cornwall ..	U.D.	50	37	1	3	91	45	Suffolk, West	U.D.	8	13	—	—	21	36
	R.D.	52	53	4	2	111	42		R.D.	23	13	1	—	37	40
Cumberland	U.D.	52	35	4	3	94	43	Surrey ..	U.D.	197	141	15	9	362	33
	R.D.	29	29	6	3	67	44		R.D.	36	37	6	—	79	31
Derby ..	U.D.	142	91	6	11	250	46	Sussex, East	U.D.	22	23	2	—	47	28
	R.D.	128	96	10	5	239	44		R.D.	35	22	1	1	59	33
Devon ..	U.D.	73	42	4	5	124	42	Sussex, West	U.D.	27	13	3	1	44	28
	R.D.	56	51	4	4	115	35		R.D.	22	16	2	3	43	26
Dorset ..	U.D.	38	28	5	—	71	36	Warwick ..	U.D.	53	39	1	3	96	36
	R.D.	39	32	5	2	78	46		R.D.	52	48	3	6	109	33
Durham ..	U.D.	225	244	10	15	494	45	Westmorland	U.D.	5	5	—	1	11	29
	R.D.	182	145	10	8	345	43		R.D.	14	11	4	—	29	50
Essex, I. of ..	U.D.	17	11	—	—	28	31	Wight, I. of	U.D.	14	12	—	2	28	39
	R.D.	10	4	2	1	17	30		R.D.	5	3	—	—	8	23
Gloucestershire ..	U.D.	253	202	7	12	474	31	Wilts. ..	U.D.	49	33	1	1	84	39
	R.D.	75	76	6	—	157	35		R.D.	50	41	3	9	103	39
Hampshire ..	U.D.	37	28	1	2	68	44	Worcester ..	U.D.	65	66	3	3	137	38
	R.D.	73	61	4	6	144	40		R.D.	33	25	3	2	63	38
Hertford ..	U.D.	14	8	3	—	25	39	Yorks, E.R.	U.D.	21	20	2	1	44	42
	R.D.	25	27	3	2	57	50		R.D.	22	21	5	5	53	32
Huntingdon ..	U.D.	65	39	8	7	119	28	Yorks, N.R. .	U.D.	82	65	10	5	162	51
	R.D.	20	22	3	3	48	26		R.D.	42	33	4	3	82	35
Ipswich ..	U.D.	11	5	—	—	16	36	Yorks, W.R.	U.D.	429	345	25	21	820	47
	R.D.	10	6	—	—	16	34		R.D.	183	158	6	12	359	42
Leamington ..	U.D.	222	168	18	10	418	32	Anglesey ..	U.D.	9	3	2	1	15	53
	R.D.	95	76	3	5	179	34		R.D.	22	14	2	2	40	75
Leicester ..	U.D.	611	494	38	20	1,163	51	Brecon ..	U.D.	10	3	—	—	13	51
	R.D.	97	85	6	2	190	50		R.D.	25	24	1	2	52	73
Leicestershire ..	U.D.	57	45	—	—	102	49	Caernarvon ..	U.D.	19	11	1	—	31	37
	R.D.	55	57	2	3	117	38		R.D.	29	14	5	2	50	59
Lincoln, Holland	U.D.	15	8	3	2	28	34	Cardigan ..	U.D.	3	6	—	—	9	52
	R.D.	22	17	1	—	40	39		R.D.	22	13	1	5	41	69
Lincoln, Kesteven	U.D.	14	14	2	—	30	44	Carmarthen ..	U.D.	38	29	2	—	69	61
	R.D.	22	16	3	—	41	36		R.D.	69	45	3	4	121	70
Lincoln, Lindsey	U.D.	60	35	3	1	99	46	Denbigh ..	U.D.	19	16	—	—	35	44
	R.D.	50	38	1	3	92	39		R.D.	50	44	5	2	101	58
Middlesex ..	U.D.	435	356	33	16	840	33	Flint ..	U.D.	25	18	—	1	44	55
	R.D.	17	16	2	1	36	38		R.D.	32	22	1	3	58	52
Norfolk ..	U.D.	14	19	2	—	35	39	Glamorgan ..	U.D.	355	283	16	20	674	63
	R.D.	83	72	11	12	178	41		R.D.	95	65	6	3	169	55
Northants ..	U.D.	32	19	1	2	54	39	Merioneth ..	U.D.	4	4	—	1	9	31
	R.D.	24	25	2	2	53	32		R.D.	14	6	2	2	24	48
Northumberland	U.D.	126	92	5	10	233	42	Monmouth ..	U.D.	162	146	5	5	318	57
	R.D.	34	21	3	1	59	39		R.D.	22	13	1	2	38	42
Nottingham ..	U.D.	113	79	7	2	201	42	Montgomery	U.D.	7	4	—	—	11	45
	R.D.	59	56	3	2	120	37		R.D.	13	8	3	1	25	47
Oxford ..	U.D.	13	4	—	1	18	33	Pembroke ..	U.D.	12	15	1	1	29	42
	R.D.	25	17	3	4	49	34		R.D.	24	11	1	—	36	49
Peterborough,	U.D.	14	7	1	1	23	34	Radnor ..	U.D.	2	3	—	—	5	61
Soke of ..	R.D.	2	3	—	1	6	41		R.D.	14	9	—	2	25	92
Stafford ..	U.D.	1	1	—	—	2	47								
	R.D.	3	—	—	1	4	17								



TABLE 19. DEATHS BY SEX AT EACH YEAR OF AGE (WITH THE } England and Wales.  
MARITAL CONDITION FOR FEMALES), 1931.

*Note.*—Included in this Table are 482 cases (268 Males and 214 Females) in which the age of deceased was not definitely stated; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case.

The deaths of 86 divorced women are included with the deaths of widows.

Age last birth-day.	Persons.	Males.	Females.				Age last birth-day.	Persons.	Males.	Females.			
			Total.	Single.	Married.	Widowed.				Total.	Single.	Married.	Widowed.
<b>All Ages</b>	<b>491,630</b>	<b>249,717</b>	<b>241,913</b>	<b>71,959</b>	<b>82,791</b>	<b>87,163</b>	<b>50-54</b>	<b>27,349</b>	<b>15,023</b>	<b>12,326</b>	<b>2,042</b>	<b>8,367</b>	<b>1,911</b>
							50	4,942	2,730	2,212	402	1,532	277
							51	5,018	2,748	2,270	410	1,523	333
<b>0-4</b>	<b>59,977</b>	<b>34,037</b>	<b>25,940</b>	<b>25,940</b>	—	—	52	5,615	3,062	2,553	412	1,734	401
0	41,939	24,332	17,607	17,607	—	—	53	5,780	3,167	2,613	423	1,773	411
1	9,313	5,089	4,224	4,224	—	—	54	5,994	3,316	2,678	395	1,805	477
2	3,980	2,102	1,878	1,878	—	—	<b>55-59</b>	<b>34,699</b>	<b>19,295</b>	<b>15,404</b>	<b>2,459</b>	<b>9,746</b>	<b>3,191</b>
3	2,601	1,389	1,212	1,212	—	—	55	6,014	3,360	2,654	453	1,681	521
4	2,144	1,125	1,019	1,019	—	—	56	6,683	3,681	3,002	458	1,958	581
<b>5-9</b>	<b>7,073</b>	<b>3,820</b>	<b>3,253</b>	<b>3,253</b>	—	—	57	6,873	3,821	3,052	501	1,993	551
5	2,020	1,101	919	919	—	—	58	7,592	4,196	3,396	575	2,077	747
6	1,583	860	723	723	—	—	59	7,537	4,237	3,300	472	2,037	791
7	1,320	716	604	604	—	—	<b>60-64</b>	<b>42,342</b>	<b>22,979</b>	<b>19,363</b>	<b>2,837</b>	<b>10,772</b>	<b>5,751</b>
8	1,085	589	496	496	—	—	60	7,733	4,230	3,503	529	2,071	901
9	1,065	554	511	511	—	—	61	7,769	4,235	3,534	519	1,995	1,021
<b>10-14</b>	<b>4,740</b>	<b>2,387</b>	<b>2,353</b>	<b>2,353</b>	—	—	62	8,490	4,657	3,833	586	2,127	1,121
10	1,056	560	496	496	—	—	63	9,097	4,915	4,182	591	2,305	1,281
11	1,110	579	531	531	—	—	64	9,253	4,942	4,311	612	2,274	1,421
12	752	350	402	402	—	—	<b>65-69</b>	<b>51,741</b>	<b>27,626</b>	<b>24,115</b>	<b>3,412</b>	<b>10,756</b>	<b>9,941</b>
13	812	389	423	423	—	—	65	10,030	5,501	4,529	645	2,191	1,691
14	1,010	509	501	501	—	—	66	9,775	5,201	4,574	641	2,160	1,771
<b>15-19</b>	<b>8,518</b>	<b>4,415</b>	<b>4,103</b>	<b>3,969</b>	<b>134</b>	—	67	10,353	5,540	4,813	689	2,176	1,941
15	1,255	623	632	632	—	—	68	10,809	5,657	5,152	727	2,215	2,211
16	1,595	806	789	785	4	—	69	10,774	5,727	5,047	710	2,014	2,321
17	1,764	909	855	846	9	—	<b>70-74</b>	<b>56,990</b>	<b>28,481</b>	<b>28,509</b>	<b>4,116</b>	<b>9,192</b>	<b>15,201</b>
18	1,898	1,027	871	835	36	—	70	10,997	5,624	5,373	805	2,001	2,561
19	2,006	1,050	956	871	85	—	71	11,046	5,592	5,454	830	1,887	2,731
<b>20-24</b>	<b>10,830</b>	<b>5,650</b>	<b>5,180</b>	<b>3,738</b>	<b>1,433</b>	<b>9</b>	72	11,544	5,760	5,784	848	1,882	3,051
20	2,064	1,103	961	853	108	—	73	11,581	5,652	5,929	830	1,771	3,321
21	2,118	1,116	1,002	797	204	1	74	11,822	5,853	5,969	803	1,651	3,511
22	2,259	1,174	1,085	787	297	1	<b>75-79</b>	<b>53,399</b>	<b>24,709</b>	<b>28,690</b>	<b>4,023</b>	<b>5,793</b>	<b>18,871</b>
23	2,232	1,152	1,080	696	381	3	75	11,503	5,425	6,078	894	1,479	3,701
24	2,157	1,105	1,052	605	443	4	76	11,317	5,336	5,981	860	1,312	3,801
<b>25-29</b>	<b>10,873</b>	<b>5,409</b>	<b>5,464</b>	<b>2,288</b>	<b>3,121</b>	<b>55</b>	77	10,507	4,912	5,595	735	1,147	3,711
25	2,144	1,095	1,049	547	495	7	78	10,298	4,637	5,661	766	1,005	3,891
26	2,142	1,053	1,089	511	572	6	79	9,774	4,399	5,375	768	850	3,751
27	2,123	1,054	1,069	443	617	9	<b>80-84</b>	<b>37,667</b>	<b>15,632</b>	<b>22,035</b>	<b>3,073</b>	<b>2,525</b>	<b>16,431</b>
28	2,226	1,103	1,123	405	706	12	80	9,265	4,015	5,250	746	746	3,751
29	2,238	1,104	1,134	382	731	21	81	8,181	3,416	4,765	682	584	3,491
<b>30-34</b>	<b>10,756</b>	<b>5,268</b>	<b>5,488</b>	<b>1,423</b>	<b>3,930</b>	<b>135</b>	82	7,436	3,144	4,292	606	495	3,191
30	2,199	1,094	1,105	333	752	20	83	6,652	2,651	4,001	552	397	3,051
31	2,136	1,072	1,064	273	765	26	84	6,133	2,406	3,727	487	303	2,931
32	2,167	1,037	1,130	280	823	27	<b>85-89</b>	<b>19,215</b>	<b>6,990</b>	<b>12,225</b>	<b>1,763</b>	<b>705</b>	<b>9,751</b>
33	2,041	1,013	1,028	262	736	30	85	5,299	2,027	3,272	512	224	2,531
34	2,213	1,052	1,161	275	854	32	86	4,767	1,782	2,985	406	202	2,371
<b>35-39</b>	<b>12,337</b>	<b>6,247</b>	<b>6,090</b>	<b>1,364</b>	<b>4,428</b>	<b>298</b>	87	3,744	1,349	2,395	345	131	1,911
35	2,243	1,143	1,100	254	801	45	88	3,023	1,026	1,997	279	93	1,621
36	2,361	1,187	1,174	259	855	60	89	2,382	806	1,576	221	55	1,301
37	2,397	1,218	1,179	279	846	54	<b>90-94</b>	<b>5,771</b>	<b>1,847</b>	<b>3,924</b>	<b>574</b>	<b>103</b>	<b>3,241</b>
38	2,616	1,309	1,307	295	956	56	90	1,943	636	1,307	193	45	1,061
39	2,720	1,390	1,330	277	970	83	91	1,455	506	949	133	22	791
<b>40-44</b>	<b>15,492</b>	<b>8,238</b>	<b>7,254</b>	<b>1,477</b>	<b>5,193</b>	<b>584</b>	92	1,062	305	757	111	22	621
40	2,815	1,434	1,381	306	995	80	93	766	244	522	83	8	431
41	2,830	1,499	1,331	286	957	88	94	545	156	389	54	6	321
42	3,223	1,685	1,538	309	1,086	143	<b>95-99</b>	<b>962</b>	<b>233</b>	<b>729</b>	<b>95</b>	<b>7</b>	<b>621</b>
43	3,289	1,788	1,501	315	1,063	123	95	399	107	292	40	4	241
44	3,335	1,832	1,503	261	1,092	150	96	219	59	160	16	3	141
<b>45-49</b>	<b>20,808</b>	<b>11,416</b>	<b>9,392</b>	<b>1,745</b>	<b>6,586</b>	<b>1,061</b>	97	162	32	130	21	—	101
45	3,668	2,037	1,631	294	1,177	160	98	104	19	85	15	—	71
46	3,937	2,102	1,835	337	1,318	180	99	78	16	62	3	—	51
47	4,005	2,179	1,826	345	1,290	191	<b>100-</b>	<b>91</b>	<b>15</b>	<b>76</b>	<b>15</b>	—	<b>61</b>
48	4,443	2,423	2,020	401	1,366	253	100	37	7	30	6	—	21
49	4,755	2,675	2,080	368	1,435	277	101-	54	8	46	9	—	31



TABLE 20. DEATHS AT DIFFERENT AGES,  
1931.  
(Civilian Deaths only).

England and Wales, Geographical Regions.\*  
London and Metropolitan Boroughs, County  
Boroughs.  
Aggregates of other Urban and of Rural  
Districts in each Administrative County.

Age.	Sex.	England and Wales.	SOUTH EAST.					NORTH.				
			Total.	Greater London.	Remainder.	Part formerly in "Midlands."	Part formerly in "South."	Total.	North I.	North II.	North III.	North IV.
All Ages	M	249228	76625	46487	30138	23572	53053	87988	15325	8729	22496	41438
	F	241913	77167	46179	30988	23475	53692	84034	13669	8223	21424	40718
Under 4 weeks	M	11575	3017	1846	1171	1053	1964	4439	910	459	1091	1979
	F	8391	2156	1346	810	755	1401	3241	711	321	823	1386
4 weeks-3 months	M	4077	1094	768	326	352	742	1660	358	167	372	763
	F	2784	742	525	217	243	499	1150	245	121	260	524
3-6 months	M	3481	987	755	232	294	693	1480	339	127	329	685
	F	2417	679	504	175	194	485	1006	256	82	214	454
6-12 months	M	5199	1195	884	311	361	834	2355	563	229	475	1088
	F	4015	987	722	265	268	719	1794	426	184	374	810
Total under 1 year	M	24332	6293	4253	2040	2060	4233	9934	2170	982	2267	4515
	F	17607	4564	3097	1467	1460	3104	7191	1638	708	1671	3174
1—	M	5089	1039	725	314	319	720	2445	655	261	485	1044
	F	4224	909	625	284	282	627	2045	510	235	419	881
2—	M	2102	437	296	141	141	296	1026	266	107	241	412
	F	1878	415	253	162	138	277	815	209	75	203	328
3—	M	1389	315	194	121	122	193	642	157	64	156	265
	F	1212	278	177	101	94	184	559	139	65	126	229
4—	M	1125	253	178	75	81	172	499	119	57	128	195
	F	1019	244	165	79	81	163	443	89	42	120	192
Total under 5 years	M	34037	8337	5646	2691	2723	5614	14546	3367	1471	3277	6431
	F	25940	6410	4317	2093	2055	4355	11053	2585	1125	2539	4804
5—	M	3819	965	607	358	310	655	1623	344	189	445	645
	F	3253	852	534	318	314	538	1353	259	137	394	563
10—	M	2387	661	390	271	217	444	960	203	93	260	404
	F	2353	636	433	203	217	419	964	236	95	218	415
15—	M	4336	1260	831	429	415	845	1618	380	166	414	658
	F	4103	1127	747	380	343	784	1578	323	157	397	701
20—	M	5489	1701	1081	620	570	1131	1953	398	186	492	877
	F	5180	1573	1063	510	481	1092	1882	364	171	472	875
25—	M	5324	1606	1078	528	549	1057	1934	373	185	446	930
	F	5464	1679	1129	550	549	1130	2004	392	180	456	976
30—	M	5217	1593	1051	542	543	1050	1919	346	169	488	916
	F	5488	1646	1040	606	563	1083	1992	332	160	529	971
35—	M	6198	1788	1171	617	585	1203	2335	436	202	564	1133
	F	6090	1797	1162	635	603	1194	2276	404	209	555	1108
40—	M	8212	2456	1577	879	787	1669	3062	503	257	758	1544
	F	7254	2189	1405	784	696	1493	2615	448	226	693	1248
45—	M	11397	3511	2324	1187	1072	2439	4239	653	380	1066	2140
	F	9392	2936	1833	1103	919	2017	3505	524	316	911	1754
50—	M	15013	4738	3177	1561	1424	3314	5553	796	453	1473	2831
	F	12326	3888	2430	1458	1171	2717	4545	676	391	1207	2271
55—	M	19292	6212	4018	2194	1815	4397	6938	1007	601	1918	3412
	F	15404	4773	2925	1848	1438	3335	5734	785	512	1457	2980
60—	M	22978	7119	4517	2602	2101	5018	8199	1210	701	2198	4090
	F	19363	6015	3615	2400	1751	4264	7052	1041	636	1800	3575
65—	M	27624	8729	5203	3526	2630	6099	9612	1471	918	2570	4653
	F	24115	7711	4624	3087	2238	5473	8707	1230	781	2227	4469
70—	M	28480	8829	4996	3833	2633	6196	9719	1522	978	2571	4648
	F	28509	9230	5345	3885	2663	6567	9934	1361	911	2604	5058
75—	M	24708	8136	4423	3713	2440	5696	7647	1256	849	2045	3497
	F	28690	9667	5503	4164	2916	6751	9148	1270	957	2481	4440
80—	M	15632	5478	2784	2694	1716	3762	4186	727	597	1051	1811
	F	22035	8107	4425	3682	2442	5665	6077	912	712	1585	2868
85—	M	9085	3506	1613	1893	1042	2464	1945	333	334	460	818
	F	16954	6931	3649	3282	2116	4815	3615	527	547	899	1642

\* The Counties included in the several Geographical Regions are shown on the first page of Table 17.



TABLE 20—*contd.*

Age.	Sex.	MIDLAND.			EAST.	SOUTH WEST.	WALES.			Aggregates of areas outside Greater London.		
		Total.	Midland I.	Midland II.			Total.	Wales I.	Wales II.	County Boroughs.	Other Urban Districts.	Rural Districts.
All Ages ..	M	42568	28234	14334	11279	13250	17518	12618	4900	84515	69836	48390
	F	39887	26487	13400	11111	13848	15866	10851	5015	80752	68734	46248
Under 4 weeks	M	2160	1400	760	520	523	916	695	221	4016	3356	2357
	F	1639	1070	569	353	353	649	498	151	3043	2372	1630
4 weeks—3 months	M	701	480	221	176	147	299	235	64	1609	1061	639
	F	465	306	159	97	109	221	167	54	1064	748	447
3—6 months	M	581	375	206	110	92	231	179	52	1462	812	452
	F	431	299	132	73	72	156	116	40	992	585	336
6—12 months	M	960	649	311	162	152	375	306	69	2258	1337	720
	F	718	493	225	109	113	294	245	49	1705	995	593
Total under 1 year	M	4402	2904	1498	968	914	1821	1415	406	9345	6566	4168
	F	3253	2168	1085	632	647	1320	1026	294	6804	4700	3006
1—	M	906	633	273	144	170	385	332	53	2296	1326	742
	F	734	521	213	99	116	321	268	53	1885	1108	606
2—	M	360	252	108	64	59	156	129	27	900	606	300
	F	379	288	91	65	53	151	122	29	805	531	289
3—	M	235	158	77	37	42	118	96	22	564	412	219
	F	201	133	68	46	44	84	70	14	465	369	201
4—	M	203	134	69	35	49	86	69	17	434	316	197
	F	170	118	52	19	40	103	76	27	379	316	159
Total under 5 years	M	6106	4081	2025	1248	1234	2566	2041	525	13539	9226	5626
	F	4737	3228	1509	861	900	1979	1562	417	10338	7024	4261
5—	M	630	440	190	154	142	305	232	73	1425	1065	722
	F	530	345	185	135	123	260	198	62	1199	897	623
10—	M	412	280	132	81	95	178	141	37	872	707	418
	F	348	235	113	91	102	212	167	45	802	694	424
15—	M	751	486	265	181	174	352	281	71	1448	1259	798
	F	683	446	237	165	173	377	297	80	1555	1123	678
20—	M	955	626	329	225	242	413	314	99	1898	1489	1021
	F	856	558	298	191	233	445	335	110	1810	1427	880
25—	M	969	630	339	184	206	425	327	98	1848	1420	978
	F	867	565	302	210	255	449	336	113	1875	1497	963
30—	M	920	610	310	174	256	355	269	86	1890	1459	817
	F	948	615	333	203	250	449	322	127	1904	1562	982
35—	M	1070	735	335	222	271	512	392	120	2306	1817	904
	F	1046	688	358	221	280	470	357	113	2113	1755	1060
40—	M	1412	950	462	293	376	613	463	150	3120	2120	1395
	F	1289	852	437	302	366	493	345	148	2586	1957	1306
45—	M	1959	1325	634	410	494	784	596	188	4305	2987	1781
	F	1496	999	497	353	458	644	456	188	3369	2897	1293
50—	M	2489	1669	820	533	678	1022	802	220	5587	4038	2211
	F	1970	1324	646	517	602	804	583	221	4385	3093	2418
55—	M	3121	2091	1030	694	966	1361	1016	345	6854	5057	3363
	F	2499	1642	857	584	785	1029	733	296	5414	4723	2342
60—	M	3863	2608	1255	920	1248	1629	1166	463	7854	6782	3825
	F	3163	2070	1093	821	1089	1223	832	391	6591	5361	3796
65—	M	4593	3098	1495	1276	1519	1895	1329	566	9125	8165	5131
	F	3823	2495	1328	1010	1365	1499	1015	484	8046	7127	4318
70—	M	4837	3092	1745	1413	1716	1966	1290	676	9012	8038	6434
	F	4538	2935	1603	1348	1704	1755	1117	638	9357	8124	5683
75—	M	4242	2755	1487	1413	1666	1604	1037	567	7145	7197	5943
	F	4747	3160	1587	1512	1983	1633	986	647	8841	8673	5673
80—	M	2711	1771	940	1074	1150	1033	654	379	4180	4323	4344
	F	3594	2417	1177	1372	1636	1249	708	541	6236	6257	5117
85—	M	1528	987	541	784	817	505	268	237	2107	2687	2678
	F	2753	1913	840	1215	1544	896	502	394	4331	4543	4431

TABLE 20—*contd.*—METROPOLITAN BOROUGHES.

Age.	Sex.	London. Admin-istrative County	City of London.	Inner and Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages ..	M	27437	71	4	992	743	734	1544	423	686	515	956	582	1239	825	460
	F	26851	64	3	939	668	634	1456	382	598	464	901	551	1254	827	565
Under 4 weeks	M	958	2	—	41	30	27	49	9	16	15	35	17	25	38	15
	F	712	2	—	27	19	20	28	3	16	15	21	21	34	29	16
	M	446	—	—	14	8	18	27	4	15	8	23	7	23	8	11
	F	310	—	—	11	7	14	16	—	11	2	10	8	20	13	4
	M	473	—	—	11	16	28	24	5	5	7	17	12	28	14	7
	F	327	—	—	7	7	13	18	3	7	9	10	7	14	11	3
	M	556	1	—	18	13	24	21	2	13	13	23	16	36	17	4
	F	488	—	—	13	12	17	25	5	10	10	15	9	23	10	—
Total under 1 year	M	2433	3	—	84	67	97	121	20	49	43	98	52	112	77	37
	F	1837	2	—	58	45	64	87	11	44	36	56	45	91	63	23
1—	M	471	1	—	13	14	13	21	2	16	12	18	14	13	14	7
	F	391	—	—	13	8	15	11	4	4	6	9	11	19	17	4
2—	M	173	—	—	7	1	4	6	1	8	5	4	2	6	3	2
	F	150	—	—	4	6	5	7	3	5	3	7	3	6	3	1
3—	M	99	—	—	2	7	1	4	2	2	—	3	3	5	2	3
	F	100	—	—	6	1	4	7	1	3	5	1	2	5	—	—
4—	M	108	—	—	6	2	8	6	2	4	1	2	1	2	2	3
	F	91	—	—	8	4	4	2	1	4	1	1	3	4	3	—
Total under 5 years	M	3284	4	—	112	91	123	158	27	79	61	125	72	138	98	52
	F	2569	2	—	89	64	92	114	20	60	51	74	64	125	86	28
5—	M	339	2	—	9	8	11	18	3	9	7	10	7	18	9	7
	F	283	—	—	3	10	12	20	1	6	4	11	6	10	10	2
10—	M	218	—	—	6	5	9	12	1	7	2	6	4	10	5	4
	F	245	2	—	7	4	15	16	2	6	2	10	6	17	8	4
15—	M	501	1	—	30	20	16	24	5	12	3	23	14	25	16	6
	F	452	—	—	18	19	15	23	4	16	8	11	15	17	12	6
20—	M	618	—	—	25	24	20	36	9	15	10	26	19	22	22	8
	F	630	2	—	27	27	15	31	5	12	12	25	15	31	17	13
25—	M	581	—	—	19	18	14	35	10	13	12	24	13	19	14	9
	F	626	1	—	26	20	19	42	6	19	15	19	12	31	22	7
30—	M	579	2	1	19	22	21	36	5	17	17	28	17	22	19	6
	F	567	—	—	12	17	16	26	8	14	9	18	13	24	22	8
35—	M	681	1	—	23	20	20	44	8	15	15	20	18	33	24	9
	F	630	—	1	18	15	13	32	7	14	13	18	7	33	19	8
40—	M	926	4	—	38	25	24	53	13	15	20	36	19	41	33	12
	F	815	2	—	28	25	24	40	9	24	14	32	14	46	35	21
45—	M	1424	3	1	58	39	35	77	22	46	27	53	31	68	51	22
	F	1048	1	—	34	37	27	51	19	21	15	32	13	44	27	24
50—	M	1894	10	—	62	75	48	117	27	42	30	56	35	70	67	28
	F	1429	2	—	49	19	41	83	17	33	24	50	34	48	48	33
55—	M	2466	8	—	95	67	61	128	39	73	60	85	43	113	69	46
	F	1710	6	—	58	48	27	82	24	40	29	56	28	81	52	38
60—	M	2750	7	—	108	74	69	155	33	64	55	88	44	123	80	43
	F	2121	6	—	75	54	37	117	37	49	41	81	38	82	58	62
65—	M	3144	11	1	95	87	62	162	61	84	55	110	76	135	98	49
	F	2778	9	—	105	76	60	137	44	56	48	100	54	141	73	54
70—	M	3008	10	1	109	75	82	169	58	71	57	105	59	150	79	68
	F	3213	8	2	122	76	72	191	45	66	57	121	66	172	89	68
75—	M	2584	4	—	88	52	73	159	50	60	45	84	56	128	81	44
	F	3220	12	—	110	72	77	200	52	63	56	95	72	144	90	75
80—	M	1548	3	—	61	25	35	97	28	43	28	51	34	81	36	26
	F	2518	5	—	94	44	45	132	56	60	43	79	59	113	81	53
85—	M	892	1	—	35	16	11	64	24	21	11	26	21	43	24	21
	F	1997	6	—	64	41	27	119	26	39	23	69	35	95	78	61



TABLE 20—*contd.*—METROPOLITAN BOROUGHES.

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages	M	275	2028	1066	1885	1026	883	1035	606	1362	639	1329	1616	319	1925	821	84
	F	217	2087	1389	1863	1228	948	907	619	1250	588	1099	1352	336	2104	752	80
Under 4 weeks	M	6	78	34	80	43	42	42	11	41	16	41	71	11	82	16	23
	F	5	59	23	52	28	25	31	6	29	14	28	42	9	55	18	3
	M	5	28	17	25	19	11	23	7	20	11	20	38	4	25	15	12
	F	—	23	16	18	2	15	18	3	16	9	18	18	3	19	4	12
	M	2	32	34	24	17	22	22	17	25	11	15	30	2	31	6	9
	F	2	20	22	16	11	16	17	8	18	19	18	23	3	7	11	7
	M	4	54	27	31	11	34	27	8	27	20	22	34	7	27	11	13
	F	2	46	15	27	24	17	31	10	24	26	17	53	3	21	8	13
Total under 1 year	M	17	192	112	160	90	109	114	43	113	58	98	173	24	165	48	57
	F	9	148	76	113	65	73	97	27	87	68	81	136	18	102	41	77
1—	M	3	34	22	25	12	14	27	3	21	30	24	53	4	18	7	10
	F	3	38	20	26	8	11	30	4	12	22	20	34	1	20	8	13
2—	M	—	11	9	7	7	9	14	3	8	11	12	13	2	7	3	8
	F	1	8	5	12	6	1	7	7	5	5	7	16	2	7	4	4
3—	M	1	11	5	9	2	2	6	—	4	3	3	12	1	3	1	2
	F	—	10	4	10	2	—	4	—	1	4	2	8	1	7	3	9
4—	M	—	7	6	5	7	3	5	1	4	5	3	7	2	8	1	5
	F	1	10	4	2	3	3	3	—	2	2	3	14	1	6	—	2
Total under 5 years	M	21	255	154	206	118	137	166	50	150	107	140	258	33	201	60	88
	F	14	214	109	163	84	88	141	38	107	101	113	208	23	142	56	99
5—	M	1	30	5	18	20	15	15	6	19	16	18	21	5	18	4	10
	F	1	29	12	22	14	6	5	6	15	15	21	17	3	12	1	9
10—	M	—	21	3	16	13	3	12	3	10	11	13	15	1	13	8	5
	F	2	16	10	9	7	4	12	6	9	7	17	15	3	17	3	9
15—	M	5	34	12	24	16	16	14	10	19	9	41	26	13	37	9	21
	F	5	26	11	27	22	18	24	10	18	20	26	23	4	29	14	11
20—	M	8	46	25	33	25	24	25	8	26	15	28	26	5	48	18	22
	F	2	50	30	37	22	25	27	14	30	18	28	29	6	42	18	20
25—	M	9	42	13	42	20	23	34	9	13	19	23	42	7	42	17	20
	F	3	53	24	38	26	23	17	14	33	14	20	33	9	54	11	13
30—	M	6	41	23	33	22	18	17	12	28	10	23	35	8	37	20	14
	F	6	44	23	36	25	19	13	12	26	15	22	32	5	47	26	29
35—	M	8	43	25	59	26	16	27	13	38	13	30	36	6	52	20	19
	F	8	49	29	48	42	19	23	13	28	15	27	27	6	62	19	17
40—	M	11	68	26	65	35	33	35	26	38	25	46	66	4	58	29	28
	F	4	56	37	54	39	23	31	21	45	11	34	37	8	61	19	21
45—	M	17	101	42	80	50	51	54	37	83	28	69	79	16	93	47	44
	F	8	81	54	61	54	35	32	23	79	22	45	50	11	85	36	27
50—	M	15	145	59	135	64	63	78	45	85	47	104	123	18	133	56	57
	F	12	109	72	110	66	63	49	35	70	28	60	77	8	100	41	48
55—	M	34	147	87	179	93	84	77	53	135	56	119	158	33	171	77	70
	F	18	137	77	132	82	58	53	54	75	30	70	106	16	125	57	51
60—	M	35	220	107	197	89	83	103	68	132	59	140	175	29	183	102	83
	F	22	155	107	155	92	62	68	47	97	52	87	135	22	159	61	63
65—	M	34	238	136	211	100	78	112	89	188	72	151	184	35	218	130	82
	F	23	215	170	175	103	97	97	73	121	50	127	163	40	191	84	92
70—	M	29	202	119	227	112	101	102	61	135	57	166	166	40	215	81	102
	F	27	227	181	207	143	111	110	78	158	64	130	145	47	243	101	86
75—	M	24	202	100	185	100	74	81	55	154	50	122	109	31	203	79	91
	F	21	263	169	243	147	118	84	74	156	57	128	131	49	286	91	83
80—	M	11	119	77	118	75	37	56	34	74	31	69	64	21	124	40	50
	F	20	214	148	169	150	95	73	54	117	43	95	83	38	217	72	66
85—	M	7	74	53	57	48	27	27	27	35	14	27	33	14	79	24	28
	F	21	149	126	177	110	84	48	47	66	26	49	41	38	232	42	58

TABLE 20—*contd.*—COUNTY BOROUGHES.

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages ..	M	546	465	410	1028	6139	822	726	1144	605	671	2084	930	2310	696
	F	450	351	558	963	5628	933	759	1269	536	821	2212	1086	2427	713
Under 4 weeks	M	31	13	9	61	294	17	29	46	41	20	83	36	93	33
4 weeks-3 months	F	21	18	4	29	252	14	15	40	27	25	71	21	64	19
	M	14	8	5	22	108	9	3	22	11	10	25	13	33	12
3-6 months	F	10	8	1	16	87	8	5	15	10	5	19	9	16	6
	M	17	6	3	21	109	5	4	10	14	5	27	5	17	11
6-12 months	F	8	2	—	21	79	7	3	10	11	2	15	8	18	4
	M	29	8	3	41	171	17	9	34	18	5	26	6	28	12
	F	19	4	6	25	115	15	9	19	27	2	25	8	34	13
Total under 1 year	M	91	35	20	145	682	48	45	112	84	40	161	60	171	68
	F	58	32	11	91	533	44	32	84	75	34	130	46	132	42
1—	M	23	7	5	37	134	15	4	25	12	4	34	11	52	14
	F	30	2	3	30	123	16	6	26	24	1	29	6	33	8
2—	M	13	—	1	8	46	5	7	12	13	4	10	5	25	7
	F	9	2	4	16	66	2	3	12	7	4	11	5	24	5
3—	M	9	—	1	14	30	6	1	8	5	2	7	3	19	5
	F	9	3	—	10	23	4	2	4	3	1	10	2	11	8
4—	M	8	2	2	5	35	3	2	2	4	—	10	4	15	3
	F	4	1	1	5	26	3	1	7	4	1	9	1	3	4
Total under 5 years	M	144	44	29	209	927	77	59	159	118	50	222	83	282	97
	F	110	40	19	152	771	69	44	133	113	41	189	60	203	67
5—	M	18	5	4	16	89	11	6	7	14	6	34	8	36	13
	F	12	7	2	22	75	6	4	13	15	9	25	4	29	6
10—	M	9	8	1	9	62	6	6	15	5	4	13	4	13	9
	F	9	3	1	15	45	5	8	11	6	3	8	4	18	3
15—	M	10	9	3	19	98	15	7	13	14	9	22	16	38	12
	F	8	5	2	19	110	9	5	13	10	7	23	13	40	9
20—	M	10	14	6	21	145	15	8	18	19	11	31	11	46	13
	F	14	10	4	26	123	21	9	23	14	5	37	21	51	20
25—	M	7	16	4	25	140	17	17	24	12	8	32	20	55	9
	F	10	6	9	32	112	20	10	31	20	11	31	13	50	16
30—	M	15	15	6	29	139	15	16	19	24	11	46	10	56	17
	F	13	10	8	24	141	17	13	42	20	14	43	18	48	13
35—	M	15	17	5	26	161	21	16	40	12	10	55	27	74	20
	F	17	4	10	31	142	23	21	38	15	13	53	20	62	26
40—	M	17	18	9	40	263	25	20	40	20	13	80	30	73	35
	F	17	14	14	27	193	36	19	31	11	14	76	30	92	21
45—	M	18	25	16	53	339	45	44	58	30	21	116	27	107	38
	F	16	10	18	34	245	50	43	53	21	30	98	39	89	47
50—	M	29	32	23	69	449	57	48	78	35	30	153	45	153	54
	F	18	26	23	39	327	60	37	88	28	37	153	72	142	45
55—	M	33	34	32	77	512	75	70	98	43	50	182	70	168	51
	F	30	23	34	64	386	79	65	102	34	44	156	76	146	54
60—	M	39	55	50	88	588	92	86	107	56	51	220	70	224	79
	F	32	37	40	74	483	91	74	115	33	56	187	85	172	69
65—	M	67	57	48	107	678	105	96	142	65	85	272	117	270	85
	F	40	39	61	82	497	110	92	138	44	108	251	109	250	100
70—	M	53	46	61	89	595	111	104	160	65	108	254	117	234	74
	F	39	37	73	105	620	128	125	159	58	100	309	124	283	102
75—	M	38	34	53	88	488	81	66	90	42	87	208	127	236	51
	F	33	34	84	102	597	111	89	139	47	113	296	145	335	72
80—	M	15	19	43	35	310	43	38	53	18	72	105	88	157	32
	F	19	32	66	67	435	68	64	89	25	114	180	133	235	32
85—	M	9	17	17	28	156	11	19	23	13	45	39	60	88	7
	F	13	14	90	48	326	30	37	51	22	102	97	120	182	11



TABLE 20—*contd.*—COUNTY BOROUGHES.

Age.		Sex.	Burton-on-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
All Ages	..	M	328	400	149	348	285	905	1274	456	850	387	411	424	331	762	441	896	350
		F	301	416	165	363	261	786	1403	452	782	415	294	354	384	764	421	815	373
Under 4 weeks		M	12	11	7	16	12	48	52	23	46	13	12	20	11	30	21	44	7
4 weeks-3 months		F	13	11	5	14	9	37	35	17	28	14	14	16	3	24	9	36	12
3-6 months		M	7	5	3	7	6	15	23	10	18	5	6	11	2	8	2	26	1
6-12 months		F	3	1	1	4	1	4	13	4	8	4	5	3	—	11	2	17	3
		M	7	4	2	5	3	12	19	4	14	6	3	7	3	16	11	29	2
		F	2	5	2	2	4	8	16	6	6	2	4	6	—	11	1	20	3
		M	4	6	1	7	5	13	20	10	18	7	8	16	1	12	5	40	5
		F	4	6	4	14	6	9	16	7	9	7	3	14	4	9	2	39	3
Total under 1 year		M	30	26	13	35	26	88	114	47	96	31	29	54	17	66	39	139	15
		F	22	23	12	34	20	58	80	34	51	27	26	39	7	55	14	112	21
1—		M	4	9	—	9	6	11	18	11	9	7	6	16	4	14	13	50	5
		F	2	1	2	15	9	4	16	8	13	4	2	22	5	9	2	40	12
2—		M	1	2	—	4	3	4	5	8	7	4	2	4	1	7	2	19	2
		F	2	4	1	3	1	3	5	2	7	2	3	5	—	6	3	15	2
3—		M	1	—	—	1	3	7	2	—	2	3	3	—	—	9	1	13	1
		F	2	2	—	2	2	5	8	4	3	4	3	—	1	6	—	6	—
4—		M	1	1	—	4	1	2	2	2	2	—	4	4	—	5	1	8	1
		F	—	1	—	—	1	4	3	1	4	2	4	3	—	3	1	4	—
Total under 5 years		M	37	38	13	53	39	112	141	68	116	45	44	78	22	101	56	229	24
		F	28	31	15	54	33	74	112	49	78	39	38	69	13	79	20	177	35
5—		M	2	4	1	5	4	13	11	4	11	10	6	8	1	17	5	15	4
		F	6	—	2	9	3	14	9	5	18	12	3	4	2	9	8	17	1
10—		M	4	5	—	6	1	9	7	5	2	4	—	5	1	6	3	9	4
		F	4	2	—	3	1	5	9	5	3	3	3	2	1	8	1	17	3
15—		M	4	2	2	6	1	22	22	13	14	8	14	8	—	10	6	18	4
		F	1	6	1	7	9	17	16	17	12	14	4	5	2	16	10	14	6
20—		M	4	6	1	3	5	31	31	14	13	6	10	16	4	30	5	17	5
		F	4	7	4	6	6	28	34	9	7	9	7	10	6	22	4	27	7
25—		M	4	6	2	8	9	31	30	11	17	7	5	7	2	26	9	16	12
		F	8	6	2	7	7	11	40	12	12	15	4	10	2	17	8	33	12
30—		M	8	6	3	4	6	20	19	9	12	6	17	6	12	12	6	26	8
		F	5	8	4	4	11	23	24	18	19	10	8	7	7	22	7	19	7
35—		M	9	9	6	6	9	35	33	11	10	8	16	12	3	16	9	28	6
		F	6	15	5	8	7	29	44	9	21	7	13	10	6	16	6	17	16
40—		M	12	19	5	16	10	33	34	21	30	20	16	14	8	36	17	32	10
		F	7	23	6	10	1	23	37	9	24	12	12	21	9	24	13	25	12
45—		M	14	23	6	11	15	70	47	24	50	20	24	18	14	32	23	36	21
		F	13	23	9	7	5	53	64	20	29	19	20	15	15	36	12	24	14
50—		M	24	35	7	14	21	54	88	26	48	30	20	31	16	40	24	67	18
		F	16	15	4	16	10	58	63	22	47	19	12	11	18	48	20	38	23
55—		M	19	41	15	22	25	80	117	32	76	38	25	27	28	62	31	66	26
		F	24	35	7	24	19	59	77	25	69	39	12	20	17	52	24	36	31
60—		M	34	41	12	25	31	87	117	38	86	32	29	27	41	62	52	70	43
		F	24	48	16	24	19	57	99	41	74	42	24	24	40	59	28	68	35
65—		M	35	58	18	42	36	86	132	53	100	44	47	46	31	103	36	86	37
		F	32	55	15	38	28	68	135	59	81	45	24	32	44	70	44	72	29
70—		M	45	58	16	50	26	79	142	54	105	50	60	41	38	71	46	73	53
		F	36	50	20	52	27	75	177	51	104	57	34	31	52	78	45	82	39
75—		M	42	31	16	40	24	78	141	41	84	38	44	46	52	75	56	53	40
		F	34	50	25	54	33	88	163	42	89	48	36	31	49	85	83	74	44
80—		M	14	15	15	24	12	36	91	15	55	18	20	23	36	45	39	37	22
		F	25	28	19	24	28	58	171	33	52	18	20	28	52	65	46	42	28
85—		M	17	3	11	13	11	29	71	17	21	3	14	11	22	18	18	18	13
		F	28	14	11	16	14	46	129	26	43	7	20	24	49	58	42	33	31

TABLE 20—*contd.*—COUNTY BOROUGHES.

Age.	Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston-upon-Hull	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle-upon-Tyne.	Northampton.	Norwich.	Nottingham.
All Ages	M	371	599	696	433	754	488	2223	3387	1503	397	6437	5481	1072	2062	538	743	1895
	F	371	513	769	547	812	545	1946	3120	1481	435	5839	5164	882	1751	551	782	1779
Under 4 weeks	M	12	35	27	17	35	26	121	130	60	11	354	251	64	96	24	36	101
4 weeks—3 months	F	7	15	20	8	18	17	76	104	48	10	239	166	56	82	26	29	77
3—6 months	M	6	10	13	2	3	9	59	50	23	7	151	135	22	35	8	9	35
6—12 months	F	4	6	9	4	4	4	43	41	19	3	92	80	23	27	3	5	17
	M	7	8	9	—	4	5	43	55	19	6	199	108	28	38	5	6	41
	F	3	8	7	1	6	6	18	32	12	4	118	61	17	37	5	3	19
	M	7	10	4	2	11	5	75	79	28	4	352	144	46	87	8	17	52
	F	3	8	7	5	5	9	54	63	26	3	246	104	41	65	8	2	37
Total under 1 year	M	32	63	53	21	53	45	298	314	130	28	1056	638	160	256	45	68	229
	F	17	37	43	18	33	36	191	240	105	20	695	411	137	211	42	39	150
1—	M	6	13	7	2	12	5	90	85	35	4	341	152	57	99	2	13	46
	F	5	14	9	2	4	4	88	51	17	2	279	129	42	61	7	10	40
2—	M	2	7	10	3	2	3	34	38	7	2	130	53	18	39	5	2	13
	F	5	4	1	2	3	9	32	31	6	5	96	51	14	30	2	2	9
3—	M	—	4	4	2	2	7	23	25	5	1	62	39	11	20	2	2	14
	F	2	3	5	1	6	6	15	14	5	2	55	36	10	18	2	2	7
4—	M	2	5	1	—	2	1	18	21	10	2	49	26	9	13	2	2	11
	F	1	3	3	—	1	1	13	25	4	1	46	19	4	8	3	2	3
Total under 5 years	M	42	92	75	28	71	61	463	483	187	37	1638	908	255	427	56	87	313
	F	30	61	61	23	47	56	339	361	137	30	1171	646	207	328	56	55	209
5—	M	3	7	16	7	10	14	57	62	22	3	140	77	30	42	5	16	24
	F	5	16	10	1	6	14	39	52	14	6	118	73	20	33	7	4	22
10—	M	2	6	12	2	8	5	29	32	10	5	83	42	10	20	4	2	25
	F	5	5	7	2	5	4	29	22	16	5	88	48	12	18	5	5	14
15—	M	6	16	5	3	15	5	48	68	16	5	122	96	24	37	8	6	40
	F	9	10	10	2	15	6	48	61	23	7	134	102	25	49	10	9	26
20—	M	9	19	11	2	15	10	53	84	49	5	153	111	29	55	10	21	41
	F	6	17	13	6	11	9	52	62	40	6	146	133	21	38	11	17	42
25—	M	5	16	14	6	10	15	52	72	32	9	154	139	27	39	13	14	38
	F	10	12	11	8	16	11	57	77	38	11	162	137	22	54	10	13	38
30—	M	6	11	13	9	13	7	48	82	34	4	135	136	24	51	14	11	50
	F	10	12	14	8	22	11	44	81	33	10	143	129	25	44	10	11	58
35—	M	5	20	13	3	16	6	63	89	38	14	171	174	26	50	14	18	51
	F	3	18	24	6	27	11	65	75	35	14	160	121	27	36	14	15	43
40—	M	15	24	21	12	27	11	77	114	52	9	245	253	42	66	13	22	68
	F	18	18	24	8	32	12	64	111	38	12	174	184	33	73	19	20	60
45—	M	18	31	27	10	42	19	121	171	73	25	310	321	48	116	26	31	100
	F	10	15	30	19	36	24	85	133	70	18	237	207	38	65	17	28	63
50—	M	18	40	41	27	53	27	133	237	107	29	437	397	63	138	32	35	113
	F	17	26	44	30	41	28	100	185	83	36	280	299	54	68	39	41	79
55—	M	23	40	72	30	88	37	176	313	120	37	463	500	88	142	53	45	143
	F	20	35	70	27	61	33	123	221	97	31	363	379	47	103	34	36	120
60—	M	33	62	94	37	85	41	162	371	144	29	520	567	94	175	49	62	154
	F	31	41	73	47	66	40	154	271	130	31	438	463	62	134	37	66	133
65—	M	41	69	95	44	103	50	200	416	155	46	559	587	114	215	55	92	206
	F	26	47	87	56	104	54	159	339	135	42	531	571	60	167	56	70	187
70—	M	44	54	85	61	98	58	202	348	178	58	587	524	85	199	80	84	207
	F	51	47	105	76	115	56	167	373	180	60	596	650	84	188	51	117	236
75—	M	53	42	64	65	60	53	170	269	136	50	431	374	54	163	58	84	170
	F	57	47	109	75	107	72	171	338	179	49	582	507	72	168	74	128	192
80—	M	32	29	25	49	26	46	114	130	95	22	196	194	36	88	32	75	97
	F	35	55	57	83	70	62	155	225	145	38	307	324	41	118	49	92	154
85—	M	16	21	13	38	14	23	55	46	55	10	93	81	23	39	16	38	55
	F	28	31	20	70	31	42	95	133	88	29	209	191	32	67	52	55	103



TABLE 20—contd.—COUNTY BOROUGHES.

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages ..	M	1027	421	1379	1441	790	584	659	449	743	1670	3117	487	1064	706	511	956	841
	F	996	446	1452	1509	871	585	710	400	611	1539	2723	472	930	767	645	831	913
Under 4 weeks	M	66	21	64	66	39	21	23	25	59	81	157	29	35	22	12	57	39
	F	41	9	38	55	30	16	16	32	31	54	110	21	24	23	19	52	36
	M	21	3	23	20	19	8	7	14	16	47	58	13	21	3	4	23	15
	F	14	5	19	13	11	3	3	7	8	29	41	8	9	4	3	18	7
	M	11	8	17	14	19	5	9	8	18	30	46	9	13	5	3	29	8
	F	7	1	19	15	11	4	4	7	10	28	26	9	10	1	2	16	6
	M	21	5	27	34	21	5	11	19	31	46	59	11	20	6	4	48	15
	F	24	2	22	22	17	4	3	7	19	36	36	7	11	2	9	29	10
Total under 1 year	M	119	37	131	134	98	39	50	66	124	204	320	62	89	36	23	157	77
	F	86	17	98	105	69	27	26	53	68	147	213	45	54	30	33	115	59
1—	M	24	2	32	32	19	4	6	18	37	34	50	13	15	8	4	57	9
	F	11	4	12	20	15	8	10	9	23	42	52	19	14	5	1	50	14
2—	M	9	—	5	11	6	5	4	4	12	15	35	1	4	2	1	22	5
	F	2	3	7	12	11	2	5	8	9	9	20	5	3	8	4	16	3
3—	M	6	6	9	4	5	4	5	5	5	6	10	4	2	2	2	11	3
	F	4	1	3	5	2	4	2	1	5	7	12	2	6	1	3	14	4
4—	M	1	1	4	6	2	2	6	2	3	11	10	1	—	—	1	10	2
	F	4	1	9	7	3	2	3	2	7	9	9	2	4	4	1	5	1
Total under 5 years	M	159	46	181	187	130	54	71	95	181	270	425	81	110	48	31	257	96
	F	107	26	129	149	100	43	46	73	112	214	306	73	81	48	42	200	81
5—	M	11	2	23	17	13	9	15	9	14	29	45	10	8	8	6	30	17
	F	10	7	16	22	10	6	12	17	12	29	30	11	11	5	6	14	12
10—	M	7	3	22	14	6	6	7	8	10	18	37	4	10	8	4	23	7
	F	6	6	13	9	4	4	4	9	12	21	23	5	5	7	3	17	4
15—	M	18	2	20	24	14	8	3	9	13	28	53	8	12	10	9	21	17
	F	14	8	34	29	11	13	11	12	27	45	63	9	17	5	5	27	17
20—	M	23	12	30	22	16	12	12	7	16	40	84	11	25	13	9	33	13
	F	25	7	34	31	17	9	15	12	21	41	66	4	19	13	6	23	11
25—	M	23	10	27	20	20	9	9	13	20	44	66	8	20	11	10	22	21
	F	20	15	26	29	20	5	12	11	18	40	69	5	23	10	4	21	28
30—	M	29	8	32	27	19	12	17	16	21	33	64	16	23	8	9	29	15
	F	31	9	25	28	22	13	11	7	18	42	66	20	27	19	8	28	21
35—	M	26	12	37	27	21	12	19	10	33	45	77	19	20	21	19	35	23
	F	29	4	30	40	21	11	16	9	16	48	67	9	19	18	17	20	29
40—	M	43	8	47	60	38	23	22	18	25	83	93	15	38	28	18	38	24
	F	23	13	51	51	23	15	25	17	18	44	77	12	26	23	18	20	30
45—	M	51	26	63	60	43	25	45	17	41	100	190	38	55	31	29	32	45
	F	55	13	52	51	46	20	29	21	24	68	130	24	40	30	22	40	49
50—	M	84	21	82	95	38	29	52	29	31	115	230	34	87	45	29	51	64
	F	63	18	80	77	47	23	48	14	37	88	162	16	53	45	37	48	49
55—	M	116	32	113	138	57	35	58	32	44	148	301	40	72	55	38	58	82
	F	95	22	76	89	70	30	64	21	37	122	205	35	62	49	47	47	70
60—	M	100	35	130	119	76	52	73	34	69	187	302	42	92	64	50	66	96
	F	99	26	123	132	72	50	70	34	44	127	231	28	74	62	46	51	72
65—	M	122	38	144	160	87	62	103	35	65	188	343	36	118	77	57	70	98
	F	118	45	140	130	107	63	87	30	61	154	289	37	90	76	73	53	110
70—	M	114	55	174	152	101	70	67	46	68	147	350	55	131	86	62	83	108
	F	121	57	177	180	103	78	96	41	54	189	281	62	107	93	95	72	121
75—	M	54	49	139	146	75	80	54	42	54	110	245	36	113	106	57	58	69
	F	88	68	177	200	99	82	88	32	43	142	310	50	112	102	81	66	103
80—	M	37	31	69	108	22	57	22	21	28	64	146	23	82	49	41	35	23
	F	67	51	137	141	64	61	48	25	46	81	222	35	86	88	81	55	72
85—	M	10	31	46	65	14	29	10	8	10	21	66	11	48	38	33	15	23
	F	25	51	132	121	35	59	28	15	11	44	126	37	78	74	54	29	34

TABLE 20—*contd.*—COUNTY BOROUGHES.

Age.	Sex.	Stoke-on-Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.)	Swansea.
All Ages ..	M	1955	1412	423	407	556	644	600	545	1794	547	607	806	348	516	1584	504	607	993
	F	1675	1289	393	396	593	534	474	453	1590	426	616	801	352	510	1274	511	559	921
Under 4 weeks	M	118	79	26	24	21	40	40	30	68	37	40	35	11	28	66	23	34	39
	F	86	75	14	14	16	31	25	24	48	17	31	38	18	22	65	19	40	45
	M	50	43	16	6	2	14	18	15	41	18	17	16	2	4	34	16	8	19
	F	28	32	6	2	4	11	14	9	30	5	16	16	1	6	24	6	5	18
	M	43	46	9	8	6	8	18	13	40	16	11	8	5	3	25	22	7	15
	F	47	30	8	11	4	4	12	8	25	11	13	13	3	2	9	12	8	5
	M	93	60	9	5	3	21	15	31	45	19	20	17	4	6	42	11	13	22
	F	55	40	14	9	6	21	7	16	33	13	17	16	4	12	25	11	11	30
Total under 1 year	M	304	228	60	43	32	83	91	89	194	90	88	76	22	41	167	72	62	95
	F	216	177	42	36	30	67	58	57	136	46	77	83	26	42	123	48	64	98
1—	M	61	80	18	9	7	20	22	17	35	29	26	28	10	8	42	6	19	24
	F	70	67	14	5	2	7	14	18	35	23	18	11	3	4	33	18	11	16
2—	M	31	31	2	8	1	6	5	7	12	17	6	8	2	3	21	5	11	8
	F	23	27	5	6	1	7	3	9	16	10	2	14	4	4	18	5	8	7
3—	M	19	21	2	5	1	8	4	3	6	6	7	5	—	1	11	5	5	4
	F	6	18	3	3	3	4	—	8	6	3	5	3	2	1	4	2	4	7
4—	M	10	15	1	3	2	1	5	2	6	3	1	2	3	5	10	2	2	5
	F	10	11	4	2	1	6	9	1	9	2	1	7	—	1	6	2	4	7
Total under 5 years	M	425	375	83	68	43	118	127	118	253	145	128	119	37	58	251	90	99	136
	F	325	300	68	52	37	91	84	93	202	84	103	118	35	52	184	75	91	135
5—	M	35	52	11	8	6	16	14	16	22	10	7	16	4	7	23	12	10	17
	F	27	23	11	14	7	10	7	12	19	8	5	11	2	3	17	8	18	13
10—	M	18	24	3	4	5	11	5	6	21	3	13	13	—	5	16	10	10	13
	F	18	31	8	9	2	7	13	4	18	9	12	8	4	6	9	7	8	13
15—	M	42	38	10	12	7	11	10	12	37	12	6	20	7	7	25	9	10	14
	F	35	27	12	6	5	9	18	8	34	4	10	14	5	11	37	20	16	27
20—	M	54	35	8	7	14	17	13	12	42	12	13	22	13	10	47	13	16	29
	F	38	31	8	10	19	11	14	15	44	9	14	13	9	15	36	15	16	34
25—	M	42	39	15	4	12	19	11	15	50	14	11	14	11	9	36	11	21	24
	F	40	40	12	9	4	23	16	11	43	13	15	14	12	13	34	19	16	21
30—	M	42	27	10	12	16	24	15	9	41	11	19	17	5	10	39	12	12	17
	F	35	18	8	16	7	14	16	5	36	10	13	20	7	10	34	15	13	22
35—	M	61	42	12	16	21	11	19	18	41	18	16	27	8	8	67	10	16	33
	F	50	41	19	13	11	8	22	9	50	7	29	29	8	19	41	18	14	28
40—	M	69	46	16	14	20	19	16	21	70	25	15	35	10	19	70	23	22	42
	F	66	47	15	13	21	21	17	11	43	15	24	22	9	15	39	17	19	27
45—	M	76	50	22	14	33	26	36	33	88	28	25	43	21	25	76	19	28	64
	F	82	56	9	20	29	14	23	22	54	22	23	32	8	21	45	24	22	37
50—	M	134	75	27	32	41	32	42	39	131	25	38	58	13	33	105	27	37	96
	F	94	52	29	26	30	23	15	18	86	27	39	39	17	31	65	18	29	54
55—	M	156	75	29	23	48	43	53	44	149	44	53	56	18	52	143	44	49	89
	F	121	65	25	26	45	30	25	30	116	27	45	48	15	26	76	33	43	59
60—	M	189	119	29	41	54	53	53	38	185	32	53	70	33	43	138	45	57	88
	F	149	86	22	32	54	47	34	30	128	48	51	51	29	31	109	39	39	70
65—	M	205	114	41	48	65	63	70	46	205	56	70	89	40	58	156	58	60	87
	F	144	109	29	42	66	52	44	38	161	29	71	83	33	50	113	53	56	93
70—	M	201	134	51	48	62	60	58	41	178	46	71	78	49	64	133	51	73	106
	F	159	124	36	39	81	61	49	46	178	46	62	98	34	69	147	57	58	95
75—	M	121	84	26	31	53	72	30	43	151	36	48	68	42	50	138	36	44	66
	F	144	119	30	34	72	50	35	38	182	37	64	90	41	56	122	43	37	82
80—	M	60	55	22	22	47	31	21	27	83	20	18	45	21	39	80	30	31	58
	F	97	66	27	21	61	35	29	35	105	20	28	75	47	43	96	29	33	64
85—	M	25	28	8	3	9	18	7	7	47	10	3	16	16	19	41	4	12	14
	F	51	54	25	14	42	28	13	28	91	11	8	36	37	39	70	21	31	47



TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Bedford-shire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	802	488	406	844	647	828	333	471	2747	1093	966	1146	866	587	1900	1702
	F	832	505	484	796	659	815	416	451	2731	1108	1116	1150	759	601	1744	1509
Under 4 weeks	M	36	29	11	37	23	31	6	17	126	48	29	62	61	24	89	110
	F	33	10	15	26	27	21	10	8	70	36	18	43	27	27	78	74
4 weeks—3 months	M	7	2	1	6	9	7	3	7	36	17	9	10	16	9	27	31
	F	3	1	3	2	6	7	3	8	28	14	9	6	10	3	30	24
3—6 months	M	6	3	3	6	4	2	5	4	27	3	4	4	7	5	37	17
	F	7	1	1	—	2	2	2	1	20	5	3	6	12	4	21	15
6—12 months	M	11	3	3	6	5	6	3	3	46	15	17	6	22	10	49	43
	F	11	2	3	8	12	8	1	3	24	10	6	10	14	10	20	33
Total under 1 year	M	60	37	18	55	41	46	17	31	235	83	59	82	106	48	202	201
	F	54	14	22	36	47	38	16	20	142	65	36	65	63	44	149	146
1—	M	8	7	3	9	11	14	1	5	37	9	10	16	18	8	32	36
	F	8	5	5	2	7	11	4	4	36	9	9	8	15	11	28	33
2—	M	1	1	5	2	2	4	4	2	23	6	6	5	12	4	21	15
	F	5	1	5	4	2	4	—	1	10	3	2	3	7	1	13	15
3—	M	3	4	—	4	4	2	1	—	18	2	4	3	6	—	11	15
	F	1	3	3	2	—	5	1	1	11	4	5	3	7	5	6	10
4—	M	1	—	—	—	2	4	—	—	9	6	3	1	5	—	7	9
	F	2	5	5	1	—	—	—	—	10	2	5	2	2	2	9	5
Total under 5 years	M	73	49	26	70	60	70	23	38	322	106	82	107	147	60	273	276
	F	70	28	40	45	56	58	21	26	209	83	57	81	94	63	205	209
5—	M	6	3	4	12	6	12	4	5	46	17	10	11	18	9	22	19
	F	6	6	7	7	7	4	3	8	38	25	9	10	17	8	24	26
10—	M	4	5	2	6	5	9	2	7	19	17	7	5	13	4	21	15
	F	5	4	1	11	6	4	3	3	19	9	9	6	11	8	10	18
15—	M	18	8	5	12	11	20	5	5	28	18	21	18	21	8	26	34
	F	11	10	3	11	6	10	7	8	38	14	16	11	29	5	30	29
20—	M	23	11	10	18	29	17	9	4	50	23	18	17	28	8	36	33
	F	17	11	12	18	21	18	5	7	43	17	22	23	16	10	47	35
25—	M	16	6	5	9	14	10	4	6	51	15	16	16	28	10	47	33
	F	17	5	6	11	11	19	7	10	65	26	22	20	25	7	43	31
30—	M	10	10	10	14	13	10	5	6	55	14	14	19	18	6	42	37
	F	13	7	9	12	16	14	3	6	64	31	20	22	17	5	37	35
35—	M	22	6	7	11	16	20	4	8	50	24	25	21	26	11	40	38
	F	26	10	11	19	13	16	9	7	65	29	17	29	14	13	48	38
40—	M	34	16	11	19	23	16	7	15	95	32	26	28	27	14	67	70
	F	19	14	12	27	16	22	6	14	71	30	22	24	10	11	54	51
45—	M	39	16	18	33	34	31	12	10	127	40	32	44	47	26	64	76
	F	25	12	11	34	20	34	13	11	101	44	39	34	21	11	70	54
50—	M	39	24	15	35	40	32	16	27	175	70	54	65	47	33	108	97
	F	40	26	20	28	28	38	13	24	152	61	47	51	43	18	76	80
55—	M	69	40	29	64	42	60	20	25	226	70	84	80	51	35	139	111
	F	46	35	33	37	42	47	25	21	202	72	62	61	46	44	99	91
60—	M	78	31	31	68	54	81	28	44	298	100	98	86	69	61	181	134
	F	62	34	35	65	51	63	34	34	262	97	96	87	71	38	181	106
65—	M	109	61	57	111	70	102	41	44	338	138	106	135	96	71	207	161
	F	78	54	50	60	60	84	43	53	314	132	130	122	80	70	167	151
70—	M	98	51	56	103	78	113	46	56	353	145	123	158	80	69	245	218
	F	103	66	56	93	85	97	64	38	339	136	130	153	79	72	221	180
75—	M	87	64	52	121	65	92	45	67	270	123	116	155	83	76	207	180
	F	100	57	70	123	83	111	59	67	369	132	167	163	87	91	224	167
80—	M	54	49	41	73	54	76	34	58	167	88	78	86	45	53	123	115
	F	97	58	65	97	77	91	53	52	222	112	133	120	66	69	122	141
85—	M	23	38	27	65	33	57	28	46	77	53	56	95	22	33	52	55
	F	97	68	43	98	61	85	48	62	158	58	118	133	33	58	86	67

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Devonshire.		Dorsetshire.		Durham.		Ely, Isle of.		Essex.		Gloucester-shire.		Hereford-shire.		Hertford-shire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	1548	1443	806	709	3454	2498	265	196	4658	1712	768	1417	295	509	1432	622
	F	1669	1425	870	669	3004	2336	250	159	4453	1631	849	1390	281	469	1505	614
Under 4 weeks	M	50	48	24	23	218	191	15	10	253	66	36	63	20	20	61	18
4 weeks—3 months	F	36	40	20	18	186	131	8	6	166	53	16	44	8	16	54	19
	M	14	15	11	6	89	42	6	4	78	21	5	16	2	6	20	7
3—6 months	F	10	13	9	5	66	40	4	2	49	14	6	10	2	2	18	4
	M	13	4	9	7	72	55	2	1	67	16	5	11	2	2	11	4
6—12 months	F	8	5	4	4	61	36	1	1	42	13	—	6	1	4	7	2
	M	8	20	8	7	131	86	8	6	90	16	7	20	2	9	20	10
	F	10	11	10	9	90	77	4	4	60	8	6	18	5	2	18	1
Total under 1 year	M	85	87	52	43	510	374	31	21	488	119	53	110	26	37	112	39
	F	64	69	43	36	403	284	17	13	317	88	28	78	16	24	97	26
1—	M	17	15	8	7	151	98	5	3	75	16	17	13	4	7	15	6
	F	9	4	12	13	102	92	—	—	70	19	8	14	3	1	8	9
2—	M	9	3	5	3	69	33	3	—	38	7	3	6	1	3	9	1
	F	2	5	8	1	45	33	2	—	25	4	2	6	4	1	6	5
3—	M	2	2	5	3	39	24	—	—	27	5	2	1	1	—	10	2
	F	1	3	5	—	28	30	2	1	19	6	3	6	—	—	6	6
4—	M	7	3	6	3	28	20	—	1	26	6	2	6	3	3	2	4
	F	9	3	1	—	19	15	—	—	17	4	2	4	—	3	1	1
Total under 5 years	M	120	110	76	59	797	549	39	25	654	153	77	136	35	50	148	52
	F	85	84	69	50	597	454	21	14	448	121	43	108	23	29	118	47
5—	M	13	6	5	6	81	55	—	3	78	17	10	10	7	4	21	10
	F	14	14	7	5	67	46	2	1	72	25	6	6	2	4	13	15
10—	M	8	12	3	3	47	35	2	—	57	17	7	11	2	5	9	6
	F	12	10	5	4	56	51	4	3	37	12	3	13	3	2	9	6
15—	M	17	21	3	5	90	81	4	4	84	26	20	16	3	2	29	7
	F	13	16	15	6	75	47	5	4	71	12	10	20	4	8	20	4
20—	M	29	36	12	15	80	83	4	4	116	37	16	24	10	8	39	10
	F	20	21	14	11	96	63	1	—	91	23	12	33	3	6	20	4
25—	M	26	22	11	12	80	78	6	7	110	26	17	19	2	6	34	13
	F	24	27	25	8	77	66	2	3	118	40	19	29	5	9	31	15
30—	M	43	22	15	14	64	57	4	2	140	32	12	25	5	11	36	8
	F	32	35	19	9	68	65	4	5	144	39	17	32	7	11	34	8
35—	M	25	32	15	16	105	63	6	2	125	25	15	39	5	10	41	19
	F	31	20	19	16	108	78	6	4	132	34	15	37	10	14	31	12
40—	M	43	25	30	16	107	82	10	3	175	45	26	41	5	15	41	20
	F	47	37	23	19	98	83	5	5	143	35	23	41	6	15	47	9
45—	M	66	55	28	28	143	81	9	7	208	65	30	58	16	14	55	19
	F	64	56	30	18	119	80	7	3	189	61	22	22	9	11	64	26
50—	M	73	67	48	28	161	105	8	8	291	86	29	64	16	26	71	25
	F	64	65	39	22	145	114	12	9	218	71	33	65	10	14	63	27
55—	M	97	94	67	53	252	131	17	14	333	95	46	101	22	26	102	48
	F	99	81	52	35	165	156	16	7	252	84	33	69	13	24	101	24
60—	M	140	136	85	49	260	179	23	10	439	138	78	118	27	42	135	46
	F	128	126	80	54	237	174	12	14	302	111	64	93	15	33	123	40
65—	M	188	169	91	88	341	248	27	21	455	214	85	177	34	73	160	65
	F	147	138	76	64	268	221	30	10	443	140	77	137	32	50	147	55
70—	M	227	181	92	85	352	246	37	33	481	231	91	190	29	61	165	71
	F	232	176	104	88	289	211	24	23	475	193	114	163	35	53	177	86
75—	M	167	200	99	106	293	227	31	15	434	199	82	179	34	58	161	87
	F	264	201	113	95	242	235	32	18	544	231	123	195	39	81	195	88
80—	M	161	141	77	84	145	143	21	21	295	187	80	129	30	58	118	80
	F	208	158	101	81	206	134	32	16	407	233	122	152	30	56	166	81
85—	M	105	114	49	42	56	55	17	17	183	119	47	80	13	40	67	36
	F	185	160	79	84	91	58	35	20	367	166	113	175	35	49	146	67



TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Huntingdon-shire.		Kent.		Lancashire.		Leicester-shire.		Lincolnshire: Parts of Holland.		Lincolnshire: Parts of Kesteven.		Lincolnshire: Parts of Lindsey.		Middlesex.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	142	218	4772	1935	9914	1591	680	1029	249	296	250	434	839	834	7705	184
	F	149	189	4980	1843	10187	1520	635	990	241	278	247	436	720	798	7919	200
Under 4 weeks	M	5	11	202	77	448	69	38	54	14	21	12	19	46	40	363	12
	F	3	7	122	58	339	55	28	51	14	13	10	17	27	28	251	6
4 weeks-3 months	M	1	1	54	23	138	22	5	10	3	10	3	5	24	12	136	3
	F	1	1	42	18	117	14	6	11	4	5	4	4	5	8	88	1
3-6 months	M	1	3	38	17	119	18	10	4	2	4	1	5	12	8	104	2
	F	—	—	29	12	80	6	10	10	4	2	1	5	9	2	73	4
6-12 months	M	1	4	50	19	174	20	18	15	4	8	3	5	22	9	121	7
	F	2	2	52	17	129	25	7	18	3	7	5	4	5	9	95	1
Total under 1 year	M	8	19	344	136	879	129	71	83	23	43	19	34	104	69	724	24
	F	6	10	245	105	665	100	51	90	25	27	20	30	46	47	507	12
1—	M	1	1	54	11	164	24	11	18	7	4	3	5	14	7	101	2
	F	—	2	57	12	144	12	7	14	3	8	4	5	8	2	81	2
2—	M	—	—	33	4	71	8	5	7	1	1	3	3	6	4	52	1
	F	1	—	29	10	57	10	5	7	4	1	1	—	9	4	46	—
3—	M	—	—	23	5	50	8	4	8	—	1	1	2	3	1	35	2
	F	—	—	16	6	47	3	1	8	1	1	1	1	5	1	31	1
4—	M	1	—	15	6	40	8	3	4	1	1	—	1	5	4	21	2
	F	—	—	11	5	46	3	3	2	—	—	2	1	—	1	33	—
Total under 5 years	M	10	20	469	162	1204	177	94	120	32	50	26	45	132	85	933	31
	F	7	12	358	138	959	128	67	121	33	37	28	37	68	55	698	15
5—	M	—	—	75	21	138	15	5	16	2	6	4	3	14	11	98	4
	F	2	1	39	17	110	13	9	11	4	6	3	3	10	3	112	4
10—	M	1	1	44	29	87	10	6	11	2	2	—	3	9	7	61	1
	F	1	2	37	12	101	15	7	4	1	2	3	4	7	7	85	2
15—	M	1	5	64	29	154	23	13	26	4	5	7	7	22	10	136	3
	F	—	3	62	26	147	18	9	14	2	7	3	4	13	13	124	2
20—	M	2	6	106	52	212	40	15	29	4	6	3	10	23	14	171	7
	F	3	4	83	24	199	18	12	20	7	6	6	13	20	11	167	7
25—	M	3	4	92	30	228	27	12	37	3	4	2	8	11	10	201	7
	F	3	3	102	39	228	33	6	19	3	12	5	13	17	17	196	7
30—	M	3	2	84	40	198	38	9	18	3	5	7	11	12	15	202	1
	F	1	4	94	39	225	32	14	35	4	3	5	9	16	19	183	6
35—	M	1	3	104	43	265	37	15	24	11	3	7	11	18	11	209	5
	F	4	2	101	44	273	42	15	33	5	6	5	5	20	9	222	5
40—	M	2	5	151	58	344	44	22	38	3	13	6	7	27	22	250	8
	F	3	4	120	46	311	52	26	32	10	2	8	16	27	21	265	7
45—	M	6	5	189	70	510	53	38	48	10	13	13	18	36	19	386	8
	F	11	1	180	71	461	50	21	37	7	8	7	17	27	37	324	5
50—	M	6	11	267	66	679	110	39	50	14	14	14	15	49	32	545	6
	F	7	8	241	86	589	89	35	40	6	21	16	18	34	42	425	13
55—	M	13	7	388	122	816	126	48	68	15	13	22	20	69	53	649	21
	F	8	13	316	102	769	100	33	60	8	9	12	14	41	41	500	15
60—	M	8	18	439	170	1008	151	68	78	18	22	21	31	77	74	670	18
	F	9	16	393	147	962	124	55	69	17	15	17	30	55	67	625	14
65—	M	24	24	550	215	1157	198	70	84	31	21	26	54	85	98	845	18
	F	13	17	505	190	1168	174	78	85	26	14	19	44	50	67	716	21
70—	M	19	32	550	261	1251	197	78	133	27	26	24	60	84	109	823	19
	F	22	27	560	249	1349	226	92	102	25	33	29	43	85	98	865	17
75—	M	25	34	542	276	1004	184	77	120	36	35	37	50	85	106	739	14
	F	19	20	647	227	1166	192	73	121	27	31	37	53	86	107	950	16
80—	M	14	31	375	166	471	107	36	77	21	28	19	43	43	91	511	7
	F	19	29	607	198	764	129	47	112	31	34	27	58	87	89	793	22
85—	M	4	10	283	125	188	54	35	52	13	30	12	38	43	67	276	6
	F	17	23	535	188	406	85	36	75	25	32	17	55	57	95	669	22

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Norfolk.		Northamptonshire.		Northumberland.		Nottinghamshire.		Oxfordshire.		Peterborough Soke of.		Rutlandshire.		Shropshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	351	1654	590	674	1986	635	1665	979	237	574	280	49	17	91	747	779
	F	419	1619	561	647	1773	599	1457	977	217	558	241	46	25	101	787	781
Under 4 weeks	M	9	77	29	24	111	28	110	61	5	15	9	5	—	1	29	37
4 weeks—3 months	F	14	54	22	16	75	26	66	45	4	7	9	1	—	4	19	26
3—6 months	M	6	27	4	7	45	11	33	16	—	7	4	—	1	1	9	12
	F	3	11	2	2	22	8	24	9	—	2	4	—	—	—	4	6
6—12 months	M	2	11	7	3	30	11	22	20	3	3	7	—	—	—	9	6
	F	3	11	1	3	24	7	17	10	1	2	3	—	—	—	7	5
	M	3	18	6	3	60	13	40	25	3	1	4	2	—	—	9	6
	F	3	13	4	2	45	7	34	20	2	4	5	2	—	—	5	14
Total under 1 year	M	20	133	46	37	246	63	205	122	11	26	24	7	1	2	56	61
	F	23	89	29	23	166	48	141	84	7	15	21	3	—	4	35	51
1—	M	5	19	2	10	58	4	42	26	1	4	3	1	—	—	8	8
	F	—	12	3	5	47	6	29	16	3	6	—	1	—	1	12	13
2—	M	2	4	3	2	25	1	15	6	1	3	1	1	—	1	3	6
	F	2	6	1	2	18	8	9	15	1	6	—	—	—	—	6	4
3—	M	1	8	4	2	20	1	7	1	1	4	2	—	—	—	2	4
	F	3	2	—	3	15	—	12	9	2	—	1	1	—	—	1	2
4—	M	—	1	5	3	17	2	2	11	1	—	—	—	—	—	3	2
	F	—	6	3	1	19	1	7	6	1	—	2	—	—	—	4	3
Total under 5 years	M	28	165	60	54	366	71	271	166	15	37	30	9	1	3	72	81
	F	28	115	36	34	265	63	198	130	14	27	24	5	—	5	58	73
5—	M	8	21	5	10	40	4	26	25	2	4	—	—	—	2	9	5
	F	2	21	3	4	29	6	28	16	5	5	2	1	—	3	9	10
10—	M	2	7	5	1	29	5	16	13	1	4	2	1	—	—	6	5
	F	3	8	3	3	21	3	20	9	1	7	1	—	—	—	5	6
15—	M	4	24	13	13	51	9	31	26	3	11	5	—	—	4	13	11
	F	5	22	12	9	42	9	41	18	2	8	4	—	—	1	16	10
20—	M	6	26	14	12	51	10	40	30	6	7	7	—	1	—	12	14
	F	6	23	11	11	50	10	37	19	3	13	4	2	—	1	10	7
25—	M	4	24	10	21	47	12	52	19	6	9	8	—	—	1	16	13
	F	4	21	16	11	50	14	46	22	1	4	10	—	—	2	16	18
30—	M	6	28	16	7	50	12	34	30	3	9	5	2	—	—	17	16
	F	7	35	16	6	38	16	38	29	7	6	3	—	—	1	23	21
35—	M	10	29	20	15	57	15	42	23	2	5	5	—	—	3	17	17
	F	11	27	19	13	55	14	41	32	5	9	4	2	—	2	18	14
40—	M	9	35	13	4	57	13	51	24	6	11	9	1	2	1	18	18
	F	9	37	17	22	51	12	52	32	4	12	9	1	1	4	23	20
45—	M	12	48	17	17	94	27	83	28	12	22	13	1	1	6	32	18
	F	9	43	20	22	70	19	57	26	5	21	7	4	1	1	29	20
50—	M	13	54	28	30	91	30	101	45	7	21	17	5	1	2	27	31
	F	15	56	24	24	111	22	70	39	9	16	8	2	5	4	33	33
55—	M	13	83	40	42	130	48	119	47	24	34	21	3	—	4	55	59
	F	24	75	41	34	110	26	102	59	17	36	15	3	—	7	49	44
60—	M	36	118	55	59	188	54	147	68	21	44	30	2	2	11	72	85
	F	32	112	53	54	125	55	104	75	11	40	17	5	4	6	60	67
65—	M	46	194	59	85	164	83	190	92	25	83	26	5	1	14	104	83
	F	32	162	57	64	170	53	149	96	29	59	19	3	4	12	76	69
70—	M	50	215	68	107	199	85	162	114	38	75	45	5	3	15	98	97
	F	60	195	67	82	187	75	159	97	25	68	26	6	3	9	95	89
75—	M	36	234	87	75	205	70	142	116	32	85	25	10	4	10	98	102
	F	62	231	76	94	178	79	151	116	27	77	28	3	2	8	112	92
80—	M	50	188	48	67	113	54	102	68	14	63	20	5	—	9	50	69
	F	59	212	52	81	132	79	94	92	27	81	31	5	2	19	79	93
85—	M	18	161	32	55	54	33	56	45	20	50	12	—	1	6	31	55
	F	51	224	38	79	89	44	70	70	25	69	29	4	3	16	76	95



TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Somerset-shire.		Southamp-ton.		Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	1012	1562	1185	1421	3107	1269	510	820	274	437	3752	947	873	743	672	645
	F	1181	1514	1086	1375	2764	1169	508	740	280	439	3982	881	1052	838	836	655
Under 4 weeks	M	39	63	58	64	178	66	19	52	7	19	147	43	25	24	14	25
4 weeks—3 months	F	22	49	33	30	133	55	13	20	5	14	116	20	17	15	13	25
3—6 months	M	13	17	18	11	62	21	9	7	1	4	40	6	9	9	12	4
	F	12	7	7	11	45	14	1	5	2	4	24	5	5	3	7	3
6—12 months	M	5	7	9	9	52	11	7	6	2	2	46	3	5	6	6	5
	F	5	9	8	10	36	9	1	2	3	1	17	2	4	6	5	4
	M	10	21	18	6	99	17	4	9	4	5	51	8	4	7	3	7
	F	8	8	10	12	76	22	7	9	1	2	30	8	3	4	4	2
Total under 1 year	M	67	108	103	90	391	115	39	74	14	30	284	60	43	46	35	41
	F	47	73	58	63	290	100	22	36	11	21	187	35	29	28	29	34
1—	M	11	12	18	12	86	27	6	10	2	5	23	5	3	4	3	9
	F	9	15	10	20	78	19	4	3	1	3	35	3	3	3	5	4
2—	M	5	6	5	9	44	11	2	9	2	1	14	2	5	1	2	3
	F	3	10	7	4	49	9	4	4	1	—	13	3	2	4	3	4
3—	M	2	2	9	6	28	5	2	1	1	1	17	2	1	3	3	1
	F	4	7	6	5	25	8	5	3	2	1	7	1	1	2	3	2
4—	M	5	6	2	6	21	5	2	3	1	2	12	3	4	1	—	—
	F	1	1	6	5	17	5	—	1	—	—	12	—	1	1	3	3
Total under 5 years	M	90	134	137	123	570	163	51	97	20	39	350	72	56	55	43	54
	F	64	106	87	97	459	141	35	47	15	25	254	42	36	38	43	47
5—	M	15	22	22	17	67	25	5	15	5	3	48	11	12	10	4	7
	F	11	10	13	21	49	17	6	7	2	3	46	8	2	9	7	9
10—	M	3	11	12	12	45	12	7	4	1	4	33	11	8	7	5	6
	F	10	17	12	13	27	16	6	8	—	2	28	8	4	5	—	2
15—	M	14	21	21	15	54	17	13	11	4	4	48	9	8	10	5	14
	F	14	16	9	24	46	18	8	11	5	3	51	9	8	8	6	8
20—	M	21	26	18	25	77	22	10	15	3	11	84	28	14	13	8	11
	F	20	27	25	20	82	23	4	14	1	4	77	17	15	11	10	9
25—	M	15	16	22	28	71	32	8	14	3	3	93	22	11	17	13	12
	F	18	33	22	15	62	21	5	14	4	8	90	20	16	16	10	17
30—	M	20	28	21	20	60	35	10	7	4	5	88	12	10	12	9	12
	F	19	28	24	30	65	27	8	9	3	7	86	14	16	13	12	15
35—	M	32	21	27	36	60	29	9	13	6	4	85	17	11	14	7	10
	F	34	29	26	22	76	25	11	11	9	7	89	21	22	11	17	10
40—	M	33	46	24	30	100	33	10	17	8	10	111	22	24	17	23	16
	F	36	32	29	31	78	40	11	23	7	9	106	26	21	20	23	11
45—	M	29	51	60	46	149	46	21	24	6	10	180	37	30	27	26	18
	F	35	42	39	45	111	39	15	21	7	12	150	34	34	30	18	16
50—	M	63	71	72	78	172	51	24	33	18	25	237	54	35	36	37	36
	F	48	68	45	69	128	52	16	36	12	15	191	36	48	42	45	33
55—	M	67	116	101	84	234	80	26	47	22	29	274	68	69	45	46	40
	F	88	78	60	84	159	81	37	33	12	26	236	61	68	70	53	40
60—	M	98	155	90	123	275	125	32	62	28	30	354	89	101	60	53	49
	F	82	106	77	113	208	82	40	48	23	27	330	57	92	69	76	47
65—	M	116	180	124	167	322	156	64	85	30	48	449	125	94	70	88	74
	F	103	153	105	152	257	122	48	62	26	39	389	81	105	95	90	45
70—	M	114	222	137	211	338	154	70	115	27	67	443	127	133	101	91	63
	F	121	191	138	160	285	125	60	80	41	58	509	142	141	104	114	95
75—	M	133	207	126	193	287	132	70	106	38	67	410	104	112	98	95	74
	F	166	208	136	174	321	163	78	115	31	76	497	113	165	115	107	97
80—	M	89	122	101	116	158	105	43	85	28	43	295	80	85	87	66	77
	F	170	191	121	159	221	99	69	106	41	55	448	101	136	99	104	77
85—	M	60	113	70	97	68	52	37	70	23	35	170	59	60	64	53	67
	F	142	179	118	146	130	78	51	95	41	63	405	91	123	83	101	77

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Warwick-shire.		Westmor-land.		Wight, Isle of.		Wiltshire.		Worcester-shire.		Yorkshire, East Riding		Yorkshire, North Riding.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	1063	1014	203	240	356	188	842	986	1272	753	442	611	1223	914
	F	1051	936	217	218	426	177	865	958	1212	642	557	569	1227	884
Under 4 weeks	M	53	58	8	15	13	1	38	53	71	32	10	27	65	48
	F	31	42	9	5	7	—	30	26	52	16	19	21	34	33
4 weeks—3 months	M	15	20	2	4	1	—	11	11	19	8	11	7	17	13
	F	6	6	1	3	2	—	7	9	11	5	3	6	20	5
3—6 months	M	8	12	4	2	1	—	4	4	14	3	3	5	20	5
	F	10	8	—	2	1	1	2	6	9	4	3	9	10	5
6—12 months	M	16	18	4	1	2	—	9	11	22	10	5	13	37	9
	F	11	7	3	—	2	—	7	4	19	10	5	12	19	12
Total under 1 year	M	92	108	18	22	17	1	62	79	126	53	29	52	139	75
	F	58	63	13	10	12	1	46	45	91	35	30	48	83	55
1—	M	28	20	4	3	3	2	10	14	34	10	11	8	45	8
	F	13	11	2	—	2	1	10	10	21	4	10	7	37	8
2—	M	10	9	2	1	—	—	5	4	15	4	3	6	17	6
	F	11	9	—	1	3	2	2	3	20	3	4	—	9	4
3—	M	4	6	—	1	1	—	4	4	5	3	4	4	13	1
	F	10	4	2	2	2	—	6	7	4	4	3	1	14	4
4—	M	1	6	1	—	—	1	1	7	4	1	1	4	10	5
	F	4	6	1	1	1	—	3	4	7	1	3	3	11	2
Total under 5 years	M	135	149	25	27	21	4	82	108	184	71	48	74	224	95
	F	96	93	18	14	20	4	67	69	143	47	50	59	154	73
5—	M	9	16	—	2	3	2	12	10	17	12	11	9	34	14
	F	10	12	—	1	2	2	8	9	13	5	6	9	20	8
10—	M	12	7	1	—	2	1	8	9	10	9	4	6	16	4
	F	6	14	1	1	4	—	8	6	11	6	4	4	13	9
15—	M	17	20	4	4	4	4	12	13	27	12	8	8	24	11
	F	8	21	1	5	4	3	13	7	18	8	3	3	18	13
20—	M	19	15	3	7	5	2	14	13	24	9	5	17	19	14
	F	23	20	7	4	5	1	17	16	18	8	9	12	17	17
25—	M	30	23	2	4	5	—	10	22	28	15	8	10	22	14
	F	22	14	1	3	7	—	18	17	32	10	8	10	25	15
30—	M	30	16	3	5	7	6	19	18	18	15	8	12	22	19
	F	24	16	4	6	6	3	10	16	30	10	11	9	26	9
35—	M	20	24	3	5	6	3	21	12	37	21	9	10	29	14
	F	32	24	7	3	4	3	17	22	31	14	8	14	26	24
40—	M	26	28	4	5	6	8	27	29	50	16	12	10	33	17
	F	35	34	4	6	9	1	25	23	28	20	13	9	44	22
45—	M	38	48	5	5	9	7	32	27	42	28	19	14	50	34
	F	34	37	12	4	10	10	34	24	38	16	19	26	51	42
50—	M	75	41	9	14	18	10	45	35	66	32	23	21	65	31
	F	37	42	8	14	16	9	31	44	61	32	23	27	46	42
55—	M	83	71	14	14	32	14	68	64	81	44	30	20	81	70
	F	69	56	11	15	21	9	51	44	70	30	36	28	84	54
60—	M	89	92	16	15	35	15	81	88	105	72	33	48	91	87
	F	91	64	13	15	33	10	68	71	102	62	49	28	105	77
65—	M	116	90	32	29	38	26	108	110	139	88	46	65	126	97
	F	102	83	21	29	57	24	88	99	119	76	55	51	117	101
70—	M	130	138	31	40	50	22	97	136	143	92	51	93	157	120
	F	108	103	31	24	59	23	109	105	140	81	64	79	157	102
75—	M	122	106	23	27	52	30	103	132	145	98	62	82	106	126
	F	141	128	29	34	63	33	114	148	149	74	73	79	155	112
80—	M	62	82	17	24	34	20	63	98	103	76	47	61	78	98
	F	127	93	27	21	52	23	106	119	125	87	69	65	81	94
85—	M	50	48	11	13	29	14	40	62	53	43	18	51	46	49
	F	86	82	22	19	54	19	81	119	84	56	57	57	88	70



TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknock- shire.		Caernarvon- shire.		Cardigan- shire.		Carmarthen- shire.		Denbigh- shire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	7065	2677	132	246	115	288	448	511	114	303	476	707	371	659
	F	6863	2460	156	250	135	237	467	478	153	360	428	680	408	608
Under 4 weeks	M	337	189	6	8	8	20	26	8	4	9	26	40	14	45
	F	257	126	6	9	3	9	9	5	4	6	13	27	13	26
4 weeks-3 months	M	119	55	2	2	2	3	6	8	2	8	9	14	7	6
	F	69	43	3	3	1	3	2	6	1	2	5	16	3	10
3-6 months	M	87	56	1	4	2	3	5	9	1	5	1	9	2	9
	F	61	33	—	4	—	1	2	2	—	3	4	10	10	7
6-12 months	M	145	77	4	5	4	1	5	9	1	4	7	14	4	13
	F	127	54	—	2	2	3	4	4	—	3	5	9	5	10
Total under 1 year	M	688	377	13	19	16	27	42	34	8	26	43	77	27	73
	F	514	256	9	18	6	16	17	17	5	14	27	62	31	53
1—	M	139	87	—	2	1	10	1	4	—	2	7	14	4	11
	F	133	87	2	2	2	2	5	4	—	1	7	11	6	3
2—	M	65	47	1	2	1	2	—	1	—	—	4	2	3	5
	F	68	37	—	1	2	5	3	1	3	1	1	5	2	4
3—	M	48	34	1	1	1	2	2	1	1	—	1	7	3	2
	F	41	17	1	—	—	1	1	—	1	—	3	4	1	5
4—	M	42	20	—	1	—	1	—	1	—	1	2	1	1	4
	F	33	25	—	—	—	—	3	2	1	—	1	1	2	8
Total under 5 years	M	982	565	15	25	19	42	45	41	9	29	57	101	38	95
	F	789	422	12	21	10	24	29	24	10	16	39	83	42	73
5—	M	132	88	3	2	2	2	4	8	—	—	4	10	6	16
	F	135	75	—	3	2	3	7	3	1	6	5	9	4	16
10—	M	80	48	1	3	—	5	—	3	1	3	2	6	5	5
	F	72	42	1	1	—	3	5	3	2	1	11	10	3	7
15—	M	129	62	4	5	2	7	5	8	—	2	8	23	10	12
	F	123	47	1	4	4	5	13	7	2	2	8	15	4	9
20—	M	146	71	2	4	2	6	10	9	1	11	9	20	10	17
	F	145	71	1	12	7	10	9	20	1	6	5	17	6	18
25—	M	146	61	2	7	2	8	13	6	4	2	10	17	7	12
	F	148	42	1	5	5	6	6	20	4	7	11	21	9	14
30—	M	147	47	2	—	1	6	8	10	—	3	12	13	8	13
	F	165	74	4	9	2	5	7	10	5	5	15	20	13	22
35—	M	176	65	3	8	3	8	12	4	2	4	17	21	11	19
	F	159	72	2	10	3	12	9	8	1	7	17	12	8	17
40—	M	234	85	4	5	3	2	20	20	5	9	14	30	15	19
	F	193	94	4	6	2	7	11	12	2	8	11	19	13	19
45—	M	296	106	4	7	3	13	25	14	3	7	29	30	11	27
	F	277	90	10	6	6	8	18	18	7	9	17	24	15	36
50—	M	443	143	7	15	4	11	25	15	2	14	28	38	11	33
	F	371	131	11	7	7	9	27	22	7	13	19	37	20	23
55—	M	575	184	6	15	8	19	33	53	14	18	38	51	20	43
	F	459	131	6	12	8	17	27	24	5	27	27	47	25	36
60—	M	713	195	13	23	7	23	47	48	12	25	52	50	43	58
	F	588	189	10	20	14	14	25	41	13	27	43	48	31	45
65—	M	819	223	21	28	14	26	50	63	21	35	56	81	41	73
	F	729	197	19	17	14	21	42	43	15	28	52	64	51	61
70—	M	862	253	17	34	18	28	55	86	21	35	58	95	46	88
	F	893	249	26	29	17	19	68	71	22	53	51	78	48	53
75—	M	676	280	15	24	11	43	51	64	6	46	41	52	45	74
	F	831	251	13	39	17	27	67	68	24	52	40	77	48	61
80—	M	363	121	9	23	11	20	34	36	10	33	30	49	25	36
	F	511	174	21	20	7	24	58	51	21	50	33	54	42	57
85—	M	146	80	4	18	5	19	11	23	3	27	11	20	19	19
	F	275	109	14	29	10	23	39	33	11	43	24	45	26	41

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Flintshire.		Glamorgan-shire.		Merioneth-shire.		Monmouth-shire.		Montgomery-shire.		Pembroke-shire.		Radnorshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	255	436	3944	1120	145	149	1913	367	131	235	285	349	35	96
	F	286	397	3287	924	162	197	1593	302	126	180	271	362	48	106
Under 4 weeks	M	16	19	234	60	6	5	135	10	3	20	15	13	1	3
	F	5	17	157	33	5	3	76	11	7	6	11	12	4	3
	M	4	5	73	16	1	1	38	3	2	3	—	4	—	3
	F	4	4	47	9	3	1	29	4	—	3	3	2	—	4
	M	2	2	60	12	1	—	20	3	2	1	2	5	1	—
	F	2	3	36	8	1	1	19	4	1	1	1	2	—	—
	M	4	5	116	28	2	1	44	4	—	1	5	4	1	1
	F	3	3	84	23	1	2	41	1	—	2	2	7	—	1
Total under 1 year	M	26	31	483	116	10	7	237	20	7	25	22	26	3	7
	F	14	27	324	73	10	7	165	20	8	12	17	23	4	8
	M	3	5	119	37	1	2	49	4	1	1	10	4	—	2
	F	7	5	102	16	1	1	45	5	—	—	8	6	—	2
	M	2	1	42	16	—	2	17	—	—	2	5	2	—	1
	F	4	4	47	8	—	1	15	1	1	1	—	2	—	1
	M	2	3	32	8	—	—	14	6	—	—	3	2	—	1
	F	—	—	25	3	3	—	17	—	—	—	2	—	—	—
	M	—	2	24	4	1	—	14	4	—	1	5	—	—	—
	F	2	3	24	7	—	—	22	2	1	—	3	2	—	—
	M	33	42	700	181	12	11	331	34	8	29	45	34	3	11
	F	27	39	522	107	14	9	264	28	10	13	30	33	4	11
	M	4	7	73	22	2	2	50	7	5	4	5	4	—	1
	F	2	5	70	18	1	1	32	3	1	1	5	6	—	—
	M	—	1	44	11	2	2	19	5	—	6	1	2	1	1
	F	7	2	67	10	1	2	23	6	1	—	3	5	—	1
	M	5	4	109	21	1	2	52	1	2	2	1	7	1	—
	F	10	3	87	19	2	1	49	10	3	3	6	8	1	1
	M	5	4	102	23	—	2	44	3	3	5	6	9	—	1
	F	3	10	109	26	3	2	53	7	2	6	5	2	1	3
	M	7	5	96	33	5	5	60	9	5	4	3	9	1	1
	F	2	10	119	20	4	5	59	5	3	7	9	5	—	2
	M	4	10	92	20	1	3	37	8	5	4	2	9	2	2
	F	7	9	92	37	5	4	54	13	3	4	7	8	1	4
	M	8	17	110	35	—	1	62	10	2	5	12	7	1	4
	F	5	13	113	33	4	6	58	8	1	5	7	5	1	4
	M	11	9	143	30	6	2	72	12	—	4	8	9	2	2
	F	9	9	115	29	8	5	53	7	7	4	14	13	1	3
	M	13	22	181	60	6	2	76	17	5	8	11	14	4	5
	F	7	14	141	51	5	4	71	10	6	5	8	13	2	5
	M	13	20	258	72	10	7	106	20	5	6	18	15	—	4
	F	8	22	193	59	5	12	73	20	7	6	10	15	2	4
	M	21	35	324	98	14	8	141	12	9	13	20	15	1	7
	F	19	31	227	63	13	13	114	19	8	7	17	22	2	2
	M	25	41	395	103	19	17	177	31	11	24	25	26	—	6
	F	26	37	262	71	15	20	103	20	8	13	22	31	2	5
	M	27	50	431	122	14	13	194	44	15	30	30	42	4	9
	F	26	33	288	84	15	20	146	31	6	26	20	45	6	11
	M	34	60	385	103	21	24	189	51	16	26	45	49	9	10
	F	44	50	311	96	22	26	150	38	18	17	32	42	7	10
	M	21	54	290	92	14	18	172	52	23	30	16	49	2	15
	F	39	53	264	90	11	28	154	33	24	20	30	43	8	19
	M	16	35	155	62	9	19	95	33	11	22	23	30	1	7
	F	18	35	192	65	25	26	84	27	11	24	26	38	6	12
	M	8	20	56	32	9	11	36	18	6	13	14	19	3	10
	F	27	22	115	46	9	13	53	17	7	19	20	28	4	9



TABLE 21. CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1931—England and Wales.

NOTE.—The sequence of causes of death followed in this table is that of the International List of Causes of Death (Fourth revision, 1929). Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus, **3** Typhus 5, 15, 20, 50, would denote that the deaths of three males in age-groups 5–10, 15–20 and 20–25 and one female in age-group 50–55 are assigned to this cause. A dash (—) indicates that no deaths are assigned.

Causes of Death.	All Causes.		I. 1–44 Infectious and Parasitic Diseases.		1 and 2 Typhoid and Paratyphoid fevers.		1 Typhoid fever.		2 Paratyphoid fevers.		3, 4, 5* 6 Small-pox.		7 Measles.		8 Scarlet fever.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	249717	241913	35226	30624	134	117	102	83	32	34	5	4	1768	1520	239	301
0—	24332	17607	2219	1893	—	—	—	—	—	—	1	3	398	322	10	13
1—	9705	8333	3853	3614	1	3	—	1	1	2	—	—	1179	1031	95	114
5—	3820	3253	1507	1417	8	1	8	1	—	—	—	1	165	133	65	78
10—	2387	2353	726	918	6	8	4	8	2	—	—	—	12	11	22	33
15—	4415	4103	1808	2262	19	12	15	8	4	4	—	—	6	5	16	22
20—	5650	5180	2479	2715	13	11	9	10	4	1	—	—	2	3	7	12
25—	5409	5464	2354	2506	12	13	12	9	—	4	—	—	—	—	3	6
30—	5268	5488	2107	1913	13	8	8	7	5	1	—	—	—	—	9	6
35—	6247	6090	2207	1698	9	7	7	6	2	1	—	—	—	5	4	3
40—	8238	7254	2472	1589	10	8	8	5	2	3	—	—	3	2	5	5
45—	11416	9392	2772	1368	8	11	5	8	3	3	—	—	1	3	—	3
50—	15023	12326	2585	1369	12	7	11	3	1	4	—	—	—	2	1	1
55—	19295	15404	2375	1276	10	9	8	6	2	3	1	—	—	2	—	4
60—	22979	19363	1843	1249	7	7	4	5	3	2	1	—	—	—	1	1
65—	27626	24115	1458	1184	4	5	2	2	2	3	1	—	1	—	—	—
70—	28481	28509	1024	1298	1	5	—	3	1	2	—	—	—	1	1	—
75—	24709	28690	761	1154	1	2	1	1	—	1	1	—	1	—	—	—
80—	24717	38989	676	1201	—	—	—	—	—	—	—	—	—	—	—	—

\* 3. Typhus fever —; 4. Relapsing fever (*Spirillum obermeieri*) 20; 5. Undulant fever 60.

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With respiratory complications.		11 (a) 1 With pneumonic complications.		11 (a) 2 With other respiratory complications.		11 (b) Without respiratory complications.		11 (b) 1 With non-respiratory complications.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1112	1400	1338	1335	6899	7510	4915	5082	3367	3012	1548	2070	1984	2428	1392	1636
0—	536	591	52	49	307	206	236	143	184	99	52	44	71	63	42	41
1—	538	754	553	472	286	250	215	185	185	162	30	23	71	65	61	59
5—	38	47	518	537	86	75	51	43	39	33	12	10	35	32	30	28
10—	—	3	129	155	62	74	39	45	36	39	3	6	23	29	17	26
15—	—	—	35	24	170	125	109	66	96	55	13	11	61	59	52	51
20—	—	—	10	16	166	157	114	88	102	79	12	9	52	69	43	53
25—	—	—	8	10	183	154	136	107	123	89	13	18	47	47	36	37
30—	—	—	4	9	212	211	148	149	128	130	20	19	64	62	53	52
35—	—	—	3	11	277	243	214	182	170	139	44	43	63	61	47	46
40—	—	—	8	8	395	328	315	236	254	181	61	55	80	92	62	67
45—	—	1	3	10	492	333	394	235	310	169	84	66	98	98	76	81
50—	—	—	5	9	550	440	396	324	276	229	120	95	154	116	118	91
55—	—	1	3	9	595	484	453	339	324	225	129	114	142	145	108	105
60—	—	2	4	9	582	635	425	425	288	256	137	169	157	210	114	162
65—	—	—	1	5	680	736	474	505	277	284	197	221	206	231	151	164
70—	—	—	—	2	659	988	448	667	239	314	209	353	211	321	147	216
75—	—	—	1	—	603	978	393	652	181	274	212	378	210	326	119	187
80—	—	1	1	—	594	1093	355	691	155	255	200	436	239	402	116	170

TABLE 21—*contd.*

Causes of Death.	11 (b) 2. Without stated complications.		12*		13 (a) Amoebic.		13 (b) Bacillary.		13 (c) Other or unspecified.		14*		16 Acute poliomyelitis.		16 (1) Acute poliomyelitis.	
			13 Dysentery.								15 Erysipelas.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	592	792	69	47	10	—	26	21	33	26	521	483	56	42	37	26
0—	29	22	4	2	—	—	4	2	—	—	96	80	12	8	6	6
1—	10	6	6	4	—	—	5	3	1	1	19	21	16	11	11	6
5—	5	4	—	1	—	—	—	1	—	—	5	2	5	4	5	4
10—	6	3	3	1	—	—	1	1	2	—	—	4	9	3	5	1
15—	9	8	3	3	—	—	1	1	2	2	8	9	4	7	2	5
20—	9	16	1	1	—	—	—	—	1	1	8	7	5	2	5	1
25—	11	10	4	—	1	—	2	—	1	—	9	16	3	1	2	1
30—	11	10	3	5	—	—	—	—	3	5	11	10	1	2	1	—
35—	16	15	3	2	2	—	—	1	1	1	20	14	—	—	—	—
40—	18	25	5	4	2	—	—	4	3	—	22	12	—	3	—	1
45—	22	17	8	5	2	—	2	1	4	4	32	15	—	—	—	—
50—	36	25	6	4	3	—	1	2	2	2	38	22	—	—	—	—
55—	34	40	6	4	—	—	4	1	2	3	45	40	1	—	—	—
60—	43	48	6	2	—	—	3	—	3	2	54	48	—	1	—	1
65—	55	67	4	4	—	—	1	1	3	3	55	40	—	—	—	—
70—	64	105	4	3	—	—	—	1	4	2	45	51	—	—	—	—
75—	91	139	2	2	—	—	1	2	1	—	27	41	—	—	—	—
80—	123	232	1	—	—	—	1	—	—	—	27	51	—	—	—	—

\* 12. Cholera. —; 14. Plague —.

Causes of Death.	16 (2) Acute poli- encephalitis.		17 Encephalitis lethargica.		18 Cerebro- spinal fever.		19*		21*		Tuberculosis.					
							20 Anthrax.		22 Tetanus.		23-32 All forms.		23 Respiratory system.		24 Central nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	19	16	496	466	863	577	4	1	94	25	19941	15877	16704	12954	1346	1252
0—	6	2	—	4	142	108	—	—	3	1	379	286	46	41	208	158
1—	5	5	26	26	191	149	—	—	3	1	876	724	121	95	496	424
5—	—	—	15	15	104	83	—	—	8	3	460	408	87	85	225	217
10—	4	2	17	13	65	65	—	—	13	6	353	523	128	280	118	145
15—	2	2	36	34	111	37	1	—	6	2	1342	1960	1033	1673	127	131
20—	—	1	49	38	73	24	1	—	6	—	2099	2417	1840	2191	51	61
25—	1	—	34	33	57	23	—	—	9	2	1987	2210	1813	2021	37	43
30—	—	2	32	34	29	18	—	—	2	1	1738	1576	1599	1424	26	20
35—	—	—	18	37	22	12	1	—	9	2	1769	1316	1646	1203	16	15
40—	—	2	33	33	22	13	—	—	7	2	1846	1121	1737	1036	17	9
45—	—	—	44	38	16	9	—	—	4	1	2004	879	1902	781	8	13
50—	—	—	48	36	11	14	1	—	7	1	1739	750	1664	682	7	5
55—	1	—	59	41	7	14	—	—	7	1	1440	593	1350	518	6	4
60—	—	—	32	28	8	5	—	—	4	2	974	446	906	383	3	2
65—	—	—	31	23	4	2	—	1	1	—	577	327	524	274	1	4
70—	—	—	11	22	—	—	—	—	2	—	242	194	215	156	—	1
75—	—	—	6	8	1	—	—	—	1	—	87	109	70	88	—	—
80—	—	—	5	3	—	1	—	—	2	—	29	38	23	23	—	—

\* 19. Glanders 65; 21. Rabies —.



TABLE 21—*contd.*

Causes of Death.	Tuberculosis— <i>continued.</i>															
	25 Intestines and peritoneum.		26 Vertebral column.		27 Other bones and joints.		28 Skin and subcutaneous tissues.		29 Lymphatic system (abdom- inal and bronchial glands exceptd).		30 Genito- urinary system.		31 Other organs.		31 (1) Adrenals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	516	578	274	220	160	91	12	31	39	26	163	123	20	11	11	7
0—	65	39	1	—	4	3	1	—	3	2	—	—	3	—	—	—
1—	102	88	8	8	8	5	—	—	6	2	—	1	—	—	—	—
5—	59	37	10	12	4	4	—	1	5	3	1	—	—	—	—	—
10—	36	38	13	12	12	2	—	—	—	1	9	3	—	—	—	—
15—	47	70	27	7	11	3	1	—	—	—	16	6	—	—	—	—
20—	51	54	36	20	17	5	1	—	3	3	25	15	3	1	2	1
25—	25	60	31	17	6	1	—	—	5	1	20	13	1	1	—	1
30—	17	42	24	16	6	7	—	2	—	1	14	19	1	1	1	1
35—	25	32	19	19	6	6	1	1	—	1	16	12	1	3	1	2
40—	16	23	21	13	14	5	1	3	2	1	12	9	1	1	1	—
45—	23	30	14	16	7	3	—	1	3	1	16	12	2	2	2	2
50—	11	11	13	16	10	5	1	1	3	—	11	10	—	1	—	—
55—	17	20	21	19	12	12	2	1	2	—	8	8	—	1	—	—
60—	11	14	10	12	16	8	—	5	—	3	9	6	3	—	2	—
65—	5	8	14	15	12	8	1	5	4	2	2	2	4	—	2	—
70—	4	10	8	9	6	5	—	5	—	2	4	2	—	—	—	—
75—	2	—	3	5	7	6	1	5	3	—	—	4	—	—	—	—
80—	—	2	1	4	2	3	2	1	—	3	—	1	1	—	—	—

Causes of Death.	Tuberculosis— <i>continued.</i>										33 Leprosy.		34 Syphilis.		34 (a) Congenital syphilis.	
	31 (2) Other sites in- cluded under 31.		32 Dissem- inated tuberculosis.		32 (a) Acute.		32 (b) Chronic.		32 (c) Not distinguished as acute or chronic.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	4	707	591	354	299	6	3	347	289	3	—	956	490	229	183
0—	3	—	48	43	31	27	—	—	17	16	—	—	185	137	185	137
1—	—	—	135	101	75	58	1	1	59	42	—	—	14	16	14	16
5—	—	—	69	49	35	27	—	—	34	22	—	—	8	5	7	5
10—	—	—	37	42	21	20	—	—	16	22	1	—	6	8	5	5
15—	—	—	80	70	41	46	1	—	38	24	—	—	11	11	10	6
20—	1	—	72	67	28	36	—	—	44	31	—	—	10	12	2	4
25—	1	—	49	53	25	25	—	—	24	28	—	—	8	10	2	2
30—	—	—	51	44	18	19	2	—	31	25	—	—	30	18	1	1
35—	—	1	39	24	21	13	1	—	17	11	—	—	39	28	—	1
40—	—	1	25	21	12	7	—	—	13	14	1	—	66	28	2	—
45—	—	—	29	20	19	7	1	—	9	13	—	—	109	39	—	1
50—	—	1	19	19	6	4	—	—	13	15	—	—	107	50	1	—
55—	—	1	22	10	9	4	—	—	13	6	—	—	141	50	—	2
60—	1	—	16	13	7	4	—	1	9	8	1	—	105	36	—	1
65—	2	—	10	9	3	1	—	—	7	8	—	—	66	17	—	—
70—	—	—	5	4	3	1	—	1	2	2	—	—	32	18	—	2
75—	—	—	1	1	—	—	—	—	1	1	—	—	12	2	—	—
80—	1	—	—	1	—	—	—	—	—	1	—	—	7	5	—	—

Causes of Death.	34 (b) &c. Acquired or unspecified.		35 Other venereal diseases.		35 (1) Gonorrheal or purulent ophthalmia.		35 (2) Other diseases included under 35.		36 Purulent infection, Septicæmia.		36 (a) Septicæmia.		36 (b) Pyæmia.		36 (c) Gas gangrene.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1 Ages	727	307	47	18	13	9	34	9	487	279	448	263	36	15	3	1
0—	—	—	13	9	13	9	—	—	40	34	33	32	7	2	—	—
1—	—	—	—	1	—	—	—	1	18	14	16	13	2	1	—	—
5—	1	—	—	—	—	—	—	—	13	19	12	19	1	—	—	—
10—	1	3	—	—	—	—	—	—	25	6	23	5	2	1	—	—
15—	1	5	—	—	—	—	—	—	30	9	26	9	4	—	—	—
20—	8	8	—	3	—	—	—	3	20	10	20	9	—	1	—	—
25—	6	8	2	3	—	—	2	3	26	20	25	18	1	2	—	—
30—	29	17	—	1	—	—	—	1	17	10	14	10	3	—	—	—
35—	39	27	—	1	—	—	—	1	26	11	24	10	2	1	—	—
40—	64	28	2	—	—	—	2	—	34	15	31	12	3	3	—	—
45—	109	38	2	—	—	—	2	—	39	17	36	17	2	—	1	—
50—	106	50	5	—	—	—	5	—	44	28	40	24	4	3	—	1
55—	141	48	9	—	—	—	9	—	38	23	38	23	—	—	—	—
60—	105	35	9	—	—	—	9	—	49	22	45	22	2	—	2	—
65—	66	17	4	—	—	—	4	—	23	13	21	13	2	—	—	—
70—	32	16	1	—	—	—	1	—	22	9	22	9	—	—	—	—
75—	12	2	—	—	—	—	—	—	16	11	16	11	—	—	—	—
80—	7	5	—	—	—	—	—	—	7	8	6	7	1	1	—	—

Causes of Death.	37* 38 Malaria.		39 Other diseases due to protozoa.		40* 41 Hydatid Cysts.		41 (a) Liver.		41 (b) Other organs.		42 Other diseases due to helminths.		43 Mycoses.		43 (1) Actinomycosis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1 Ages	28	3	4	—	11	16	6	12	5	4	5	6	70	38	42	18
0—	—	—	—	—	—	—	—	—	—	—	—	—	8	9	—	—
1—	—	—	1	—	—	1	—	1	—	—	3	2	2	1	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	1	—	—	—	1	—	—	—	1	1	1	1
15—	—	—	1	—	—	—	—	—	—	—	—	—	7	1	7	1
20—	2	—	—	—	—	—	—	—	—	—	—	—	5	2	4	2
25—	1	1	—	—	—	—	—	—	—	—	—	—	8	3	8	3
30—	1	1	—	—	2	1	1	1	1	—	—	—	2	1	2	1
35—	2	—	—	—	1	2	1	2	—	—	2	—	3	2	3	2
40—	3	—	—	—	3	3	—	2	3	1	—	—	7	3	7	2
45—	6	—	—	—	1	2	1	1	—	1	—	—	3	2	2	2
50—	3	—	1	—	2	3	2	2	—	1	1	—	4	2	1	2
55—	3	—	1	—	—	—	—	—	—	—	—	—	9	1	7	—
60—	3	—	—	—	1	—	1	—	—	—	1	—	1	2	—	1
65—	1	—	—	—	—	3	—	3	—	—	—	—	4	6	—	1
70—	2	1	—	—	—	1	—	—	—	1	—	1	2	1	—	—
75—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—

\* 37. Yellow fever —; 40. Ankylostomiasis —.



TABLE 21—contd.

Causes of Death.	43 (2) Other mycoses.		44 Other infectious or parasitic diseases.		44 (1) Vaccinia.		44 (2) Other sequelæ of vaccination.		44 (3) German measles.		44 (4) Varicella.		44 (5) Mumps.		44 (6) Other diseases included under 44.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	28	20	74	68	3	5	2	3	10	6	31	23	14	11	14	20
0—	8	9	33	31	2	3	2	3	4	—	15	10	3	2	7	13
1—	2	1	26	19	1	1	—	—	4	3	11	8	4	1	6	6
5—	—	—	9	5	—	1	—	—	1	2	3	1	4	1	1	—
10—	—	—	1	4	—	—	—	—	1	—	—	3	—	1	—	—
15—	—	—	2	1	—	—	—	—	—	—	2	1	—	—	—	—
20—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
25—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
30—	—	—	1	1	—	—	—	—	—	—	—	—	1	1	—	—
35—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
40—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—
45—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	1	1	—	2	—	—	—	—	—	1	—	—	—	—	1	—
65—	4	5	—	2	—	—	—	—	—	—	—	—	—	—	2	—
70—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
75—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	II. 45-55 Cancer and other Tumours.		Cancer, Malignant Disease.													
Ages at Death.	M.	F.	45-53 Total.		45 Buccal cavity and pharynx.		46 Digestive organs and peritoneum.		47 Respiratory organs.		48 Uterus.	49 Other female genital organs.	50 Breast.			
			M.	F.	M.	F.	M.	F.	M.	F.	F.	F.	M.	F.		
All Ages	28908	33281	27777	31569	2951	514	17043	15368	2532	908	4341	1667	61	638		
0—	30	21	18	10	1	1	2	1	—	1	—	—	—	—		
1—	70	60	43	40	3	—	9	2	2	3	1	3	—	—		
5—	63	36	30	17	4	1	1	2	1	2	—	1	—	—		
10—	51	46	25	19	4	2	3	2	3	2	—	—	—	—		
15—	96	76	57	45	7	4	10	9	8	2	1	5	—	—		
20—	141	126	104	80	6	4	31	18	12	9	3	16	—	—		
25—	180	203	129	145	4	2	55	52	18	9	17	18	1	1		
30—	297	441	233	361	9	1	123	107	31	18	76	31	—	8		
35—	455	878	396	763	18	14	231	214	65	27	193	64	1	19		
40—	750	1589	665	1426	35	16	386	427	117	52	340	104	2	41		
45—	1504	2539	1408	2320	105	20	823	725	242	82	500	181	2	66		
50—	2472	3498	2343	3285	218	47	1416	1189	338	110	659	232	2	84		
55—	3701	3988	3581	3839	435	66	2147	1618	459	127	657	229	10	87		
60—	4712	4382	4604	4248	550	82	2911	2145	407	146	539	207	9	84		
65—	5386	4734	5280	4603	644	86	3367	2555	361	143	552	210	5	75		
70—	4530	4470	4471	4367	466	73	2863	2629	266	91	407	177	13	67		
75—	2800	3415	2758	3316	279	53	1717	2068	145	54	246	116	12	49		
80—	1670	2779	1632	2685	163	42	948	1605	57	30	150	73	4	50		

TABLE 21—*contd.*

Causes of Death.	Cancer, Malignant Disease— <i>contd.</i>					54 Non-malignant tumours.		54 (a) Female genital organs.	54 (b) Other sites.		55 Tumours of undetermined nature.		55 (a) Female genital organs.
	51 Male genito-urinary organs.	52 Skin.		53 Other or unspecified organs.									
Ages at Death.	M.	M.	F.	M.	F.	M.	F.	F.	M.	F.	M	F.	F.
All Ages	3187	683	480	1320	1910	484	1099	743	484	356	647	613	29
0—	8	—	—	7	7	7	9	—	7	9	5	2	—
1—	18	—	1	11	30	17	12	1	17	11	10	8	—
5—	6	—	—	18	11	17	13	—	17	13	16	6	—
10—	1	2	—	12	13	10	15	—	10	15	16	12	—
15—	4	1	1	27	23	23	13	1	23	12	16	18	—
20—	13	—	1	42	29	16	30	9	16	21	21	16	1
25—	17	3	5	31	25	25	34	21	25	13	26	24	—
30—	28	6	6	36	35	22	50	33	22	17	42	30	—
35—	35	9	7	37	46	27	77	57	27	20	32	38	2
40—	51	8	8	66	66	39	117	91	39	26	46	46	1
45—	125	20	12	91	136	39	156	129	39	27	57	63	1
50—	187	49	30	133	173	45	143	103	45	40	84	70	5
55—	298	54	36	178	231	37	87	52	37	35	83	62	4
60—	485	63	28	179	257	44	71	44	44	27	64	63	2
65—	633	89	50	181	252	40	75	54	40	21	66	56	2
70—	596	130	64	137	248	33	60	46	33	14	26	43	3
75—	415	106	90	84	191	22	71	46	22	25	20	28	3
80—	267	143	141	50	137	21	66	56	21	10	17	28	5

Causes of Death.	55 (b) Othersites.		III. 56-69 Rheumatism, Diseases of Nutrition and of Endocrine Glands, and other General Diseases.		56 Rheumatic fever.		57 Chronic rheumatism, Osteo-arthritis.		57 (1) Chronic rheumatism.		57 (2) Rheumatoid arthritis, Osteo-arthritis.		58 Gout.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	647	584	4707	8498	557	703	950	2193	56	95	894	2098	213	53
0—	5	2	198	93	—	—	—	—	—	—	—	—	—	—
1—	10	8	180	121	20	22	2	1	—	—	2	1	—	—
5—	16	6	135	132	100	105	—	—	—	—	—	—	—	—
10—	16	12	129	163	85	111	1	1	—	—	1	1	—	—
15—	16	18	131	184	76	97	3	3	—	—	3	3	—	—
20—	21	15	120	189	50	77	1	5	—	—	1	5	—	—
25—	26	24	105	184	35	53	3	10	—	—	3	10	1	—
30—	42	30	96	190	29	37	9	11	—	—	9	11	—	—
35—	32	36	88	242	23	45	6	17	—	—	6	17	—	—
40—	46	45	136	292	24	29	23	32	—	—	23	32	2	2
45—	57	62	188	409	24	30	35	58	—	2	35	56	3	2
50—	84	65	250	550	22	25	53	104	3	—	50	104	10	4
55—	83	58	432	783	24	25	85	167	1	3	84	164	26	2
60—	64	61	493	1072	15	22	109	270	2	11	107	259	27	8
65—	66	54	667	1210	20	9	174	338	9	11	165	327	47	6
70—	26	40	645	1158	5	8	181	408	16	18	165	390	44	8
75—	20	25	449	866	3	7	160	379	14	19	146	360	34	4
80—	17	23	265	660	2	1	105	389	11	31	94	358	19	17



TABLE 21—*contd.*

Causes of Death.	59 Diabetes.		60 Scurvy.		61* 62 Pellagra.		63 Rickets.		63 (1) Rickets.		63 (2) Spinal Curvatures of undetermined nature.		64 Osteomalacia.		65 Diseases of the pituitary gland.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2259	3551	15	6	—	4	238	147	227	134	11	13	1	13	26	23
0—	2	—	10	5	—	—	110	48	110	48	—	—	—	—	1	1
1—	7	4	3	1	—	—	115	77	115	77	—	—	—	—	—	—
5—	22	12	—	—	—	—	1	6	1	6	—	—	—	—	1	—
10—	29	36	—	—	—	—	1	1	1	1	—	—	—	—	1	—
15—	32	40	—	—	—	—	2	2	—	1	2	1	1	—	—	2
20—	44	50	1	—	—	—	2	1	—	—	2	1	—	—	5	4
25—	50	48	—	—	—	1	—	1	—	—	—	1	—	—	2	1
30—	42	55	—	—	—	1	—	2	—	—	—	2	—	1	—	1
35—	36	63	—	—	—	—	—	—	—	—	—	—	—	1	—	1
40—	59	71	—	—	—	—	3	2	—	—	3	2	—	3	4	2
45—	92	113	—	—	—	—	—	2	—	1	—	1	—	—	4	1
50—	129	206	—	—	—	—	1	2	—	—	1	2	—	—	1	1
55—	246	362	1	—	—	—	—	1	—	—	—	1	—	1	3	1
60—	311	571	—	—	—	1	1	1	—	—	1	1	—	1	1	2
65—	390	684	—	—	—	1	2	—	—	—	2	—	—	1	1	3
70—	394	615	—	—	—	—	—	—	—	—	—	—	—	1	2	1
75—	240	409	—	—	—	—	—	—	—	—	—	—	—	2	—	—
80—	134	212	—	—	—	—	—	1	—	—	—	1	—	2	—	2

\*61. Beri-beri 20.

Causes of Death.	65 (1) Infantilism.		65 (2) Other diseases of the pituitary gland.		66 Diseases of the thyroid and parathyroid glands.		66 (a) Simple goitre.		66 (b) Exophthalmic goitre.		66 (c) Myxoedema, Cretinism.		66 (d) Tetany.		66 (e) Other diseases included under 66.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	3	24	20	220	1567	30	145	138	1162	37	247	13	8	2	5
0—	1	—	—	1	10	12	—	—	—	—	3	8	7	4	—	—
1—	—	—	—	—	11	7	—	—	—	—	8	6	3	1	—	—
5—	—	—	1	—	2	4	—	—	—	—	1	4	1	—	—	—
10—	—	—	1	—	5	6	2	1	1	3	1	2	1	—	—	—
15—	—	2	—	—	10	37	5	2	3	33	1	2	1	—	—	—
20—	1	—	4	4	9	47	3	1	6	43	—	3	—	—	—	—
25—	—	1	2	—	11	58	—	2	8	51	2	4	—	1	1	—
30—	—	—	—	1	9	71	1	3	7	62	1	5	—	1	—	—
35—	—	—	—	1	8	104	—	7	8	94	—	3	—	—	—	—
40—	—	—	4	2	15	125	1	8	14	108	—	9	—	—	—	—
45—	—	—	4	1	20	179	1	17	19	148	—	13	—	—	—	1
50—	—	—	1	1	21	189	3	12	17	163	1	14	—	—	—	—
55—	—	—	3	1	28	197	3	16	22	162	3	18	—	1	—	—
60—	—	—	1	2	20	180	2	16	15	125	3	38	—	—	—	1
65—	—	—	1	3	23	153	4	16	12	87	7	48	—	—	—	2
70—	—	—	2	1	8	102	2	17	2	52	3	33	—	—	1	—
75—	—	—	—	—	6	63	1	14	4	20	1	28	—	—	—	1
80—	—	—	—	2	4	33	2	13	—	11	2	9	—	—	—	—

TABLE 21—*contd.*

Causes of Death.	67 Diseases of the thymus.		68 Diseases of the adrenals.		69 Other general diseases.		69 (1) Amyloid disease of unstated origin.		69 (2) Other diseases included under 69.		IV. 70-74 Diseases of the Blood and Blood-forming Organs.		70 Hæmorrhagic conditions.		70 (a) Purpura.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	95	48	77	129	55	61	3	—	52	61	2019	2221	218	165	135	148
0—	63	26	—	—	2	1	—	—	2	1	97	56	74	40	26	28
1—	13	5	—	—	9	4	—	—	9	4	81	47	26	12	16	11
5—	7	3	—	—	2	2	—	—	2	2	79	43	15	8	11	8
10—	6	6	—	—	1	2	—	—	1	2	55	37	11	7	7	7
15—	2	1	3	1	2	1	—	—	2	1	76	47	13	11	11	11
20—	2	2	4	2	1	1	—	—	1	1	60	57	11	8	9	6
25—	1	2	1	10	1	—	—	—	1	—	79	78	6	12	2	12
30—	—	1	6	9	1	1	—	—	1	1	72	89	1	11	1	11
35—	—	1	12	8	3	2	—	—	3	2	66	95	11	5	7	5
40—	—	1	4	22	2	3	—	—	2	3	96	116	5	3	3	3
45—	—	—	9	16	1	8	—	—	1	8	110	163	7	4	5	3
50—	—	—	11	13	2	6	—	—	2	6	153	199	7	2	7	2
55—	—	—	12	19	7	8	2	—	5	8	187	260	4	12	4	11
60—	—	—	4	10	5	6	—	—	5	6	261	293	5	14	4	14
65—	1	—	6	9	3	6	—	—	3	6	245	263	8	8	8	8
70—	—	—	4	7	7	8	1	—	6	8	175	220	7	1	7	1
75—	—	—	1	2	5	—	—	—	5	—	98	110	4	4	4	4
80—	—	—	—	1	1	2	—	—	1	2	29	48	3	3	3	3

Causes of Death.	70 (b) Hæmophilia.		71 Anæmia, Chlorosis.		71 (a) Pernicious anæmia.		71 (b) Other anæmias and chlorosis.		71 (b) (1) Splenic anæmia.		71 (b) (2) Other diseases included under 71 (b).		72 Leukæmia, Aleukæmia.		72 (a) Leukæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	83	17	990	1476	893	1333	97	143	67	85	30	58	752	520	378	328
0—	48	12	13	8	2	1	11	7	4	3	7	4	10	8	10	8
1—	10	1	15	7	5	2	10	5	2	2	8	3	36	27	31	25
5—	4	—	10	10	5	8	5	2	4	2	1	—	52	25	26	19
10—	4	—	7	4	4	2	3	2	2	1	1	1	37	23	19	20
15—	2	—	10	12	6	9	4	3	4	1	—	2	49	22	20	13
20—	2	2	11	20	6	17	5	3	5	2	—	1	34	24	20	11
25—	4	—	22	32	16	29	6	3	6	3	—	—	47	33	21	16
30—	—	—	18	38	12	29	6	9	6	8	—	1	50	38	22	20
35—	4	—	16	62	13	50	3	12	3	7	—	5	37	26	14	16
40—	2	—	36	75	31	64	5	11	4	8	1	3	51	32	20	17
45—	2	1	43	113	39	101	4	12	4	5	—	7	57	42	25	32
50—	—	—	77	143	71	124	6	19	6	14	—	5	65	49	32	33
55—	—	1	123	195	116	184	7	11	1	9	6	2	54	48	20	33
60—	1	—	184	224	173	207	11	17	7	10	4	7	62	47	39	24
65—	—	—	183	206	176	202	7	4	6	3	1	1	51	44	30	25
70—	—	—	124	192	121	186	3	6	3	2	—	4	38	20	18	9
75—	—	—	78	99	77	90	1	9	—	5	1	4	16	5	8	2
80—	—	—	20	36	20	28	—	8	—	—	—	8	6	7	3	5



TABLE 21—contd.

Causes of Death.	72 (b) Aleukæmia (Lymph-adenoma.)		73 Diseases of the spleen.		73 (1) Banti's disease.		73 (2) Other diseases of the spleen.		74 Other diseases of the blood and blood-forming organs.		V. 75-77 Chronic Poisoning.		75 Alcoholism (acute or chronic).		76 Chronic poisoning by other organic substances.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	374	192	47	52	31	29	16	23	12	8	78	44	40	41	4	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	5	2	4	1	—	—	4	1	—	—	—	—	—	—	—	—
5—	26	6	2	—	2	—	—	—	—	—	—	—	—	—	—	—
10—	18	3	—	3	—	1	—	2	—	—	—	—	—	—	—	—
15—	29	9	4	2	4	1	—	1	—	—	—	—	—	—	—	—
20—	14	13	4	5	4	4	—	1	—	—	1	—	—	—	—	—
25—	26	17	4	1	4	1	—	—	—	—	3	—	3	—	—	—
30—	28	18	2	2	2	1	—	1	1	—	4	1	2	1	—	—
35—	23	10	2	2	2	1	—	1	—	—	4	2	3	2	1	—
40—	31	15	4	5	1	4	3	1	—	1	9	3	5	3	—	—
45—	32	10	3	4	2	2	1	2	—	—	11	6	5	5	1	—
50—	33	16	3	4	1	4	2	—	1	1	9	9	3	8	1	—
55—	34	15	4	4	4	3	—	1	2	1	14	5	7	4	—	—
60—	23	23	6	7	3	3	3	4	4	1	10	4	5	4	1	—
65—	21	19	2	5	2	2	—	3	1	—	7	7	3	7	—	—
70—	20	11	3	4	—	1	3	3	3	3	5	4	3	4	—	—
75—	8	3	—	1	—	—	—	1	—	1	1	2	1	2	—	—
80—	3	2	—	2	—	1	—	1	—	—	—	1	—	1	—	—

Causes of Death.	77 Chronic poisoning by mineral substances.		77 (1) Occupational lead poisoning		77 (2) Other chronic poisoning by mineral substances.		VI. 78-89 Diseases of the Nervous System and Sense Organs.		78 Encephalitis.		78 (a) Cerebral abscess.		78 (b) Other diseases included under 78.		79 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	34	3	30	3	4	—	19569	20860	173	105	115	56	58	49	590	506
0—	—	—	—	—	—	—	1173	786	2	2	—	—	2	2	135	122
1—	—	—	—	—	—	—	463	369	9	10	4	5	5	5	164	108
5—	—	—	—	—	—	—	255	220	10	8	5	4	5	4	54	70
10—	—	—	—	—	—	—	223	191	8	3	7	3	1	—	40	42
15—	—	—	—	—	—	—	280	184	8	9	5	5	3	4	37	24
20—	1	—	1	—	—	—	273	196	12	9	8	7	4	2	25	19
25—	—	—	—	—	—	—	275	235	15	9	10	6	5	3	19	10
30—	2	—	2	—	—	—	287	292	16	5	11	2	5	3	13	18
35—	—	—	—	—	—	—	454	340	24	10	19	7	5	3	20	13
40—	4	—	4	—	—	—	601	500	14	5	11	1	3	4	16	13
45—	5	1	5	1	—	—	789	789	20	10	14	5	6	5	15	18
50—	5	1	3	1	2	—	1100	1214	11	2	6	2	5	—	15	15
55—	7	1	5	1	2	—	1634	1520	7	5	4	2	3	3	16	11
60—	4	—	4	—	—	—	2007	2004	9	7	7	2	2	5	10	11
65—	4	—	4	—	—	—	2690	2716	6	4	4	3	2	1	3	5
70—	2	—	2	—	—	—	2778	3067	2	5	—	1	2	4	3	3
75—	—	—	—	—	—	—	2383	2968	—	1	—	—	—	1	3	4
80—	—	—	—	—	—	—	1904	3269	—	1	—	1	—	—	2	—

TABLE 21--*contd.*

Causes of Death.	80 Tabes dorsalis (Locomotor ataxy).		81 Other diseases of the spinal cord.		81 (1) Progressive muscular atrophy.		81 (2) Sub-acute combined sclerosis.		81 (3) Myelitis of unstated origin.		81 (4) Other diseases included under 81.		82 Cerebral hæmorrhage, Apoplexy, etc.		82 (a) Cerebral hæmorrhage.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	557	114	744	576	316	245	34	24	164	157	230	150	11593	14704	8791	10998
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
1—	—	—	—	1	—	—	—	—	—	—	—	1	2	—	—	—
5—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—
10—	—	—	9	3	1	—	—	—	2	1	6	2	2	1	1	—
15—	1	—	21	7	5	1	—	—	6	3	10	3	4	5	3	3
20—	—	—	14	8	2	3	—	—	5	3	7	2	7	6	7	4
25—	—	1	8	12	3	1	—	—	3	5	2	6	14	18	7	12
30—	3	1	15	25	11	7	—	—	2	10	2	8	27	36	22	31
35—	11	7	31	22	9	9	1	1	11	4	10	8	73	81	62	65
40—	18	9	27	28	9	9	—	—	10	14	8	5	135	171	110	137
45—	48	9	49	52	15	15	4	1	14	19	16	17	280	398	234	337
50—	88	22	73	48	34	25	3	3	15	10	21	10	513	748	416	623
55—	111	23	105	79	53	36	7	5	17	18	28	20	982	1061	785	870
60—	91	14	103	73	40	33	10	4	26	19	27	17	1398	1530	1120	1222
65—	94	16	125	81	61	47	3	6	27	11	34	17	2067	2215	1570	1707
70—	59	5	95	72	43	29	4	4	14	20	34	19	2278	2664	1722	1996
75—	25	6	47	36	18	18	2	—	10	8	17	10	2065	2693	1507	1916
80—	8	1	22	28	12	12	—	—	2	11	8	5	1746	3075	1225	2075

Causes of Death.	82 (a) (1) Cerebral hæmorrhage so returned.		82 (a) (2) Apoplexy, (lesion unstated).		82 (b) Cerebral embolism and thrombosis.		82 (b) (1) Cerebral embolism.		82 (b) (2) Cerebral thrombosis.		82 (b) 3 Cerebral softening.		82 (c) Hemiplegia and other paralyses of unstated origin.		82 (c) 1 Hemiplegia.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8207	10295	584	703	2183	2934	199	299	1838	2416	146	219	619	772	571	716
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
1—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	1	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
10—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—
15—	3	3	—	—	1	1	—	1	1	—	—	—	—	1	—	—
20—	7	4	—	—	—	1	—	1	—	—	—	—	—	1	—	—
25—	6	11	1	1	5	5	—	2	4	3	1	—	2	1	1	—
30—	21	30	1	1	4	4	2	1	2	3	—	—	1	1	1	—
35—	59	64	3	1	10	12	6	7	4	4	—	1	1	4	—	4
40—	101	130	9	7	22	30	2	3	20	22	—	5	3	4	—	4
45—	221	322	13	15	33	53	4	12	28	38	1	3	13	8	11	6
50—	389	588	27	35	71	103	5	14	60	81	6	8	26	22	24	20
55—	739	834	46	36	150	149	18	22	126	118	6	9	47	42	44	40
60—	1068	1138	52	84	213	238	16	31	178	189	19	18	65	70	60	65
65—	1485	1593	85	114	388	397	43	45	331	324	14	28	109	111	100	102
70—	1607	1875	115	121	437	512	34	65	372	414	31	33	119	156	112	147
75—	1390	1774	117	142	430	597	31	40	371	517	28	40	128	180	121	172
80—	1110	1929	115	146	418	832	38	55	340	703	40	74	103	168	95	155



TABLE 21—contd.

Causes of Death.	82 (c) 2 Other paralyses of unstated origin.		83 General paralysis of the insane.		84 Other forms of insanity.		84 (a) Dementia præcox.		84 (b) Other conditions included under 84.		85 Epilepsy.		86 Infantile convulsions (age under 5 years).		87 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	48	56	945	259	423	692	14	23	409	669	1201	1087	989	632	1498	1586
0—	—	—	—	—	—	—	—	—	—	—	22	10	874	538	34	31
1—	—	—	—	—	—	—	—	—	—	—	40	31	115	94	57	45
5—	—	1	—	3	—	—	—	—	—	—	28	14	—	—	42	44
10—	—	1	3	1	—	1	—	1	—	—	53	38	—	—	38	33
15—	—	1	1	3	8	6	2	1	6	5	101	51	—	—	29	33
20—	—	1	7	7	11	15	3	5	8	10	98	77	—	—	24	23
25—	1	1	15	5	16	33	4	3	12	30	100	91	—	—	32	39
30—	—	1	50	18	14	23	2	5	12	18	73	98	—	—	27	41
35—	1	—	108	25	20	42	1	2	19	40	78	71	—	—	48	54
40—	3	—	179	41	31	48	1	1	30	47	89	81	—	—	54	82
45—	2	2	171	48	28	71	—	1	28	70	82	71	—	—	63	91
50—	2	2	161	49	52	97	—	3	52	94	73	104	—	—	83	103
55—	3	2	132	24	63	98	—	—	63	98	86	83	—	—	106	120
60—	5	5	69	17	78	112	1	—	77	112	73	68	—	—	154	152
65—	9	9	30	14	54	73	—	—	54	73	80	81	—	—	214	207
70—	7	9	14	3	22	43	—	1	22	42	63	52	—	—	231	208
75—	7	8	3	1	15	15	—	—	15	15	39	32	—	—	177	170
80—	8	13	2	—	11	15	—	—	11	15	23	34	—	—	85	110

Causes of Death.	87 (a) Chorea.		87 (b) Neuritis, Neuralgia.		87 (c) Paralysis agitans.		87 (d) Dissem- inated sclerosis.		87 (e) Other diseases included under 87.		88 Diseases of the eye and annexa.		89 Diseases of the ear and mastoid sinus.		89 (a) Otitis, and other diseases of the ear.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	32	51	63	89	710	620	389	496	304	330	35	38	821	561	504	347
0—	—	—	—	—	—	—	—	—	34	31	5	3	101	79	63	52
1—	1	—	—	—	—	—	—	—	56	45	1	2	75	78	38	44
5—	8	12	—	—	—	—	—	—	34	32	2	3	119	76	61	37
10—	10	9	—	1	—	—	—	—	28	23	1	3	69	66	38	39
15—	2	14	—	—	—	—	4	1	23	18	1	—	69	46	45	28
20—	2	3	—	1	1	—	7	12	14	7	1	2	74	30	43	23
25—	3	3	2	2	—	1	17	23	10	10	2	1	54	16	39	12
30—	2	2	2	3	—	—	17	31	6	5	—	—	49	27	29	19
35—	2	—	3	2	—	2	34	40	9	10	—	—	41	15	26	9
40—	—	1	1	3	1	2	39	61	13	15	1	1	37	21	25	17
45—	1	2	5	5	8	6	39	56	10	22	3	1	30	20	24	12
50—	1	2	6	4	18	17	45	57	13	23	2	1	29	25	21	14
55—	—	2	8	11	42	24	44	63	12	20	3	—	23	16	18	8
60—	—	—	7	4	83	72	51	55	13	21	2	3	20	17	14	13
65—	—	—	9	12	149	123	38	52	18	20	—	6	17	14	13	10
70—	—	1	12	19	183	155	30	22	6	11	4	3	7	9	3	6
75—	—	—	6	12	153	134	15	17	3	7	3	4	6	6	3	4
80—	—	—	2	10	72	84	9	6	2	10	4	5	1	—	1	—

Causes of Death.	89 (b) Diseases of the mastoid sinus.		VII. 90-103 Diseases of the Circulatory System.		90-95 Heart diseases.		90 Pericarditis.		91 Acute endocarditis.		91 (1) Malignant endocarditis.		91 (2) Other acute endocarditis.		92 Chronic endocarditis, valvular disease.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	317	214	60735	64749	47960	53393	165	106	601	584	539	505	62	79	12097	15130
0—	38	27	23	18	4	6	4	4	—	1	—	1	—	—	—	—
1—	37	34	47	30	41	20	5	4	8	3	7	2	1	1	26	10
5—	58	39	120	131	116	128	5	9	20	17	13	12	7	5	80	93
10—	31	27	219	285	215	278	4	5	26	24	19	21	7	3	164	220
15—	24	18	330	410	320	409	6	1	52	79	46	73	6	6	232	303
20—	31	7	340	453	320	445	11	1	46	89	42	86	4	3	210	297
25—	15	4	392	511	367	495	11	3	76	64	70	53	6	11	213	337
30—	20	8	428	653	404	627	4	4	60	61	60	56	—	5	225	398
35—	15	6	632	809	593	785	10	6	40	50	38	47	2	3	313	484
40—	12	4	1058	1074	962	999	8	8	50	38	47	35	3	3	405	586
45—	6	8	1767	1736	1574	1569	14	4	46	26	42	21	4	5	600	816
50—	8	11	3068	2411	2596	2074	12	8	42	26	38	19	4	7	827	923
55—	5	8	4748	3881	3898	3330	22	11	45	34	42	26	3	8	1223	1247
60—	6	4	7060	5863	5715	4949	13	13	33	20	27	16	6	4	1639	1604
65—	4	4	9469	8426	7442	6966	17	9	28	29	25	19	3	10	1795	1990
70—	4	3	11052	11027	8539	8997	7	8	15	13	13	10	2	3	1879	2200
75—	3	2	10097	11610	7576	9296	9	5	8	5	6	4	2	1	1348	1919
80—	—	—	9885	15421	7278	12020	3	3	6	5	4	4	2	1	918	1703

Causes of Death.	92 (1) Aortic valve disease.		92 (2) Mitral valve disease.		92 (3) Aortic and mitral valve disease.		92 (4) Endocarditis, not returned as acute or chronic.		92 (5) Other or unspecified valve disease.		93 Diseases of the myocardium.		93 (a) Acute myocarditis.		93 (b) Myocardial degeneration.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2359	1167	3772	6559	627	559	590	838	4749	6007	26698	30813	75	78	20931	24100
0—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
1—	1	—	10	3	1	—	2	4	12	3	—	—	—	—	—	—
5—	1	1	30	42	1	3	9	10	39	37	6	4	1	—	3	2
10—	5	5	59	87	16	13	7	16	77	99	12	18	1	—	7	17
15—	6	8	93	149	28	24	8	23	97	99	17	15	1	1	12	7
20—	9	5	89	151	21	14	23	17	68	110	36	37	1	2	24	24
25—	19	6	93	189	14	15	12	18	75	109	35	51	4	3	19	29
30—	22	13	93	221	13	18	10	32	87	114	71	115	4	1	47	69
35—	37	25	127	279	19	19	14	28	116	133	140	178	4	3	88	108
40—	84	30	125	306	33	25	13	35	150	190	312	270	3	4	211	187
45—	163	54	178	373	29	38	27	42	203	309	603	513	8	7	414	353
50—	200	68	213	417	53	38	42	56	319	344	1083	843	3	9	772	606
55—	293	111	366	563	65	45	60	63	439	465	1702	1523	10	11	1185	1122
60—	370	129	458	653	85	46	83	99	643	677	2771	2557	9	5	2075	1923
65—	402	188	516	807	74	65	100	87	703	843	4056	3888	12	9	3163	2927
70—	351	189	558	898	87	81	80	122	803	910	5184	5503	4	10	4127	4270
75—	241	164	449	741	50	64	58	106	550	844	5118	6231	7	3	4138	4949
80—	155	171	315	680	38	51	42	80	368	721	5552	9066	3	9	4646	7507



TABLE 21—*contd.*

Causes of Death.	93 (b) 1 Fatty heart.		93 (b) 2 Cardio-vascular degeneration.		93 (b) 3 Other diseases included under 93 (b).		93 (c) Myocarditis, not distinguished as acute or chronic.		94. Diseases of the coronary arteries, Angina pectoris.		95 Other diseases of the heart.		95 (a) Disordered action of heart.		95 (b) Other diseases included under 95.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1250	1664	5640	5207	14041	17229	5692	6635	4565	2063	3834	4697	905	1439	2929	3258
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	2	3	—	—	2	3
5—	—	—	—	—	3	2	2	2	—	—	5	5	1	—	4	5
10—	—	—	—	—	7	17	4	1	—	—	9	11	—	1	9	10
15—	1	—	—	—	11	7	4	7	—	—	13	11	2	1	11	10
20—	3	5	—	—	21	19	11	11	—	—	17	21	4	6	13	15
25—	5	11	—	1	14	17	12	19	12	3	20	37	2	10	18	27
30—	10	21	1	1	36	47	20	45	15	9	29	40	7	13	22	27
35—	19	36	3	—	66	72	48	67	41	14	49	53	20	18	29	35
40—	45	45	14	9	152	133	98	79	108	20	79	77	23	35	56	42
45—	72	77	40	33	302	243	181	153	198	55	113	155	19	41	94	114
50—	127	142	94	78	551	386	308	228	414	77	218	197	53	74	165	123
55—	150	212	222	180	813	730	507	390	605	166	301	349	80	125	221	224
60—	196	267	537	351	1342	1305	687	629	792	303	467	452	127	152	340	300
65—	244	280	875	594	2044	2053	881	952	883	391	663	659	167	226	496	433
70—	179	241	1288	977	2660	3052	1053	1223	768	415	686	858	155	250	531	608
75—	131	195	1228	1173	2779	3581	973	1279	467	324	626	812	144	237	482	575
80—	68	132	1338	1810	3240	5565	903	1550	262	286	537	957	101	250	436	707

Causes of Death.	95 (b) 1 Dilatation of heart (cause unspecified).		95 (b) 2 Heart disease (undefined).		96 Aneurysm.		97 Arterio-sclerosis.		97 (1) Arterio-sclerosis, with cerebral hæmorrhage.		97 (2) Arterio-sclerosis with record of other cerebral vascular lesion.		97 (3) Arterio-sclerosis without record of cerebral vascular lesion.		98 Gangrene.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	171	155	2758	3103	989	325	10841	9888	4055	4021	1828	1832	4958	4035	423	434
0—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	1	2
1—	—	—	2	3	—	1	—	—	—	—	—	—	—	—	1	3
5—	—	—	4	5	2	—	—	—	—	—	—	—	—	—	—	2
10—	—	—	9	10	2	2	—	—	—	—	—	—	—	—	—	4
15—	1	—	10	10	6	1	—	—	—	—	—	—	—	—	—	—
20—	1	1	12	14	14	2	1	1	1	1	—	—	—	—	1	1
25—	4	—	14	27	17	5	1	2	—	2	—	—	1	—	—	1
30—	2	2	20	25	17	10	2	3	—	2	—	1	2	—	—	2
35—	2	4	27	31	23	5	11	5	7	3	1	—	3	2	—	3
40—	9	2	47	40	44	15	34	33	20	21	3	5	11	7	2	4
45—	6	7	88	107	74	20	98	95	58	74	14	10	26	11	2	7
50—	16	3	149	120	129	31	290	234	152	152	56	42	82	40	4	3
55—	12	9	209	215	175	45	607	424	328	266	107	67	172	91	6	4
60—	14	5	326	295	189	48	1058	743	527	430	197	143	334	170	13	23
65—	26	20	470	413	144	45	1761	1277	778	629	353	261	630	387	42	27
70—	27	24	504	584	90	42	2282	1831	846	792	398	369	1038	670	85	75
75—	21	28	461	547	41	33	2314	2114	751	785	346	402	1217	927	108	96
80—	30	50	406	657	20	18	2382	3126	587	864	353	532	1442	1730	158	177

Causes of Death.	98 (a) Senile gangrene.		98 (b) Other gangrene.		99 Other diseases of the arteries.		100 Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.).		100 (1) Varix.		100 (2) Other diseases of the veins.		101 Diseases of the lymphatic system (lymphangitis, etc.).		102 Abnormalities of blood-pressure.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	389	390	34	44	177	171	187	374	68	174	119	200	42	40	107	118
0—	—	—	1	2	1	—	—	1	—	—	—	1	15	7	—	—
1—	—	—	1	3	—	—	—	—	—	—	—	—	5	6	—	—
5—	—	—	—	2	—	—	—	1	—	—	—	1	2	—	—	—
10—	—	—	—	4	—	—	—	—	—	—	—	—	2	1	—	—
15—	—	—	—	—	2	—	1	—	1	—	—	—	1	—	—	—
20—	—	—	1	1	—	—	1	1	1	—	—	1	1	3	—	—
25—	—	—	—	1	2	3	3	3	1	3	2	—	2	2	—	—
30—	—	—	—	2	1	1	3	10	2	4	1	6	1	—	—	—
35—	—	—	—	3	2	2	3	7	2	5	1	2	—	1	—	—
40—	—	—	2	4	5	4	7	15	1	7	6	8	3	1	1	3
45—	—	—	2	7	7	11	9	29	3	10	6	19	—	2	3	2
50—	—	—	4	3	16	8	25	45	7	14	18	31	1	3	5	13
55—	1	—	5	4	20	13	24	47	7	23	17	24	1	3	16	14
60—	12	19	1	4	27	16	29	58	14	30	15	28	1	3	28	23
65—	40	26	2	1	23	29	38	57	12	28	26	29	—	3	18	21
70—	81	73	4	2	24	17	16	47	9	25	7	22	1	1	15	16
75—	102	95	6	1	29	25	17	28	4	13	13	15	1	2	10	16
80—	153	177	5	—	18	42	11	25	4	12	7	13	5	2	11	10

Causes of Death.	103 Other diseases of the circulatory system.		VIII. 104–114 Diseases of the Respiratory System.		104 Diseases of the nasal fossæ and annexa.		104 (1) Diseases of the nose.		104 (2) Diseases of the accessory nasal sinuses.		105 Diseases of the larynx.		105 (1) Laryngismus stridulus.		105 (2) Laryngitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	6	34384	29623	118	76	21	14	97	62	141	95	22	16	119	76
0—	—	—	5690	4097	6	4	6	4	—	—	33	14	6	4	27	10
1—	—	—	3362	2806	—	6	—	3	—	3	47	27	12	8	35	18
5—	—	—	479	465	9	3	2	—	7	3	23	15	4	2	19	13
10—	—	—	227	212	9	6	1	—	8	6	—	6	—	2	—	2
15—	—	—	405	265	21	9	3	1	18	8	2	—	—	—	2	—
20—	2	—	443	315	14	11	—	1	14	10	1	4	—	—	1	4
25—	—	—	460	323	4	6	—	1	4	5	—	2	—	—	—	2
30—	—	—	581	431	6	3	—	—	6	3	4	2	—	—	4	2
35—	—	1	811	561	7	6	1	2	6	4	1	1	—	—	1	1
40—	—	—	1220	625	10	4	1	—	9	4	1	2	—	—	1	2
45—	—	1	1621	714	8	2	1	—	7	2	3	4	—	—	3	4
50—	2	—	2067	987	7	4	1	—	6	4	7	1	—	—	7	1
55—	1	1	2276	1270	3	6	—	1	3	5	3	3	—	—	3	3
60—	—	—	2485	1713	5	2	1	1	4	1	7	—	—	—	7	—
65—	1	1	2848	2373	3	—	1	—	2	—	2	1	—	—	2	1
70—	—	1	3082	3229	4	2	2	—	2	2	5	1	—	—	5	1
75—	1	—	2899	3617	—	—	—	—	—	—	1	8	—	—	1	8
80—	2	1	3428	5620	2	2	1	—	1	2	1	4	—	—	1	4



TABLE 21—*contd.*

Causes of Death.	105 (3) Other diseases of the larynx.		106 Bronchitis.		106 (a) Acute bronchitis.		106 (b) Chronic bronchitis.		106 (c) Bronchitis, not distinguished as acute or chronic.		107-109 Pneumonia (all forms).		107 Broncho-pneumonia.		108 Lobar pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	3	12513	12647	2906	3742	4811	3478	4796	5427	18951	14622	10019	8724	6321	4120
0—	—	—	1321	984	685	527	8	8	628	449	4247	3055	3668	2629	233	192
1—	—	1	344	279	178	162	15	4	151	113	2894	2438	2305	1955	312	257
5—	—	—	40	39	19	17	7	10	14	12	377	380	211	212	102	117
10—	—	2	20	18	6	5	11	9	3	4	180	174	52	53	92	87
15—	—	—	35	37	13	8	15	22	7	7	307	193	68	49	182	111
20—	—	—	46	38	12	10	27	18	7	10	340	227	70	46	219	145
25—	—	—	52	41	6	12	37	19	9	10	361	241	66	63	228	142
30—	—	—	78	41	14	12	42	19	22	10	438	338	85	89	281	190
35—	—	—	111	60	17	22	62	21	32	17	599	431	121	105	377	263
40—	—	—	259	97	43	31	164	40	52	26	809	434	183	127	491	239
45—	—	—	414	155	66	47	235	57	113	51	1005	461	279	150	549	240
50—	—	—	612	275	107	68	329	128	176	79	1177	584	318	210	664	295
55—	—	—	772	427	125	100	425	197	222	130	1235	657	396	247	626	311
60—	—	—	964	739	162	181	525	291	277	267	1229	796	401	344	632	350
65—	—	—	1327	1138	208	305	650	443	469	390	1202	1005	457	517	529	344
70—	—	—	1763	1923	358	530	731	631	674	762	1061	1047	510	571	396	335
75—	—	—	1891	2319	369	621	756	666	766	1032	795	1016	417	607	239	278
80—	—	—	2464	4037	518	1084	772	895	1174	2058	695	1145	412	750	169	224

Causes of Death.	109 Pneumonia (not otherwise defined.)		110 Pleurisy.		110 (1) Empyema.		110 (2) Other pleurisy.		111 Congestion and hæmorrhagic infarct of lung, etc.		111 (1) Hypostatic congestion of lungs.		111 (2) Other diseases included under 111.		112 Asthma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2611	1778	626	417	267	153	359	264	539	719	485	669	54	50	1106	939
0—	346	234	23	14	16	8	7	6	55	22	55	21	—	1	2	4
1—	277	226	52	38	46	36	6	2	9	7	9	7	—	—	11	11
5—	64	51	19	17	12	14	7	3	5	4	5	4	—	—	5	4
10—	36	34	7	5	6	3	1	2	2	—	1	—	1	—	6	2
15—	57	33	22	12	15	5	7	7	4	2	3	2	1	—	5	9
20—	51	36	24	16	12	11	12	5	4	5	3	3	1	2	8	12
25—	67	36	21	9	11	4	10	5	3	4	2	4	1	—	11	17
30—	72	59	20	14	13	5	7	9	2	5	1	4	1	1	22	24
35—	101	63	25	23	18	5	7	18	10	6	8	2	2	4	41	31
40—	135	68	40	27	18	13	22	14	6	13	5	6	1	7	64	43
45—	177	71	45	22	20	11	25	11	9	7	6	4	3	3	98	57
50—	195	79	60	24	21	8	39	16	16	15	10	8	6	7	120	74
55—	213	99	61	20	21	10	40	10	23	23	19	20	4	3	126	119
60—	196	102	62	34	17	13	45	21	26	20	18	12	8	8	142	109
65—	216	144	54	35	13	4	41	31	42	44	32	40	10	4	176	136
70—	155	141	37	29	1	2	36	27	68	86	60	81	8	5	121	132
75—	139	131	31	39	5	—	26	39	84	138	79	135	5	3	89	87
80—	114	171	23	39	2	1	21	38	171	318	169	316	2	2	59	68

TABLE 21—contd.

Causes of Death.	113 Pulmonary emphysema.		114 Other diseases of the respiratory system.		114 (a) Chronic interstitial pneumonia, including occupational diseases of the lung.		114 (b) Other diseases included under 114.		114 (b) 1 Gangrene of the lung.		114 (b) 2 Other diseases included under 114 (b).		IX. 115-129 Diseases of the Digestive System.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	56	14	334	94	260	60	74	34	13	6	61	28	14093	11656
0—	—	—	3	—	—	—	3	—	—	—	3	—	2477	1585
1—	—	—	5	—	3	—	2	—	—	—	2	—	689	581
5—	—	—	1	3	—	3	1	—	—	—	1	—	361	342
10—	—	—	3	1	2	—	1	1	—	—	1	1	223	199
15—	—	1	9	2	3	2	6	—	1	—	5	—	245	186
20—	1	—	5	2	2	1	3	1	1	1	2	—	285	192
25—	—	—	8	3	3	1	5	2	1	—	4	2	337	255
30—	1	—	10	4	6	4	4	—	1	—	3	—	390	263
35—	1	—	16	3	8	—	8	3	2	2	6	1	462	339
40—	3	—	28	5	24	1	4	4	1	1	3	3	663	444
45—	3	1	36	5	27	4	9	1	2	—	7	1	950	645
50—	5	1	63	9	51	6	12	3	3	1	9	2	1115	827
55—	7	4	46	11	43	6	3	5	—	1	3	4	1242	995
60—	7	1	43	12	36	8	7	4	1	—	6	4	1217	1062
65—	9	2	33	12	31	8	2	4	—	—	2	4	1246	1071
70—	8	1	15	8	13	8	2	—	—	—	2	—	961	920
75—	3	2	5	8	3	5	2	3	—	—	2	3	709	883
80—	8	1	5	6	5	3	—	3	—	—	—	3	521	867

Causes of Death.	115 Diseases of the buccal cavity, pharynx, etc.		115 (1) Diseases of the teeth and gums.		115 (2) Ludwig's angina.		115 (3) Diseases of the tonsils.		115 (4) Other diseases included under 115.		116 Diseases of the œsophagus.		117 Ulcer of the stomach or duodenum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	868	845	263	207	47	39	448	468	110	131	22	19	3214	1021
0—	36	20	8	6	4	2	10	6	14	6	—	—	1	—
1—	100	83	14	10	3	1	76	60	7	12	—	—	—	1
5—	90	90	4	7	2	2	76	74	8	7	—	—	1	1
10—	38	46	5	4	—	2	31	35	2	5	—	—	4	1
15—	23	41	3	8	1	4	18	28	1	1	—	—	22	13
20—	38	37	7	6	2	1	28	26	1	4	1	—	48	9
25—	46	33	14	7	2	3	24	16	6	7	—	—	106	31
30—	46	31	16	13	2	4	26	11	2	3	1	—	146	27
35—	42	32	14	10	3	—	18	21	7	1	—	—	197	45
40—	42	29	13	9	5	—	18	16	6	4	—	1	331	63
45—	49	54	20	27	4	3	22	20	3	4	2	3	434	128
50—	60	68	26	20	4	6	25	29	5	13	1	2	454	127
55—	74	57	39	16	5	3	15	26	15	12	3	2	459	139
60—	56	63	22	19	3	—	23	34	8	10	3	1	368	116
65—	58	64	27	21	4	6	18	28	9	9	5	1	283	114
70—	42	41	17	9	—	1	15	20	10	11	3	1	191	84
75—	17	31	8	9	3	—	3	11	3	11	2	4	106	69
80—	11	25	6	6	—	1	2	7	3	11	1	4	63	53



TABLE 21—*contd.*

Causes of Death.	117 (a) Ulcer of the stomach.		117 (b) Ulcer of the duodenum.		118 Other diseases of the stomach.		118 (1) Inflammation of the stomach.		118 (2) Other diseases included under 118.		119 & 120 Diarrhœa and enteritis.		119 & 120 (a) (1) Colitis.		119 & 120 (a) (2) Other diarrhœa and enteritis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2029	846	1185	175	638	723	513	634	125	89	2840	2382	134	189	2576	1983
0—	—	—	1	—	154	114	140	107	14	7	1989	1295	39	29	1946	1266
1—	—	1	—	—	42	39	38	38	4	1	333	316	12	13	320	301
5—	1	1	—	—	14	13	12	10	2	3	38	45	1	2	36	41
10—	3	1	1	—	7	9	4	8	3	1	11	17	—	2	11	15
15—	14	13	8	—	3	7	2	4	1	3	13	17	2	3	7	5
20—	32	6	16	3	3	3	1	1	2	2	14	22	2	3	5	2
25—	56	22	50	9	11	7	6	4	5	3	18	36	3	9	6	9
30—	87	21	59	6	7	8	4	7	3	1	18	42	4	11	4	6
35—	119	37	78	8	11	6	7	5	4	1	19	34	3	4	3	13
40—	217	54	114	9	13	13	10	9	3	4	19	46	2	11	7	13
45—	291	103	143	25	24	13	15	7	9	6	28	45	1	11	15	18
50—	292	100	162	27	22	17	20	15	2	2	36	40	2	8	15	18
55—	293	116	166	23	37	42	27	35	10	7	42	42	9	11	24	20
60—	239	98	129	18	49	41	35	32	14	9	42	60	10	16	18	26
65—	167	99	116	15	61	76	46	68	15	8	54	58	9	11	38	31
70—	118	74	73	10	62	65	47	59	15	6	47	67	14	11	29	50
75—	62	58	44	11	53	105	40	91	13	14	59	76	11	14	45	50
80—	38	42	25	11	65	145	59	134	6	11	60	124	10	20	47	99

Causes of Death.	119 & 120 (b) Ulceration of intestines.		121 Appendicitis.		122 Hernia, Intestinal obstruction.		122 (a) Hernia.		122 (a) 1 Strangulated hernia.		122 (a) 2 Hernia not returned as strangulated.		122 (b) Intestinal obstruction.		123 Other diseases of the intestines.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	130	210	1608	1264	2413	2306	977	1044	692	792	285	252	1436	1262	304	318
0—	4	—	2	—	265	127	72	17	33	3	39	14	193	110	12	7
1—	1	2	82	59	92	33	22	2	3	—	19	2	70	31	13	8
5—	1	2	153	98	50	21	3	2	2	2	1	—	47	19	3	1
10—	—	—	119	92	34	11	1	—	—	—	1	—	33	11	2	—
15—	4	9	138	80	36	17	2	—	1	—	1	—	34	17	5	—
20—	7	17	109	59	53	32	8	2	4	2	4	—	45	30	—	5
25—	9	18	82	62	44	48	10	4	8	3	2	1	34	44	5	2
30—	10	25	89	47	47	40	5	3	3	2	2	1	42	37	5	3
35—	13	17	73	55	63	77	18	20	10	17	8	3	45	57	6	9
40—	10	22	78	80	88	89	22	23	13	19	9	4	66	66	9	7
45—	12	16	105	94	123	139	39	58	24	41	15	17	84	81	20	18
50—	19	14	133	106	155	164	61	78	44	57	17	21	94	86	25	34
55—	9	11	107	121	179	245	73	132	45	98	28	34	106	113	37	30
60—	14	18	127	107	204	251	95	160	74	124	21	36	109	91	47	37
65—	7	16	98	86	271	263	139	154	105	121	34	33	132	109	42	43
70—	4	6	61	60	270	268	152	145	119	111	33	34	118	123	32	33
75—	3	12	39	32	240	235	143	123	118	98	25	25	97	112	26	36
80—	3	5	13	26	199	246	112	121	86	94	26	27	87	125	15	45

TABLE 21—contd.

Causes of Death.	123 (1) Constipation, Intestinal stasis.		123 (2) Diverticu- litis.		123 (3) Other diseases included under 123.		124 Cirrhosis of the liver.		124 (a) Returned as alcoholic.		124 (b) Not returned as alcoholic.		125 Other diseases of the liver.		125 (1) Acute yellow atrophy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	51	94	174	150	79	74	1054	557	162	99	892	458	101	125	19	47
0—	7	2	3	—	2	5	—	—	—	—	—	—	3	3	1	1
1—	7	4	6	—	—	4	—	2	—	—	—	2	1	3	—	1
5—	—	—	2	1	1	—	3	3	—	—	3	3	—	—	—	—
10—	—	—	2	—	—	—	1	5	—	—	1	5	2	2	—	—
15—	1	—	1	—	3	—	1	1	—	—	1	1	—	3	—	1
20—	—	3	—	1	—	1	5	—	—	—	5	—	4	8	1	8
25—	—	2	1	—	4	—	2	5	—	1	2	4	5	11	3	8
30—	—	—	2	—	3	3	5	6	1	—	4	6	9	13	2	12
35—	1	1	2	6	3	2	26	14	7	3	19	11	3	12	1	9
40—	2	—	6	7	1	—	46	33	12	2	34	31	7	10	1	1
45—	2	1	16	9	2	8	93	49	21	8	72	41	5	3	1	1
50—	—	8	21	19	4	7	125	74	23	18	102	56	4	6	—	1
55—	3	3	24	19	10	8	167	91	32	24	135	67	11	11	4	1
60—	3	6	29	26	15	5	172	91	23	13	149	78	15	5	2	1
65—	6	10	25	23	11	10	204	91	25	14	179	77	13	6	1	2
70—	2	10	19	16	11	7	118	38	10	6	108	32	7	6	—	—
75—	10	12	11	15	5	9	61	39	6	7	55	32	7	11	2	—
80—	7	32	4	8	4	5	25	15	2	3	23	12	5	12	—	—

Causes of Death.	125 (2) Other diseases included under 125.		126 Biliary calculi.		126 (1) With cholecys- titis.		126 (2) Without mention of cholecys- titis.		127 Other diseases of the gall bladder and ducts.		127 (1) Cholecys- titis, without record of biliary calculi.		127 (2) Other diseases included under 127.		128 Diseases of the pancreas.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	82	78	353	853	118	293	235	560	330	711	301	665	29	46	227	299
0—	2	2	—	—	—	—	—	—	—	1	—	—	—	1	1	—
1—	1	2	—	—	—	—	—	—	3	1	—	—	3	1	—	2
5—	—	—	—	—	—	—	—	—	3	3	1	1	2	2	—	1
10—	2	2	—	—	—	—	—	—	1	1	1	—	—	1	—	—
15—	—	2	—	—	—	—	—	—	1	—	—	—	1	—	—	—
20—	3	—	—	2	—	—	—	2	1	5	1	3	—	2	1	2
25—	2	3	1	4	—	1	1	3	3	6	3	3	—	3	4	4
30—	7	1	2	15	1	4	1	11	3	9	1	7	2	2	8	14
35—	2	3	2	15	2	6	—	9	4	12	4	11	—	1	15	13
40—	6	9	7	26	2	13	5	13	9	18	8	15	1	3	10	16
45—	4	2	16	40	6	13	10	27	14	29	13	29	1	—	30	25
50—	4	5	33	79	11	32	22	47	22	59	21	57	1	2	37	44
55—	7	10	49	103	19	36	30	67	44	60	41	59	3	1	26	45
60—	13	4	47	135	11	45	36	90	55	94	53	91	2	3	27	53
65—	12	4	62	124	18	35	44	89	54	103	51	98	3	5	33	36
70—	7	6	62	127	27	41	35	86	45	108	43	103	2	5	17	19
75—	5	11	44	109	12	39	32	70	40	114	37	108	3	6	13	18
80—	5	12	28	74	9	28	19	46	28	88	23	80	5	8	5	7



TABLE 21—*contd.*

Causes of Death.	129 Peritonitis, without stated cause.		X. 130-139 Non-venereal Diseases of the Genito- Urinary System and Annexa.		130-132 Nephritis.		130 Acute nephritis.		131 Chronic nephritis.		132 Nephritis, not stated to be acute or chronic.		133 Other diseases of the kidney and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	121	233	14001	9370	8284	7840	558	515	6728	6335	998	990	388	537
0—	14	18	71	45	18	9	15	7	—	—	3	2	25	33
1—	23	34	74	71	51	44	35	31	7	4	9	9	11	23
5—	6	66	58	44	52	39	26	21	17	12	9	6	2	1
10—	4	15	68	89	64	80	27	33	24	39	13	8	3	4
15—	3	7	123	129	110	115	38	37	56	60	16	18	7	8
20—	8	8	149	174	125	130	43	31	66	86	16	13	13	13
25—	10	6	161	208	128	143	25	26	82	99	21	18	13	16
30—	4	8	168	253	140	162	27	18	97	124	16	20	11	14
35—	1	15	228	325	178	222	18	35	132	159	28	28	21	31
40—	4	13	341	436	280	315	30	35	217	244	33	36	18	36
45—	7	5	569	613	473	487	54	51	366	371	53	65	21	45
50—	8	7	940	725	743	604	53	28	600	482	90	94	38	50
55—	7	7	1257	867	920	753	42	32	764	617	114	104	23	50
60—	5	8	1608	1041	1045	885	31	42	908	718	106	125	40	68
65—	8	6	2229	1223	1300	1115	38	28	1089	941	173	146	40	43
70—	4	3	2311	1187	1177	1061	22	27	1027	931	128	103	41	43
75—	2	4	1986	1025	864	917	21	20	758	795	85	102	29	27
80—	3	3	1660	915	616	759	13	13	518	653	85	93	32	32

Causes of Death.	133 (a) Pyelitis.		133 (b) Other diseases included under 133.		134 Calculi of the urinary passages.		134 (a) Calculi of kidney and ureter.		134 (b) Calculi of the bladder.		134 (c) Calculi of unstated site.		135 Diseases of the bladder.		135 (a) Cystitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	284	394	104	143	269	160	173	141	94	18	2	1	552	366	522	348
0—	15	29	10	4	—	—	—	—	—	—	—	—	—	—	—	—
1—	9	14	2	9	2	—	—	—	2	—	—	—	2	—	2	—
5—	2	1	—	—	3	2	1	2	2	—	—	—	—	1	—	1
10—	3	3	—	1	—	—	—	—	—	—	—	—	1	—	—	—
15—	6	7	1	1	4	—	3	—	1	—	—	—	2	1	2	1
20—	10	12	3	1	7	3	6	3	1	—	—	—	3	1	3	1
25—	9	7	4	9	14	4	11	4	3	—	—	—	2	3	2	1
30—	5	9	6	5	8	8	8	7	—	1	—	—	4	7	4	6
35—	13	21	8	10	14	10	10	8	4	2	—	—	5	6	3	5
40—	8	24	10	12	25	15	23	14	2	1	—	—	5	8	5	8
45—	10	29	11	16	24	22	19	19	5	3	—	—	12	5	12	4
50—	27	34	11	16	29	19	21	18	7	1	1	—	22	16	20	14
55—	19	36	4	14	31	16	16	16	15	—	—	—	32	20	27	19
60—	37	51	3	17	25	22	16	18	8	4	1	—	54	37	48	33
65—	36	33	4	10	27	12	18	10	9	2	—	—	67	41	64	38
70—	31	34	10	9	29	8	10	8	19	—	—	—	90	58	89	57
75—	22	23	7	4	14	9	3	8	11	—	—	1	122	55	118	55
80—	22	27	10	5	13	10	8	6	5	4	—	—	129	107	123	105

TABLE 21—*contd.*

Causes of Death.	135 (b) Other diseases of the bladder.		136 Diseases of the urethra, urinary abscess, etc.		136 (a) Stricture of the urethra.		136 (b) Other diseases of the urethra, etc.		137 Diseases of the prostate.	138 Diseases of the male genital organs.	139 Diseases of the female genital organs.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	M.	F.
All Ages	30	18	405	5	391	1	14	4	4039	64	462
0—	—	—	—	—	—	—	—	—	—	28	3
1—	—	—	—	—	—	—	—	—	—	8	4
5—	—	—	—	—	—	—	—	—	—	1	1
10—	1	—	—	—	—	—	—	—	—	—	5
15—	—	—	—	—	—	—	—	—	—	—	5
20—	—	—	—	—	—	—	—	—	—	1	27
25—	—	2	3	—	2	—	1	—	—	1	42
30—	—	1	3	—	3	—	—	—	2	—	62
35—	2	1	5	—	5	—	—	—	3	2	56
40—	—	—	10	—	9	—	1	—	2	1	62
45—	—	1	26	—	23	—	3	—	13	—	54
50—	2	2	44	1	43	1	1	—	60	4	35
55—	5	1	67	—	66	—	1	—	180	4	28
60—	6	4	66	1	61	—	5	1	375	3	28
65—	3	3	75	—	74	—	1	—	717	3	12
70—	1	1	63	1	62	—	1	1	908	3	16
75—	4	—	31	1	31	—	—	1	922	4	16
80—	6	2	12	1	12	—	—	1	857	1	6

Causes of Death.	139 (a) Diseases of the ovary, Fallopian tube and parametrium.	139 (a) 1 Diseases of the ovary.	139 (a) 2 Diseases of the Fallopian tube.	139 (a) 3 Diseases of the parametrium.	139 (b) Diseases of the uterus.	139 (c) Diseases of the breast.	139 (d) Other diseases of the female genital organs.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.
All Ages	240	6	211	23	200	9	13
0—	—	—	—	—	—	3	—
1—	2	—	1	1	—	—	2
5—	1	—	1	—	—	—	—
10—	4	—	4	—	1	—	—
15—	3	—	2	1	2	—	—
20—	23	—	21	2	2	1	1
25—	30	1	29	—	10	—	2
30—	48	—	44	4	12	1	1
35—	39	1	35	3	17	—	—
40—	35	1	31	3	26	—	1
45—	17	—	16	1	36	—	1
50—	12	—	11	1	20	1	2
55—	6	2	3	1	19	1	2
60—	11	—	9	2	17	—	—
65—	2	—	1	1	8	1	1
70—	4	1	1	2	12	—	—
75—	3	—	2	1	13	—	—
80—	—	—	—	—	5	1	—



TABLE 21—*contd.*

Causes of Death.	XI. 140-150. Diseases of Pregnancy, Childbirth and the Puerperal State.	140 & 145 Puerperal sepsis.	140 Post-abortive sepsis.	141 Abortion not returned as septic.	141 (1) Hæmorrhage following abortion.	141 (2) Without record of hæmorrhage.	142 Ectopic gestation.	143 Other accidents of pregnancy.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	2601	1050	229	118	97	21	79	23
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	75	36	6	1	1	—	—	2
20—	426	196	34	9	6	3	6	3
25—	649	270	46	22	18	4	20	2
30—	678	271	67	33	31	2	20	4
35—	495	194	52	29	23	6	28	6
40—	249	81	23	19	14	5	4	3
45—	27	2	1	4	3	1	1	3
50—	2	—	—	1	1	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

Causes of Death.	144 Puerperal hæmor- rhage.	144 (a) Placenta prævia.	144 (b) Other puerperal hæmorrhage.	145 Puerperal sepsis not returned as post-abortive.	145 (a) Puerperal septicæmia and pyæmia.	145 (b) Puerperal tetanus.	146 Puerperal albuminuria and convulsions.	147 Other toxæmias of pregnancy.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	289	139	150	821	820	1	375	131
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	2	1	1	30	30	—	19	5
20—	33	6	27	162	162	—	81	25
25—	55	29	26	224	224	—	87	48
30—	85	43	42	204	203	1	91	25
35—	67	34	33	142	142	—	59	17
40—	44	24	20	58	58	—	34	9
45—	3	2	1	1	1	—	4	2
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

TABLE 21—contd.

Causes of Death.	148 Puerperal phlegmasia alba dolens, embolism, and sudden death.	148 (a) Puerperal phlegmasia alba dolens not returned as septic.	148 (b) Puerperal embolism and sudden death.	149 Other accidents of childbirth.	150 Other or unspecified conditions of the puerperal state.	150 (1) Puerperal insanity.	150 (2) Puerperal diseases of the breast.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.
All Ages	188	47	141	300	48	13	11
0—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—
15—	6	1	5	1	3	2	1
20—	21	4	17	43	9	3	3
25—	49	10	39	90	6	2	—
30—	58	13	45	78	13	5	3
35—	35	13	22	47	13	1	4
40—	18	5	13	34	3	—	—
45—	1	1	—	6	1	—	—
50—	—	—	—	1	—	—	—
55—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—

Causes of Death.	150 (3) Childbirth (un-qualified).	XII. 151-153 Diseases of the Skin and Cellular Tissue.		151 Carbuncle, boil.		152 Cellulitis, Acute abscess.		152 (1) Cellulitis.		152 (2) Acute abscess.		153 Other diseases of the skin and its annexa.	
Ages at Death.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	24	1006	882	352	160	378	367	294	289	84	78	276	355
0—	—	147	99	8	3	43	47	24	25	19	22	96	49
1—	—	27	34	1	1	11	15	6	6	5	9	15	18
5—	—	9	5	2	—	5	3	3	2	2	1	2	2
10—	—	12	15	7	2	4	12	4	10	—	2	1	1
15—	—	33	27	21	10	11	17	5	12	6	5	1	—
20—	3	30	20	15	5	14	13	11	11	3	2	1	2
25—	4	25	30	12	9	12	16	9	15	3	1	1	5
30—	5	29	31	17	11	12	16	9	16	3	—	—	4
35—	8	35	33	17	11	14	18	11	14	3	4	4	4
40—	3	28	27	20	14	7	8	5	5	2	3	1	5
45—	1	48	31	25	12	19	9	12	9	7	—	4	10
50—	—	66	50	26	16	27	18	26	16	1	2	13	16
55—	—	94	57	35	10	46	24	38	19	8	5	13	23
60—	—	77	69	38	14	23	30	17	23	6	7	16	25
65—	—	86	69	36	12	35	30	31	27	4	3	15	27
70—	—	96	86	28	14	39	30	34	26	5	4	29	42
75—	—	74	78	23	8	32	28	28	24	4	4	19	42
80—	—	90	121	21	8	24	33	21	29	3	4	45	80





Causes of Death.	157 (e) 5 Congenital malformation, unspecified.		XV. 158-161 Diseases of Early Infancy.		158 Congenital debility.		159 Premature birth.		160 Injury at birth.		160 (a) With mention of Cæsarean section.		160 (b) Without mention of Cæsarean section.		161 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	50	47	9803	6997	1307	809	6594	4971	837	497	6	4	831	493	1065	720
0—	49	45	9803	6997	1307	809	6594	4971	837	497	6	4	831	493	1065	720
1—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	161 (a) Atelectasis.		161 (b) Icterus neonatorum.		161 (c) Other diseases included under 161.		161 (c) 1 Diseases of the Umbilicus.		161 (c) 2 Pemphigus neonatorum.		161 (c) 3 Other diseases included under 161 (c).		XVI. 162 Old Age.		162 (a) Senile dementia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	637	405	204	122	224	193	57	33	51	33	116	127	7120	10867	565	758
0—	637	405	204	122	224	193	57	33	51	33	116	127	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	—	1
55—	—	—	—	—	—	—	—	—	—	—	—	—	12	17	3	8
60—	—	—	—	—	—	—	—	—	—	—	—	—	60	85	31	40
65—	—	—	—	—	—	—	—	—	—	—	—	—	253	251	75	70
70—	—	—	—	—	—	—	—	—	—	—	—	—	986	1161	142	162
75—	—	—	—	—	—	—	—	—	—	—	—	—	1815	2295	180	202
80—	—	—	—	—	—	—	—	—	—	—	—	—	3993	7053	134	275



TABLE 21—*contd.*

Causes of Death.	162 (b) Other forms of senile decay.		XVII. 163-198 Deaths from Violence.		Suicide.											
					163-171 Total.		163 By solid or liquid poisons and corrosive substances.		164 By poisonous gas.		165 By hanging or strangulation.		166 By drowning.		167 By firearms.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6555	10109	14547	7031	3624	1523	368	308	934	517	614	122	584	329	254	13
0—	—	—	391	364	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	681	454	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	633	343	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	343	123	1	1	—	—	—	1	1	—	—	—	—	—
15—	—	—	808	222	51	45	5	8	13	14	8	—	14	17	7	—
20—	—	—	1282	290	167	88	23	26	38	24	25	3	26	18	21	3
25—	—	—	1007	270	175	115	22	29	39	34	33	6	19	20	14	1
30—	—	—	788	235	187	124	23	28	59	31	20	8	21	27	14	2
35—	—	—	771	257	217	133	31	30	53	41	42	7	28	31	16	1
40—	—	—	822	279	308	164	36	35	74	62	40	10	59	32	23	1
45—	—	—	1041	325	437	172	63	34	118	57	64	17	66	39	30	3
50—	1	4	1117	434	471	199	50	38	135	76	80	18	72	42	28	—
55—	9	9	1223	434	522	160	39	28	137	62	96	16	87	31	41	—
60—	29	45	1033	450	433	141	30	23	108	52	87	22	74	24	27	1
65—	178	181	894	495	309	103	26	17	74	42	54	8	60	20	18	—
70—	844	999	673	563	198	43	12	7	53	12	33	5	32	14	10	1
75—	1635	2093	530	582	105	22	5	3	25	5	16	1	24	8	4	—
80—	3859	6778	510	911	43	13	3	2	8	4	15	1	2	6	1	—

Causes of Death.	Suicide—continued.								Homicide.								176-194 Accidental deaths.	
	168 By cutting or piercing instruments.		169 By jumping from high places.		170 By crushing.		171 By other means.		172-175 Total.		172* 173 By firearms.		174 By cutting or piercing instruments.		175 By other means.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Ages	524	87	111	56	227	36	8	55	76	114	6	12	9	23	61	79	9943	5076
0—	—	—	—	—	—	—	—	—	15	14	—	—	1	2	14	12	336	308
1—	—	—	—	—	—	—	—	—	11	9	—	—	3	1	8	8	659	440
5—	—	—	—	—	—	—	—	—	4	11	1	—	2	2	1	9	618	325
10—	—	—	—	—	—	—	—	—	1	4	1	—	—	3	—	1	335	115
15—	—	1	2	—	2	2	—	3	3	4	—	1	—	—	3	3	730	163
20—	2	4	4	1	27	4	1	5	6	14	1	—	1	5	4	9	1063	163
25—	17	3	7	5	23	6	1	11	6	14	2	3	—	1	4	10	778	117
30—	27	9	7	3	16	7	—	9	3	9	—	1	1	2	2	6	544	80
35—	24	8	11	1	12	4	—	10	3	7	—	2	1	1	2	4	476	105
40—	49	10	6	5	20	3	1	6	2	5	—	2	—	2	2	1	437	94
45—	58	10	10	7	27	1	1	4	6	4	1	—	—	—	5	4	491	122
50—	72	9	9	10	25	4	—	2	3	5	—	2	—	—	3	3	538	194
55—	73	16	23	4	26	3	—	—	4	6	—	1	—	3	4	2	593	241
60—	76	6	11	8	19	1	1	4	2	2	—	—	—	—	2	2	508	285
65—	52	9	12	5	11	1	2	1	5	3	—	—	—	1	5	2	524	372
70—	41	2	5	2	11	—	1	—	2	1	—	—	—	—	2	1	442	507
75—	21	—	2	5	8	—	—	—	—	1	—	—	—	—	—	1	413	555
80—	12	—	2	—	—	—	—	—	—	1	—	—	—	—	—	1	458	890

\* 172 Infanticide. Deaths from this cause are included under Nos. 173-175.

TABLE 21—*contd.*

Causes of Death.	176 Attack by venomous animals.		177 Food poison- ing.		178 Accidental absorption of irrespir- able or pois- onous gas.		179 Other acute accidental poisoning (not by gas).		180 Conflag- ration.		181 Accidental burns (conflag- ration excepted).		182 Accidental mechanical suffocation.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	14	8	7	104	73	51	41	30	42	597	800	242	186
0—	—	—	—	—	1	—	1	1	4	3	44	28	174	159
1—	—	—	1	—	—	1	6	6	6	5	261	208	10	7
5—	—	—	1	2	—	1	2	1	2	2	29	51	5	2
10—	—	3	—	1	2	—	—	1	—	3	12	24	4	—
15—	1	2	—	—	5	4	1	—	1	3	17	43	3	1
20—	—	3	—	—	7	3	2	1	1	2	18	25	3	—
25—	—	—	—	—	9	3	3	1	1	2	21	26	4	3
30—	1	—	1	—	7	3	2	3	—	—	21	6	3	—
35—	1	—	1	—	3	6	4	5	1	—	19	19	4	1
40—	1	1	1	—	7	2	5	2	1	2	17	14	3	—
45—	1	—	—	—	8	3	4	2	3	4	18	22	2	2
50—	—	—	—	1	9	4	6	5	2	1	12	27	7	1
55—	3	2	1	1	8	7	4	2	1	2	18	28	2	2
60—	1	1	1	1	11	4	4	2	3	2	12	40	2	2
65—	—	—	—	—	12	6	4	2	1	2	16	43	7	2
70—	—	2	—	—	7	9	2	1	—	2	19	51	2	1
75—	—	—	1	1	5	9	—	2	2	4	22	65	6	3
80—	—	—	—	—	3	8	1	4	1	3	21	80	1	—

Causes of Death.	183 Accidental drowning.		184 Accidental injury by firearms.		185 Accidental injury by cutting or piercing instruments.		186 Accidental injury by fall, crushing, etc.		187* 188. Injury by animals (poisoning by venomous animals excepted).		189 Hunger or thirst.		190 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	583	102	66	4	2	2	7813	3637	45	4	6	5	19	5
0—	2	3	—	—	—	—	16	10	—	—	—	—	—	—
1—	67	27	1	—	1	1	296	177	2	1	—	—	—	—
5—	109	19	—	—	—	—	450	240	4	1	—	—	—	—
10—	52	1	7	—	—	—	243	80	1	—	—	—	—	—
15—	84	6	13	—	—	—	571	101	4	—	—	—	—	—
20—	71	9	10	2	1	—	911	115	2	—	—	—	1	—
25—	39	6	4	—	—	—	666	71	5	—	—	—	—	—
30—	19	2	7	1	—	—	458	63	3	—	—	1	—	1
35—	18	1	4	1	—	1	398	69	3	—	1	—	—	—
40—	13	2	1	—	—	—	370	67	3	—	1	—	—	—
45—	14	3	5	—	—	—	411	84	2	—	—	—	—	—
50—	22	4	2	—	—	—	449	148	3	1	—	—	4	—
55—	21	2	4	—	—	—	506	191	3	—	3	—	2	—
60—	21	3	2	—	—	—	433	226	3	—	1	—	4	1
65—	14	7	3	—	—	—	456	306	4	1	—	1	3	1
70—	9	3	3	—	—	—	389	431	1	—	—	1	4	1
75—	5	3	—	—	—	—	365	467	2	—	—	—	1	1
80—	3	1	—	—	—	—	425	791	—	—	—	2	—	—

\* Cataclysm —.



TABLE 21—*contd.*

Causes of Death.	191 Excessive heat.		192 Lightning		193 Electricity (lightning excepted).		194 Other and unstated forms of accidental violence.		194 (1) Inattention at birth.		194 (2) Other causes included under 194.		195 Violent deaths of unstated nature (i.e. accidental, suicidal, etc.).		196 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	11	1	10	2	51	5	296	146	82	100	214	46	802	318	92	—
0—	—	—	—	—	—	—	94	104	82	100	12	4	40	42	—	—
1—	—	—	—	—	2	—	6	7	—	—	6	7	11	5	—	—
5—	—	—	—	—	3	—	13	6	—	—	13	6	11	7	—	—
10—	—	—	—	—	4	2	10	—	—	—	10	—	6	3	—	—
15—	—	—	3	2	7	—	20	1	—	—	20	1	24	10	—	—
20—	—	—	2	—	6	1	28	2	—	—	28	2	43	25	—	—
25—	2	—	1	—	8	—	15	5	—	—	15	5	47	24	—	—
30—	—	—	1	—	6	—	15	—	—	—	15	—	40	22	14	—
35—	1	—	—	—	4	1	14	1	—	—	14	1	51	12	22	—
40—	—	—	1	—	3	—	10	4	—	—	10	4	50	16	24	—
45—	—	—	1	—	2	—	20	2	—	—	20	2	84	27	22	—
50—	—	—	—	—	3	1	19	1	—	—	19	1	97	36	8	—
55—	3	—	—	—	2	—	12	4	—	—	12	4	101	27	2	—
60—	2	—	—	—	1	—	7	3	—	—	7	3	89	22	—	—
65—	—	—	1	—	—	—	3	1	—	—	3	1	56	17	—	—
70—	2	1	—	—	—	—	4	4	—	—	4	4	31	12	—	—
75—	1	—	—	—	—	—	3	—	—	—	3	—	12	4	—	—
80—	—	—	—	—	—	—	3	1	—	—	3	1	9	7	—	—

Causes of Death.	197*		XVIII. 199–200 Ill-defined Diseases.		199 Sudden death.		200 Cause of death unstated or ill-defined.		200 (1) Heart failure.		200 (2) Other ill-defined causes.		200 (3) Cause not specified.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	10	—	777	570	174	97	603	473	499	397	63	64	41	12
0—	—	—	23	14	—	—	23	14	3	3	5	4	15	7
1—	—	—	22	25	—	—	22	25	—	—	22	25	—	—
5—	—	—	3	—	1	—	2	—	—	—	2	—	—	—
10—	—	—	6	3	2	—	4	3	1	1	2	1	1	1
15—	—	—	3	4	1	1	2	3	1	3	1	—	—	—
20—	3	—	6	6	3	1	3	5	1	4	—	—	2	1
25—	1	—	2	4	1	2	1	2	1	2	—	—	—	—
30—	—	—	3	6	1	—	2	6	1	5	—	1	1	—
35—	2	—	14	8	3	2	11	6	6	4	2	1	3	1
40—	1	—	24	14	8	4	16	10	13	7	1	2	2	1
45—	1	—	28	17	11	4	17	13	10	8	1	4	6	1
50—	—	—	56	27	16	4	40	23	31	21	6	2	3	—
55—	1	—	71	35	13	5	58	30	52	28	4	2	2	—
60—	1	—	88	56	20	15	68	41	58	39	5	2	5	—
65—	—	—	109	76	26	20	83	56	80	52	2	4	1	—
70—	—	—	144	97	36	18	108	79	103	76	5	3	—	—
75—	—	—	96	69	17	9	79	60	78	54	1	6	—	—
80—	—	—	79	109	15	12	64	97	60	90	4	7	—	—

\* 197. Execution of civilians by belligerent armies —.

TABLE 22.—CAUSES OF DEATH OF CHILDREN UNDER FIVE } { ENGLAND AND WALES.  
AT DIFFERENT AGE-PERIODS, 1931.

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
	ALL CAUSES.. .. {M. F.	34037 25940	11,575 8,391	4,077 2,784	3,481 2,417	5,199 4,015	5,089 4,224	2,102 1,878	1,389 1,212	1,125 1,019
7	Measles .. .. {M. F.	1,577 1,353	4 —	13 8	37 31	344 283	699 564	268 261	131 128	81 78
8	Scarlet fever .. .. {M. F.	105 127	— 1	2 1	1 —	7 11	28 25	26 25	23 33	18 31
9	Whooping cough .. .. {M. F.	1,074 1,345	9 14	94 125	145 129	288 323	349 446	105 169	53 98	31 41
10	Diphtheria .. .. {M. F.	605 521	3 1	6 4	8 12	35 32	106 88	125 104	175 127	147 153
11	Influenza .. .. {M. F.	593 456	29 16	61 49	78 46	139 95	156 130	71 57	27 41	32 22
15	Erysipelas .. .. {M. F.	115 101	9 10	34 23	25 22	28 25	14 15	3 4	2 1	— 1
16	Acute poliomyelitis .. .. {M. F.	28 19	— —	1 —	2 4	9 4	6 3	2 3	4 4	4 1
	1. Acute poliomyelitis .. .. {M. F.	17 12	— —	1 —	1 2	4 4	4 2	1 1	3 3	3 —
	2. Acute polioencephalitis {M. F.	11 7	— —	— —	1 2	5 —	2 1	1 2	1 1	1 1
17	Encephalitis lethargica .. .. {M. F.	26 30	— —	— —	— 1	— 3	11 5	6 6	4 8	5 7
18	Cerebro-spinal fever .. .. {M. F.	333 257	2 1	8 10	45 29	87 68	79 54	46 34	36 32	30 29
23-32	Tuberculosis, all forms .. .. {M. F.	1,255 1,010	4 3	28 14	85 67	262 202	367 268	223 215	155 131	131 110
23	Tuberculosis, respiratory system. {M. F.	167 136	1 1	3 —	12 8	30 32	48 35	24 27	27 14	22 19
24	Tuberculosis, nervous system {M. F.	704 582	1 2	11 4	42 34	154 118	201 160	131 128	87 79	77 57
25	Tuberculosis, intestines and peritoneum. {M. F.	167 127	2 —	9 5	14 8	40 26	58 40	26 25	9 16	9 7
26-31	Tuberculosis, other organs.. {M. F.	34 21	— —	1 —	2 2	9 3	7 3	6 5	5 2	4 6
32	Disseminated tuberculosis .. {M. F.	183 144	— —	4 5	15 15	29 23	53 30	36 30	27 20	19 21
	(a) Acute .. .. {M. F.	106 85	— —	4 1	12 11	15 15	28 19	19 14	16 13	12 12
	(b) and (c) Others included under 32. {M. F.	77 59	— —	— 4	3 4	14 8	25 11	17 16	11 7	7 9
34	(a) Congenital syphilis .. .. {M. F.	199 153	77 54	65 40	27 27	16 16	9 10	1 5	3 —	1 1
35	1. Gonorrhœal or purulent ophthalmia. {M. F.	13 9	8 2	5 7	— —	— —	— —	— —	— —	— —
36	Purulent infection, septicaemia {M. F.	58 48	14 9	10 12	5 5	11 8	6 6	5 4	2 2	5 2
44	1. Vaccinia .. .. {M. F.	3 4	— —	1 1	1 1	— 1	— —	— —	— —	1 1
	2. Other sequelæ of vaccination. {M. F.	2 3	— —	— —	1 2	1 1	— —	— —	— —	— —
	3. German measles .. .. {M. F.	8 3	— —	1 —	1 —	2 —	1 1	2 —	1 1	— 1
	4. Varicella .. .. {M. F.	26 18	— —	1 1	5 3	9 6	7 5	2 1	— 2	2 —



TABLE 22—continued.

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks.	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
44	5. Mumps .. .. {M. F.	7 3	— —	— —	— 1	3 1	2 —	1 —	1 —	— 1
45-53	Cancer, malignant disease .. {M. F.	61 50	1 3	2 1	3 3	12 3	9 13	13 9	10 11	11 7
56	Rheumatic fever .. .. {M. F.	20 22	— —	— —	— —	— —	— 2	4 5	10 5	6 10
60	Scurvy .. .. {M. F.	13 6	— 1	1 —	2 —	7 4	3 1	— —	— —	— —
63	1. Rickets .. .. {M. F.	225 125	2 —	8 2	20 9	80 37	84 47	17 16	10 9	4 5
67	Diseases of the thymus .. {M. F.	76 31	10 6	21 5	19 10	13 5	9 3	1 2	2 —	1 —
70	(a) Purpura .. .. {M. F.	42 39	11 12	6 7	4 3	5 6	5 3	7 1	2 2	2 5
	(b) Hæmophilia .. .. {M. F.	58 13	46 12	1 —	1 —	— —	3 —	5 —	1 —	1 1
72	(a) Leukæmia .. .. {M. F.	41 33	— —	1 2	3 3	6 3	6 7	7 6	7 9	11 3
79	Meningitis .. .. {M. F.	299 230	18 10	22 17	30 25	65 70	74 50	41 27	27 15	22 16
85	Epilepsy .. .. {M. F.	62 41	7 1	3 1	1 3	11 5	11 9	11 9	11 7	7 6
86	Infantile convulsions .. {M. F.	989 632	449 261	162 106	132 72	131 99	76 63	24 12	9 11	6 8
87	Other diseases of nervous system. {M. F.	91 76	6 4	2 4	8 8	18 15	34 17	7 15	12 7	4 6
89	Diseases of the ear and mastoid sinus. {M. F.	176 157	1 6	17 9	26 18	57 46	29 32	17 14	15 13	14 19
	(a) Otitis and other diseases of the ear. {M. F.	101 96	1 5	12 8	16 12	34 27	15 21	7 7	11 9	5 7
	(b) Diseases of the mastoid sinus. {M. F.	75 61	— 1	5 1	10 6	23 19	14 11	10 7	4 4	9 12
90-95	Heart diseases .. .. {M. F.	45 26	2 2	1 —	— 2	1 2	2 4	13 4	11 4	15 8
105	1. Laryngismus stridulus .. {M. F.	18 12	2 1	— 1	2 1	2 1	6 2	3 4	2 —	1 2
	2. Laryngitis .. .. {M. F.	62 28	6 1	5 4	7 —	9 5	12 6	11 5	10 7	2 —
106	Bronchitis .. .. {M. F.	1,665 1,263	215 143	400 299	323 268	383 274	248 197	53 47	26 20	17 15
107-109	Pneumonia (all forms) .. {M. F.	7,141 5,493	301 241	801 605	1,091 719	2,054 1,490	1,880 1,523	576 513	286 245	152 157
107	Broncho-pneumonia .. .. {M. F.	5,973 4,584	251 192	711 537	949 611	1,757 1,289	1,565 1,277	436 383	210 188	94 107
108	Lobar pneumonia .. .. {M. F.	545 449	13 26	31 32	56 44	133 90	158 123	72 72	47 36	35 26
109	Pneumonia (not otherwise defined). {M. F.	623 460	37 23	59 36	86 64	164 111	157 123	68 58	29 21	23 24
110	Pleurisy .. .. {M. F.	75 52	5 —	3 3	3 2	12 9	15 22	10 9	12 4	15 3
	1. Empyema .. .. {M. F.	62 44	3 —	3 2	2 1	8 5	14 21	10 9	11 3	11 3
	2. Other pleurisy .. .. {M. F.	13 8	2 —	— 1	1 1	4 4	1 1	— —	1 1	4 —
111	Congestion and hæmorrhagic infarct of lung, etc. {M. F.	64 29	27 6	14 7	7 4	7 5	6 5	1 2	1 —	1 —

TABLE 22—*continued.*

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
104, 105 (3) 112- 114	Other respiratory diseases .. { M. 27 F. 26		4 3	1 —	3 2	3 3	5 8	8 5	2 3	1 2
115	1. Diseases of the teeth and gums. { M. 22 F. 16		1 —	4 1	2 1	1 4	6 5	5 1	— 2	3 2
	3. Diseases of the tonsils .. { M. 86 F. 66		1 —	— —	2 1	7 5	16 18	14 14	17 14	29 14
118	1. Inflammation of the stomach { M. 178 F. 145		16 21	53 37	40 27	31 22	21 22	5 7	5 3	7 6
119-120	Diarrhoea and enteritis .. { M. 2,322 F. 1,611		219 120	594 316	628 411	548 448	229 218	53 46	33 22	18 30
121	Appendicitis .. .. { M. 84 F. 59		— —	— —	2 —	— —	6 5	20 12	30 21	26 21
122	Hernia, intestinal obstruction { M. 357 F. 160		45 25	30 9	88 37	102 56	46 17	18 3	17 8	11 5
	(a) Hernia .. .. { M. 94 F. 19		19 8	16 2	19 6	18 1	16 1	4 1	2 —	— —
	(b) Intestinal obstruction .. { M. 263 F. 141		26 17	14 7	69 31	84 55	30 16	14 2	15 8	11 5
129	Peritonitis, without stated cause. { M. 37 F. 52		4 6	3 7	5 3	2 2	6 8	5 5	9 11	3 10
130-132	Nephritis .. .. { M. 69 F. 53		4 —	2 2	2 1	10 6	15 14	20 6	6 12	10 12
133	(a) Pyelitis .. .. { M. 24 F. 43		3 —	— 3	7 11	5 15	2 11	4 1	1 2	2 —
152	Cellulitis, acute abscess .. { M. 54 F. 62		12 12	13 16	8 4	10 15	6 9	2 6	2 —	1 —
	1. Cellulitis .. .. { M. 30 F. 31		6 7	7 7	5 3	6 8	1 4	2 2	2 —	1 —
	2. Acute abscess .. .. { M. 24 F. 31		6 5	6 9	3 1	4 7	5 5	— 4	— —	— —
151, 153	Other diseases of the skin .. { M. 120 F. 71		22 8	13 12	29 11	40 21	9 13	5 4	— —	2 2
154	Acute infective osteomyelitis and periostitis. { M. 47 F. 32		1 2	7 2	3 2	5 3	8 5	8 8	9 5	6 5
157	Congenital malformations .. { M. 2,082 F. 1,620		1,149 962	508 306	208 157	102 102	65 49	25 20	14 14	11 10
	(a) Congenital hydro- cephalus. { M. 127 F. 107		33 32	17 15	25 16	28 28	13 10	7 6	1 —	3 —
	(b) Spina bifida and meningocele. { M. 404 F. 506		261 306	73 115	41 49	19 22	7 8	2 4	1 1	— 1
	(c) Congenital malformation of heart. { M. 784 F. 583		535 367	116 95	47 47	31 28	32 22	12 6	8 9	3 9
	(d) Monstrosities .. .. { M. 33 F. 50		32 50	1 —	— —	— —	— —	— —	— —	— —
	(e) Other congenital mal- formations. { M. 734 F. 374		288 207	301 81	95 45	24 24	13 9	4 4	4 4	5 —
	1. Congenital pyloric stenosis. { M. 330 F. 76		42 20	229 33	55 16	4 5	— 2	— —	— —	— —
	2. Cleft palate, harelip .. { M. 85 F. 52		37 18	26 19	9 4	5 7	4 1	2 1	1 2	1 —
	3. Imperforate anus .. { M. 42 F. 18		36 9	5 5	1 3	— —	— 1	— —	— —	— —
	4. Other stated congenital malformations. { M. 227 F. 181		133 119	37 23	26 19	14 12	8 4	2 2	3 2	4 —
	5. Congenital malforma- tion, unspecified. { M. 50 F. 47		40 41	4 1	4 3	1 —	1 1	— 1	— —	— —



TABLE 22—continued.

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
158	Congenital debility .. .. {M. F.	1,307 809	723 479	331 169	180 118	73 43	— —	— —	— —	— —
159	Premature birth .. .. {M. F.	6,594 4,971	6,028 4,529	522 407	35 30	9 5	— —	— —	— —	— —
160	Injury at birth .. .. {M. F.	837 497	814 483	18 12	3 1	2 1	— —	— —	— —	— —
	(a) With mention of Cæsarean section. {M. F.	6 4	6 4	— —	— —	— —	— —	— —	— —	— —
	(b) Without mention of Cæsarean section. {M. F.	831 493	808 479	18 12	3 1	2 1	— —	— —	— —	— —
161	Other diseases peculiar to early infancy. {M. F.	1,065 720	1,003 684	62 35	— 1	— —	— —	— —	— —	— —
	(a) Atelectasis .. .. {M. F.	637 405	617 395	20 10	— —	— —	— —	— —	— —	— —
	(b) Icterus neonatorum .. {M. F.	204 122	184 108	20 13	— 1	— —	— —	— —	— —	— —
	(c) Other diseases under 161 {M. F.	224 193	202 181	22 12	— —	— —	— —	— —	— —	— —
	1. Diseases of the umbilicus. {M. F.	57 33	47 29	10 4	— —	— —	— —	— —	— —	— —
	2. Pemphigus neonatorum {M. F.	51 33	42 29	9 4	— —	— —	— —	— —	— —	— —
	3. Other diseases under 161 (c). {M. F.	116 127	113 123	3 4	— —	— —	— —	— —	— —	— —
163-198	Violent deaths .. .. {M. F.	1,072 818	199 208	67 60	52 42	73 54	203 126	162 121	136 90	180 117
173-175	Homicide* .. .. {M. F.	26 23	9 13	3 —	1 —	2 1	3 1	2 4	3 1	3 3
181	Accidental burns (conflagration excepted). {M. F.	305 236	2 1	2 2	6 3	34 22	134 76	75 61	29 37	23 34
	1. By clothing .. .. {M. F.	19 30	— —	— —	1 —	1 4	3 4	7 7	4 8	3 7
	2. Otherwise (or not stated how) .. .. {M. F.	52 43	1 1	2 1	2 —	9 7	21 7	10 8	5 10	2 9
	3. Scalds .. .. {M. F.	234 163	1 —	— 1	3 3	24 11	110 65	58 46	20 19	18 18
182	Accidental mechanical suffocation. {M. F.	184 166	72 54	56 51	35 37	11 17	8 3	2 1	— 1	— 2
	1. In bed or not stated how {M. F.	162 141	66 52	49 47	31 32	9 10	6 —	1 —	— —	— —
	2. Otherwise than in 1 .. {M. F.	22 25	6 2	7 4	4 5	2 7	2 3	1 1	— 1	— 2
183	Accidental drowning .. .. {M. F.	69 30	— 1	— 1	— —	2 1	14 11	23 10	13 3	17 3
186	Accidental injury by fall, crushing, etc. {M. F.	312 187	1 2	1 1	2 1	12 6	32 25	50 39	85 43	129 70
	1. Road vehicles .. .. {M. F.	242 150	— —	1 1	1 —	— 1	13 11	40 28	71 41	116 68
	2. Otherwise .. .. {M. F.	70 37	1 2	— —	1 1	12 5	19 14	10 11	14 2	13 2
	Other violence, including in- attention at birth. {M. F.	195 190	118 141	7 5	9 1	14 8	15 11	12 10	9 6	11 8
	Other causes .. .. {M. F.	384 277	56 24	47 22	35 27	60 51	91 69	39 27	24 27	32 30

\* 172 Infanticide. Deaths from this cause are included under Nos. 173-175.

TABLE 23.—DEATHS BY MONTH OF OCCURRENCE AND CAUSE, } { England and Wales.  
JAN.—SEPT. 1931.

NOTE.—(a) The figures for the last three months of 1931 are not available at the time of going to press. Those for OCT.—DEC. 1930 are shown in APPENDIX B.

(b) Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to date of *registration*.

Inter- national List No.	Causes of Death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	ALL CAUSES .. .. { M F				26659 26566	26247 26475	28104 28253	21858 21013	19666 18479	16985 16074	16771 15660	16441 15590	16661 15615
1-44	I.—Infectious and Parasitic Diseases .. .. { M F				3658 3199	4699 4277	5098 4739	3450 2927	2705 2215	2241 1822	2049 1770	1851 1624	1839 1620
1 & 2	Typhoid and Paratyphoid fevers .. .. { M F				12 10	11 12	10 8	12 10	11 7	13 9	12 7	18 7	9 9
1	Typhoid fever .. .. { M F				11 9	7 7	7 6	8 6	10 6	9 6	9 6	15 6	5 7
2	Paratyphoid fevers .. .. { M F				1 1	4 5	3 2	4 4	1 1	4 3	3 1	3 1	4 2
3	Typhus fever .. .. { M F				— —	— —	— —	— —	1 —	— —	— —	— —	— —
4	Relapsing fever ("Spirillum obermeieri") .. .. { M F				— —	— —	— —	— —	— —	— —	— —	— —	— —
5	Undulant fever .. .. { M F				— —	— 1	— —	— —	— —	— —	— —	— —	— —
6	Small-pox .. .. { M F				— —	— 1	1 —	1 2	2 —	1 —	— —	— —	— —
7	Measles .. .. { M F				247 234	278 229	279 254	229 183	162 142	123 97	77 66	41 49	34 31
8	Scarlet fever .. .. { M F				29 50	22 30	30 27	24 30	30 30	13 20	15 16	6 16	10 23
9	Whooping cough .. .. { M F				105 131	160 179	178 239	118 120	77 120	73 77	61 69	51 67	53 78
10	Diphtheria .. .. { M F				181 171	150 176	148 103	115 128	86 89	79 79	85 85	79 96	102 81
11	Influenza .. .. { M F				767 834	1828 1996	1847 2176	663 721	282 248	127 114	77 85	72 69	131 82
	(a) With respiratory complications .. .. { M F				556 565	1414 1453	1355 1542	452 455	189 146	66 50	46 42	35 35	70 40
	1. With pneumonic complications .. .. { M F				375 339	978 870	908 881	290 265	129 86	48 22	32 26	28 22	55 22
	2. With other respiratory complications .. .. { M F				181 226	436 583	447 661	162 190	60 60	18 28	14 16	7 13	15 18
	(b) Without respiratory complications .. .. { M F				211 269	414 543	492 634	211 266	93 102	61 64	31 43	37 34	61 42
	1. With non-respiratory complications .. .. { M F				144 180	264 333	328 396	157 198	70 79	53 47	23 38	33 26	54 35
	2. Without stated complications .. .. { M F				67 89	150 210	164 238	54 68	23 23	8 17	8 5	4 8	7 7
12	Cholera .. .. { M F				— —	— —	— —	— —	— —	— —	— —	— —	— —
13	Dysentery .. .. { M F				7 3	7 3	6 4	2 1	5 3	5 —	2 5	3 5	4 4
	(a) Amoebic .. .. { M F				1 —	1 —	1 —	— —	2 —	2 —	— —	2 —	1 —
	(b) Bacillary .. .. { M F				1 —	2 2	1 3	1 1	— —	1 —	1 3	— 1	1 —
	(c) Other or unspecified .. .. { M F				5 3	4 1	4 1	1 —	3 3	2 —	1 2	1 4	2 4



TABLE 23—continued.

Inter- national List No.	Causes of Death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
14	Plague .. .. . { M F				— —	— —	— —	— —	— —	— —	— —	— —	— —
	(a) Bubonic .. .. { M F				— —	— —	— —	— —	— —	— —	— —	— —	— —
	(b) Pneumonic .. .. { M F				— —	— —	— —	— —	— —	— —	— —	— —	— —
	(c) Septicæmic .. .. { M F				— —	— —	— —	— —	— —	— —	— —	— —	— —
	(d) Not otherwise defined .. { M F				— —	— —	— —	— —	— —	— —	— —	— —	— —
15	Erysipelas .. .. { M F				60 62	45 44	64 65	69 44	44 41	35 33	23 21	28 30	29 40
16	Acute poliomyelitis .. .. { M F				7 1	2 3	3 3	8 3	3 4	5 3	5 2	6 5	7 3
	(1) Acute poliomyelitis .. { M F				4 1	1 3	3 1	5 1	2 2	2 1	5 1	4 4	5 2
	(2) Acute polioencephalitis { M F				3 —	1 —	— 2	3 2	1 2	3 2	— 1	2 1	3 —
17	Encephalitis lethargica .. { M F				45 51	45 43	57 48	35 39	49 49	36 33	40 36	35 35	29 34
18	Cerebro-spinal fever .. { M F				44 46	101 66	132 72	116 78	91 63	79 49	58 38	46 33	38 28
19	Glanders .. .. { M F				— —	— —	— —	— —	— —	— —	— —	— —	— —
20	Anthrax .. .. { M F				— —	1 —	1 —	— —	1 —	— —	— —	— —	— —
21	Rabies .. .. { M F				— —	— —	— —	— —	— —	— —	— —	— —	— —
22	Tetanus.. .. { M F				4 1	6 2	7 1	10 3	7 2	9 —	8 1	11 2	13 1
23-32	Tuberculosis (all forms) .. { M F				1995 1515	1900 1411	2168 1636	1899 1489	1703 1343	1536 1230	1453 1277	1343 1154	1299 1138
23	Respiratory system.. .. { M F				1730 1284	1621 1163	1874 1346	1580 1195	1365 1057	1246 962	1198 979	1098 936	1070 944
24	Central nervous system .. { M F				104 95	106 101	114 125	142 138	159 147	124 116	111 133	112 90	99 70
25	Intestines and peritoneum { M F				37 47	61 42	37 63	49 55	59 62	49 58	36 52	37 44	47 53
26	Vertebral column .. .. { M F				28 20	25 22	32 19	25 13	21 18	21 16	24 19	16 14	16 10
27	Other bones and joints .. { M F				21 7	13 13	20 10	13 9	10 6	12 9	12 14	10 9	10 3
28	Skin and subcutaneous { M F				1 3	— 5	3 3	1 4	2 —	— 3	— 1	— 1	— 3
29	Lymphatic system (ab- { dominal and bronchial { glands excepted). F				3 3	4 4	5 4	5 2	— —	3 —	3 4	2 2	2 1
30	Genito-urinary system .. { M F				4 10	11 10	13 15	15 11	12 10	7 11	17 7	15 8	14 12
31	Other organs .. .. { M F				4 1	1 —	2 —	3 3	— 1	1 1	2 —	— 1	1 —
	(1) Adrenals .. .. { M F				1 1	— —	1 —	1 2	— 1	1 1	2 —	— 1	1 —
	(2) Other sites included { under 31 .. .. F				3 —	1 —	1 —	2 1	— —	— —	— —	— —	— 1

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
32	Disseminated tuberculosis { M F				63 45	58 51	68 51	66 59	75 42	73 54	50 68	53 49	44 38
	(a) Acute .. .. { M F				33 23	34 24	44 31	37 35	31 19	34 21	23 35	22 24	17 19
	(b) Chronic .. .. { M F				1 1	— —	— —	1 1	1 —	— —	— —	— 1	— —
	(c) Not distinguished as acute or chronic .. { M F				29 21	24 27	24 20	28 23	43 23	39 33	27 33	31 24	27 19
33	Leprosy .. .. { M F				— —	— —	— —	1 —	— —	— —	— —	1 —	1 —
34	Syphilis .. .. { M F				80 58	81 39	102 61	81 42	89 36	58 41	76 30	63 30	59 27
	(a) Congenital syphilis .. { M F				26 20	25 18	24 25	18 19	21 16	12 13	15 11	10 10	19 9
	(b & c) Acquired or un- specified .. .. { M F				54 38	56 21	78 36	63 23	68 20	46 28	61 19	53 20	40 18
35	Other venereal diseases .. { M F				8 1	2 2	3 1	5 4	7 2	1 1	5 2	3 —	— 1
	(1) Gonorrhoeal or purulent ophthalmia .. .. { M F				3 1	— —	1 —	2 4	1 1	— 1	1 —	1 —	— —
	(2) Other diseases included under 35 .. .. { M F				5 —	2 2	2 1	3 —	6 1	1 —	4 2	2 —	— 1
36	Purulent infection, Septicæmia { M F				48 18	42 26	52 30	50 23	38 25	33 25	32 15	28 19	29 28
	(a) Septicæmia .. .. { M F				46 15	41 25	48 26	47 20	36 24	29 24	29 15	27 19	24 26
	(b) Pyæmia .. .. { M F				2 3	1 1	4 3	3 3	2 1	3 1	3 —	1 —	4 2
	(c) Gas gangrene .. .. { M F				— —	— —	— 1	— —	— —	1 —	— —	— —	1 —
37	Yellow fever .. .. { M F				— —	— —	— —	— —	— —	— —	— —	— —	— —
38	Malaria .. .. { M F				7 1	3 —	2 1	— —	1 —	3 —	3 —	3 —	— —
39	Other diseases due to protozoa { M F				— —	— —	— —	1 —	1 —	— —	— —	1 —	1 —
40	Ankylostomiasis .. .. { M F				— —	— —	— —	— —	— —	— —	— —	— —	— —
41	Hydratid cysts .. .. { M F				— 1	2 —	1 —	— 2	— —	1 3	3 2	1 3	— 2
	(a) Liver .. .. { M F				— 1	1 —	— —	— 2	— —	— 2	1 —	1 3	— 1
	(b) Other organs .. .. { M F				— —	1 —	1 —	— —	— —	1 1	2 2	— —	— 1
42	Other diseases due to helminths { M F				1 —	— 1	1 —	— —	— —	— 1	1 2	— —	1 1
43	Mycoses .. .. { M F				3 5	8 7	5 5	6 1	6 2	7 2	6 2	7 2	2 2
	(1) Actinomycosis .. .. { M F				1 1	6 2	3 2	2 1	4 —	5 2	4 —	5 2	2 1
	(2) Other mycoses .. .. { M F				2 4	2 5	2 3	4 —	2 2	2 —	2 2	2 —	— 1
44	Other infectious or parasitic diseases .. .. { M F				8 6	5 6	1 5	5 4	9 9	4 5	7 9	5 2	2 5
	(1) Vaccinia .. .. { M F				— 1	— 1	— —	— —	1 1	— 1	1 —	— —	— —



TABLE 23—continued.

Inter- national List No.	Causes of Death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
44	Other infectious or parasitic diseases— <i>cont.</i> (2) Other sequelæ of vac- cination .. .. . { M F				— —	1 —	— —	— —	— —	— —	— 2	— —	— —
	(3) German measles .. . { M F				— —	1 —	— —	— 1	2 1	— 2	2 —	1 —	— —
	(4) Varicella .. . { M F				6 2	1 4	1 3	2 2	3 2	1 1	3 2	1 —	1 3
	(5) Mumps .. . { M F				1 2	1 1	— 2	3 —	2 2	1 —	1 2	1 —	— —
	(6) Other diseases included under 44 .. . { M F				1 1	1 —	— —	— 1	1 3	2 1	— 3	2 2	— 2
<b>45-55</b>	<b>II.—Cancer and other Tumours</b> { M F				<b>2461</b> <b>2932</b>	<b>2295</b> <b>2605</b>	<b>2522</b> <b>2754</b>	<b>2287</b> <b>2635</b>	<b>2428</b> <b>2805</b>	<b>2282</b> <b>2717</b>	<b>2460</b> <b>2812</b>	<b>2338</b> <b>2823</b>	<b>2425</b> <b>2726</b>
45-53	Cancer, Malignant disease .. . { M F				2362 2778	2196 2455	2422 2591	2183 2505	2334 2681	2209 2550	2355 2677	2252 2698	2327 2595
45	Buccal cavity and pharynx { M F				244 60	250 45	258 45	247 32	249 54	235 33	239 47	236 35	229 37
46	Digestive organs and peri- toneum .. . { M F				1430 1342	1360 1161	1463 1273	1316 1216	1404 1289	1344 1247	1488 1302	1416 1349	1455 1261
47	Respiratory organs .. . { M F				204 69	173 57	216 60	212 81	215 81	209 67	216 86	208 77	212 78
48	Uterus .. . F				377	362	343	328	376	368	350	357	364
49	Other female genital organs F				116	131	125	141	160	114	163	139	142
50	Breast .. . { M F				5 584	5 516	5 542	3 533	7 503	10 507	3 535	3 538	5 528
51	Male genito-urinary organs M				289	254	296	232	296	231	262	246	255
52	Skin .. . { M F				63 55	54 41	69 38	54 37	52 34	74 46	33 41	52 31	62 36
53	Other or unspecified organs { M F				127 175	100 142	115 165	119 137	111 184	106 168	114 153	91 172	109 149
54	Non-malignant tumours .. . { M F				46 90	40 96	42 111	46 76	45 81	33 116	44 87	32 80	52 80
	(a) Female genital organs .. F				58	68	80	47	60	73	53	49	51
	(b) Other Sites .. . { M F				46 32	40 28	42 31	46 29	45 21	33 43	44 34	32 31	52 29
55	Tumours of undetermined nature .. . { M F				53 64	59 54	58 52	58 54	49 43	40 51	61 48	54 45	46 51
	(a) Female genital organs .. F				2	3	4	1	1	2	1	—	2
	(b) Other sites .. . { M F				53 62	59 51	58 48	58 53	49 42	40 49	61 47	54 45	46 49
<b>56-69</b>	<b>III.—Rheumatism, Diseases of Nutrition and of Endocrine Glands and other General Diseases.</b> { M F				<b>504</b> <b>885</b>	<b>447</b> <b>778</b>	<b>469</b> <b>863</b>	<b>426</b> <b>749</b>	<b>375</b> <b>690</b>	<b>305</b> <b>609</b>	<b>334</b> <b>600</b>	<b>329</b> <b>561</b>	<b>329</b> <b>593</b>
56	Rheumatic fever .. . { M F				61 74	59 68	47 71	47 68	39 63	39 54	46 55	46 43	43 42
57	Chronic rheumatism, Osteo- arthritis .. . { M F				101 222	85 191	99 236	93 214	78 177	62 173	70 156	70 142	69 135
	(1) Chronic rheumatism .. . { M F				6 7	7 7	4 7	7 12	6 9	6 9	1 8	3 10	5 9
	(2) Rheumatoid arthritis, Oster-arthritis .. . { M F				95 215	78 184	95 229	86 202	72 168	56 164	69 148	67 132	64 126
58	Gout .. . { M F				26 5	14 5	18 8	24 7	14 2	14 5	13 5	20 2	18 1

TABLE 23—continued.

Inter- national List No.	Causes of Death.				1930.			1931.									
					Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
59	Diabetes	..	..	..	{ M F				243 377	208 317	230 348	183 295	189 274	142 234	165 235	150 249	155 259
60	Scurvy	..	..	..	{ M F				2 —	— —	— —	2 1	1 1	1 —	2 —	4 —	1 1
61	Beri-beri	..	..	..	{ M F				— —	— —	— —	— —	— —	— —	— —	— —	— —
62	Pellagra	..	..	..	{ M F				— —	— —	— —	— 1	— —	— 1	— —	— —	— 1
63	Rickets	..	..	..	{ M F				22 16	32 14	30 16	30 13	17 18	15 11	11 9	14 6	15 10
	(1) Rickets	..	..	..	{ M F				22 15	31 12	30 12	27 12	17 18	13 9	10 9	14 6	14 10
	(2) Spinal curvatures of un- determined nature	..	..	..	{ M F				— 1	1 2	— 4	3 1	— —	2 2	1 —	— —	1 —
64	Osteomalacia	..	..	..	{ M F				— 3	1 2	— 2	— 1	— 2	— —	— —	1 1	— 1
65	Diseases of the pituitary gland	..	..	..	{ M F				4 3	2 1	2 4	3 1	— 2	1 2	1 4	— —	1 3
	(1) Infantilism	..	..	..	{ M F				— —	— —	— —	— —	— —	1 —	— 1	— —	— 1
	(2) Other diseases of the pituitary gland	..	..	..	{ M F				4 3	2 1	2 4	3 1	— 2	— 2	1 3	— —	1 2
66	Diseases of the thyroid and parathyroid glands	..	..	..	{ M F				18 161	23 156	22 157	22 129	19 130	14 113	13 118	11 106	17 122
	(a) Simple goitre	..	..	..	{ M F				— 15	5 16	— 13	3 16	1 15	3 7	3 12	2 2	2 17
	(b) Exophthalmic goitre	..	..	..	{ M F				12 109	9 108	14 101	14 94	14 96	9 96	9 91	9 90	10 88
	(c) Myxœdema, Cretinism	..	..	..	{ M F				4 35	5 32	7 40	4 18	3 17	2 10	— 13	— 13	3 17
	(d) Tetany	..	..	..	{ M F				2 1	3 —	1 2	— 1	1 2	— —	1 1	— —	2 —
	(e) Other diseases included under 66	..	..	..	{ M F				— 1	1 —	— 1	1 —	— —	— —	— 1	— 1	— —
67	Diseases of the thymus	..	..	..	{ M F				8 5	11 5	9 2	11 2	4 7	9 2	8 3	3 2	4 5
68	Diseases of the adrenals	..	..	..	{ M F				10 10	8 12	5 12	6 11	10 9	5 11	2 12	7 8	4 11
69	Other general diseases	..	..	..	{ M F				9 9	4 7	7 7	5 6	4 5	3 3	3 3	4 2	2 2
	(1) Amyloid disease of un- stated origin	..	..	..	{ M F				— —	— —	1 —	— —	1 —	— —	— —	— —	— —
	(2) Other diseases included under 69	..	..	..	{ M F				9 9	4 7	6 7	5 6	3 5	3 3	3 3	4 2	2 2
70-74	IV.—Diseases of the blood and Blood-forming Organs				{ M F				197 194	154 180	176 228	187 177	159 169	154 159	149 166	171 170	172 185
70	Hæmorrhagic conditions	..	..	..	{ M F				27 21	20 11	21 20	18 14	18 17	19 11	13 12	17 12	14 22
	(a) Purpura	..	..	..	{ M F				16 18	9 8	16 18	13 12	10 17	14 10	6 10	12 11	6 19
	(b) Hæmophilia	..	..	..	{ M F				11 3	11 3	5 2	5 2	8 —	5 1	7 2	5 1	8 3
71	Anæmia, Chlorosis	..	..	..	{ M F				99 118	78 118	87 140	97 129	81 104	71 110	78 106	79 113	74 121
	(a) Pernicious anæmia	..	..	..	{ M F				94 104	73 109	75 123	87 119	73 95	67 101	66 98	74 100	65 102



TABLE 23—continued.

Inter- national List No.	Causes of death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
71	Anæmia, Chlorosis— <i>contd.</i> (b) Other anæmias and chlorosis .. .. .				5 14	5 9	12 17	10 10	8 9	4 9	12 8	5 13	9 19
	(1) Splenic anæmia .. .				4 9	3 7	7 12	5 7	7 5	4 6	8 1	2 9	7 9
	(2) Other diseases included under 71b .. .				1 5	2 2	5 5	5 3	1 4	— 3	4 7	3 4	2 10
72	Leukæmia, Aleukæmia .. .				61 49	51 44	62 61	70 29	56 45	62 32	53 43	69 43	79 39
	(a) Leukæmia .. .				31 30	25 25	28 36	38 16	34 28	26 21	29 24	30 29	40 26
	(b) Aleukæmia (Lymphadenoma) .. .				30 19	26 19	34 25	32 13	22 17	36 11	24 19	39 14	39 13
73	Diseases of the spleen .. .				8 5	4 7	4 6	2 4	3 3	1 5	5 4	4 2	5 3
	(1) Banti's disease .. .				7 4	1 3	3 3	2 2	2 2	— 3	4 1	3 1	3 2
	(2) Other diseases of the spleen .. .				1 1	3 4	1 3	— 2	1 1	1 2	1 3	1 1	2 1
74	Other diseases of the blood and blood-forming organs .. .				2 1	1 —	2 1	— 1	1 —	1 1	— 1	2 —	— —
75-77	<b>V.—Chronic Poisoning</b> .. .				7 8	11 3	5 8	7 4	6 1	7 2	3 5	4 1	5 4
75	Alcoholism (acute or chronic) .. .				2 8	4 3	3 8	4 2	2 1	4 2	2 4	4 1	2 4
76	Chronic poisoning by other organic substances .. .				1 —	1 —	— —	— —	— —	— —	— —	— —	— —
77	Chronic poisoning by mineral substances .. .				4 —	6 —	2 —	3 2	4 —	3 —	1 1	— —	3 —
	(1) Occupational lead poisoning .. .				4 —	6 —	2 —	3 2	4 —	3 —	— 1	— —	2 —
	(2) Other chronic poisoning by mineral substances .. .				— —	— —	— —	— —	— —	— —	1 —	— —	1 —
78-89	<b>VI.—Diseases of the Nervous System and Sense Organs</b> .. .				2049 2118	1871 2006	2063 2175	1742 1883	1535 1764	1430 1466	1386 1461	1403 1445	1307 1424
78	Encephalitis .. .				17 10	15 9	13 8	24 13	11 12	18 8	19 9	15 7	7 7
	(a) Cerebral abscess .. .				8 3	11 3	8 3	16 9	5 5	11 7	14 3	12 3	5 5
	(b) Other diseases included under 78 .. .				9 7	4 6	5 5	8 4	6 7	7 1	5 6	3 4	2 2
79	Meningitis .. .				54 44	52 46	67 52	62 48	42 50	42 41	42 39	45 39	42 41
80	Tabes dorsalis (locomotor ataxy) .. .				53 10	56 14	46 13	40 8	41 8	42 6	38 9	44 11	43 14
81	Other diseases of the spinal cord .. .				100 66	55 41	73 56	63 47	68 51	50 34	57 39	44 36	66 47
	(1) Progressive muscular atrophy .. .				42 29	18 17	25 24	29 20	28 18	21 15	23 13	15 13	33 20
	(2) Subacute combined sclerosis .. .				2 3	— 2	5 —	3 3	5 1	3 2	3 1	2 6	5 —
	(3) Myelitis of origin .. .				17 14	11 16	20 16	10 12	11 14	14 8	17 15	10 9	19 16
	(4) Other diseases included under 81 .. .				39 20	26 6	23 16	21 12	24 18	12 9	14 10	17 8	9 11

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
82	Cerebral hæmorrhage, Apoplexy, etc. .. .. { M F				1226 1506	1129 1407	1251 1512	1003 1336	890 1212	845 1017	793 1045	840 1017	758 1004
	(a) Cerebral hæmorrhage .. { M F				946 1129	850 1053	931 1122	766 1000	671 906	667 783	610 811	634 736	583 760
	(1) Cerebral hæmorrhage { M so returned .. .. { F				876 1062	780 981	869 1048	710 942	620 839	623 734	574 756	602 698	550 713
	(2) Apoplexy (lesion un- { M stated) .. .. { F				70 67	70 72	62 74	56 58	51 67	44 49	36 55	32 38	33 47
	(b) Cerebral embolism and { M thrombosis .. .. { F				227 305	217 278	248 309	180 255	173 240	143 188	142 190	152 224	136 194
	(1) Cerebral embolism .. { M F				21 32	21 29	19 31	14 20	12 17	18 14	11 16	18 23	16 23
	(2) Cerebral thrombosis .. { M F				192 254	179 220	205 250	158 212	147 207	118 156	124 162	123 184	111 164
	(3) Cerebral softening .. { M F				14 19	17 29	24 28	8 23	14 16	7 18	7 12	11 17	9 7
	(c) Hemiplegia and other { M paralyses of unstated { F origin.				53 72	62 76	72 81	57 81	46 66	35 46	41 44	54 57	39 50
	(1) Hemiplegia .. .. { M F				48 70	55 70	68 73	53 76	44 60	29 42	37 39	50 56	37 45
	(2) Other paralyses of un- { M stated origin .. .. { F				5 2	7 6	4 8	4 5	2 6	6 4	4 5	4 1	2 5
83	General paralysis of the insane { M F				95 27	98 24	99 36	80 22	73 20	71 19	58 12	80 11	67 21
84	Other forms of insanity .. { M F				43 64	39 55	42 70	34 58	38 59	39 39	31 49	18 61	32 46
	(a) Dementia præcox .. { M F				2 3	1 1	1 2	1 2	1 3	— —	1 3	— 3	2 1
	(b) Other conditions included { M under 84 .. .. { F				41 61	38 54	41 68	33 56	37 56	39 39	30 46	18 58	30 45
85	Epilepsy .. .. { M F				132 123	117 103	123 98	119 101	95 88	70 87	100 72	81 80	75 69
86	Infantile convulsions (under { M 5 years of age) .. .. { F				98 64	106 74	106 84	103 53	78 64	85 44	65 47	60 40	59 35
87	Other diseases of the nervous { M system .. .. { F				154 145	148 174	169 192	127 139	115 136	96 116	113 105	106 99	106 103
	(a) Chorea .. .. { M F				2 5	2 8	7 7	7 5	2 4	3 2	1 5	1 4	3 1
	(b) Neuritis, Neuralgia .. { M F				3 7	4 8	7 6	— 6	8 6	2 7	11 7	2 9	5 8
	(c) Paralysis agitans .. { M F				57 51	66 60	74 67	56 70	52 54	46 53	59 44	62 25	55 49
	(d) Disseminated sclerosis .. { M F				49 48	36 54	56 64	34 36	26 46	27 31	23 30	24 42	26 24
	(e) Other diseases included { M under 87 .. .. { F				43 34	40 44	25 48	30 22	27 26	18 23	19 19	17 19	17 21
88	Diseases of the eye and annexa { M F				6 2	5 2	— 2	2 3	4 4	3 2	4 3	4 4	1 3
89	Diseases of the ear and mastoid { M sinus .. .. { F				71 57	51 57	74 52	85 55	80 60	69 53	66 32	66 40	51 34
	(a) Otitis, and other diseases { M of the ear .. .. { F				46 32	31 40	40 32	45 36	52 32	49 32	39 22	35 20	31 23
	(b) Diseases of the mastoid { M sinus .. .. { F				25 25	20 17	34 20	40 19	28 28	20 21	27 10	31 20	20 11



TABLE 23—continued.

Inter- national List No.	Causes of Death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
90-103	<b>VII.—Diseases of the Circula- tory System</b> .. .. { M F				<b>6405</b> <b>7201</b>	<b>5964</b> <b>6779</b>	<b>6616</b> <b>7317</b>	<b>5332</b> <b>5637</b>	<b>4858</b> <b>5020</b>	<b>4204</b> <b>4313</b>	<b>4136</b> <b>4221</b>	<b>4047</b> <b>4111</b>	<b>4253</b> <b>4247</b>
90-95	Heart diseases .. .. { M F				5082 6035	4732 5715	5211 6113	4208 4644	3838 4132	3250 3490	3247 3413	3206 3335	3360 3455
90	Pericarditis .. .. { M F				24 12	17 12	13 10	13 9	14 6	9 7	15 11	11 6	14 8
91	Acute endocarditis .. .. { M F				52 45	44 44	50 43	54 50	58 45	48 57	52 57	57 46	42 38
	(1) Malignant endocarditis.. { M F				48 37	38 42	45 35	47 47	53 38	45 47	48 53	52 42	34 31
	(2) Other acute endocarditis { M F				4 8	6 2	5 8	7 3	5 7	3 10	4 4	5 4	8 7
92	Chronic endocarditis, valvular { M F				1259 1707	1145 1552	1187 1680	1064 1330	1020 1222	871 994	897 1064	869 1003	883 979
	(1) Aortic valve disease .. { M F				238 135	209 106	223 119	190 106	235 93	164 87	193 74	151 89	172 70
	(2) Mitral valve disease .. { M F				397 751	374 716	346 712	336 557	316 518	264 412	260 495	279 401	287 430
	(3) Aortic and mitral valve { M F				57 67	53 46	58 53	46 46	59 43	42 34	46 38	56 39	40 41
	(4) Endocarditis, not re- { M F				62 86	67 94	51 97	53 77	50 65	46 59	42 68	39 52	42 51
	(5) Other or unspecified { M F				505 668	442 590	509 699	439 544	360 503	355 402	356 389	344 422	342 387
93	Diseases of the myocardium { M F				2909 3498	2762 3417	3097 3600	2395 2642	2038 2335	1742 1989	1713 1842	1673 1858	1797 2035
	(a) Acute myocarditis .. { M F				4 9	6 5	9 7	8 12	13 3	1 9	7 6	6 5	7 3
	(b) Myocardial degeneration { M F				2253 2693	2139 2667	2418 2790	1859 2004	1567 1822	1356 1577	1385 1467	1336 1495	1408 1626
	(1) Fatty heart .. .. { M F				146 187	117 193	129 180	112 130	93 99	90 113	95 113	105 104	100 125
	(2) Cardio vascular { M F				570 547	547 511	597 547	504 448	424 404	383 402	387 347	376 362	404 371
	(3) Other diseases included { M F				1537 1959	1475 1963	1692 2063	1243 1426	1050 1319	883 1062	903 1007	855 1029	904 1130
	(c) Myocarditis, not dis- { M F				652 796	617 745	670 803	528 626	458 510	385 403	321 369	331 358	382 406
94	Diseases of the coronary { M F				412 202	366 169	428 203	360 178	386 153	313 149	327 153	331 140	354 134
95	Other diseases of the heart { M F				426 571	398 521	436 577	322 435	322 371	267 294	243 286	265 282	270 261
	(a) Disordered action of { M F				90 152	88 155	107 163	66 138	80 131	67 84	61 92	72 101	56 83
	(b) Other diseases included { M F				336 419	310 366	329 414	256 297	242 240	200 210	182 194	193 181	214 178
	(1) Dilatation of heart { M F				21 24	14 11	20 29	16 10	8 9	18 13	6 7	16 6	11 14
	(2) Heart disease (un- { M F				315 395	296 355	309 385	240 287	234 231	182 197	176 187	177 175	203 164
96	Aneurysm .. .. { M F				98 33	78 31	97 33	84 36	85 18	83 19	88 20	79 20	68 30
97	Arterio-sclerosis .. .. { M F				1134 996	1042 934	1219 1038	959 861	860 777	786 714	737 703	696 679	766 680

TABLE 23—continued.

Inter national List No.	Causes of Death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
97	Arterio-sclerosis— <i>contd.</i>												
	(1) With cerebral hæmorrhage .. .. { M F				412 374	364 345	440 428	347 374	303 324	295 303	289 289	270 275	297 287
	(2) With record of other cerebral vascular lesion .. { M F				159 185	164 147	195 175	156 143	156 136	148 140	128 145	124 130	147 133
	(3) Without record of cerebral vascular lesion .. { M F				563 437	514 442	584 435	456 344	401 317	343 271	320 269	302 274	322 260
98	Gangrene .. .. { M F				33 43	41 36	46 57	41 34	34 40	45 38	32 34	30 34	23 30
	(a) Senile gangrene .. .. { M F				28 39	36 34	44 49	40 29	31 33	40 33	31 33	26 31	18 27
	(b) Other gangrene .. .. { M F				5 4	5 2	2 8	1 5	3 7	5 5	1 1	4 3	5 3
99	Other diseases of the arteries .. { M F				21 25	24 17	15 14	8 16	13 13	14 11	11 13	12 11	14 11
100	Diseases of the veins (Varix, hæmorrhoids, phlebitis, etc.) { M F				20 49	26 33	13 41	15 39	15 28	16 31	9 24	15 23	10 25
	(1) Varix .. .. { M F				8 22	12 18	3 14	3 18	4 15	7 12	5 12	5 11	2 17
	(2) Other diseases of the veins .. .. { M F				12 27	14 15	10 27	12 21	11 13	9 19	4 12	10 12	8 8
101	Diseases of the lymphatic system (lymphangitis, etc.) { M F				4 7	6 4	5 5	4 —	5 2	5 3	1 3	1 3	5 4
102	Abnormalities of blood pressure .. .. { M F				12 13	15 8	10 15	12 5	6 10	5 6	10 11	6 5	7 12
103	Other diseases of the circulatory system .. .. { M F				1 —	— 1	— 1	1 2	2 —	— 1	1 —	2 1	— —
104-114	VIII.—Diseases of the Respiratory System .. .. { M F				5160 4712	5404 5051	5052 4862	3080 2508	2267 1686	1543 1115	1367 945	1247 938	1465 1073
104	Diseases of the nasal fossæ and annexa .. .. { M F				9 7	6 11	14 12	10 6	12 9	6 3	7 6	12 6	11 3
	(1) Diseases of the nose .. .. { M F				2 2	— —	3 4	2 2	2 1	2 1	2 1	1 —	3 1
	(2) Diseases of the accessory nasal sinuses .. .. { M F				7 5	6 11	11 8	8 4	10 8	4 2	5 5	11 6	8 2
105	Diseases of the larynx .. .. { M F				22 21	17 11	20 12	18 9	8 9	7 2	5 3	2 3	5 5
	(1) Laryngismus stridulus .. .. { M F				2 3	4 4	2 2	3 —	1 —	2 —	— 1	— —	1 2
	(2) Laryngitis .. .. { M F				20 18	13 7	18 9	15 8	7 9	5 2	5 2	2 3	4 3
	(3) Other diseases of the larynx .. .. { M F				— —	— —	— 1	— 1	— —	— —	— —	— —	— —
106	Bronchitis .. .. { M F				1973 2188	2073 2254	1956 2285	1066 1077	748 686	536 393	424 319	408 304	499 375
	(a) Acute bronchitis .. .. { M F				484 672	540 762	539 744	245 320	149 174	75 91	79 60	70 59	102 86
	(b) Chronic bronchitis .. .. { M F				687 580	729 522	671 546	420 296	311 228	240 119	195 113	189 108	207 131
	(c) Bronchitis, not distinguished as acute or chronic { M F				802 936	804 970	746 995	401 461	288 284	221 183	150 146	149 137	190 158
107-109	Pneumonia (all forms) .. .. { M F				2807 2157	2966 2488	2759 2257	1758 1246	1303 840	854 597	772 516	688 518	788 587
107	Broncho-pneumonia .. .. { M F				1608 1368	1826 1616	1557 1389	869 712	570 459	404 293	327 279	289 281	346 317
108	Lobar pneumonia .. .. { M F				858 537	785 597	803 602	621 364	522 279	328 201	335 174	289 173	323 193



TABLE 23—continued.

Inter- national List No.	Causes of Death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
109	Pneumonia (not otherwise defined) .. .. .				341 252	355 275	399 266	268 170	211 102	122 103	110 63	110 64	119 77
110	Pleurisy .. .. .				64 49	59 52	58 44	59 33	64 25	50 31	43 30	37 21	53 32
	(1) Empyema .. .. .				27 16	25 17	24 19	30 12	24 7	31 13	18 10	20 11	17 9
	(2) Other pleurisy .. .. .				37 33	34 35	34 25	29 21	40 18	19 18	25 20	17 10	36 23
111	Congestion and hæmorrhagic infarct of lung, etc... ..				74 98	63 91	50 86	44 55	35 50	26 43	37 35	36 46	39 28
	(1) Hypostatic congestion of lungs .. .. .				71 94	55 85	47 84	39 51	33 47	24 42	33 29	32 44	33 24
	(2) Other diseases included under 111 .. .. .				3 4	8 6	3 2	5 4	2 3	2 1	4 6	4 2	6 4
112	Asthma .. .. .				178 175	183 133	160 150	79 75	67 62	46 39	41 32	37 32	46 36
113	Pulmonary emphysema .. .. .				3 4	7 1	7 3	4 1	6 1	3 1	6 —	6 —	3 —
114	Other diseases of the respiratory system .. .. .				30 13	30 10	28 13	42 6	24 4	15 6	32 4	21 8	21 7
	(a) Chronic interstitial pneumonia, including occupational diseases of the lung. .. .. .				24 11	23 8	26 7	32 2	17 1	13 1	26 4	16 4	18 4
	(b) Other diseases included under 114 .. .. .				6 2	7 2	2 6	10 4	7 3	2 5	6 —	5 4	3 3
	(1) Gangrene of the lung .. .. .				1 1	2 1	1 1	1 1	1 —	1 —	2 —	— —	— —
	(2) Other diseases included under 114 (b) .. .. .				5 1	5 1	1 5	9 3	6 3	1 5	4 —	5 4	3 3
115-129	<b>IX.—Diseases of the Digestive System .. .. .</b>				<b>1360 1092</b>	<b>1152 933</b>	<b>1261 1072</b>	<b>1155 977</b>	<b>1142 918</b>	<b>1087 919</b>	<b>1120 919</b>	<b>1091 937</b>	<b>1127 928</b>
115	Diseases of the buccal cavity, pharynx, etc. .. .. .				76 64	68 74	89 68	71 78	87 63	63 73	74 75	66 77	77 61
	(1) Diseases of the teeth and gums .. .. .				15 14	26 20	22 23	23 18	23 12	23 24	23 18	27 21	23 18
	(2) Ludwig, angina .. .. .				5 5	2 1	6 3	4 6	4 4	2 3	5 5	4 2	3 2
	(3) Diseases of the tonsils .. .. .				43 36	30 43	50 29	36 41	43 31	31 33	39 43	29 43	42 31
	(4) Other diseases included under 115 .. .. .				13 9	10 10	11 13	8 13	17 16	7 13	7 9	6 11	9 10
116	Diseases of the œsophagus .. .. .				3 1	— 1	2 5	2 2	3 2	2 1	2 1	2 —	1 1
117	Ulcer of the stomach or duodenum .. .. .				354 106	288 98	305 117	247 89	268 68	226 62	265 74	233 77	245 69
	(a) Ulcer of the stomach .. .. .				222 86	172 85	181 93	158 72	170 56	147 52	166 58	150 67	166 58
	(b) Ulcer of the duodenum .. .. .				132 20	116 13	124 24	89 17	98 12	79 10	99 16	83 10	79 11
118	Other diseases of the stomach .. .. .				63 68	64 56	57 89	60 68	61 49	48 77	33 59	42 62	56 47
	(1) Inflammation of the stomach .. .. .				49 63	56 48	41 78	49 58	53 45	35 62	29 54	34 53	44 39
	(2) Other diseases included under 118 .. .. .				14 5	8 8	16 11	11 10	8 4	13 15	4 5	8 9	12 8

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
119 & 120	Diarrhoea and enteritis .. { M F				295 243	218 159	264 208	220 179	215 192	205 175	214 176	210 193	234 199
(a)	(1) Colitis .. { M F				12 26	15 18	10 11	13 10	15 14	9 14	10 17	13 15	5 13
	(2) Other diarrhoea and enteritis .. { M F				268 193	197 133	245 176	194 151	190 160	188 142	193 146	186 153	216 171
(b)	Ulceration of intestines { M F				15 24	6 8	9 21	13 18	10 18	8 19	11 13	11 25	13 15
121	Appendicitis .. { M F				143 111	114 93	121 109	132 96	126 104	148 101	122 102	130 99	127 117
122	Hernia, Intestinal obstruction { M F				201 207	207 219	206 207	198 200	184 173	186 170	216 191	198 185	185 168
(a)	Hernia .. { M F				86 95	105 109	94 103	70 93	77 70	65 65	82 79	79 87	67 68
	(1) Strangulated hernia .. { M F				71 78	79 80	73 81	43 68	56 54	43 47	61 56	59 66	50 47
(2)	Hernia not returned as strangulated .. { M F				15 17	26 29	21 22	27 25	21 16	22 18	21 23	20 21	17 21
	(b) Intestinal obstruction .. { M F				115 112	102 110	112 104	128 107	107 103	121 105	134 112	119 98	118 100
123	Other diseases of the intestines { M F				22 28	29 26	31 27	19 25	19 26	22 30	23 26	25 30	22 29
(1)	Constipation, Intestinal stasis .. { M F				7 8	8 7	6 13	5 9	2 5	3 6	3 6	5 8	2 11
	(2) Diverticulitis .. { M F				11 15	17 9	14 9	10 7	12 14	12 17	12 13	14 15	17 12
(3)	Other diseases included under 123 .. { M F				4 5	4 10	11 5	4 9	5 7	7 7	8 7	6 7	3 6
124	Cirrhosis of the liver .. { M F				97 66	84 53	91 44	98 47	78 38	93 42	90 34	97 45	85 45
(a)	Returned as alcoholic .. { M F				11 13	12 5	12 7	13 5	15 7	15 8	16 8	17 7	14 12
	(b) Not returned as alcoholic { M F				86 53	72 48	79 37	85 42	63 31	78 34	74 26	80 38	71 33
125	Other diseases of the liver .. { M F				7 14	3 7	11 10	11 7	7 11	15 10	6 10	9 5	11 15
(1)	Acute yellow atrophy .. { M F				— 5	— 4	1 3	3 2	— 3	3 4	1 5	4 2	3 6
	(2) Other diseases included under 125 .. { M F				7 9	3 3	10 7	8 5	7 8	12 6	5 5	5 3	8 9
126	Biliary calculi .. { M F				35 80	32 58	24 70	31 80	39 79	30 77	26 65	34 64	22 80
(1)	With cholecystitis .. { M F				11 26	9 13	7 23	15 30	14 29	13 30	7 23	16 22	7 33
	(2) Without mention of cholecystitis .. { M F				24 54	23 45	17 47	16 50	25 50	17 47	19 42	18 42	15 47
127	Other diseases of the gall bladder and ducts .. { M F				28 67	28 52	33 71	33 63	31 69	22 61	22 53	17 59	31 49
(1)	Cholecystitis, without record of biliary calculi .. { M F				28 64	27 50	31 63	30 56	28 65	19 60	20 50	15 52	27 47
	(2) Other diseases included under 127 .. { M F				— 3	1 2	2 8	3 7	3 4	3 1	2 3	2 7	4 2
128	Diseases of the pancreas .. { M F				21 22	15 22	14 25	18 18	15 25	16 25	18 34	20 22	24 25
129	Peritonitis, without stated cause .. { M F				15 15	2 15	13 22	15 25	9 19	11 15	9 19	8 19	7 23



TABLE 23—continued.

Inter- national List No.	Causes of Death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
130-139	<b>X.—Non-venereal Diseases of the Genito-urinary System and annexa.</b> { M F				<b>1426</b> <b>971</b>	<b>1177</b> <b>849</b>	<b>1327</b> <b>927</b>	<b>1139</b> <b>779</b>	<b>1137</b> <b>726</b>	<b>1046</b> <b>692</b>	<b>995</b> <b>658</b>	<b>1085</b> <b>739</b>	<b>1068</b> <b>682</b>
130-132	Nephritis .. .. { M F				841 808	705 729	795 791	689 648	695 603	633 571	583 546	622 622	614 574
130	Nephritis not stated to be acute or chronic .. { M F				113 117	93 85	107 101	79 86	78 84	72 54	71 68	75 82	72 78
131	Acute nephritis .. .. { M F				60 47	53 39	51 52	57 49	50 40	52 36	38 33	32 58	32 38
132	Chronic nephritis .. .. { M F				668 644	559 605	637 638	553 513	567 479	509 481	474 445	515 482	510 458
133	Other diseases of the kidney and annexa .. .. { M F				34 63	38 42	38 42	38 43	38 48	26 46	37 34	31 45	28 42
	(a) Pyelitis .. .. { M F				22 46	27 29	28 30	30 36	29 38	18 24	25 23	24 35	18 33
	(b) Other diseases included under 133 .. .. { M F				12 17	11 13	10 12	8 7	9 10	8 22	12 11	7 10	10 9
134	Calculi of the urinary passages { M F				28 19	20 9	21 16	23 11	16 11	15 18	25 12	22 13	20 13
	(a) Calculi of kidney and ureter .. .. { M F				20 14	11 5	13 15	13 9	11 10	11 18	18 10	10 12	12 12
	(b) Calculi of the bladder .. { M F				8 4	9 4	7 1	10 2	5 1	4 —	7 2	11 1	8 1
	(c) Calculi of unstated site { M F				— 1	— —	1 —	— —	— —	— —	— —	1 —	— —
135	Diseases of the bladder .. { M F				65 39	29 29	79 42	50 37	51 24	26 19	41 26	40 25	41 23
	(a) Cystitis .. .. { M F				60 37	28 28	75 41	47 33	51 21	24 19	40 24	37 24	39 23
	(b) Other diseases of the bladder .. { M F				5 2	1 1	4 1	3 4	— 3	2 —	1 2	3 1	2 —
136	Diseases of the urethra, urinary abscess, etc. .. .. { M F				34 —	18 —	38 —	32 —	36 2	30 —	37 —	30 —	27 1
	(a) Stricture of the urethra { M F				33 —	17 —	37 —	30 —	36 1	30 —	36 —	27 —	25 —
	(b) Other diseases of the urethra, etc. { M F				1 —	1 —	1 —	2 —	— 1	— —	1 —	3 —	2 1
137	Diseases of the prostate .. M				419	358	352	301	298	308	266	335	334
138	Diseases of the male genital organs. M				5	9	4	6	3	8	6	5	4
139	Diseases of the female genital organs. F				42	40	36	40	38	38	40	34	29
	(a) Diseases of the ovary, Fallopian tube and parametrium. F				22	21	17	19	13	17	23	21	22
	(1) Diseases of the ovary F				2	1	—	1	—	—	—	—	—
	(2) Diseases of the Fallopian tube. F				19	17	15	15	12	17	20	20	18
	(3) Diseases of the parametrium. F				1	3	2	3	1	—	3	1	4
	(b) Diseases of the uterus .. F				19	16	16	20	25	18	14	12	7
	(c) Diseases of the breast .. F				1	—	1	—	—	1	3	—	—
	(d) Other diseases of the female genital organs. F				—	3	2	1	—	2	—	1	—

TABLE 23—continued.

International List No.	Causes of death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
0-150	<b>XI.—Diseases of Pregnancy, Childbirth and the Puerperal State.</b>				<b>248</b>	<b>234</b>	<b>236</b>	<b>214</b>	<b>226</b>	<b>212</b>	<b>197</b>	<b>215</b>	<b>180</b>
140 & 145	Puerperal sepsis .. .. F				162	142	145	135	142	120	105	123	101
140	Post-abortive sepsis .. .. F				29	11	14	29	17	12	14	23	16
141	Abortion not returned as septic .. F				10	8	4	12	9	17	9	12	5
	(1) Hæmorrhage following abortion. .. F				8	6	4	9	6	14	9	8	4
	(2) Without record of hæmorrhage. .. F				2	2	—	3	3	3	—	4	1
142	Ectopic gestation .. .. F				9	9	9	3	4	5	9	7	6
143	Other accidents of pregnancy .. F				2	—	1	1	—	2	3	2	3
144	Puerperal hæmorrhage .. .. F				23	32	26	25	21	24	22	22	22
	(a) Placenta prævia.. .. F				9	8	9	14	16	15	10	9	12
	(b) Other puerperal hæmorrhage. .. F				14	24	17	11	5	9	12	13	10
145	Puerperal sepsis not returned as post-abortive. .. F				89	82	91	65	91	60	48	57	49
	(a) Puerperal septicæmia and pyæmia. .. F				89	82	91	65	91	60	48	57	49
	(b) Puerperal tetanus .. .. F				—	—	—	—	—	—	—	—	—
146	Puerperal albuminuria and convulsions. .. F				23	34	39	27	34	34	31	35	29
147	Other toxæmias of pregnancy .. F				14	10	7	13	10	10	9	9	11
148	Puerperal phlegmasia alba dolens, embolism, and sudden death. .. F				14	19	15	15	12	22	14	12	9
	(a) Puerperal phlegmasia alba dolens not returned as septic. .. F				3	3	3	3	5	6	2	4	1
	(b) Puerperal embolism and sudden death. .. F				11	16	12	12	7	16	12	8	8
149	Other accidents of childbirth .. F				28	22	22	21	25	23	36	29	27
150	Other or unspecified conditions of the puerperal state. .. F				7	7	8	3	3	3	2	7	3
	(1) Puerperal insanity .. .. F				—	2	4	1	1	3	1	—	1
	(2) Puerperal diseases of the breast. .. F				2	2	1	2	—	—	—	2	1
	(3) Childbirth (unqualified) .. F				5	3	3	—	2	—	1	5	1
1-153	<b>XII.—Diseases of the Skin and Cellular Tissue .. ..</b>				<b>92</b>	<b>92</b>	<b>105</b>	<b>97</b>	<b>89</b>	<b>68</b>	<b>65</b>	<b>67</b>	<b>70</b>
					<b>83</b>	<b>78</b>	<b>92</b>	<b>90</b>	<b>77</b>	<b>61</b>	<b>65</b>	<b>63</b>	<b>67</b>
151	Carbuncle, Boil .. ..				27	31	42	25	28	28	29	27	33
					9	13	17	15	16	19	18	12	11
152	Cellulitis, Acute abscess .. ..				36	35	35	39	35	21	24	27	18
					32	27	36	42	36	26	27	25	22
	(1) Cellulitis .. ..				33	23	28	31	29	17	19	19	13
					28	26	32	30	31	22	19	21	17
	(2) Acute abscess .. ..				3	12	7	8	6	4	5	8	5
					4	1	4	12	5	4	8	4	5
153	Other diseases of the skin and its annexa .. ..				29	26	28	33	26	19	12	13	19
					42	38	39	33	25	16	20	26	34
4-156	<b>XIII.—Diseases of the Bones and Organs of Locomotion.</b>				<b>47</b>	<b>36</b>	<b>40</b>	<b>46</b>	<b>59</b>	<b>32</b>	<b>43</b>	<b>39</b>	<b>43</b>
					<b>35</b>	<b>35</b>	<b>23</b>	<b>29</b>	<b>37</b>	<b>19</b>	<b>17</b>	<b>28</b>	<b>33</b>
154	Acute infective osteomyelitis and periostitis .. ..				25	23	19	28	37	21	23	23	27
					17	17	12	17	21	12	6	13	19



TABLE 23—continued.

Inter- national List No.	Causes of Death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
155	Other diseases of the bones .. { M F				12 5	7 11	6 1	8 4	6 8	3 1	11 4	9 7	5 4
156	Diseases of the joints and other organs of locomotion .. { M F				10 13	6 7	15 10	10 8	16 8	8 6	9 7	7 8	10 10
	(a) Diseases of the joints .. { M F				8 7	2 5	12 8	9 6	10 5	4 5	7 4	6 4	7 9
	(b) Diseases of other organs of locomotion .. .. { M F				2 6	4 2	3 2	1 2	6 3	4 1	2 3	1 4	4 1
157	<b>XIV.—Congenital Malforma- tions .. ..</b> { M F				192 193	199 126	203 161	209 154	172 142	183 117	160 137	177 146	170 124
	(a) Congenital hydroceph- alus .. .. { M F				16 8	11 9	16 12	13 8	11 12	11 9	12 6	12 14	12 6
	(b) Spina bifida and men- ingocele .. .. { M F				37 49	40 26	32 46	41 43	33 45	32 42	28 41	34 55	28 33
	(c) Congenital malforma- tion of heart .. .. { M F				63 86	76 64	84 59	93 61	64 49	56 38	71 45	68 44	72 46
	(d) Monstrosities .. .. { M F				4 3	5 3	3 5	1 7	2 7	3 3	1 7	2 3	2 7
	(e) Other congenital mal- formations .. .. { M F				72 47	67 24	68 39	61 35	62 29	81 25	48 38	61 30	56 32
	(1) Congenital pyloric stenosis .. .. { M F				31 5	29 2	27 12	28 10	24 8	30 4	21 6	33 4	27 6
	(2) Cleft palate, Hare- lip .. .. { M F				6 6	9 6	10 4	7 5	12 4	5 2	3 6	7 4	6 4
	(3) Imperforate anus .. { M F				3 3	— 3	5 2	5 —	1 2	7 2	3 —	4 2	2 2
	(4) Other stated con- genital malformations { M F				28 29	28 11	20 17	18 14	21 10	33 13	19 20	15 16	17 16
	(5) Congenital malforma- tion, unspecified .. { M F				4 4	1 2	6 4	3 6	4 5	6 4	2 6	2 4	4 4
158-161	<b>XV.—Diseases of Early Infancy</b> { M F				973 709	971 669	1034 763	852 663	821 596	700 514	670 471	733 485	649 462
158	Congenital debility .. .. { M F				136 83	145 100	160 100	139 81	94 61	94 47	97 54	79 41	67 56
159	Premature birth .. .. { M F				663 530	646 462	676 550	554 465	573 426	453 371	435 312	482 343	441 308
160	Injury at birth .. .. { M F				79 38	77 37	91 45	59 42	66 43	73 46	58 46	82 34	73 54
	(a) With mention of Cæs- arean section .. .. { M F				2 —	— —	1 1	1 —	— —	1 —	1 1	— 1	— —
	(b) Without mention of Cæsarean section .. { M F				77 38	77 37	90 44	58 42	66 43	72 46	57 45	82 33	73 54
161	Other diseases peculiar to early infancy .. .. { M F				95 58	103 70	107 68	100 75	88 66	80 50	80 59	90 67	68 44
	(a) Atelectasis .. .. { M F				58 32	72 38	58 37	51 38	49 39	42 29	50 39	56 35	40 22
	(b) Icterus neonatorum .. { M F				17 9	16 12	20 6	28 16	22 11	17 8	14 12	11 9	12 11
	(c) Other diseases included under 161 .. .. { M F				20 17	15 20	29 25	21 21	17 16	21 13	16 8	23 23	16 11
	(1) Diseases of the umbilicus .. .. { M F				2 4	5 4	4 3	7 3	2 1	8 2	6 2	7 5	4 1

TABLE 23—continued.

International List No.	Causes of Death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
161	Other diseases peculiar to early infancy— <i>contd.</i>												
	(2) Pemphigus neonatorum .. .. { M F				5 2	2 4	8 3	1 1	6 5	6 2	3 2	3 7	2 3
	(3) Other diseases included under 161 (c) .. .. { M F				13 11	8 12	17 19	13 17	9 10	7 9	7 4	13 11	10 7
162	<b>XVI.—Old Age</b> .. .. { M F				<b>320</b> <b>1286</b>	<b>722</b> <b>1181</b>	<b>911</b> <b>1309</b>	<b>640</b> <b>967</b>	<b>556</b> <b>791</b>	<b>429</b> <b>737</b>	<b>506</b> <b>678</b>	<b>425</b> <b>706</b>	<b>466</b> <b>688</b>
	(a) Senile dementia .. .. { M F				105 130	69 96	75 91	51 56	39 45	25 47	34 41	31 51	27 43
	(b) Other forms of senile decay .. .. { M F				715 1156	653 1085	836 1218	589 911	517 746	404 690	472 637	394 655	439 645
63-198	<b>XVII.—Deaths from Violence</b> { M F				<b>1245</b> <b>644</b>	<b>988</b> <b>635</b>	<b>1148</b> <b>654</b>	<b>1140</b> <b>572</b>	<b>1281</b> <b>577</b>	<b>1223</b> <b>567</b>	<b>1260</b> <b>496</b>	<b>1368</b> <b>555</b>	<b>1211</b> <b>531</b>
63-171	Suicide .. .. { M F				323 117	259 125	267 112	307 125	353 134	304 161	308 117	332 130	274 128
163	By solid or liquid poisons and corrosive substances { M F				30 16	21 23	25 24	35 22	38 26	39 31	30 34	33 30	33 33
164	By poisonous gas .. .. { M F				95 41	71 42	60 45	78 47	80 46	63 57	90 36	97 42	64 25
165	By hanging or strangulation { M F				53 10	53 12	53 7	65 10	71 10	51 12	53 9	46 9	40 12
166	By drowning .. .. { M F				49 32	33 28	43 23	48 27	63 28	56 36	53 24	57 25	41 35
167	By firearms .. .. { M F				17 —	15 1	19 1	16 3	17 3	27 —	19 —	24 2	23 —
168	By cutting or piercing instruments .. .. { M F				54 7	41 6	40 2	39 8	49 8	41 12	42 2	47 8	36 3
169	By jumping from high places { M F				13 5	6 4	12 4	6 7	11 6	11 4	5 6	10 3	8 9
170	By crushing .. .. { M F				12 2	19 6	15 1	19 1	24 3	16 6	16 2	17 —	26 6
171	By other means .. .. { M F				— 4	— 3	— 5	1 —	— 4	— 3	— 4	1 11	3 5
72-175	Homicide .. .. { M F				5 13	2 17	9 10	9 12	10 8	8 8	7 3	5 9	2 5
172*	Infanticide (under 1 year) { M F				— —	— —	— —	— —	— —	— —	— —	— —	— —
173	By firearms .. .. { M F				— 1	— 1	— 2	— 2	2 1	1 —	— —	1 —	— —
174	By cutting or piercing instruments .. .. { M F				2 3	— 4	— 1	— 2	1 1	— 2	2 —	2 3	— 1
175	By other means .. .. { M F				3 9	2 12	9 7	9 8	7 6	7 6	5 3	3 5	2 4
76-194	Accidental deaths .. .. { M F				838 497	660 467	792 499	743 407	846 404	827 377	868 345	949 388	865 374
176	Attack by venomous animals { M F				— —	— —	1 —	— —	— 1	— 4	2 1	4 4	1 3
177	Food poisoning .. .. { M F				— —	— —	1 —	— —	— —	3 —	1 —	4 1	— —
178	Accidental absorption of irrespirable or poisonous gas. { M F				9 10	10 6	16 12	7 3	8 7	8 5	12 3	6 5	6 8
179	Other acute accidental poisoning (not by gas) .. { M F				4 3	4 2	4 3	6 4	2 2	2 5	5 2	2 4	2 5

\* Deaths from this cause are included under Nos. 173-175.



TABLE 23—continued.

Inter- national List No.	Causes of Death.	1930.			1931.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.
180	Conflagration .. .. { F				4 6	4 4	6 5	1 2	4 8	1 1	— —	2 1	
181	Accidental burns (conflagra- tion excepted) .. .. { F				67 106	58 118	62 110	53 71	31 49	39 32	25 37	39 31	
182	Accidental mechanical suffocation .. .. { F				27 18	27 16	26 28	17 17	17 10	14 9	18 12	21 10	
183	Accidental drowning .. .. { F				27 7	14 2	23 5	46 13	80 15	80 16	87 10	110 12	
184	Accidental injury by firearms { F				6 2	5 —	5 —	3 —	6 —	3 —	10 —	8 1	
185	Accidental injury by cutting or piercing instruments .. .. { F				— 1	— —	— —	1 —	— —	— —	— —	— —	
186	Accidental injury by fall, crush- ing, etc. .. .. { F				635 333	506 300	623 317	578 287	670 297	631 289	662 265	716 306	7 2
187	Cataclysm .. .. { F				— —	— —	— —	— —	— —	— —	— —	— —	
188	Injury by animals (poisoning by venomous animals excepted). { F				1 —	4 —	2 —	3 —	3 —	— 1	7 1	6 —	
189	Hunger or thirst .. .. { F				1 2	— 2	1 —	1 —	— —	— —	— —	— —	
190	Excessive cold .. .. { F				2 —	6 2	4 3	— —	— —	— —	— —	— —	
191	Excessive heat .. .. { F				— —	— —	1 —	— —	2 —	1 —	3 1	3 —	
192	Lightning .. .. { F				— —	— —	— —	— —	— —	3 —	3 1	3 1	
193	Electricity (lightning ex- cepted) .. .. { F				4 1	6 1	— 1	4 —	3 —	5 1	5 1	4 —	
194	Other and unstated forms of ac- cidental violence .. .. { F				51 8	16 14	18 14	23 10	20 15	37 14	28 11	21 12	
	(1) Inattention at birth. . . { F				11 7	7 12	10 12	11 8	7 9	9 8	4 7	5 6	
	(2) Other causes included under 194 .. .. { F				40 1	9 2	8 2	12 2	13 6	28 6	24 4	16 6	
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.). { F				67 17	58 26	72 33	74 28	65 31	79 21	66 31	74 28	
196	Wounds of war .. .. { F				11 —	8 —	7 —	6 —	7 —	4 —	11 —	5 —	
197	Execution of civilians by belliger- ent armies .. .. { F				— —	— —	— —	— —	— —	— —	— —	— —	
198	Execution .. .. { F				1 —	1 —	1 —	1 —	— —	1 —	— —	3 —	
199-200	XVIII.—Ill-defined Diseases .. { F				63 56	65 56	74 70	69 48	76 39	51 33	68 42	66 43	
199	Sudden death .. .. { F				22 13	12 12	19 9	11 9	15 8	12 6	19 6	17 9	
200	Cause of death unstated or ill- defined .. .. { F				41 43	53 44	55 61	58 39	61 31	39 27	49 36	49 34	
	(1) Heart failure .. .. { F				34 32	44 36	46 52	47 34	48 26	33 23	41 32	34 26	
	(2) Other ill-defined causes { F				4 10	8 7	9 8	9 5	7 3	2 3	4 3	7 6	
	(3) Cause not specified .. { F				3 1	1 1	— 1	2 —	6 2	4 1	4 1	8 2	

TABLE 24.—CAUSES OF DEATH, 1931, classified in accordance with the Abridged List ( <i>see</i> statement below) AT DIFFERENT PERIODS OF LIFE.	<div> <div>England and Wales, Geographical Region.† London and Metropolitan Boroughs, County Boroughs. Aggre- gates of Other Urban and of Rural Districts in each Administrative County.</div> </div>
--	---

*Note* :—The figures for England and Wales as a whole relate to all deaths registered. All other figures in this Table relate to the deaths of Civilians only.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health, and its relation to the detailed International List.

No.	Registrar General's Abridged List.	Corresponding number in the Detailed International List.
1.	Typhoid and paratyphoid fevers .. .. .	1 and 2.
2.	Measles .. .. .	7.
3.	Scarlet fever .. .. .	8.
4.	Whooping cough .. .. .	9.
5.	Diphtheria .. .. .	10.
6.	Influenza .. .. .	11.
7.	Encephalitis lethargica .. .. .	17.
8.	Cerebro-spinal fever .. .. .	18.
9.	Tuberculosis of respiratory system .. .. .	23.
10.	Other tuberculous diseases .. .. .	24–32.
11.	Syphilis .. .. .	34.
12.	General paralysis of the insane, tabes dorsalis	80 and 83.
13.	Cancer, malignant disease .. .. .	45–53.
14.	Diabetes .. .. .	59.
15.	Cerebral hæmorrhage, etc. .. .. .	82.
16.	Heart disease .. .. .	90–95.
17.	Aneurysm .. .. .	96.
18.	Other circulatory diseases .. .. .	97–103.
19.	Bronchitis .. .. .	106.
20.	Pneumonia (all forms) .. .. .	107–109.
21.	Other respiratory diseases .. .. .	104, 105 and 110–114.
22.	Peptic ulcer .. .. .	117.
23.	Diarrhœa, etc. (under 2 years)* .. .. .	119.
24.	Appendicitis .. .. .	121.
25.	Cirrhosis of liver .. .. .	124.
26.	Other diseases of liver, etc. .. .. .	125–127.
27.	Other digestive diseases .. .. .	115, 116, 118, 120, 122, 123, 128 and 129.
28.	Acute and chronic nephritis .. .. .	130–132.
29.	Puerperal sepsis .. .. .	140 and 145.
30.	Other puerperal causes .. .. .	141–144 and 146–150
31.	Congenital debility, premature birth, malforma- tions, etc. .. .. .	157–161.
32.	Senility .. .. .	162.
33.	Suicide .. .. .	163–171.
34.	Other violence .. .. .	172–198.
35.	Other defined causes† .. .. .	All numbers not included in other headings.
36.	Causes ill-defined, or unknown .. .. .	199 and 200.

\* In tables of deaths by ages this heading will relate to all ages.

† Deaths from Smallpox, if any, are shown in a footnote to this line.

‡ The Counties included in the several Geographical Regions are shown on the first page of Table 17.



Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	249,717	24,332	5,089	4,616	6,207	10,065	10,677	14,485	26,439	42,274	56,107	49,426
	F	241,913	17,607	4,224	4,109	5,606	9,283	10,952	13,344	21,718	34,767	52,624	67,679
1 Typhoid fever, etc.	M	134	—	—	1	14	32	25	19	20	17	5	1
	F	117	—	—	3	9	23	21	15	18	16	10	2
2 Measles	M	1,768	398	699	480	177	8	—	3	1	—	1	1
	F	1,520	322	564	467	144	8	—	7	5	2	1	—
3 Scarlet fever	M	239	10	28	67	87	23	12	9	1	1	1	—
	F	301	13	25	89	111	34	12	8	4	5	—	—
4 Whooping cough	M	1,112	536	349	189	38	—	—	—	—	—	—	—
	F	1,400	591	446	308	50	—	—	—	1	3	—	1
5 Diphtheria	M	1,338	52	106	447	647	45	12	11	8	7	1	2
	F	1,335	49	88	384	692	40	19	19	19	18	7	—
6 Influenza	M	6,899	307	156	130	148	336	395	672	1,042	1,177	1,339	1,197
	F	7,510	206	130	120	149	282	365	571	773	1,119	1,724	2,071
7 Encephalitis lethargica	M	496	—	11	15	32	85	66	51	92	91	42	11
	F	466	4	5	21	28	72	67	70	74	69	45	11
8 Cerebro-spinal fever	M	863	142	79	112	169	184	86	44	27	15	4	1
	F	577	108	54	95	148	61	41	25	23	19	2	1
9 Respiratory tuberculosis	M	16,704	46	48	73	215	2,873	3,412	3,383	3,566	2,256	739	93
	F	12,954	41	35	60	365	3,864	3,445	2,239	1,463	901	430	111
10 Other Tuberculosis	M	3,237	333	319	436	598	568	313	232	177	158	80	23
	F	2,923	245	233	396	566	513	341	198	166	138	91	36
11 Syphilis	M	956	185	9	5	14	21	38	105	216	246	98	19
	F	490	137	10	6	13	23	28	56	89	86	35	7
12 Gen. paralysis of insane, etc.	M	1,502	—	—	—	3	9	68	316	468	403	197	38
	F	373	—	—	—	4	10	25	82	128	78	38	8
13 Cancer	M	27,777	18	9	34	55	161	362	1,061	3,751	8,185	9,751	4,390
	F	31,569	10	13	27	36	125	506	2,189	5,605	8,087	8,970	6,001
14 Diabetes	M	2,259	2	2	5	51	76	92	95	221	557	784	374
	F	3,551	—	—	4	48	90	103	134	319	933	1,299	621
15 Cerebral hæmorrhage	M	11,593	—	2	—	2	11	43	206	793	2,380	4,345	3,811
	F	14,704	1	—	—	2	11	54	252	1,146	2,591	4,879	5,768
16 Heart disease	M	47,960	4	2	39	331	640	771	1,555	4,170	9,613	15,981	14,854
	F	53,393	6	4	16	406	854	1,122	1,784	3,643	8,279	15,963	21,316
17 Aneurysm	M	989	2	—	—	4	20	34	67	203	364	234	61
	F	325	2	—	1	2	3	15	20	51	93	87	51
18 Other circulatory	M	11,786	17	5	1	4	10	14	68	463	1,831	4,306	5,067
	F	11,031	10	5	4	8	6	27	79	453	1,372	3,403	5,664
19 Bronchitis	M	12,513	1,321	248	96	60	81	130	370	1,026	1,736	3,090	4,355
	F	12,647	984	197	82	57	75	82	157	430	1,166	3,061	6,356
20 Pneumonia	M	18,951	4,247	1,880	1,014	557	647	799	1,408	2,182	2,464	2,263	1,490
	F	14,622	3,055	1,523	915	554	420	579	865	1,045	1,453	2,052	2,161
21 Other respiratory	M	2,920	122	44	80	89	120	112	253	480	561	577	482
	F	2,354	58	43	46	66	85	93	164	226	364	489	720
22 Peptic ulcer	M	3,214	1	—	—	5	70	252	528	888	827	474	169
	F	1,021	—	1	—	2	22	58	108	255	255	198	122
23 Diarrhoea	M	2,840	1,989	229	104	49	27	36	38	64	84	101	119
	F	2,382	1,295	218	98	62	39	78	80	85	102	125	200
24 Appendicitis	M	1,608	2	6	76	272	247	171	151	238	234	159	52
	F	1,264	—	5	54	190	139	109	135	200	228	146	58
25 Cirrhosis of liver	M	1,054	—	—	—	4	6	7	72	218	339	322	86
	F	557	—	—	2	8	1	11	47	123	182	129	54
26 Other liver diseases	M	784	3	1	3	6	6	23	32	94	221	243	152
	F	1,689	4	—	4	6	18	58	93	216	408	474	408
27 Other digestive	M	4,593	482	110	160	248	174	238	304	563	754	908	652
	F	4,743	286	80	119	273	159	204	320	593	882	919	908
28 Nephritis	M	8,284	18	15	36	116	235	268	458	1,216	1,965	2,477	1,480
	F	7,840	9	14	30	119	245	305	537	1,091	1,638	2,176	1,676
29 Puerperal sepsis	F	1,050	—	—	—	—	232	541	275	2	—	—	—
30 Other puerperal	F	1,551	—	—	—	—	269	786	469	27	—	—	—
31 Congenital causes, etc.	M	12,002	11,770	65	50	48	35	14	8	5	4	2	1
	F	8,709	8,524	49	44	38	25	11	6	5	4	3	—
32 Senility	M	7,120	—	—	—	—	—	—	—	1	72	1,239	5,808
	F	10,867	—	—	—	—	—	—	—	5	102	1,412	9,348
33 Suicide	M	3,624	—	—	—	1	218	362	525	908	955	507	148
	F	1,523	—	—	—	1	133	239	297	371	301	146	35
34 Other violence	M	10,923	391	203	478	975	1,872	1,433	1,068	1,250	1,301	1,060	892
	F	5,508	364	126	328	465	379	266	239	388	583	912	1,458
35 Other defined causes†	M	20,898	1,911	447	480	1,179	1,216	1,084	1,335	2,003	3,297	4,524	3,422
	F	18,477	1,269	335	382	981	1,013	1,331	1,782	2,632	3,199	3,225	2,328
36 Ill-defined causes	M	777	23	17	5	9	9	5	38	84	159	253	175
	F	570	14	21	4	3	10	10	22	44	91	173	178
† Including Smallpox	M	5	1	—	—	—	—	—	—	—	2	1	1
	F	4	3	—	—	1	—	—	—	—	—	—	—

TABLE 24.—*contd.*      **Aggregate of South Eastern Region** (including London).

Causes of Death <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	76,625	6,293	1,039	1,005	1,626	2,961	3,199	4,244	8,249	13,331	17,558	17,120
	F	77,167	4,564	909	937	1,488	2,700	3,325	3,986	6,824	10,788	16,941	24,705
1 Typhoid fever, etc.	M	37	—	—	—	6	10	5	5	4	5	1	1
	F	28	—	—	1	1	3	9	4	2	5	3	—
2 Measles	M	149	34	50	37	23	4	—	—	—	—	—	1
	F	100	20	35	34	9	2	—	—	—	—	—	—
3 Scarlet fever	M	84	4	12	20	28	6	7	5	—	1	1	—
	F	117	4	8	27	46	16	5	5	3	3	—	—
4 Whooping cough	M	292	147	86	53	6	—	—	—	—	—	—	—
	F	377	169	118	72	15	—	—	—	1	1	—	1
5 Diphtheria	M	357	20	29	142	141	12	6	4	2	1	—	—
	F	358	16	30	110	167	13	4	4	4	8	2	—
6 Influenza	M	1,660	49	33	14	28	63	77	140	245	293	364	354
	F	2,089	42	31	23	34	57	85	121	199	335	488	674
7 Encephalitis lethargica	M	118	—	5	6	8	16	14	12	21	18	12	6
	F	118	2	1	4	5	16	10	19	23	21	13	4
8 Cerebro-spinal fever	M	151	42	16	17	24	22	16	5	5	3	1	—
	F	127	30	13	23	20	8	11	5	8	9	—	—
9 Respiratory tuberculosis	M	5,478	10	9	16	44	887	1,134	1,086	1,183	791	276	42
	F	4,013	19	9	15	95	1,112	1,068	684	487	309	170	45
10 Other tuberculosis	M	842	87	75	104	146	159	74	57	59	50	23	8
	F	793	59	52	118	142	139	92	59	42	45	29	16
11 Syphilis	M	301	48	1	1	1	4	13	28	70	92	36	7
	F	133	38	1	2	1	5	10	17	24	29	4	2
12 Gen. paralysis of insane, etc.	M	509	—	—	—	1	3	21	91	157	134	81	21
	F	141	—	—	—	2	8	8	24	39	39	18	3
13 Cancer	M	9,519	7	2	11	22	44	129	354	1,216	2,685	3,331	1,718
	F	11,192	2	3	12	10	36	180	715	1,916	2,704	3,181	2,433
14 Diabetes	M	671	—	1	—	8	22	18	25	70	149	249	129
	F	1,100	—	—	1	16	26	35	32	103	224	433	230
15 Cerebral hæmorrhage	M	3,057	—	1	—	—	4	12	42	214	615	1,063	1,106
	F	4,325	1	—	—	—	5	16	67	300	700	1,300	1,936
16 Heart disease	M	16,082	—	1	8	80	178	234	452	1,332	3,031	5,164	5,602
	F	18,474	2	1	5	100	276	326	536	1,062	2,428	5,291	8,447
17 Aneurysm	M	432	2	—	—	3	10	17	18	76	148	124	34
	F	155	—	—	—	1	1	9	4	20	45	55	20
18 Other circulatory	M	3,287	5	—	—	1	5	3	23	137	509	1,120	1,484
	F	3,509	2	2	—	3	2	9	25	134	441	990	1,901
19 Bronchitis	M	3,497	228	32	15	14	16	36	102	286	509	801	1,458
	F	3,642	179	33	15	12	25	24	32	113	265	828	2,116
20 Pneumonia	M	5,575	1,106	388	212	110	163	180	382	716	834	821	663
	F	4,584	800	335	181	135	116	172	254	361	517	734	979
21 Other respiratory	M	899	33	9	14	18	36	34	62	133	182	194	184
	F	818	19	8	11	12	26	27	54	75	122	180	284
22 Peptic ulcer	M	1,155	1	—	—	—	17	73	165	319	321	184	75
	F	366	—	—	—	2	6	16	38	90	87	76	51
23 Diarrhoea	M	813	601	53	21	9	9	10	11	13	23	30	33
	F	703	407	43	17	13	14	25	32	23	36	37	56
24 Appendicitis	M	558	1	3	32	85	78	54	50	75	82	71	27
	F	485	—	1	21	61	53	34	41	70	111	73	20
25 Cirrhosis of liver	M	385	—	—	—	2	1	5	26	79	123	112	37
	F	243	—	—	1	3	1	4	16	50	79	66	23
26 Other liver diseases	M	233	1	—	—	1	2	10	12	19	55	84	49
	F	483	1	—	2	2	6	22	31	44	105	137	133
27 Other digestive	M	1,542	136	32	50	67	68	72	101	197	262	310	247
	F	1,598	76	31	38	69	51	66	106	210	290	328	333
28 Nephritis	M	2,545	6	3	9	30	63	85	130	342	584	760	533
	F	2,391	2	3	2	25	62	89	135	303	493	648	629
29 Puerperal sepsis	F	333	—	—	—	—	69	175	88	1	—	—	—
30 Other puerperal	F	387	—	—	—	—	62	202	116	7	—	—	—
31 Congenital causes, etc.	M	3,201	3,128	17	17	13	14	4	2	1	2	2	1
	F	2,299	2,249	11	10	9	6	7	3	—	2	2	—
32 Senility	M	1,868	—	—	—	—	—	—	—	1	21	235	1,611
	F	3,154	—	—	—	—	—	—	—	2	19	314	2,819
33 Suicide	M	1,234	—	—	—	1	64	118	172	305	344	168	62
	F	609	—	—	—	1	38	110	115	144	125	62	14
34 Other violence	M	3,416	147	57	96	326	617	400	265	361	423	391	333
	F	1,962	117	40	83	137	130	86	79	133	232	349	576
35 Other defined causes†	M	6,564	436	121	109	378	364	338	413	602	1,017	1,521	1,265
	F	5,873	306	98	108	340	308	389	523	824	946	1,106	925
36 Ill-defined causes	M	114	14	3	1	2	—	—	4	9	24	28	29
	F	88	2	2	1	—	2	—	2	7	13	24	35

† Including 4 deaths from Smallpox (2 Males—aged 55 and 63 years; 2 Females—aged 1 week and 7 years).



Causes of Death <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	46,487	4,253	725	668	997	1,912	2,129	2,748	5,501	8,535	10,199	8,820
	F	46,179	3,097	625	595	967	1,810	2,169	2,567	4,263	6,540	9,969	13,577
1 Typhoid fever, etc.	M	24	—	—	—	4	5	3	4	3	4	1	—
	F	17	—	—	—	1	1	5	4	2	3	1	—
2 Measles	M	88	22	33	24	8	1	—	—	—	—	—	—
	F	52	12	21	16	3	—	—	—	—	—	—	—
3 Scarlet fever	M	55	2	10	13	17	6	3	4	—	—	—	—
	F	83	4	7	21	32	11	1	4	1	2	—	—
4 Whooping cough	M	223	106	74	41	2	—	—	—	—	—	—	—
	F	264	124	79	50	9	—	—	—	—	1	—	1
5 Diphtheria	M	236	17	17	102	88	7	2	2	—	1	—	—
	F	237	13	23	73	107	11	3	2	1	4	—	—
6 Influenza	M	914	29	20	9	9	38	48	87	152	167	194	161
	F	1,184	25	18	14	16	42	51	71	119	189	270	369
7 Encephalitis lethargica	M	62	—	1	—	2	10	7	6	16	10	5	5
	F	58	—	—	2	1	11	7	11	8	13	4	1
8 Cerebro-spinal fever	M	111	40	14	12	15	12	10	2	3	2	1	—
	F	92	28	12	11	15	6	6	3	5	6	—	—
9 Respiratory tuberculosis	M	3,724	7	8	15	25	631	766	680	825	556	184	27
	F	2,626	12	8	13	59	783	695	438	303	194	94	27
10 Other tuberculosis	M	508	45	45	56	86	114	42	36	38	27	13	6
	F	459	34	29	71	93	84	57	26	25	22	12	6
11 Syphilis	M	213	37	—	1	1	3	9	21	56	58	24	3
	F	87	24	—	—	1	4	6	12	17	19	2	2
12 Gen. paralysis of insane, etc.	M	348	—	—	—	1	3	16	68	92	93	59	16
	F	92	—	—	—	1	5	7	16	21	28	12	2
13 Cancer	M	5,720	6	2	8	16	30	95	240	840	1,727	1,905	851
	F	6,618	1	2	8	7	20	121	482	1,164	1,619	1,834	1,360
14 Diabetes	M	353	—	1	—	1	16	9	14	38	84	132	58
	F	645	—	—	1	9	10	24	22	69	133	256	121
15 Cerebral hæmorrhage	M	1,555	—	—	—	—	4	10	29	133	350	560	469
	F	2,279	1	—	—	—	2	12	38	171	407	689	959
16 Heart disease	M	9,738	—	1	4	54	126	175	295	885	1,961	3,066	3,171
	F	11,294	1	—	3	73	209	235	371	704	1,499	3,219	4,980
17 Aneurysm	M	289	2	—	—	2	8	13	13	50	105	75	21
	F	115	—	—	—	1	1	8	3	16	36	35	15
18 Other circulatory	M	1,743	3	—	—	1	5	2	18	88	320	609	697
	F	1,879	1	2	—	3	2	5	18	82	273	550	943
19 Bronchitis	M	2,163	146	16	12	9	11	27	70	217	367	509	779
	F	2,180	126	16	4	5	16	15	19	82	183	523	1,191
20 Pneumonia	M	4,001	826	292	141	74	110	129	277	517	612	577	446
	F	3,219	597	250	118	85	73	119	179	255	368	526	649
21 Other respiratory	M	537	20	6	7	11	24	23	38	86	109	113	100
	F	464	12	6	4	6	17	18	34	45	65	91	166
22 Peptic ulcer	M	748	—	—	—	—	10	51	102	210	218	120	37
	F	227	—	—	—	—	3	8	17	51	63	52	33
23 Diarrhœa	M	615	496	38	10	6	4	6	8	9	8	16	14
	F	508	332	31	12	10	10	17	18	14	15	19	30
24 Appendicitis	M	320	—	2	20	51	43	33	33	44	43	34	17
	F	293	—	1	16	41	29	20	28	40	61	46	11
25 Cirrhosis of liver	M	220	—	—	—	2	1	4	14	52	76	54	17
	F	144	—	—	—	1	—	4	10	33	49	35	12
26 Other liver diseases	M	147	1	—	—	1	—	6	8	12	40	53	26
	F	283	1	—	1	2	4	10	18	26	72	80	69
27 Other digestive	M	912	90	21	38	36	41	46	67	125	159	176	113
	F	940	48	23	28	45	25	38	64	137	162	192	178
28 Nephritis	M	1,511	5	—	4	21	42	68	80	228	355	435	273
	F	1,419	1	1	1	20	50	55	85	199	305	390	312
29 Puerperal sepsis	F	229	—	—	—	—	41	121	66	1	—	—	—
30 Other puerperal	F	240	—	—	—	—	40	127	66	7	—	—	—
31 Congenital causes, etc.	M	1,978	1,942	11	9	6	7	1	1	—	—	1	—
	F	1,434	1,411	4	4	6	4	3	2	—	—	—	—
32 Senility	M	750	—	—	—	—	—	—	—	—	8	104	638
	F	1,425	—	—	—	—	—	—	—	—	11	140	1,274
33 Suicide	M	735	—	—	—	1	41	72	108	198	191	84	40
	F	373	—	—	—	1	24	70	79	81	73	39	6
34 Other violence	M	2,060	97	37	65	213	333	232	158	210	257	252	206
	F	1,228	76	28	45	83	79	54	46	81	149	224	363
35 Other defined causes†	M	3,864	307	74	77	234	226	221	265	372	624	839	625
	F	3,468	213	63	78	231	192	247	315	502	514	627	486
36 Ill-defined causes	M	22	7	2	—	—	—	—	—	2	3	4	4
	F	24	—	1	1	—	1	—	—	1	2	7	11

† Including 3 deaths from Smallpox (1 Male—aged 63 years; 2 Females—aged 1 week and 7 years).

TABLE 24 —*contd.*    **Aggregate of South Eastern Region** (excluding Greater London).    193

Cause of Death. <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	30,138	2,040	314	337	629	1,049	1,070	1,496	2,748	4,796	7,359	8,300
	F	30,988	1,467	284	342	521	890	1,156	1,419	2,561	4,248	6,972	11,128
1 Typhoid fever, etc.	M	13	—	—	—	2	5	2	1	1	1	—	1
	F	11	—	—	1	—	2	4	—	—	2	2	—
2 Measles	M	61	12	17	13	15	3	—	—	—	—	—	1
	F	48	8	14	18	6	2	—	—	—	—	—	—
3 Scarlet fever	M	29	2	2	7	11	—	4	1	—	1	1	—
	F	34	—	1	6	14	5	4	1	2	1	—	—
4 Whooping cough	M	69	41	12	12	4	—	—	—	—	—	—	—
	F	113	45	39	22	6	—	—	—	1	—	—	—
5 Diphtheria	M	121	3	12	40	53	5	4	2	2	—	—	—
	F	121	3	7	37	60	2	1	2	3	4	2	—
6 Influenza	M	746	20	13	5	19	25	29	53	93	126	170	193
	F	905	17	13	9	18	15	34	50	80	146	218	305
7 Encephalitis lethargica	M	56	—	4	6	6	6	7	6	5	8	7	1
	F	60	2	1	2	4	5	3	8	15	8	9	3
8 Cerebro-spinal fever	M	40	2	2	5	9	10	6	3	2	1	—	—
	F	35	2	1	12	5	2	5	2	3	3	—	—
9 Respiratory tuberculosis	M	1,754	3	1	1	19	256	368	406	358	235	92	15
	F	1,387	7	1	2	36	329	373	246	184	115	76	18
10 Other tuberculosis	M	334	42	30	48	60	45	32	21	21	23	10	2
	F	334	25	23	47	49	55	35	33	17	23	17	10
11 Syphilis	M	88	11	1	—	—	1	4	7	14	34	12	4
	F	46	14	1	2	—	1	4	5	7	10	2	—
12 Gen. paralysis of insane, etc.	M	161	—	—	—	—	—	5	23	65	41	22	5
	F	49	—	—	—	1	3	1	8	18	11	6	1
13 Cancer	M	3,799	1	—	3	6	14	34	114	376	958	1,426	867
	F	4,574	1	1	4	3	16	59	233	752	1,085	1,347	1,073
14 Diabetes	M	318	—	—	—	7	6	9	11	32	65	117	71
	F	455	—	—	—	7	16	11	10	34	91	177	109
15 Cerebral hæmorrhage	M	1,502	—	1	—	—	—	2	13	81	265	503	637
	F	2,046	—	—	—	—	3	4	29	129	293	611	977
16 Heart disease	M	6,344	—	—	4	26	52	59	157	447	1,070	2,098	2,431
	F	7,180	1	1	2	27	67	91	165	358	929	2,072	3,467
17 Aneurysm	M	143	—	—	—	1	2	4	5	26	43	49	13
	F	40	—	—	—	—	—	1	1	4	9	20	5
18 Other circulatory	M	1,544	2	—	—	—	—	1	5	49	189	511	787
	F	1,630	1	—	—	—	—	4	7	52	168	440	958
19 Bronchitis	M	1,334	82	16	3	5	5	9	32	69	142	292	679
	F	1,462	53	17	11	7	9	9	13	31	82	305	925
20 Pneumonia	M	1,574	280	96	71	36	53	51	105	199	222	244	217
	F	1,365	203	85	63	50	43	53	75	106	149	208	330
21 Other respiratory	M	362	13	3	7	7	12	11	24	47	73	81	84
	F	354	7	2	7	6	9	9	20	30	57	89	118
22 Peptic ulcer	M	407	1	—	—	—	7	22	63	109	103	64	38
	F	139	—	—	—	2	3	8	21	39	24	24	18
23 Diarrhœa	M	198	105	15	11	3	5	4	3	4	15	14	19
	F	195	75	12	5	3	4	8	14	9	21	18	26
24 Appendicitis	M	238	1	1	12	34	35	21	17	31	39	37	10
	F	192	—	—	5	20	24	14	13	30	50	27	9
25 Cirrhosis of liver	M	165	—	—	—	—	—	1	12	27	47	58	20
	F	99	—	—	1	2	1	—	6	17	30	31	11
26 Other liver diseases	M	86	—	—	—	—	2	4	4	7	15	31	23
	F	200	—	—	1	—	2	12	13	18	33	57	64
27 Other digestive	M	630	46	11	12	31	27	26	34	72	103	134	134
	F	658	28	8	10	24	26	28	42	73	128	136	155
28 Nephritis	M	1,034	1	3	5	9	21	17	50	114	229	325	260
	F	972	1	2	1	5	12	34	50	104	188	258	317
29 Puerperal sepsis	F	104	—	—	—	—	28	54	22	—	—	—	—
30 Other puerperal	F	147	—	—	—	—	22	75	50	—	—	—	—
31 Congenital causes, etc.	M	1,223	1,186	6	8	7	7	3	1	1	2	1	1
	F	865	838	7	6	3	2	4	1	—	2	2	—
32 Senility	M	1,118	—	—	—	—	—	—	—	1	13	131	973
	F	1,729	—	—	—	—	—	—	—	2	8	174	1,545
33 Suicide	M	499	—	—	—	—	23	46	64	107	153	84	22
	F	236	—	—	—	—	14	40	36	63	52	23	8
34 Other violence	M	1,356	50	20	31	113	284	168	107	151	166	139	127
	F	734	41	12	38	54	51	32	33	52	83	125	213
35 Other defined causes†	M	2,700	129	47	32	144	138	117	148	230	393	682	640
	F	2,405	93	35	30	109	116	142	208	322	432	479	439
36 Ill-defined causes	M	92	7	1	1	2	—	—	4	7	21	24	25
	F	64	2	1	—	—	1	—	2	6	11	17	24

† Including 1 death from Smallpox (a Male aged 55 years).



Cause of Death See first page of Table.		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	23,572	2,060	319	344	527	985	1,092	1,372	2,496	3,916	5,263	5,198
	F	23,475	1,460	282	313	531	824	1,112	1,299	2,090	3,189	4,901	7,474
1 Typhoid fever, etc.	M	12	-	-	-	3	1	3	2	1	2	-	-
	F	10	-	-	1	-	1	4	2	-	1	1	-
2 Measles	M	27	7	7	8	5	-	-	-	-	-	-	-
	F	18	3	5	8	2	-	-	-	-	-	-	-
3 Scarlet fever	M	22	-	2	5	8	1	3	2	-	1	-	-
	F	41	3	3	9	17	3	1	3	1	1	-	-
4 Whooping cough	M	89	47	26	14	2	-	-	-	-	-	-	-
	F	100	47	27	20	5	-	-	-	1	-	-	-
5 Diphtheria	M	123	5	7	58	42	6	2	2	1	-	-	-
	F	130	5	4	38	71	5	2	1	1	3	-	-
6 Influenza	M	586	16	10	7	12	22	27	52	89	96	134	121
	F	689	14	11	4	14	15	29	46	77	96	151	232
7 Encephalitis lethargica	M	47	-	-	2	5	4	9	4	6	10	6	1
	F	46	1	-	1	2	8	6	9	10	4	4	1
8 Cerebro-spinal fever	M	46	13	7	7	7	6	3	-	3	-	-	-
	F	32	11	1	4	7	3	3	-	1	2	-	-
9 Respiratory tuberculosis	M	1,603	1	1	4	18	298	371	327	310	204	59	10
	F	1,221	6	2	2	23	324	371	206	142	93	45	7
10 Other tuberculosis	M	271	40	27	34	44	43	25	19	16	17	5	1
	F	262	22	23	41	43	45	30	17	15	13	8	5
11 Syphilis	M	82	14	1	-	-	1	5	6	21	23	9	2
	F	37	11	-	1	-	1	5	7	5	7	-	-
12 Gen. paralysis of insane, etc.	M	142	-	-	-	1	1	6	27	47	40	17	3
	F	29	-	-	-	-	2	1	5	12	6	3	-
13 Cancer	M	2,927	2	-	6	4	15	40	126	384	799	1,055	496
	F	3,433	1	2	5	4	11	61	232	612	853	929	723
14 Diabetes	M	203	-	1	-	3	10	7	5	21	41	81	34
	F	333	-	-	-	4	8	10	13	37	58	136	67
15 Cerebral hæmorrhage	M	1,070	-	-	-	-	2	7	17	72	219	354	399
	F	1,449	1	-	-	-	1	6	17	109	227	428	660
16 Heart disease	M	4,641	-	-	1	26	58	81	155	398	881	1,491	1,550
	F	5,343	1	-	2	31	89	106	173	315	711	1,460	2,455
17 Aneurysm	M	106	-	-	-	1	5	7	4	20	28	35	6
	F	37	-	-	-	1	-	1	2	5	10	17	1
18 Other circulatory	M	1,010	1	-	-	-	2	1	8	39	148	341	470
	F	1,055	-	1	-	1	-	4	6	45	125	275	598
19 Bronchitis	M	1,125	65	10	4	6	4	10	32	69	138	270	517
	F	1,144	57	14	8	4	7	9	9	27	70	255	684
20 Pneumonia	M	1,637	307	127	69	38	57	63	116	218	249	199	194
	F	1,340	233	103	63	48	29	47	78	99	133	207	300
21 Other respiratory	M	266	14	2	6	7	8	7	21	46	54	46	55
	F	252	6	2	6	5	7	12	16	19	45	59	75
22 Peptic ulcer	M	332	1	-	-	-	2	30	38	94	90	57	20
	F	110	-	-	-	-	2	5	15	20	30	21	17
23 Diarrhœa	M	213	150	8	9	2	2	4	4	3	10	12	9
	F	179	87	13	6	8	7	9	11	5	10	9	14
24 Appendicitis	M	189	1	1	11	31	24	23	20	18	26	25	9
	F	147	-	-	10	27	18	13	9	16	33	16	5
25 Cirrhosis of liver	M	102	-	-	-	1	-	1	9	24	30	25	12
	F	67	-	-	-	2	-	3	3	17	20	15	7
26 Other liver diseases	M	69	-	-	-	1	2	3	4	4	19	24	12
	F	155	-	-	-	-	1	9	13	19	26	45	42
27 Other digestive	M	480	48	10	12	18	27	26	34	56	77	87	85
	F	507	24	13	14	25	17	21	34	73	81	91	114
28 Nephritis	M	762	3	1	5	12	15	34	39	113	173	200	167
	F	614	2	2	-	11	16	23	44	87	130	155	144
29 Puerperal sepsis	F	113	-	-	-	-	14	59	40	-	-	-	-
30 Other puerperal	F	129	-	-	-	-	18	74	36	1	-	-	-
31 Congenital causes, etc.	M	1,152	1,128	7	5	4	4	2	1	-	-	-	1
	F	803	789	5	2	4	-	2	-	-	1	-	-
32 Senility	M	587	-	-	-	-	-	-	-	-	7	84	496
	F	988	-	-	-	-	-	-	-	1	5	102	880
33 Suicide	M	363	-	-	-	-	18	37	57	103	93	39	16
	F	195	-	-	-	1	17	35	43	42	32	18	7
34 Other violence	M	1,171	45	16	34	107	238	148	105	122	132	126	98
	F	577	37	16	34	46	43	29	28	35	55	100	154
35 Other defined causes	M	2,062	148	46	43	118	109	107	135	192	300	465	399
	F	1,849	99	34	34	125	111	122	180	239	300	337	268
36 Ill-defined causes	M	55	4	2	-	1	-	-	1	6	9	17	15
	F	41	-	1	-	-	1	-	1	2	8	14	14

TABLE 24—*contd.* **Aggregate of South Eastern Region** (Part formerly included in "South").

195

Causes of Death <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	53,053	4,233	720	661	1,099	1,976	2,107	2,872	5,753	9,415	12,295	11,922
	F	53,692	3,104	627	624	957	1,876	2,213	2,687	4,734	7,599	12,040	17,231
1 Typhoid fever, etc.	M	25	—	—	—	3	9	2	3	3	3	1	1
	F	18	—	—	—	1	2	5	2	2	4	2	—
2 Measles	M	122	27	43	29	18	4	—	—	—	—	—	1
	F	82	17	30	26	7	2	—	—	—	—	—	—
3 Scarlet fever	M	62	4	10	15	20	5	4	3	—	—	1	—
	F	76	1	5	18	29	13	4	2	—	—	—	—
4 Whooping cough	M	203	100	60	39	4	—	—	—	—	—	—	—
	F	277	122	91	52	10	—	—	—	—	1	—	1
5 Diphtheria	M	234	15	22	84	99	6	4	2	1	1	—	—
	F	228	11	26	72	96	8	2	3	3	5	2	—
6 Influenza	M	1,074	33	23	7	16	41	50	88	156	197	230	233
	F	1,400	28	20	19	20	42	56	75	122	239	337	442
7 Encephalitis lethargica	M	71	—	5	4	3	12	5	8	15	8	6	5
	F	72	1	1	3	3	8	4	10	13	17	9	3
8 Cerebro-spinal fever	M	105	29	9	10	17	16	13	5	2	3	1	—
	F	95	19	12	19	13	5	8	5	7	7	—	—
9 Respiratory tuberculosis	M	3,875	9	8	12	26	589	763	759	873	587	217	32
	F	2,792	13	7	13	72	788	697	478	345	216	125	38
10 Other tuberculosis	M	571	47	48	70	102	116	49	38	43	33	18	7
	F	531	37	29	77	99	94	62	42	27	32	21	11
11 Syphilis	M	219	34	—	1	1	3	8	22	49	69	27	5
	F	96	27	1	1	1	4	5	10	19	22	4	2
12 Gen. paralysis of insane, etc.	M	367	—	—	—	—	2	15	64	110	94	64	18
	F	112	—	—	—	2	6	7	19	27	33	15	3
13 Cancer	M	6,592	5	2	5	18	29	89	228	832	1,886	2,276	1,222
	F	7,759	1	1	7	6	25	119	483	1,304	1,851	2,252	1,710
14 Diabetes	M	468	—	—	—	5	12	11	20	49	108	168	95
	F	767	—	—	1	12	18	25	19	66	166	297	163
15 Cerebral hæmorrhage	M	1,987	—	1	—	—	2	5	25	142	396	709	707
	F	2,876	—	—	—	—	4	10	50	191	473	872	1,276
16 Heart disease	M	11,441	—	1	7	54	120	153	297	934	2,150	3,673	4,052
	F	13,131	1	1	3	69	187	220	363	747	1,717	3,831	5,992
17 Aneurysm	M	326	2	—	—	2	5	10	14	56	120	89	28
	F	118	—	—	—	—	1	8	2	15	35	38	19
18 Other circulatory	M	2,277	4	—	—	1	3	2	15	98	361	779	1,014
	F	2,454	2	1	—	2	2	5	19	89	316	715	1,303
19 Bronchitis	M	2,372	163	22	11	8	12	26	70	217	371	531	941
	F	2,498	122	19	7	8	18	15	23	86	195	573	1,432
20 Pneumonia	M	3,938	799	261	143	72	106	117	266	498	585	622	469
	F	3,244	567	232	118	87	87	125	176	262	384	527	679
21 Other respiratory	M	633	19	7	8	11	28	27	41	87	128	148	129
	F	566	13	6	5	7	19	15	38	56	77	121	209
22 Peptic ulcer	M	823	—	—	—	—	15	43	127	225	231	127	55
	F	256	—	—	—	2	4	11	23	70	57	55	34
23 Diarrhoea	M	600	451	45	12	7	7	6	7	10	13	18	24
	F	524	320	30	11	5	7	16	21	18	26	28	42
24 Appendicitis	M	369	—	2	21	54	54	31	30	57	56	46	18
	F	338	—	1	11	34	35	21	32	54	78	57	15
25 Cirrhosis of liver	M	283	—	—	—	1	1	4	17	55	93	87	25
	F	176	—	—	1	1	1	1	13	33	59	51	16
26 Other liver diseases	M	164	1	—	—	—	—	7	8	15	36	60	37
	F	328	1	—	2	2	5	13	18	25	79	92	91
27 Other digestive	M	1,062	88	22	38	49	41	46	67	141	185	223	162
	F	1,091	52	18	24	44	34	45	72	137	209	237	219
28 Nephritis	M	1,783	3	2	4	18	48	51	91	229	411	560	366
	F	1,777	—	1	2	14	46	66	91	216	363	493	485
29 Puerperal sepsis	F	220	—	—	—	—	55	116	48	1	—	—	—
30 Other puerperal	F	258	—	—	—	—	44	128	80	6	—	—	—
31 Congenital causes, etc.	M	2,049	2,000	10	12	9	10	2	1	1	2	2	—
	F	1,496	1,460	6	8	5	6	5	3	—	1	2	—
32 Senility	M	1,281	—	—	—	—	—	—	—	1	14	151	1,115
	F	2,166	—	—	—	—	—	—	—	1	14	212	1,939
33 Suicide	M	871	—	—	—	1	46	81	115	202	251	129	46
	F	414	—	—	—	—	21	75	72	102	93	44	7
34 Other violence	M	2,245	102	41	62	219	379	252	160	239	291	265	235
	F	1,385	80	24	49	91	87	57	51	98	177	249	422
35 Other defined causes†	M	4,502	288	75	66	260	255	231	278	410	717	1,056	866
	F	4,024	207	64	74	215	197	267	343	585	646	769	657
36 Ill-defined causes	M	59	10	1	1	1	—	—	—	3	15	11	14
	F	47	2	1	1	—	1	—	1	5	5	10	21

† Including 4 deaths from Smallpox (2 Males—aged 55 and 63 years; 2 Females—aged 1 week and 7 years).



Causes of Death. <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	87,988	9,934	2,445	2,167	2,583	3,571	3,853	5,397	9,792	15,137	19,331	13,778
	F	84,034	7,191	2,045	1,817	2,317	3,460	3,996	4,891	8,050	12,786	18,641	18,840
1 Typhoid fever, etc.	M	55	—	—	1	3	12	11	10	9	6	3	—
	F	45	—	—	1	2	11	7	7	8	6	3	—
2 Measles	M	1,023	232	422	286	82	—	—	1	—	—	—	—
	F	865	187	340	258	73	2	—	2	2	1	—	—
3 Scarlet fever	M	94	4	10	34	38	3	4	1	—	—	—	—
	F	107	6	13	37	38	9	2	2	—	—	—	—
4 Whooping cough	M	484	235	152	77	20	—	—	—	—	—	—	—
	F	613	229	211	150	21	—	—	—	—	2	—	—
5 Diphtheria	M	558	19	44	168	301	14	3	3	4	1	—	1
	F	568	19	27	160	325	9	8	5	8	5	2	—
6 Influenza	M	2,624	126	64	68	75	147	177	292	431	440	449	355
	F	2,841	76	47	57	67	116	162	262	342	426	645	641
7 Encephalitis lethargica	M	226	—	1	4	18	35	34	25	49	42	16	2
	F	200	1	1	9	6	34	38	30	30	26	22	3
8 Cerebro-spinal fever	M	489	72	45	78	112	85	43	29	12	10	2	1
	F	335	61	32	48	97	42	21	17	11	4	2	—
9 Respiratory tuberculosis	M	5,888	22	26	37	110	1,027	1,137	1,168	1,315	787	234	25
	F	4,439	12	15	24	171	1,418	1,119	769	485	280	118	28
10 Other tuberculosis	M	1,300	136	136	193	259	223	116	91	56	59	23	8
	F	1,139	110	102	160	230	204	123	58	66	52	29	5
11 Syphilis	M	322	70	5	2	7	10	14	37	71	70	30	6
	F	172	58	7	2	5	7	8	17	30	23	14	1
12 Gen. paralysis of insane, etc.	M	527	—	—	—	1	1	23	119	169	133	71	10
	F	130	—	—	—	—	1	11	36	48	20	9	5
13 Cancer	M	8,997	5	4	11	18	56	116	388	1,291	2,928	3,074	1,106
	F	9,954	3	7	6	13	40	163	752	1,881	2,741	2,862	1,486
14 Diabetes	M	789	1	—	2	21	33	43	38	80	214	256	101
	F	1,246	—	—	1	18	37	33	58	124	373	436	166
15 Cerebral hæmorrhage	M	4,101	—	1	—	—	4	15	85	301	898	1,604	1,193
	F	5,005	—	—	—	1	2	21	94	452	1,010	1,811	1,614
16 Heart disease	M	15,720	3	1	16	136	244	299	607	1,564	3,426	5,460	3,964
	F	17,288	2	1	5	156	320	448	697	1,475	3,134	5,430	5,620
17 Aneurysm	M	241	—	—	—	—	2	7	18	69	95	42	8
	F	86	—	—	1	1	1	4	9	17	25	18	10
18 Other circulatory	M	4,663	5	1	1	3	3	4	22	190	773	1,840	1,821
	F	4,128	1	2	2	4	3	11	26	190	521	1,422	1,946
19 Bronchitis	M	4,628	659	123	51	25	38	64	168	456	674	1,235	1,135
	F	4,790	509	105	39	26	30	34	68	207	559	1,276	1,937
20 Pneumonia	M	7,814	1,870	966	542	283	271	369	597	860	907	773	376
	F	5,884	1,347	740	447	266	179	265	361	425	577	737	540
21 Other respiratory	M	949	42	23	43	40	49	42	90	170	179	162	109
	F	781	24	21	20	31	27	39	58	78	132	158	193
22 Peptic ulcer	M	1,004	—	—	—	3	26	96	181	283	240	134	41
	F	308	—	—	—	—	5	24	38	77	85	60	19
23 Diarrhoea	M	1,174	842	97	49	20	7	14	15	29	34	34	33
	F	921	500	117	41	30	10	28	26	34	42	45	48
24 Appendicitis	M	485	—	—	19	98	87	56	49	69	66	30	11
	F	356	—	1	15	57	38	28	45	67	59	33	13
25 Cirrhosis of liver	M	308	—	—	—	1	3	—	22	67	91	106	18
	F	156	—	—	1	2	—	5	17	43	46	31	11
26 Other liver diseases	M	279	1	—	—	2	1	6	8	40	91	79	51
	F	692	3	—	—	3	6	21	38	111	187	193	130
27 Other digestive	M	1,509	200	43	54	101	51	80	99	185	259	287	150
	F	1,540	112	26	43	96	54	73	105	185	295	304	247
28 Nephritis	M	2,889	6	7	16	45	87	93	162	504	737	827	405
	F	2,964	4	7	16	48	94	124	227	449	655	846	494
29 Puerperal sepsis	F	384	—	—	—	—	88	193	103	—	—	—	—
30 Other puerperal	F	620	—	—	—	—	108	313	192	7	—	—	—
31 Congenital causes, etc.	M	4,503	4,432	18	13	22	9	4	4	—	1	—	—
	F	3,322	3,254	23	13	15	11	2	1	—	2	1	—
32 Senility	M	2,258	—	—	—	—	—	—	—	—	37	573	1,648
	F	3,277	—	—	—	—	—	—	—	2	53	609	2,613
33 Suicide	M	1,174	—	—	—	—	78	106	172	303	312	163	40
	F	436	—	—	—	—	59	64	83	109	73	44	4
34 Other violence	M	3,614	112	83	193	330	549	478	397	440	431	336	265
	F	1,842	125	47	125	172	119	99	83	142	195	323	412
35 Other defined causes	M	6,958	834	165	206	406	414	398	478	732	1,119	1,382	824
	F	6,364	542	139	135	340	369	501	596	924	1,133	1,085	600
36 Ill-defined causes	M	341	6	8	3	3	2	1	21	43	77	106	71
	F	236	6	14	1	3	7	4	9	21	44	73	54

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	15,325	2,170	655	542	547	778	719	939	1,449	2,217	2,993	2,316
	F	13,669	1,638	510	437	495	687	724	852	1,200	1,826	2,591	2,709
1 Typhoid fever, etc.	M	16	—	—	—	2	6	2	—	3	3	—	—
	F	15	—	—	—	2	3	3	4	1	1	1	—
2 Measles	M	386	74	158	120	34	—	—	—	—	—	—	—
	F	302	75	108	93	24	1	—	1	—	—	—	—
3 Scarlet fever	M	20	2	1	5	11	—	1	—	—	—	—	—
	F	14	2	—	5	7	—	—	—	—	—	—	—
4 Whooping cough	M	107	48	31	20	8	—	—	—	—	—	—	—
	F	128	39	47	39	3	—	—	—	—	—	—	—
5 Diphtheria	M	49	1	6	19	22	1	—	—	—	—	—	—
	F	41	4	3	19	14	—	—	—	1	—	—	—
6 Influenza	M	450	24	13	20	26	32	42	52	70	51	68	52
	F	451	14	8	13	19	17	33	48	50	58	87	104
7 Encephalitis lethargica	M	31	—	—	—	2	5	3	2	7	8	4	—
	F	31	—	—	2	—	3	4	8	7	5	2	—
8 Cerebro-spinal fever	M	102	14	9	15	21	22	12	4	2	3	—	—
	F	60	11	3	10	19	7	1	5	2	1	1	—
9 Respiratory tuberculosis	M	1,025	8	4	16	31	249	226	193	182	83	27	6
	F	936	3	4	8	61	306	234	162	91	46	18	3
10 Other tuberculosis	M	351	39	37	42	84	70	27	27	10	11	2	2
	F	288	33	20	36	70	68	24	11	11	8	5	2
11 Syphilis	M	72	14	1	1	2	2	3	12	18	10	8	1
	F	37	17	2	1	1	1	1	3	7	3	1	—
12 Gen. paralysis of insane, etc.	M	96	—	—	—	—	—	4	21	33	23	14	1
	F	30	—	—	—	—	1	2	8	12	5	1	1
13 Cancer	M	1,349	3	2	—	3	8	16	66	196	422	448	185
	F	1,356	1	1	3	1	8	30	111	247	378	379	197
14 Diabetes	M	116	1	—	—	7	8	8	8	14	31	28	11
	F	185	—	—	—	4	8	7	14	20	52	60	20
15 Cerebral hæmorrhage	M	719	—	—	—	—	—	4	11	50	160	270	224
	F	753	—	—	—	—	1	4	17	63	169	277	222
16 Heart disease	M	2,408	—	—	5	17	49	60	116	213	515	843	590
	F	2,326	—	—	—	36	53	74	117	216	437	695	698
17 Aneurysm	M	43	—	—	—	—	—	2	4	9	16	12	—
	F	17	—	—	1	1	1	1	—	3	5	3	2
18 Other circulatory	M	846	2	—	—	1	—	1	2	38	125	320	357
	F	661	—	—	—	—	3	2	2	37	76	222	319
19 Bronchitis	M	840	227	45	10	8	8	10	50	63	73	161	185
	F	788	161	35	13	8	6	5	10	31	69	157	293
20 Pneumonia	M	1,435	406	251	126	58	68	56	82	105	119	105	59
	F	1,072	290	183	108	63	34	44	60	62	78	85	65
21 Other respiratory	M	184	10	5	12	8	12	8	15	25	31	33	25
	F	157	6	6	5	5	7	9	14	11	19	36	39
22 Peptic ulcer	M	172	—	—	—	1	7	28	27	41	36	26	6
	F	33	—	—	—	—	—	4	9	9	7	2	2
23 Diarrhœa	M	229	160	19	13	6	2	2	7	5	6	4	5
	F	196	110	28	15	7	2	4	3	4	5	7	11
24 Appendicitis	M	85	—	—	1	17	15	9	11	16	9	3	4
	F	41	—	—	—	9	2	5	5	12	5	1	2
25 Cirrhosis of liver	M	43	—	—	—	—	—	—	4	8	14	15	2
	F	24	—	—	—	—	—	1	4	4	8	3	4
26 Other liver diseases	M	38	—	—	—	1	—	1	2	4	9	19	2
	F	92	1	—	—	1	—	6	2	13	29	28	12
27 Other digestive	M	232	46	9	8	23	5	14	16	25	27	36	23
	F	240	25	7	11	19	10	14	14	26	42	42	30
28 Nephritis	M	491	1	3	8	16	15	12	17	71	126	148	74
	F	491	1	2	2	8	24	18	40	79	105	141	71
29 Puerperal sepsis	F	77	—	—	—	—	18	35	24	—	—	—	—
30 Other puerperal	F	124	—	—	—	—	28	62	33	1	—	—	—
31 Congenital causes, etc.	M	882	869	3	5	3	1	1	—	—	—	—	—
	F	696	687	2	2	2	2	1	—	—	—	—	—
32 Senility	M	396	—	—	—	—	—	—	—	—	3	93	300
	F	558	—	—	—	—	—	—	—	—	6	115	437
33 Suicide	M	140	—	—	—	—	14	12	20	39	36	14	5
	F	50	—	—	—	—	3	10	13	15	4	5	—
34 Other violence	M	645	17	19	41	60	107	77	83	77	70	54	40
	F	292	19	9	25	34	20	15	11	25	26	49	59
35 Other defined causes	M	1,199	201	37	54	74	71	78	78	108	159	203	136
	F	1,017	138	38	25	76	48	70	94	129	160	143	96
36 Ill-defined causes	M	128	3	2	1	1	1	—	9	17	38	35	21
	F	90	1	4	1	1	2	1	5	11	19	25	20



Cause of Death. <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	8,729	982	261	228	282	352	354	459	833	1,302	1,896	1,780
	F	8,223	708	235	182	232	328	340	435	707	1,148	1,692	2,216
1 Typhoid fever, etc.	M	6	—	—	—	—	1	2	3	—	—	—	—
	F	4	—	—	—	—	2	—	—	2	—	—	—
2 Measles	M	102	27	38	27	10	—	—	—	—	—	—	—
	F	93	23	40	20	8	—	—	1	1	—	—	—
3 Scarlet fever	M	12	1	2	3	6	—	—	—	—	—	—	—
	F	8	—	1	1	3	1	1	1	—	—	—	—
4 Whooping cough	M	31	15	11	5	—	—	—	—	—	—	—	—
	F	49	20	15	10	4	—	—	—	—	—	—	—
5 Diphtheria	M	69	3	4	18	42	1	—	—	—	—	—	1
	F	70	2	5	17	44	—	1	1	—	—	—	—
6 Influenza	M	251	10	8	6	6	15	13	25	34	31	60	43
	F	269	5	4	3	8	9	9	25	27	49	58	72
7 Encephalitis lethargica	M	9	—	1	—	2	1	2	—	2	1	—	—
	F	17	—	1	3	1	2	2	2	3	1	2	—
8 Cerebro-spinal fever	M	22	6	2	1	5	3	2	2	—	1	—	—
	F	11	1	3	1	5	—	1	—	—	—	—	—
9 Respiratory tuberculosis	M	597	6	4	2	20	110	124	118	122	65	23	3
	F	458	1	4	7	16	149	114	77	44	30	13	3
10 Other tuberculosis	M	137	16	14	26	26	18	8	11	5	8	4	1
	F	108	12	12	14	28	8	10	4	7	10	3	—
11 Syphilis	M	28	4	1	—	1	—	3	1	7	7	3	1
	F	26	8	1	—	—	1	—	3	5	4	4	—
12 Gen. paralysis of insane, etc.	M	44	—	—	—	—	—	2	9	13	14	6	—
	F	22	—	—	—	—	—	2	8	4	4	3	1
13 Cancer	M	894	—	1	1	3	4	13	24	94	274	319	161
	F	988	—	—	—	5	3	13	64	169	273	273	188
14 Diabetes	M	71	—	—	—	—	2	5	3	9	17	23	12
	F	110	—	—	—	1	4	5	6	13	33	36	12
15 Cerebral hæmorrhage	M	462	—	—	—	—	—	—	7	23	74	183	175
	F	555	—	—	—	—	—	1	8	50	84	180	232
16 Heart disease	M	1,667	—	—	1	15	19	20	51	136	301	573	551
	F	1,764	—	—	—	11	17	33	49	130	288	516	720
17 Aneurysm	M	27	—	—	—	—	—	—	1	10	7	8	1
	F	10	—	—	—	—	—	—	—	2	4	2	2
18 Other circulatory	M	436	1	—	—	—	—	—	1	10	53	140	231
	F	387	—	—	—	—	—	2	—	7	23	118	237
19 Bronchitis	M	358	66	17	6	2	2	2	4	22	41	83	113
	F	384	42	17	4	1	3	3	4	9	34	91	176
20 Pneumonia	M	765	198	113	65	23	26	29	46	70	75	77	43
	F	566	143	91	53	27	14	18	36	31	44	60	49
21 Other respiratory	M	114	3	4	3	7	4	3	7	20	28	21	14
	F	79	2	1	3	3	3	3	4	9	8	13	30
22 Peptic ulcer	M	105	—	—	—	—	1	11	13	34	26	16	4
	F	30	—	—	—	—	1	4	3	6	4	9	3
23 Diarrhœa	M	90	64	7	3	1	1	3	—	2	2	3	4
	F	89	41	13	5	9	—	3	2	1	2	7	6
24 Appendicitis	M	57	—	—	2	11	10	3	8	10	8	2	3
	F	32	—	—	4	4	2	1	7	6	3	4	1
25 Cirrhosis of liver	M	26	—	—	—	—	—	—	1	6	7	11	1
	F	22	—	—	—	—	—	—	—	11	9	—	2
26 Other liver diseases	M	30	—	—	—	—	—	1	1	4	7	10	7
	F	46	—	—	—	—	1	2	3	10	10	14	6
27 Other digestive	M	157	20	7	7	11	8	3	11	13	20	32	25
	F	128	14	3	1	8	8	4	6	11	29	20	24
28 Nephritis	M	245	—	1	—	2	6	10	9	37	64	70	46
	F	255	—	2	1	4	7	7	16	37	56	69	56
29 Puerperal sepsis	F	44	—	—	—	—	12	18	14	—	—	—	—
30 Other puerperal	F	69	—	—	—	—	15	32	22	—	—	—	—
31 Congenital causes, etc.	M	460	453	1	—	3	—	1	1	—	1	—	—
	F	330	323	1	3	1	1	—	—	—	1	—	—
32 Senility	M	226	—	—	—	—	—	—	—	—	1	27	198
	F	320	—	—	—	—	—	—	—	—	3	47	270
33 Suicide	M	108	—	—	—	—	3	13	22	23	30	15	2
	F	40	—	—	—	—	6	5	9	10	7	3	—
34 Other violence	M	429	15	7	30	36	79	53	45	52	51	38	23
	F	174	12	6	15	14	14	7	7	9	18	24	48
35 Other defined causes	M	652	73	16	22	50	38	28	31	67	84	138	105
	F	637	57	15	17	26	44	39	53	92	109	118	67
36 Ill-defined causes	M	42	1	2	—	—	—	—	4	8	4	11	12
	F	29	2	—	—	1	1	—	—	1	8	5	11

TABLE 24—*contd.* Aggregate of Northern Region (Part III.)

199

Causes of Death. <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75
All Causes	M	22,496	2,267	485	525	705	906	934	1,322	2,539	4,116	5,141	3,556
	F	21,424	1,671	419	449	612	869	985	1,248	2,118	3,257	4,831	4,965
1 Typhoid fever, etc.	M	15	—	—	—	—	3	4	2	3	2	1	—
	F	11	—	—	1	—	2	3	—	2	2	1	—
2 Measles	M	170	30	73	53	14	—	—	—	—	—	—	—
	F	169	25	58	60	24	1	—	—	1	—	—	—
3 Scarlet fever	M	25	—	2	12	8	2	1	—	—	—	—	—
	F	37	1	8	11	10	6	—	1	—	—	—	—
4 Whooping cough	M	86	46	27	11	2	—	—	—	—	—	—	—
	F	118	46	40	27	4	—	—	—	—	1	—	—
5 Diphtheria	M	170	3	13	49	95	6	—	2	2	—	—	—
	F	156	1	9	41	94	3	2	2	3	1	—	—
6 Influenza	M	587	34	13	18	14	34	30	54	94	110	97	89
	F	576	17	13	11	13	27	25	47	82	71	135	135
7 Encephalitis lethargica	M	38	—	—	—	5	6	6	8	6	5	2	—
	F	29	1	—	2	—	3	8	5	3	5	2	—
8 Cerebro-spinal fever	M	275	28	19	50	71	48	24	21	9	3	1	1
	F	189	24	15	32	59	25	16	10	5	3	—	—
9 Respiratory tuberculosis	M	1,333	5	7	8	21	208	241	263	310	215	52	3
	F	987	5	2	3	28	324	229	175	117	64	32	8
10 Other tuberculosis	M	299	30	23	43	56	55	27	19	20	17	7	2
	F	284	25	37	38	48	52	28	11	21	11	12	1
11 Syphilis	M	90	23	—	—	2	3	4	8	17	23	9	1
	F	40	11	1	—	2	2	3	3	10	5	3	1
12 Gen. paralysis of insane, etc.	M	153	—	—	—	1	1	6	30	48	42	23	2
	F	40	—	—	—	—	—	4	15	13	4	2	2
13 Cancer	M	2,316	—	1	5	4	17	35	112	343	778	766	255
	F	2,661	2	2	1	2	8	37	203	522	726	754	404
14 Diabetes	M	213	—	—	—	4	3	10	9	21	67	75	24
	F	367	—	—	—	3	10	7	18	40	111	126	52
15 Cerebral hæmorrhage	M	1,109	—	1	—	—	3	5	20	77	235	437	331
	F	1,371	—	—	—	1	—	8	24	118	267	481	472
16 Heart disease	M	4,246	—	—	5	41	66	67	132	450	970	1,476	1,039
	F	4,572	1	1	—	31	89	123	193	386	782	1,430	1,536
17 Aneurysm	M	67	—	—	—	—	2	2	6	21	27	6	3
	F	30	—	—	—	—	—	2	2	8	6	6	6
18 Other circulatory	M	1,455	1	—	—	1	1	1	7	42	242	585	575
	F	1,223	—	1	—	—	—	3	9	49	158	405	598
19 Bronchitis	M	1,093	126	19	10	4	3	20	36	101	170	333	271
	F	1,111	118	15	11	9	7	8	11	44	127	283	478
20 Pneumonia	M	1,900	447	200	133	73	55	80	152	199	235	218	108
	F	1,321	290	133	104	72	40	51	73	101	124	181	152
21 Other respiratory	M	243	9	4	11	10	17	14	25	43	47	38	25
	F	173	6	3	6	10	7	7	15	11	37	28	43
22 Peptic ulcer	M	250	—	—	—	1	8	22	47	69	61	32	10
	F	94	—	—	—	—	2	6	10	22	28	19	7
23 Diarrhœa	M	245	158	21	8	7	3	4	3	13	8	9	11
	F	194	93	17	9	5	5	9	7	9	10	14	16
24 Appendicitis	M	129	—	—	4	34	21	19	8	20	15	6	2
	F	97	—	1	6	13	11	8	13	20	14	8	3
25 Cirrhosis of liver	M	90	—	—	—	1	2	—	4	23	28	27	5
	F	41	—	—	1	2	—	3	7	9	11	6	2
26 Other liver diseases	M	92	1	—	—	—	1	1	1	14	36	22	16
	F	231	1	—	—	—	1	10	11	39	54	69	46
27 Other digestive	M	385	38	9	8	20	11	17	27	62	78	83	32
	F	400	33	3	12	29	14	18	31	52	65	86	57
28 Nephritis	M	782	1	1	3	13	35	26	52	144	188	217	102
	F	833	1	1	4	13	26	39	68	124	188	245	124
29 Puerperal sepsis	F	115	—	—	—	—	27	66	22	—	—	—	—
30 Other puerperal	F	175	—	—	—	—	23	95	55	2	—	—	—
31 Congenital causes, etc.	M	1,074	1,056	6	2	5	4	—	1	—	—	—	—
	F	825	807	5	3	3	6	—	1	—	—	—	—
32 Senility	M	418	—	—	—	—	—	—	—	—	2	82	334
	F	638	—	—	—	—	—	—	—	—	9	74	555
33 Suicide	M	317	—	—	—	—	19	26	36	76	96	52	12
	F	109	—	—	—	—	16	18	16	28	20	10	1
34 Other violence	M	978	32	15	43	87	158	134	110	132	121	81	65
	F	522	47	13	29	52	29	25	26	46	57	83	115
35 Other defined causes	M	1,808	199	31	49	110	111	108	125	178	289	381	227
	F	1,657	116	38	37	85	102	125	162	231	293	322	146
36 Ill-defined causes	M	45	—	—	—	1	—	—	2	2	6	23	11
	F	28	—	3	—	—	1	—	2	—	3	14	5



Causes of Death. See first page of Table.		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	41,438	4,515	1,044	872	1,049	1,535	1,846	2,677	4,971	7,502	9,301	6,126
	F	40,718	3,174	881	749	978	1,576	1,947	2,356	4,025	6,555	9,527	8,950
1 Typhoid fever, etc.	M	18	—	—	1	1	2	3	5	3	1	2	—
	F	15	—	—	—	—	4	1	3	3	3	1	—
2 Measles	M	365	101	153	86	24	—	—	1	—	—	—	—
	F	301	64	134	85	17	—	—	—	—	1	—	—
3 Scarlet fever	M	37	1	5	14	13	1	2	1	—	—	—	—
	F	48	3	4	20	18	2	1	—	—	—	—	—
4 Whooping cough	M	260	126	83	41	10	—	—	—	—	—	—	—
	F	318	124	109	74	10	—	—	—	—	1	—	—
5 Diphtheria	M	270	12	21	82	142	6	3	1	2	1	—	—
	F	301	12	10	83	173	6	5	2	4	4	2	—
6 Influenza	M	1,336	58	30	24	29	66	92	161	233	248	224	171
	F	1,545	40	22	30	27	63	95	142	183	248	365	330
7 Encephalitis lethargica	M	148	—	—	4	9	23	23	15	34	28	10	2
	F	123	—	—	2	5	26	24	15	17	15	16	3
8 Cerebro-spinal fever	M	90	24	15	12	15	12	5	2	1	3	1	—
	F	75	25	11	5	14	10	3	2	4	—	1	—
9 Respiratory tuberculosis	M	2,933	3	11	11	38	460	546	594	701	424	132	13
	F	2,058	3	5	6	66	639	542	355	233	140	55	14
10 Other tuberculosis	M	513	51	62	82	93	80	54	34	21	23	10	3
	F	459	40	33	72	84	76	61	32	27	23	9	2
11 Syphilis	M	132	29	3	1	2	5	4	16	29	30	10	3
	F	69	22	3	1	2	3	5	8	8	11	6	—
12 Gen. paralysis of insane, etc.	M	234	—	—	—	—	—	11	59	75	54	28	7
	F	38	—	—	—	—	—	3	5	19	7	3	1
13 Cancer	M	4,438	2	—	5	8	27	52	186	658	1,454	1,541	505
	F	4,949	—	4	2	5	21	83	374	943	1,364	1,456	697
14 Diabetes	M	389	—	—	2	10	20	20	18	36	99	130	54
	F	584	—	—	1	10	15	14	20	51	177	214	82
15 Cerebral hæmorrhage	M	1,811	—	—	—	—	1	6	47	151	429	714	463
	F	2,326	—	—	—	—	1	8	45	221	490	873	688
16 Heart disease	M	7,399	3	1	5	63	110	152	308	765	1,640	2,568	1,784
	F	8,626	1	—	5	78	161	218	338	743	1,627	2,789	2,666
17 Aneurysm	M	104	—	—	—	—	—	3	7	29	45	16	4
	F	29	—	—	—	—	—	1	7	4	10	7	—
18 Other circulatory	M	1,926	1	1	1	1	2	2	12	100	353	795	658
	F	1,857	1	1	2	4	—	4	15	97	264	677	792
19 Bronchitis	M	2,337	240	42	25	11	25	32	78	270	390	658	566
	F	2,507	188	38	11	8	14	18	43	123	329	745	990
20 Pneumonia	M	3,714	819	402	218	129	122	204	317	486	478	373	166
	F	2,925	624	333	182	104	91	152	192	231	331	411	274
21 Other respiratory	M	408	20	10	17	15	16	17	43	82	73	70	45
	F	372	10	11	6	13	10	20	25	47	68	81	81
22 Peptic ulcer	M	477	—	—	—	1	10	35	94	139	117	60	21
	F	151	—	—	—	—	2	10	16	40	46	30	7
23 Diarrhœa	M	610	460	50	25	6	1	5	5	9	18	18	13
	F	442	256	59	12	9	3	12	14	20	25	17	15
24 Appendicitis	M	214	—	—	12	36	41	25	22	23	34	19	2
	F	186	—	—	5	31	23	14	20	29	37	20	7
25 Cirrhosis of liver	M	149	—	—	—	—	1	—	13	30	42	53	10
	F	69	—	—	—	—	—	1	6	19	18	22	3
26 Other liver diseases	M	119	—	—	—	1	—	3	4	18	39	28	26
	F	323	1	—	—	2	4	3	22	49	94	82	66
27 Other digestive	M	735	96	18	31	47	27	46	45	85	134	136	70
	F	772	40	13	19	40	22	37	54	96	159	156	136
28 Nephritis	M	1,371	4	2	5	14	31	45	84	252	359	392	183
	F	1,385	2	2	9	23	37	60	103	209	306	391	243
29 Puerperal sepsis	F	148	—	—	—	—	31	74	43	—	—	—	—
30 Other puerperal	F	252	—	—	—	—	42	124	82	4	—	—	—
31 Congenital causes, etc.	M	2,087	2,054	8	6	11	4	2	2	—	—	—	—
	F	1,471	1,437	15	5	9	2	1	—	—	1	1	—
32 Senility	M	1,218	—	—	—	—	—	—	—	—	31	371	816
	F	1,761	—	—	—	—	—	—	—	2	35	373	1,351
33 Suicide	M	609	—	—	—	—	42	55	94	165	150	82	21
	F	237	—	—	—	—	34	31	45	56	42	26	3
34 Other violence	M	1,562	48	42	79	147	205	214	159	179	189	163	137
	F	854	47	19	56	72	56	52	39	62	94	167	190
35 Other defined causes	M	3,299	361	81	81	172	194	184	244	379	587	660	356
	F	3,053	231	48	56	153	175	267	287	472	571	502	291
36 Ill-defined causes	M	126	2	4	2	1	1	1	6	16	29	37	27
	F	89	3	7	—	1	3	3	2	9	14	29	18

Cause of Death. <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	42,568	4,402	906	798	1,042	1,706	1,889	2,482	4,448	6,984	9,430	8,481
	F	39,887	3,253	734	750	878	1,539	1,815	2,335	3,466	5,662	8,361	11,094
1 Typhoid fever, etc.	M	18	—	—	—	—	5	4	2	4	2	1	—
	F	20	—	—	1	4	2	2	1	6	—	4	—
2 Measles	M	358	78	141	89	46	3	—	1	—	—	—	—
	F	348	79	118	104	41	2	—	1	1	1	1	—
3 Scarlet fever	M	21	1	1	3	7	6	1	1	1	—	—	—
	F	24	—	1	8	10	3	1	1	—	—	—	—
4 Whooping cough	M	192	91	65	27	9	—	—	—	—	—	—	—
	F	236	103	77	48	8	—	—	—	—	—	—	—
5 Diphtheria	M	185	9	14	56	91	7	2	3	—	2	—	1
	F	189	8	23	46	92	5	2	5	5	2	1	—
6 Influenza	M	1,232	72	33	27	18	60	67	137	188	214	229	187
	F	1,197	49	31	19	19	48	58	89	110	158	266	350
7 Encephalitis lethargica	M	75	—	4	3	1	20	12	7	6	14	6	2
	F	75	—	1	3	8	12	11	16	9	11	3	1
8 Cerebro-spinal fever	M	129	20	15	12	22	28	17	7	5	2	1	—
	F	82	14	5	15	22	8	8	1	4	5	—	—
9 Respiratory tuberculosis	M	2,869	6	9	16	32	472	600	619	618	369	119	9
	F	2,289	6	6	10	45	643	619	429	283	166	65	17
10 Other tuberculosis	M	529	55	50	76	103	86	57	30	36	20	13	3
	F	459	43	35	79	86	79	44	32	20	21	14	6
11 Syphilis	M	189	32	1	—	4	4	4	21	51	49	21	2
	F	98	23	2	2	3	5	6	13	18	20	6	—
12 Gen. paralysis of insane, etc.	M	220	—	—	—	1	1	11	49	71	62	22	3
	F	42	—	—	—	1	1	5	7	21	5	2	—
13 Cancer	M	4,673	3	1	9	9	28	69	157	657	1,344	1,685	711
	F	5,165	4	2	5	7	27	96	395	932	1,329	1,365	1,003
14 Diabetes	M	391	—	1	—	8	11	16	16	35	98	144	62
	F	591	—	—	2	6	11	19	18	42	171	218	104
15 Cerebral hæmorrhage	M	2,182	—	—	—	1	1	8	40	146	432	830	724
	F	2,549	—	—	—	—	1	5	49	202	422	883	987
16 Heart disease	M	7,738	1	—	8	60	109	130	246	624	1,544	2,564	2,452
	F	8,749	1	1	4	75	137	192	293	535	1,385	2,679	3,447
17 Aneurysm	M	158	—	—	—	1	5	4	11	33	63	37	4
	F	48	1	—	—	—	1	2	4	11	13	7	9
18 Other circulatory	M	1,885	1	4	—	—	2	5	10	71	280	716	796
	F	1,547	2	—	1	—	1	3	16	58	208	451	807
19 Bronchitis	M	2,152	209	47	15	13	16	18	45	141	272	539	837
	F	2,070	151	36	16	10	9	12	34	49	187	490	1,076
20 Pneumonia	M	3,266	772	314	152	89	134	163	261	382	424	366	209
	F	2,328	551	270	175	88	70	78	136	148	214	294	304
21 Other respiratory	M	498	19	4	11	15	23	14	44	83	87	105	93
	F	329	6	6	8	10	14	12	26	39	40	65	103
22 Peptic ulcer	M	567	—	—	—	—	11	42	96	165	144	81	28
	F	176	—	1	—	—	4	10	19	45	44	30	23
23 Diarrhoea	M	522	358	49	22	12	5	9	4	10	15	13	25
	F	441	257	35	21	10	5	15	11	15	10	26	36
24 Appendicitis	M	287	—	1	20	42	39	34	21	56	40	27	7
	F	212	—	1	12	32	20	18	29	37	27	27	9
25 Cirrhosis of liver	M	171	—	—	—	1	1	—	11	33	64	46	15
	F	79	—	—	—	—	—	2	4	15	32	18	8
26 Other liver diseases	M	127	—	—	—	1	1	2	4	14	43	44	18
	F	251	—	—	1	—	1	7	13	36	65	69	59
27 Other digestive	M	747	72	21	36	37	21	38	47	91	124	147	113
	F	762	42	8	16	43	23	35	52	112	161	129	141
28 Nephritis	M	1,313	3	3	5	18	50	52	81	193	303	396	209
	F	1,151	1	2	5	19	45	40	77	164	240	333	225
29 Puerperal sepsis	F	177	—	—	—	—	36	93	47	1	—	—	—
30 Other puerperal	F	261	—	—	—	—	47	128	77	9	—	—	—
31 Congenital causes, etc.	M	2,286	2,245	13	8	6	6	4	1	3	—	—	—
	F	1,670	1,645	5	7	6	5	—	1	1	—	—	—
32 Senility	M	1,377	—	—	—	—	—	—	—	—	9	229	1,139
	F	2,001	—	—	—	—	—	—	—	—	16	248	1,737
33 Suicide	M	670	—	—	—	—	33	78	105	165	169	99	21
	F	268	—	—	—	—	23	32	60	65	52	26	10
34 Other violence	M	1,893	72	34	116	177	301	242	189	218	212	168	164
	F	927	71	17	58	87	70	44	42	62	93	134	249
35 Other defined causes†	M	3,498	281	77	86	215	215	183	211	333	555	727	615
	F	2,960	192	48	82	146	181	212	331	407	547	476	338
36 Ill-defined causes	M	150	2	4	1	3	2	3	5	15	28	55	32
	F	116	4	3	2	—	—	4	6	4	17	31	45

† Including 5 deaths from Smallpox (3 Males—aged 1 month, 65 years and 75 years; 2 Females—aged 1 week and 6 months).



Causes of Death. <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	28,234	2,904	633	544	720	1,112	1,240	1,685	2,994	4,699	6,190	5,513
	F	26,487	2,168	521	539	580	1,004	1,180	1,540	2,323	3,712	5,430	7,490
1 Typhoid fever, etc.	M	9	—	—	—	—	3	3	1	1	—	1	—
	F	13	—	—	1	3	—	2	1	3	—	3	—
2 Measles	M	283	59	115	67	39	2	—	1	—	—	—	—
	F	272	57	95	86	29	2	—	1	—	1	1	—
3 Scarlet fever	M	13	—	1	1	6	3	1	1	—	—	—	—
	F	15	—	1	6	6	1	1	—	—	—	—	—
4 Whooping cough	M	139	61	53	19	6	—	—	—	—	—	—	—
	F	171	71	58	36	6	—	—	—	—	—	—	—
5 Diphtheria	M	137	9	9	40	69	5	1	2	—	1	—	1
	F	140	5	16	32	70	4	2	4	4	2	1	—
6 Influenza	M	788	45	19	15	12	33	38	90	130	138	145	123
	F	787	30	18	13	9	28	37	53	77	97	179	246
7 Encephalitis lethargica	M	41	—	2	2	—	12	5	5	2	10	3	—
	F	49	—	1	3	7	5	7	12	5	7	2	—
8 Cerebro-spinal fever	M	43	8	8	5	7	8	3	1	2	—	1	—
	F	28	6	2	2	5	5	3	1	2	2	—	—
9 Respiratory tuberculosis	M	2,025	5	6	12	23	323	411	442	455	258	86	4
	F	1,536	2	3	5	36	437	410	285	191	115	37	15
10 Other tuberculosis	M	337	34	27	50	59	58	40	20	23	15	9	2
	F	300	27	27	55	49	45	30	22	15	16	11	3
11 Syphilis	M	138	24	1	—	1	2	—	17	37	39	15	2
	F	75	16	2	2	2	3	5	11	14	14	6	—
12 Gen. paralysis of insane, etc.	M	143	—	—	—	—	1	9	30	46	42	14	1
	F	27	—	—	—	1	—	4	5	15	2	—	—
13 Cancer	M	3,097	3	1	4	8	17	51	101	435	913	1,096	468
	F	3,430	4	2	3	5	20	67	256	632	869	908	664
14 Diabetes	M	242	—	1	—	8	6	8	7	21	64	89	38
	F	357	—	—	2	4	8	10	11	29	103	129	61
15 Cerebral hæmorrhage	M	1,403	—	—	—	1	—	4	28	99	284	527	460
	F	1,614	—	—	—	—	1	4	35	121	269	542	642
16 Heart disease	M	5,244	1	—	6	38	75	87	181	410	1,042	1,730	1,674
	F	5,945	—	1	4	50	86	114	180	364	916	1,784	2,446
17 Aneurysm	M	105	—	—	—	—	3	2	10	19	45	23	3
	F	37	1	—	—	—	1	2	4	9	11	5	4
18 Other circulatory	M	1,256	1	4	—	—	2	2	6	41	184	481	535
	F	1,054	1	—	1	—	—	2	9	46	148	284	563
19 Bronchitis	M	1,462	139	30	11	9	16	13	27	101	190	365	561
	F	1,350	94	23	10	4	5	6	28	34	125	315	706
20 Pneumonia	M	2,243	531	222	106	67	90	103	182	264	305	232	141
	F	1,634	382	194	135	55	49	52	97	104	150	202	214
21 Other respiratory	M	327	13	3	9	13	15	10	28	60	54	74	48
	F	223	5	6	7	3	13	10	17	28	24	45	65
22 Peptic ulcer	M	370	—	—	—	—	8	34	65	104	95	48	16
	F	118	—	—	—	—	2	7	11	29	37	18	14
23 Diarrhœa	M	345	240	35	15	7	3	5	2	6	9	10	13
	F	318	189	26	17	7	3	10	7	13	4	16	26
24 Appendicitis	M	184	—	—	14	24	24	19	16	32	28	22	5
	F	145	—	—	9	22	9	16	21	30	16	16	6
25 Cirrhosis of liver	M	116	—	—	—	—	1	—	7	24	44	33	7
	F	59	—	—	—	—	—	—	3	12	24	15	5
26 Other liver diseases	M	86	—	—	—	—	—	2	1	9	29	31	14
	F	161	—	—	1	—	1	4	8	25	42	38	42
27 Other digestive	M	501	53	12	24	23	13	26	29	64	82	101	74
	F	503	28	6	8	31	17	23	29	68	103	84	106
28 Nephritis	M	876	3	1	5	15	35	34	53	121	202	268	139
	F	801	1	1	2	15	31	28	57	115	162	228	161
29 Puerperal sepsis	F	111	—	—	—	—	18	58	34	1	—	—	—
30 Other puerperal	F	170	—	—	—	—	30	84	52	4	—	—	—
31 Congenital causes, etc.	M	1,507	1,479	9	4	5	3	3	1	3	—	—	—
	F	1,102	1,081	3	6	6	4	—	1	1	—	—	—
32 Senility	M	788	—	—	—	—	—	—	—	—	6	135	647
	F	1,206	—	—	—	—	—	—	—	—	9	137	1,060
33 Suicide	M	440	—	—	—	—	24	48	65	118	106	64	15
	F	181	—	—	—	—	18	23	41	43	33	16	7
34 Other violence	M	1,225	44	22	77	124	189	154	117	140	140	113	105
	F	634	46	10	41	57	45	31	29	34	64	90	187
35 Other defined causes†	M	2,270	152	49	57	154	137	121	146	224	369	456	405
	F	1,866	120	26	51	98	113	126	213	253	340	299	227
36 Ill-defined causes	M	51	—	3	1	2	1	3	3	3	5	18	12
	F	55	2	—	1	—	—	2	2	2	7	19	20

† Including 1 death from Smallpox (a Male aged 75 years).

Causes of Death See first page of Table.		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	14,334	1,498	273	254	322	594	649	797	1,454	2,285	3,240	2,968
	F	13,400	1,085	213	211	298	535	635	795	1,143	1,950	2,931	3,604
1 Typhoid fever, etc.	M	9	—	—	—	—	2	1	1	3	2	—	—
	F	7	—	—	—	1	2	—	—	3	—	1	—
2 Measles	M	75	19	26	22	7	1	—	—	—	—	—	—
	F	76	22	23	18	12	—	—	—	1	—	—	—
3 Scarlet fever	M	8	1	—	2	1	3	—	—	1	—	—	—
	F	9	—	—	2	4	2	—	1	—	—	—	—
4 Whooping cough	M	53	30	12	8	3	—	—	—	—	—	—	—
	F	65	32	19	12	2	—	—	—	—	—	—	—
5 Diphtheria	M	48	—	5	16	22	2	1	1	—	1	—	—
	F	49	3	7	14	22	1	—	1	1	—	—	—
6 Influenza	M	444	27	14	12	6	27	29	47	58	76	84	64
	F	410	19	13	6	10	20	21	36	33	61	87	104
7 Encephalitis lethargica	M	34	—	2	1	1	8	7	2	4	4	3	2
	F	26	—	—	—	1	7	4	4	4	4	1	1
8 Cerebro-spinal fever	M	86	12	7	7	15	20	14	6	3	2	—	—
	F	54	8	3	13	17	3	5	—	2	3	—	—
9 Respiratory tuberculosis	M	844	1	3	4	9	149	189	177	163	111	33	5
	F	753	4	3	5	9	206	209	144	92	51	28	2
10 Other tuberculosis	M	192	21	23	26	44	28	17	10	13	5	4	1
	F	159	16	8	24	37	34	14	10	5	5	3	3
11 Syphilis	M	51	8	—	—	3	2	4	4	14	10	6	—
	F	23	7	—	—	1	2	1	2	4	6	—	—
12 Gen. paralysis of insane, etc.	M	77	—	—	—	1	—	2	19	25	20	8	2
	F	15	—	—	—	—	1	1	2	6	3	2	—
13 Cancer	M	1,576	—	—	5	1	11	18	56	222	431	589	243
	F	1,735	—	—	2	2	7	29	139	300	460	457	339
14 Diabetes	M	149	—	—	—	—	5	8	9	14	34	55	24
	F	234	—	—	—	2	3	9	7	13	68	89	43
15 Cerebral hæmorrhage	M	779	—	—	—	—	1	4	12	47	148	303	264
	F	935	—	—	—	—	—	1	14	81	153	341	345
16 Heart disease	M	2,494	—	—	2	22	34	43	65	214	502	834	778
	F	2,804	1	—	—	25	51	78	113	171	469	895	1,001
17 Aneurysm	M	53	—	—	—	1	2	2	1	14	18	14	1
	F	11	—	—	—	—	—	—	—	2	2	2	5
18 Other circulatory	M	629	—	—	—	—	—	3	4	30	96	235	261
	F	493	1	—	—	—	1	1	7	12	60	167	244
19 Bronchitis	M	690	70	17	4	4	—	5	18	40	82	174	276
	F	720	57	13	6	6	4	6	6	15	62	175	370
20 Pneumonia	M	1,023	241	92	46	22	44	60	79	118	119	134	68
	F	694	169	76	40	33	21	26	39	44	64	92	90
21 Other respiratory	M	171	6	1	2	2	8	4	16	23	33	31	45
	F	106	1	—	1	7	1	2	9	11	16	20	38
22 Peptic ulcer	M	197	—	—	—	—	3	8	31	61	49	33	12
	F	58	—	1	—	—	2	3	8	16	7	12	9
23 Diarrhœa	M	177	118	14	7	5	2	4	2	4	6	3	12
	F	123	68	9	4	3	2	5	4	2	6	10	10
24 Appendicitis	M	103	—	1	6	18	15	15	5	24	12	5	2
	F	67	—	1	3	10	11	2	8	7	11	11	3
25 Cirrhosis of liver	M	55	—	—	—	1	—	—	4	9	20	13	8
	F	20	—	—	—	—	—	2	1	3	8	3	3
26 Other liver diseases	M	41	—	—	—	1	1	—	3	5	14	13	4
	F	90	—	—	—	—	—	3	5	11	23	31	17
27 Other digestive	M	246	19	9	12	14	8	12	18	27	42	46	39
	F	259	14	2	8	12	6	12	23	44	58	45	35
28 Nephritis	M	437	—	2	—	3	15	18	28	72	101	128	70
	F	350	—	1	3	4	14	12	20	49	78	105	64
29 Puerperal sepsis	F	66	—	—	—	—	18	35	13	—	—	—	—
30 Other puerperal	F	91	—	—	—	—	17	44	25	5	—	—	—
31 Congenital causes, etc.	M	779	766	4	4	1	3	1	—	—	—	—	—
	F	568	564	2	1	—	1	—	—	—	—	—	—
32 Senility	M	589	—	—	—	—	—	—	—	—	3	94	492
	F	795	—	—	—	—	—	—	—	—	7	111	677
33 Suicide	M	230	—	—	—	—	9	30	40	47	63	35	6
	F	87	—	—	—	—	5	9	19	22	19	10	3
34 Other violence	M	668	28	12	39	53	112	88	72	78	72	55	59
	F	293	25	7	17	30	25	13	13	28	29	44	62
35 Other defined causes†	M	1,228	129	28	29	61	78	62	65	109	186	271	210
	F	1,094	72	22	31	48	68	86	118	154	207	177	111
36 Ill-defined causes	M	99	2	1	—	1	1	—	2	12	23	37	20
	F	61	2	3	1	—	—	2	4	2	10	12	25

† Including 4 deaths from Smallpox (2 Males—aged 1 month and 65 years ; 2 Females—aged 1 week and 6 months).



Causes of Death <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	11,279	968	144	136	235	406	358	515	943	1,614	2,689	3,271
	F	11,111	632	99	130	226	356	413	523	870	1,405	2,358	4,099
1 Typhoid fever, etc.	M	9	—	—	—	2	1	2	2	1	1	—	—
	F	11	—	—	—	1	2	1	3	1	2	—	1
2 Measles	M	20	5	3	9	2	—	—	—	1	—	—	—
	F	26	4	4	7	6	2	—	1	2	—	—	—
3 Scarlet fever	M	6	1	—	1	3	—	—	1	—	—	—	—
	F	14	1	—	3	4	3	2	—	1	—	—	—
4 Whooping cough	M	34	16	12	6	—	—	—	—	—	—	—	—
	F	51	24	12	12	3	—	—	—	—	—	—	—
5 Diphtheria	M	65	1	4	17	37	4	—	—	2	—	—	—
	F	40	—	1	10	20	4	1	—	1	2	1	—
6 Influenza	M	327	19	6	2	7	10	11	23	40	52	73	84
	F	329	12	2	8	10	9	9	17	23	45	91	103
7 Encephalitis lethargica	M	19	—	—	—	3	2	2	1	4	3	3	1
	F	18	—	1	1	4	3	—	2	4	1	2	—
8 Cerebro-spinal fever	M	17	4	1	2	3	4	—	—	3	—	—	—
	F	10	—	1	2	4	1	—	2	—	—	—	—
9 Respiratory tuberculosis	M	584	3	1	3	5	106	125	116	112	74	29	10
	F	529	2	1	3	10	151	151	76	56	51	17	11
10 Other tuberculosis	M	140	19	21	14	18	22	13	14	4	5	8	2
	F	149	11	19	19	27	22	15	11	12	3	5	5
11 Syphilis	M	34	11	1	—	—	2	—	4	6	7	1	2
	F	31	7	—	—	1	3	1	2	4	7	5	1
12 Gen. paralysis of insane, etc.	M	68	—	—	—	—	4	3	7	22	21	9	2
	F	21	—	—	—	—	—	—	6	9	5	1	—
13 Cancer	M	1,362	1	1	1	2	12	11	36	162	303	525	308
	F	1,568	—	—	—	2	3	13	98	247	358	472	375
14 Diabetes	M	139	—	—	—	4	2	7	5	11	34	54	22
	F	165	—	—	—	3	5	7	8	13	36	54	39
15 Cerebral hæmorrhage	M	656	—	—	—	—	1	—	6	28	98	224	299
	F	809	—	—	—	—	1	1	10	47	131	226	393
16 Heart disease	M	2,201	—	—	2	11	22	16	38	141	363	748	860
	F	2,461	1	1	1	12	14	24	59	134	314	683	1,218
17 Aneurysm	M	45	—	—	—	—	1	2	5	6	17	8	6
	F	20	1	—	—	—	—	—	1	3	4	4	7
18 Other circulatory	M	549	—	—	—	—	—	—	4	12	52	163	318
	F	572	—	—	1	—	—	1	1	15	54	164	336
19 Bronchitis	M	596	50	11	3	—	1	1	10	19	56	130	315
	F	596	37	2	3	4	4	—	1	11	32	106	396
20 Pneumonia	M	576	127	37	25	21	20	23	38	57	67	85	76
	F	446	75	26	31	14	12	16	32	29	39	84	88
21 Other respiratory	M	127	8	2	3	4	—	4	10	10	27	25	34
	F	113	4	—	1	4	4	4	3	10	17	27	39
22 Peptic ulcer	M	130	—	—	—	1	6	8	19	34	33	23	6
	F	43	—	—	—	—	—	2	2	13	12	11	3
23 Diarrhœa	M	85	44	7	1	1	1	1	3	3	5	6	13
	F	73	27	4	1	4	1	2	2	2	5	7	18
24 Appendicitis	M	73	—	1	1	13	13	5	3	13	14	10	—
	F	49	—	1	2	7	4	6	7	7	6	2	7
25 Cirrhosis of liver	M	55	—	—	—	—	—	—	4	11	11	23	6
	F	17	—	—	—	1	—	—	1	3	5	2	5
26 Other liver diseases	M	33	—	—	—	—	1	1	1	4	5	11	10
	F	65	—	—	—	—	4	3	2	8	12	18	18
27 Other digestive	M	219	15	3	3	12	8	11	13	28	29	52	45
	F	223	10	2	5	19	8	8	19	27	32	39	54
28 Nephritis	M	351	—	1	1	5	7	10	17	34	75	110	91
	F	276	1	—	—	4	11	11	13	31	49	70	86
29 Puerperal sepsis	F	36	—	—	—	—	8	17	11	—	—	—	—
30 Other puerperal	F	65	—	—	—	—	12	26	24	3	—	—	—
31 Congenital causes, etc.	M	562	550	5	4	2	1	—	—	—	—	—	—
	F	357	352	2	—	2	1	—	—	—	—	—	—
32 Senility	M	529	—	—	—	—	—	—	—	—	2	66	461
	F	715	—	—	—	—	—	—	—	—	2	66	647
33 Suicide	M	162	—	—	—	—	12	13	25	41	40	22	9
	F	64	—	—	—	—	1	11	10	23	13	4	2
34 Other violence	M	448	19	9	16	29	81	51	45	45	57	50	46
	F	217	15	5	11	16	23	13	10	15	17	28	64
35 Other defined causes	M	1,011	74	18	22	50	59	38	64	87	153	217	229
	F	895	47	15	9	44	40	68	88	112	146	156	170
36 Ill-defined causes	M	47	1	—	—	—	3	—	1	2	10	14	16
	F	37	1	—	—	—	—	—	1	4	5	13	13

Causes of Death. <i>See first page of Table.</i>		All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	13,250	914	170	150	237	416	462	647	1,172	2,214	3,235	3,633
	F	13,848	647	116	137	225	406	505	646	1,060	1,874	3,069	5,163
1 Typhoid fever, etc.	M	4	—	—	—	—	—	1	—	—	3	—	—
	F	5	—	—	—	—	1	2	—	1	—	—	1
2 Measles	M	42	3	11	17	9	—	—	1	—	—	1	—
	F	26	4	5	13	4	—	—	—	—	—	—	—
3 Scarlet fever	M	6	—	—	—	2	4	—	—	—	—	—	—
	F	12	—	—	5	3	1	1	—	—	2	—	—
4 Whooping cough	M	64	31	14	16	3	—	—	—	—	—	—	—
	F	61	34	14	12	1	—	—	—	—	—	—	—
5 Diphtheria	M	43	1	4	14	20	1	1	—	—	1	1	—
	F	52	—	3	15	30	2	1	1	—	—	—	—
6 Influenza	M	430	12	6	11	7	13	28	31	42	79	94	107
	F	492	8	9	3	4	17	23	31	47	66	105	179
7 Encephalitis lethargica	M	26	—	1	1	1	1	4	4	3	7	4	—
	F	30	—	1	1	2	2	4	2	3	8	4	3
8 Cerebro-spinal fever	M	14	1	—	2	5	3	1	2	—	—	—	—
	F	11	1	1	3	3	1	1	—	—	—	—	1
9 Respiratory tuberculosis	M	671	—	—	—	5	115	143	147	129	93	38	1
	F	601	1	2	3	13	164	179	98	61	42	32	6
10 Other tuberculosis	M	153	16	17	20	20	22	19	18	8	11	2	—
	F	151	8	12	9	22	20	31	16	15	7	7	4
11 Syphilis	M	49	8	1	1	—	1	—	8	7	14	7	2
	F	25	2	—	—	3	2	—	3	6	5	2	2
12 Gen. paralysis of insane, etc.	M	68	—	—	—	—	—	2	12	22	21	10	1
	F	14	—	—	—	—	—	—	3	4	1	6	—
13 Cancer	M	1,513	—	1	2	2	9	9	44	173	388	564	321
	F	1,930	—	—	1	3	6	19	101	298	477	582	443
14 Diabetes	M	144	1	—	1	3	2	4	7	10	36	40	40
	F	240	—	—	—	3	4	6	5	16	65	79	62
15 Cerebral hæmorrhage	M	721	—	—	—	1	1	3	13	42	151	250	260
	F	977	—	—	—	—	1	2	15	52	133	313	461
16 Heart disease	M	2,804	—	—	1	10	18	31	65	180	503	918	1,078
	F	3,082	—	—	1	10	28	39	66	151	435	891	1,461
17 Aneurysm	M	63	—	—	—	—	1	2	6	13	25	11	5
	F	13	—	—	—	—	—	—	2	—	4	3	4
18 Other circulatory	M	689	2	—	—	—	—	1	2	28	92	228	336
	F	695	1	1	—	—	—	1	7	31	82	187	385
19 Bronchitis	M	641	47	11	3	—	7	4	14	42	73	138	302
	F	729	33	7	—	—	1	2	4	16	41	154	471
20 Pneumonia	M	599	97	55	17	17	12	19	41	64	95	91	91
	F	567	81	31	17	18	19	17	44	39	53	101	147
21 Other respiratory	M	185	9	3	3	5	5	5	16	30	37	40	32
	F	151	2	2	1	3	6	4	10	7	24	34	58
22 Peptic ulcer	M	153	—	—	—	—	1	13	16	35	41	35	12
	F	64	—	—	—	—	2	3	4	13	12	11	19
23 Diarrhœa	M	73	39	6	1	3	—	2	4	3	2	6	7
	F	80	24	1	6	2	3	2	5	1	4	5	27
24 Appendicitis	M	91	—	1	—	12	9	7	13	15	14	16	4
	F	74	—	1	3	10	11	11	5	7	13	7	6
25 Cirrhosis of liver	M	60	—	—	—	—	—	1	2	11	20	22	4
	F	44	—	—	—	2	—	—	7	8	14	9	4
26 Other liver diseases	M	57	1	1	—	1	1	2	2	6	10	17	16
	F	99	—	—	1	—	1	2	3	9	14	26	43
27 Other digestive	M	261	16	3	6	10	13	11	12	29	46	59	56
	F	296	13	7	4	16	12	9	21	25	55	59	75
28 Nephritis	M	512	—	—	—	7	7	12	22	60	122	157	125
	F	434	—	—	1	7	6	11	31	54	79	106	139
29 Puerperal sepsis	F	40	—	—	—	—	17	17	6	—	—	—	—
30 Other puerperal	F	68	—	—	—	—	13	33	22	—	—	—	—
31 Congenital causes, etc.	M	550	537	2	3	3	1	2	1	—	1	—	—
	F	397	375	4	9	2	1	1	1	4	—	—	—
32 Senility	M	536	—	—	—	—	—	—	—	—	2	62	472
	F	929	—	—	—	—	—	—	—	—	3	74	852
33 Suicide	M	175	—	—	—	—	5	19	18	49	43	32	9
	F	79	—	—	—	—	5	11	18	18	19	5	3
34 Other violence	M	560	18	7	17	44	99	76	61	68	76	51	43
	F	262	20	4	14	18	18	10	13	16	21	34	94
35 Other defined causes	M	1,231	75	25	14	46	65	40	62	97	197	316	294
	F	1,059	39	11	15	46	42	62	98	154	190	212	190
36 Ill-defined causes	M	62	—	1	—	1	—	—	3	6	11	25	15
	F	59	1	—	—	—	—	1	4	4	5	21	23



Causes of Death. <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	17,518	1,821	385	360	483	765	780	1,125	1,806	2,990	3,861	3,142
	F	15,866	1,320	321	338	472	822	898	963	1,448	2,252	3,254	3,778
1 Typhoid fever, etc.	M	8	—	—	—	3	1	2	—	2	—	—	—
	F	8	—	—	—	1	4	—	—	—	3	—	—
2 Measles	M	175	46	72	42	15	—	—	—	—	—	—	—
	F	155	28	62	51	11	—	—	3	—	—	—	—
3 Scarlet fever	M	27	—	5	9	9	3	—	1	—	—	—	—
	F	27	2	3	9	10	2	1	—	—	—	—	—
4 Whooping cough	M	46	16	20	10	—	—	—	—	—	—	—	—
	F	62	32	14	14	2	—	—	—	—	—	—	—
5 Diphtheria	M	128	2	11	50	57	5	—	1	—	2	—	—
	F	128	6	4	43	58	7	3	4	1	1	1	—
6 Influenza	M	602	29	14	8	13	22	34	47	96	99	130	110
	F	562	19	10	10	15	35	28	51	52	89	129	124
7 Encephalitis lethargica	M	29	—	—	1	1	8	—	2	9	7	1	—
	F	25	1	—	3	3	5	4	1	5	2	1	—
8 Cerebro-spinal fever	M	17	3	2	1	3	3	3	1	1	—	—	—
	F	12	2	2	4	2	1	—	—	—	1	—	—
9 Respiratory tuberculosis	M	1,175	5	3	1	19	252	259	239	206	142	43	6
	F	1,083	1	2	5	31	376	309	183	91	53	28	4
10 Other tuberculosis	M	269	20	20	29	52	52	34	22	14	13	11	2
	F	232	14	13	11	59	49	36	22	11	10	7	—
11 Syphilis	M	60	16	—	1	2	—	6	7	11	14	3	—
	F	31	9	—	—	—	1	3	4	7	2	4	1
12 Gen. paralysis of insane, etc.	M	106	—	—	—	—	—	7	35	27	32	4	1
	F	25	—	—	—	1	—	1	6	7	8	2	—
13 Cancer	M	1,693	2	—	—	2	8	23	76	248	537	571	226
	F	1,760	1	1	3	1	13	35	128	331	478	508	261
14 Diabetes	M	124	—	—	2	7	5	4	4	15	26	41	20
	F	209	—	—	—	2	7	3	13	21	64	79	20
15 Cerebral haemorrhage	M	874	—	—	—	—	—	3	20	62	186	374	229
	F	1,039	—	—	—	1	1	9	17	93	195	346	377
16 Heart disease	M	3,392	—	—	4	34	65	56	137	328	744	1,127	897
	F	3,339	—	—	—	53	79	93	133	286	583	989	1,123
17 Aneurysm	M	46	—	—	—	—	1	—	7	6	16	12	4
	F	3	—	—	—	—	—	—	—	—	2	—	1
18 Other circulatory	M	711	4	—	—	—	—	1	6	24	125	239	312
	F	580	4	—	—	1	—	2	4	25	66	189	289
19 Bronchitis	M	998	128	24	9	8	3	7	31	81	152	247	308
	F	820	75	14	9	5	6	10	18	34	82	207	360
20 Pneumonia	M	1,085	275	120	66	37	30	36	83	100	136	127	75
	F	813	201	121	64	33	24	31	38	43	53	102	103
21 Other respiratory	M	259	11	3	6	7	5	13	30	54	49	51	30
	F	162	3	6	5	6	8	7	13	17	29	25	43
22 Peptic ulcer	M	196	—	—	—	1	6	17	48	52	48	17	7
	F	64	—	—	—	—	5	3	7	17	15	10	7
23 Diarrhoea	M	172	105	17	10	4	4	—	1	6	5	12	8
	F	164	80	18	12	3	6	6	4	10	5	5	15
24 Appendicitis	M	104	1	—	4	22	17	11	13	10	18	5	3
	F	88	—	—	1	23	13	12	8	12	12	4	3
25 Cirrhosis of liver	M	73	—	—	—	—	—	1	7	16	30	13	6
	F	18	—	—	—	—	—	—	2	4	6	3	3
26 Other liver diseases	M	52	—	—	3	1	—	1	3	11	17	8	8
	F	99	—	—	—	1	—	3	6	8	25	31	25
27 Other digestive	M	299	43	8	11	21	7	23	27	31	34	53	41
	F	324	33	6	13	30	11	13	17	34	49	60	58
28 Nephritis	M	665	3	1	5	11	21	14	44	80	144	225	117
	F	624	1	2	6	16	27	30	54	90	122	173	103
29 Puerperal sepsis	F	80	—	—	—	—	14	46	20	—	—	—	—
30 Other puerperal	F	150	—	—	—	—	27	84	38	1	—	—	—
31 Congenital causes, etc.	M	900	878	10	5	2	4	—	—	1	—	—	—
	F	664	649	4	5	4	1	1	—	—	—	—	—
32 Senility	M	552	—	—	—	—	—	—	—	—	1	74	477
	F	791	—	—	—	—	—	—	—	1	9	101	680
33 Suicide	M	189	—	—	—	—	16	22	30	44	47	23	7
	F	67	—	—	—	—	7	11	11	12	19	5	2
34 Other violence	M	838	23	13	40	69	147	123	100	116	102	64	41
	F	298	16	13	37	35	19	14	12	20	25	44	63
35 Other defined causes	M	1,593	211	41	43	83	79	79	100	146	255	361	195
	F	1,326	143	24	33	65	73	99	146	211	237	190	105
36 Ill-defined causes	M	61	—	1	—	—	1	1	3	9	9	25	12
	F	34	—	2	—	—	1	1	—	4	7	11	8

TABLE 24—*contd.* Aggregate of Welsh Region (Part I.)

207

Causes of Death. <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	12,618	1,415	332	294	373	595	596	855	1,398	2,182	2,619	1,959
	F	10,851	1,026	268	268	365	632	658	702	1,039	1,565	2,132	2,196
1 Typhoid fever, etc.	M	5	—	—	—	3	1	—	—	1	—	—	—
	F	6	—	—	—	1	3	—	—	—	2	—	—
2 Measles	M	150	37	63	37	13	—	—	—	—	—	—	—
	F	129	24	52	44	8	—	—	1	—	—	—	—
3 Scarlet fever	M	20	—	4	6	7	2	—	1	—	—	—	—
	F	20	2	3	7	6	1	—	—	—	—	—	—
4 Whooping cough	M	37	13	17	7	—	—	—	—	—	—	—	—
	F	49	25	12	11	1	—	—	—	—	—	—	—
5 Diphtheria	M	91	2	10	38	36	3	—	1	—	1	—	—
	F	84	5	3	32	37	1	1	3	1	1	—	—
6 Influenza	M	428	20	13	7	11	15	29	39	80	77	82	55
	F	380	12	9	7	12	28	17	38	39	67	84	67
7 Encephalitis lethargica	M	16	—	—	1	1	6	—	—	6	2	—	—
	F	19	1	—	3	1	4	4	1	4	1	—	—
8 Cerebro-spinal fever	M	11	1	2	—	3	1	2	1	1	—	—	—
	F	11	2	2	4	2	—	—	—	—	1	—	—
9 Respiratory tuberculosis	M	850	4	1	1	15	194	198	170	156	88	19	4
	F	778	1	1	4	28	295	220	126	54	36	12	1
10 Other tuberculosis	M	200	14	17	26	40	37	24	16	11	7	7	1
	F	161	9	9	10	44	37	20	14	7	7	4	—
11 Syphilis	M	46	13	—	1	2	—	3	6	6	13	2	—
	F	22	7	—	—	—	1	3	3	4	2	2	—
12 Gen. paralysis of insane, etc.	M	90	—	—	—	—	—	5	31	25	25	3	1
	F	24	—	—	—	1	—	1	6	6	8	2	—
13 Cancer	M	1,117	2	—	—	2	5	17	45	185	361	371	129
	F	1,105	—	1	2	—	9	22	91	213	298	332	137
14 Diabetes	M	84	—	—	2	4	4	4	3	9	22	26	10
	F	146	—	—	—	—	6	3	8	17	51	48	13
15 Cerebral hæmorrhage	M	578	—	—	—	—	—	3	16	41	132	255	131
	F	658	—	—	—	1	1	7	14	68	141	214	212
16 Heart disease	M	2,382	—	—	4	28	61	49	105	256	543	773	563
	F	2,224	—	—	—	47	62	80	107	227	407	651	643
17 Aneurysm	M	41	—	—	—	—	1	—	6	6	15	9	4
	F	2	—	—	—	—	—	—	—	—	1	—	1
18 Other circulatory	M	490	4	—	—	—	—	1	6	17	105	161	196
	F	351	3	—	—	1	—	2	3	16	44	114	168
19 Bronchitis	M	798	111	24	7	5	3	5	23	74	129	200	217
	F	599	64	13	7	5	3	10	14	26	69	150	238
20 Pneumonia	M	853	219	107	55	28	28	34	65	84	97	91	45
	F	601	158	103	55	28	19	24	29	28	39	64	54
21 Other respiratory	M	204	9	3	5	4	4	13	25	44	41	36	20
	F	112	3	4	4	5	5	3	11	10	22	18	27
22 Peptic ulcer	M	152	—	—	—	—	4	14	39	39	40	13	3
	F	46	—	—	—	—	4	3	6	14	10	6	3
23 Diarrhoea	M	134	84	15	7	1	1	—	1	6	4	9	6
	F	124	58	16	10	3	5	5	4	8	2	3	10
24 Appendicitis	M	73	—	—	2	14	15	9	10	6	11	4	2
	F	70	—	—	—	18	12	10	8	8	7	4	3
25 Cirrhosis of liver	M	56	—	—	—	—	—	—	5	15	25	8	3
	F	10	—	—	—	—	—	—	—	3	3	1	3
26 Other liver diseases	M	39	—	—	2	—	—	1	3	10	13	4	6
	F	67	—	—	—	1	—	1	4	6	18	18	19
27 Other digestive	M	209	30	5	8	18	3	16	23	19	26	37	24
	F	223	27	3	5	17	9	8	11	27	34	43	39
28 Nephritis	M	454	3	1	4	11	14	13	35	65	107	141	60
	F	406	—	1	3	13	21	26	38	68	84	110	42
29 Puerperal sepsis	F	59	—	—	—	—	12	35	12	—	—	—	—
30 Other puerperal	F	101	—	—	—	—	21	54	25	1	—	—	—
31 Congenital causes, etc.	M	683	667	6	5	2	3	—	—	—	—	—	—
	F	513	499	4	4	4	1	1	—	—	—	—	—
32 Senility	M	397	—	—	—	—	—	—	—	—	1	58	338
	F	516	—	—	—	—	—	—	—	1	8	83	424
33 Suicide	M	131	—	—	—	—	10	14	24	33	31	17	2
	F	46	—	—	—	—	5	8	7	9	11	5	1
34 Other violence	M	644	17	11	35	57	114	85	75	93	81	49	27
	F	212	11	11	29	29	13	12	9	15	13	34	36
35 Other defined causes	M	1,131	165	33	34	68	66	56	80	106	179	234	110
	F	966	115	19	27	52	54	76	109	159	174	128	53
36 Ill-defined causes	M	24	—	—	—	—	—	1	1	4	6	10	2
	F	11	—	2	—	—	—	1	—	—	4	2	2



Causes of Death. See first page of Table.		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	4,900	406	53	66	110	170	184	270	408	808	1,242	1,183
	F	5,015	294	53	70	107	190	240	261	409	687	1,122	1,582
1 Typhoid fever, etc.	M	3	—	—	—	—	—	2	—	1	—	—	—
	F	2	—	—	—	—	1	—	—	—	1	—	—
2 Measles	M	25	9	9	5	2	—	—	—	—	—	—	—
	F	26	4	10	7	3	—	—	2	—	—	—	—
3 Scarlet fever	M	7	—	1	3	2	1	—	—	—	—	—	—
	F	7	—	—	2	4	1	—	—	—	—	—	—
4 Whooping cough	M	9	3	3	3	—	—	—	—	—	—	—	—
	F	13	7	2	3	1	—	—	—	—	—	—	—
5 Diphtheria	M	37	—	1	12	21	2	—	—	—	1	—	—
	F	44	1	1	11	21	6	2	1	—	—	1	—
6 Influenza	M	174	9	1	1	2	7	5	8	16	22	48	55
	F	182	7	1	3	3	7	11	13	13	22	45	57
7 Encephalitis lethargica	M	13	—	—	—	—	2	—	2	3	5	1	—
	F	6	—	—	—	2	1	—	—	1	1	1	—
8 Cerebro-spinal fever	M	6	2	—	1	—	2	1	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—
9 Respiratory tuberculosis	M	325	1	2	—	4	58	61	69	50	54	24	2
	F	305	—	1	1	3	81	89	57	37	17	16	3
10 Other tuberculosis	M	69	6	3	3	12	15	10	6	3	6	4	1
	F	71	5	4	1	15	12	16	8	4	3	3	—
11 Syphilis	M	14	3	—	—	—	—	3	1	5	1	1	—
	F	9	2	—	—	—	—	—	1	3	—	2	1
12 Gen. paralysis of insane, etc.	M	16	—	—	—	—	—	2	4	2	7	1	—
	F	1	—	—	—	—	—	—	—	1	—	—	—
13 Cancer	M	576	—	—	—	—	3	6	31	63	176	200	97
	F	655	1	—	1	1	4	13	37	118	180	176	124
14 Diabetes	M	40	—	—	—	3	1	—	1	6	4	15	10
	F	63	—	—	—	2	1	—	5	4	13	31	7
15 Cerebral hæmorrhage	M	296	—	—	—	—	—	—	4	21	54	119	98
	F	381	—	—	—	—	—	2	3	25	54	132	165
16 Heart disease	M	1,010	—	—	—	6	4	7	32	72	201	354	334
	F	1,115	—	—	—	6	17	13	26	59	176	338	480
17 Aneurysm	M	5	—	—	—	—	—	—	1	—	1	3	—
	F	1	—	—	—	—	—	—	—	—	1	—	—
18 Other circulatory	M	221	—	—	—	—	—	—	—	7	20	78	116
	F	229	1	—	—	—	—	—	1	9	22	75	121
19 Bronchitis	M	200	17	—	2	3	—	2	8	7	23	47	91
	F	221	11	1	2	—	3	—	4	8	13	57	122
20 Pneumonia	M	232	56	13	11	9	2	2	18	16	39	36	30
	F	212	43	18	9	5	5	7	9	15	14	38	49
21 Other respiratory	M	55	2	—	1	3	1	—	5	10	8	15	10
	F	50	—	2	1	1	3	4	2	7	7	7	16
22 Peptic ulcer	M	44	—	—	—	1	2	3	9	13	8	4	4
	F	18	—	—	—	—	1	—	1	3	5	4	4
23 Diarrhoea	M	38	21	2	3	3	3	—	—	—	1	3	2
	F	40	22	2	2	—	1	1	—	2	3	2	5
24 Appendicitis	M	31	1	—	2	8	2	2	3	4	7	1	1
	F	18	—	—	1	5	1	2	—	4	5	—	—
25 Cirrhosis of liver	M	17	—	—	—	—	—	1	2	1	5	5	3
	F	8	—	—	—	—	—	—	2	1	3	2	—
26 Other liver diseases	M	13	—	—	1	1	—	—	—	1	4	4	2
	F	32	—	—	—	—	—	2	2	2	7	13	6
27 Other digestive	M	90	13	3	3	3	4	7	4	12	8	16	17
	F	101	6	3	8	13	2	5	6	7	15	17	19
28 Nephritis	M	211	—	—	1	—	7	1	9	15	37	84	57
	F	218	1	1	3	3	6	4	16	22	38	63	61
29 Puerperal sepsis	F	21	—	—	—	—	2	11	8	—	—	—	—
30 Other puerperal	F	49	—	—	—	—	6	30	13	—	—	—	—
31 Congenital causes, etc.	M	217	211	4	—	—	1	—	—	1	—	—	—
	F	151	150	—	1	—	—	—	—	—	—	—	—
32 Senility	M	155	—	—	—	—	—	—	—	—	—	16	139
	F	275	—	—	—	—	—	—	—	—	1	18	256
33 Suicide	M	58	—	—	—	—	6	8	6	11	16	6	5
	F	21	—	—	—	—	2	3	4	3	8	—	1
34 Other violence	M	194	6	2	5	12	33	38	25	23	21	15	14
	F	86	5	2	8	6	6	2	3	5	12	10	27
35 Other defined causes	M	462	46	8	9	15	13	23	20	40	76	127	85
	F	360	28	5	6	13	19	23	37	52	63	62	52
36 Ill-defined causes	M	37	—	1	—	—	1	—	2	5	3	15	10
	F	23	—	—	—	—	1	—	—	4	3	9	6

Causes of Death. <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	84,515	9,345	2,296	1,898	2,297	3,346	3,738	5,426	9,892	14,708	18,137	13,432
	F	80,752	6,804	1,885	1,649	2,001	3,365	3,779	4,699	7,754	12,005	17,403	19,408
1 Typhoid fever, etc.	M	34	—	—	1	4	5	9	4	7	2	1	1
	F	29	—	—	1	4	3	5	5	5	5	1	—
2 Measles	M	980	227	391	277	84	—	—	1	—	—	—	—
	F	852	189	343	255	60	2	—	1	1	1	—	—
3 Scarlet fever	M	80	4	13	23	32	1	4	2	—	—	1	—
	F	73	6	6	25	26	6	4	—	—	—	—	—
4 Whooping cough	M	486	228	168	69	21	—	—	—	—	—	—	—
	F	595	227	201	143	23	—	—	—	—	1	—	—
5 Diphtheria	M	552	24	54	165	285	11	4	4	3	1	—	1
	F	548	18	40	146	304	9	10	9	4	4	4	—
6 Influenza	M	2,198	115	58	43	56	102	147	245	376	423	374	259
	F	2,388	76	36	45	44	96	132	201	271	379	554	554
7 Encephalitis lethargica	M	194	—	3	6	14	36	28	19	40	35	10	3
	F	176	2	—	3	9	28	36	24	26	24	20	4
8 Cerebro-spinal fever	M	269	57	35	40	48	48	18	9	8	5	—	1
	F	222	51	24	30	50	26	16	10	8	5	1	1
9 Respiratory tuberculosis	M	6,678	20	19	34	98	1,115	1,238	1,387	1,563	914	266	24
	F	4,886	15	15	25	155	1,509	1,247	843	587	329	134	27
10 Other tuberculosis	M	1,206	126	126	185	251	188	114	85	56	47	21	7
	F	1,030	101	91	149	212	168	102	59	59	49	28	12
11 Syphilis	M	398	76	4	1	7	9	16	49	85	111	34	6
	F	217	60	4	2	6	11	13	28	39	35	18	1
12 Gen. paralysis of insane, etc.	M	616	—	—	—	2	4	29	136	200	163	71	11
	F	142	—	—	—	—	2	11	38	55	23	9	4
13 Cancer	M	8,806	6	1	9	13	56	140	373	1,334	2,754	3,001	1,119
	F	9,856	3	7	7	11	51	172	775	1,934	2,618	2,698	1,580
14 Diabetes	M	702	1	—	3	15	24	30	34	67	203	232	93
	F	1,142	—	—	1	10	22	34	34	113	325	425	178
15 Cerebral hæmorrhage	M	3,635	—	2	—	—	3	15	78	263	818	1,419	1,037
	F	4,564	—	—	—	—	3	17	83	384	880	1,649	1,548
16 Heart disease	M	15,248	2	1	14	127	239	292	591	1,540	3,275	5,121	4,046
	F	17,250	1	2	6	145	316	404	632	1,330	2,969	5,271	6,174
17 Aneurysm	M	349	—	—	—	—	7	9	24	85	146	62	16
	F	108	1	—	1	—	1	4	7	26	33	20	15
18 Other circulatory	M	4,060	8	5	—	1	1	5	24	176	716	1,580	1,544
	F	3,733	4	1	2	3	4	6	27	174	500	1,220	1,792
19 Bronchitis	M	4,513	546	100	39	19	35	60	162	448	695	1,131	1,278
	F	4,694	421	80	34	22	27	26	77	186	519	1,242	2,060
20 Pneumonia	M	7,582	1,857	896	467	236	257	330	595	891	887	772	394
	F	5,679	1,289	703	410	224	161	233	358	415	543	732	611
21 Other respiratory	M	953	39	20	26	26	40	34	97	179	182	181	129
	F	725	23	17	15	27	31	38	53	68	105	148	200
22 Peptic ulcer	M	1,116	—	—	—	3	26	95	194	335	271	149	43
	F	334	—	1	—	—	8	23	43	81	95	58	25
23 Diarrhœa	M	1,191	885	108	41	16	7	10	16	23	31	21	33
	F	951	566	101	35	30	12	22	23	34	31	38	59
24 Appendicitis	M	490	1	1	31	80	83	59	45	69	74	39	8
	F	373	—	—	13	53	53	30	46	57	61	41	19
25 Cirrhosis of liver	M	336	—	—	—	1	2	—	27	82	97	103	24
	F	174	—	—	—	2	—	4	21	40	52	39	16
26 Other liver diseases	M	250	2	—	1	—	1	6	10	31	89	72	38
	F	551	2	—	—	2	6	20	24	95	141	140	121
27 Other digestive	M	1,452	184	46	50	87	54	74	103	189	234	268	163
	F	1,467	100	27	35	88	47	60	104	201	288	275	242
28 Nephritis	M	2,758	7	4	15	42	96	91	180	451	698	789	385
	F	2,654	2	5	9	39	86	104	189	426	579	736	479
29 Puerperal sepsis	F	343	—	—	—	—	80	179	83	1	—	—	—
30 Other puerperal	F	479	—	—	—	—	82	247	141	9	—	—	—
31 Congenital causes, etc.	M	4,207	4,149	10	14	16	11	2	3	2	—	—	—
	F	3,108	3,056	12	13	11	8	2	1	2	2	1	—
32 Senility	M	2,012	—	—	—	—	—	—	—	—	27	493	1,492
	F	3,132	—	—	—	—	—	—	—	1	49	522	2,560
33 Suicide	M	1,170	—	—	—	—	60	113	183	320	283	169	42
	F	518	—	—	—	—	59	65	102	144	94	42	12
34 Other violence	M	3,136	118	78	170	320	448	385	297	357	372	312	279
	F	1,806	130	44	109	141	108	79	85	132	201	315	462
35 Other defined causes†	M	6,675	661	145	172	390	376	381	440	694	1,107	1,384	925
	F	5,810	456	112	133	299	336	429	566	838	1,041	975	625
36 Ill-defined causes	M	183	2	8	2	3	1	—	9	18	48	61	31
	F	143	5	13	2	1	4	5	7	8	24	47	27

† Including 2 deaths from Smallpox (1 Male—aged 75 years; 1 Female—aged 1 week).



Causes of Death. <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	69,836	6,566	1,326	1,334	1,772	2,748	2,879	3,937	7,025	11,839	16,203	14,207
	F	68,734	4,700	1,108	1,216	1,591	2,550	3,059	3,712	5,990	10,084	15,251	19,473
1 Typhoid fever, etc.	M	39	—	—	—	3	8	6	7	5	9	1	—
	F	39	—	—	1	1	9	7	3	6	7	3	2
2 Measles	M	493	104	201	132	52	1	—	1	—	—	1	1
	F	426	81	143	141	56	—	—	2	2	—	1	—
3 Scarlet fever	M	66	3	4	22	27	6	2	2	—	—	—	—
	F	94	2	10	29	34	10	3	3	2	1	—	—
4 Whooping cough	M	261	123	74	55	9	—	—	—	—	—	—	—
	F	348	150	108	78	12	—	—	—	—	—	—	—
5 Diphtheria	M	333	5	24	120	160	12	3	3	3	2	—	1
	F	330	10	13	116	159	6	4	6	7	7	2	—
6 Influenza	M	2,185	97	38	50	45	117	118	217	330	344	418	411
	F	2,301	61	50	33	59	95	107	190	248	330	494	634
7 Encephalitis lethargica	M	157	—	4	7	10	25	22	15	28	28	16	2
	F	150	—	2	12	9	24	16	25	23	23	12	4
8 Cerebro-spinal fever	M	245	26	15	34	54	49	30	20	10	5	2	—
	F	157	21	10	32	49	19	9	5	6	5	1	—
9 Respiratory tuberculosis	M	4,084	13	15	12	65	721	900	856	782	515	181	24
	F	3,365	10	9	12	104	991	916	575	357	232	127	32
10 Other tuberculosis	M	943	96	90	127	171	164	104	71	40	48	28	4
	F	870	67	67	115	158	169	111	62	45	38	30	8
11 Syphilis	M	223	41	5	2	3	8	10	24	49	52	22	7
	F	113	31	4	3	2	5	5	11	23	18	10	1
12 Gen. paralysis of insane, etc.	M	386	—	—	—	—	2	14	82	137	103	40	8
	F	92	—	—	—	2	2	3	19	36	18	11	1
13 Cancer	M	7,655	1	5	5	15	42	87	263	1,006	2,292	2,746	1,193
	F	9,032	4	3	6	11	32	134	565	1,506	2,399	2,609	1,763
14 Diabetes	M	696	1	1	2	22	21	25	28	67	152	245	132
	F	1,086	—	—	1	15	36	26	43	90	297	374	204
15 Cerebral hæmorrhage	M	3,805	—	—	—	2	2	12	70	270	806	1,429	1,214
	F	4,687	—	—	—	2	4	21	86	384	824	1,538	1,828
16 Heart disease	M	13,365	—	—	15	103	185	200	432	1,141	2,748	4,552	3,989
	F	14,713	4	—	4	117	235	304	523	1,042	2,305	4,496	5,683
17 Aneurysm	M	196	—	—	—	—	3	7	16	42	70	46	12
	F	60	—	—	—	1	1	1	3	4	16	22	12
18 Other circulatory	M	3,446	5	—	1	1	2	3	21	127	516	1,269	1,501
	F	3,113	1	1	1	2	—	12	22	109	367	985	1,613
19 Bronchitis	M	3,622	425	83	30	23	24	30	104	267	459	944	1,233
	F	3,657	273	60	28	17	20	26	40	111	363	899	1,820
20 Pneumonia	M	4,714	1,074	468	271	170	169	217	351	516	615	517	346
	F	3,675	780	393	272	146	124	146	207	256	341	494	516
21 Other respiratory	M	844	41	9	28	28	37	34	77	145	170	154	121
	F	701	15	10	17	13	27	22	47	66	128	153	203
22 Peptic ulcer	M	811	—	—	—	1	16	68	149	205	201	117	54
	F	264	—	—	—	1	6	17	26	60	73	48	33
23 Diarrhoea	M	630	386	47	37	14	7	13	8	17	24	44	33
	F	572	265	66	33	15	8	23	24	20	28	42	48
24 Appendicitis	M	453	1	1	16	85	69	46	36	75	63	44	17
	F	378	—	2	12	58	33	32	43	75	76	36	11
25 Cirrhosis of liver	M	299	—	—	—	1	1	2	15	59	98	97	26
	F	130	—	—	2	2	1	3	10	28	43	29	12
26 Other liver diseases	M	226	—	—	1	3	4	8	9	26	59	71	45
	F	522	1	—	2	2	4	13	29	44	122	163	142
27 Other digestive	M	1,260	131	27	46	70	41	67	83	138	226	268	163
	F	1,411	79	14	45	72	42	66	96	159	294	277	267
28 Nephritis	M	2,330	3	6	11	34	53	68	114	354	569	695	423
	F	2,270	3	6	13	39	67	90	159	283	484	641	485
29 Puerperal sepsis	F	272	—	—	—	—	68	140	64	—	—	—	—
30 Other puerperal	F	518	—	—	—	—	90	256	164	8	—	—	—
31 Congenital causes, etc.	M	3,395	3,327	18	15	13	10	5	1	2	2	1	1
	F	2,469	2,404	17	17	14	9	4	—	1	2	1	—
32 Senility	M	2,357	—	—	—	—	—	—	—	1	25	401	1,930
	F	3,579	—	—	—	—	—	—	—	2	30	477	3,070
33 Suicide	M	1,005	—	—	—	—	59	104	133	222	297	153	37
	F	406	—	—	—	—	31	65	70	95	91	46	8
34 Other violence	M	3,041	100	52	136	253	535	393	329	369	379	266	229
	F	1,421	89	29	97	147	97	74	62	101	133	234	358
35 Other defined causes†	M	5,980	556	135	157	331	351	279	385	557	900	1,346	983
	F	5,304	343	87	94	271	282	400	522	773	952	940	640
36 Ill-defined causes	M	291	7	4	2	4	4	2	15	35	62	89	67
	F	209	6	4	—	1	3	3	6	18	37	56	75

† Including 2 deaths from Smallpox (1 Male—aged 65 years ; 1 Female—aged 6 months).

Causes of Death. <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	48,390	4,168	742	716	1,140	1,819	1,795	2,299	3,992	7,188	11,565	12,966
	F	46,248	3,006	606	649	1,047	1,558	1,945	2,366	3,711	6,138	10,001	15,221
1 Typhoid fever, etc.	M	34	—	—	—	3	11	7	4	5	2	2	—
	F	32	—	—	1	3	10	4	3	5	1	5	—
2 Measles	M	206	45	74	47	33	5	—	1	1	—	—	—
	F	190	40	57	55	25	6	—	4	2	1	—	—
3 Scarlet fever	M	37	1	1	9	11	9	3	1	1	1	—	—
	F	51	1	2	14	19	7	4	1	1	2	—	—
4 Whooping cough	M	142	79	33	24	6	—	—	—	—	—	—	—
	F	193	90	58	37	6	—	—	—	1	1	—	—
5 Diphtheria	M	215	6	11	60	114	13	3	2	2	3	1	—
	F	220	8	12	49	122	14	2	2	7	3	1	—
6 Influenza	M	1,578	66	40	28	38	58	81	121	184	243	353	366
	F	1,637	44	26	28	30	49	75	109	135	221	406	514
7 Encephalitis lethargica	M	80	—	3	2	6	11	9	11	8	18	11	1
	F	82	2	3	4	9	9	8	10	17	9	9	2
8 Cerebro-spinal fever	M	192	19	15	26	52	36	22	13	5	3	1	—
	F	106	8	8	22	34	10	10	7	4	3	—	—
9 Respiratory tuberculosis	M	2,179	6	6	12	27	392	494	452	393	271	108	18
	F	2,077	4	3	10	47	581	587	383	216	146	75	25
10 Other tuberculosis	M	576	66	58	68	90	98	53	40	43	36	18	6
	F	564	43	46	61	103	92	71	51	37	29	21	10
11 Syphilis	M	121	31	—	1	3	1	2	11	26	25	18	3
	F	73	22	2	1	4	3	4	5	10	14	5	3
12 Gen. paralysis of insane, etc.	M	148	—	—	—	—	—	8	27	39	44	27	3
	F	47	—	—	—	1	1	4	9	16	9	6	1
13 Cancer	M	5,576	5	1	12	11	29	35	179	567	1,412	2,098	1,227
	F	6,063	2	1	6	7	22	79	367	1,001	1,451	1,829	1,298
14 Diabetes	M	507	—	—	—	13	14	28	19	49	118	175	91
	F	678	—	—	1	14	22	19	35	47	178	244	118
15 Cerebral hæmorrhage	M	2,596	—	—	—	—	2	4	29	127	406	937	1,091
	F	3,174	—	—	—	—	2	4	45	207	480	1,003	1,433
16 Heart disease	M	9,586	2	—	6	47	86	99	227	603	1,627	3,242	3,647
	F	10,136	—	2	3	71	94	179	258	567	1,506	2,977	4,479
17 Aneurysm	M	151	—	—	—	2	2	3	12	26	43	51	12
	F	42	1	—	—	—	—	2	7	5	8	10	9
18 Other circulatory	M	2,535	1	—	—	1	2	4	4	71	279	848	1,325
	F	2,306	4	1	1	—	—	4	12	88	232	648	1,316
19 Bronchitis	M	2,214	204	49	15	9	11	13	34	93	215	506	1,065
	F	2,116	164	41	16	13	12	15	21	51	101	397	1,285
20 Pneumonia	M	2,618	490	224	135	77	94	114	179	255	349	397	304
	F	2,049	389	177	115	99	62	81	121	119	201	300	385
21 Other respiratory	M	583	22	9	19	24	17	21	40	70	100	129	132
	F	464	8	10	10	20	10	15	30	47	66	97	151
22 Peptic ulcer	M	530	1	—	—	1	15	35	80	138	137	88	35
	F	196	—	—	—	1	5	10	22	63	24	40	31
23 Diarrhoea	M	403	222	36	16	13	8	7	6	15	21	20	39
	F	351	132	20	18	7	9	16	15	17	28	26	63
24 Appendicitis	M	335	—	2	9	56	48	29	35	50	54	42	10
	F	220	—	2	13	38	24	27	18	28	30	23	17
25 Cirrhosis of liver	M	197	—	—	—	—	1	1	16	24	68	68	19
	F	109	—	—	—	3	—	—	6	22	38	26	14
26 Other liver diseases	M	158	—	1	1	2	1	2	3	25	33	47	43
	F	333	—	—	1	—	4	15	22	51	73	91	76
27 Other digestive	M	953	77	16	26	55	32	48	46	109	135	196	213
	F	925	59	16	11	68	45	40	56	96	138	175	221
28 Nephritis	M	1,676	3	5	6	19	44	39	82	180	343	556	399
	F	1,497	3	2	7	21	42	56	104	183	270	409	400
29 Puerperal sepsis	F	206	—	—	—	—	43	101	62	—	—	—	—
30 Other puerperal	F	314	—	—	—	—	57	156	98	3	—	—	—
31 Congenital causes, etc.	M	2,422	2,352	26	12	13	7	6	3	1	2	—	—
	F	1,698	1,653	16	10	7	4	2	3	2	—	1	—
32 Senility	M	2,001	—	—	—	—	—	—	—	—	12	241	1,748
	F	2,731	—	—	—	—	—	—	—	2	12	273	2,444
33 Suicide	M	694	—	—	—	—	48	67	98	167	184	101	29
	F	226	—	—	—	—	19	39	46	51	43	19	9
34 Other violence	M	2,532	76	36	107	189	478	360	273	312	293	230	178
	F	1,053	69	25	77	94	95	59	46	74	100	139	275
35 Other defined causes†	M	4,336	387	93	74	223	243	195	238	374	665	955	889
	F	3,895	257	73	77	180	203	255	379	519	692	683	577
36 Ill-defined causes	M	279	7	3	1	2	3	3	13	29	46	99	73
	F	194	3	3	1	1	2	2	9	17	28	63	65

† Including 2 deaths from Smallpox (2 Males—aged 1 month and 55 years).



Causes of Death. <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	27,437	2,433	471	380	557	1,119	1,160	1,607	3,318	5,216	6,152	5,024
	F	26,851	1,837	391	341	528	1,082	1,193	1,445	2,477	3,831	5,991	7,735
1 Typhoid fever, etc.	M	15	—	—	—	2	4	2	1	3	3	—	—
	F	9	—	—	—	—	1	4	2	1	1	—	—
2 Measles	M	74	18	31	20	4	1	—	—	—	—	—	—
	F	41	11	18	11	1	—	—	—	—	—	—	—
3 Scarlet fever	M	29	2	8	8	5	3	1	2	—	—	—	—
	F	42	1	3	13	16	6	—	1	1	1	—	—
4 Whooping cough	M	142	62	50	29	1	—	—	—	—	—	—	—
	F	165	79	53	28	5	—	—	—	—	—	—	—
5 Diphtheria	M	135	12	14	53	50	4	—	1	—	1	—	—
	F	127	9	20	40	47	6	1	2	1	1	—	—
6 Influenza	M	467	15	13	3	2	23	23	46	83	93	82	84
	F	654	15	9	10	6	29	30	40	57	110	147	201
7 Encephalitis lethargica	M	29	—	1	—	—	8	1	5	7	2	1	4
	F	22	—	—	1	1	3	3	4	3	5	2	—
8 Cerebro-spinal fever	M	67	25	7	5	8	7	9	2	1	2	1	—
	F	64	17	11	8	10	3	4	3	3	5	—	—
9 Respiratory tuberculosis	M	2,307	5	5	11	15	373	438	398	539	372	132	19
	F	1,600	8	7	10	41	495	378	265	198	116	64	18
10 Other tuberculosis	M	296	18	22	28	54	73	23	21	26	16	10	5
	F	256	15	15	40	60	42	30	16	13	12	8	5
11 Syphilis	M	141	21	—	1	1	2	5	16	38	40	15	2
	F	63	15	—	—	1	4	5	7	15	13	2	1
12 Gen. paralysis of insane, etc.	M	221	—	—	—	—	2	8	40	58	62	40	11
	F	69	—	—	—	1	2	6	12	14	23	10	1
13 Cancer	M	3,437	3	1	3	12	18	52	141	508	1,051	1,157	491
	F	3,722	—	1	4	4	12	67	278	646	875	1,069	766
14 Diabetes	M	191	—	—	—	—	5	5	9	19	50	71	32
	F	372	—	—	1	5	5	12	7	41	89	145	67
15 Cerebral hæmorrhage	M	823	—	—	—	—	1	3	14	71	192	327	215
	F	1,180	—	—	—	—	1	4	25	85	219	389	457
16 Heart disease	M	5,790	—	1	2	33	73	101	170	529	1,173	1,846	1,862
	F	6,704	1	—	3	48	132	135	221	436	898	1,966	2,864
17 Aneurysm	M	175	2	—	—	—	4	6	6	34	66	43	14
	F	74	—	—	—	—	1	7	1	12	26	19	8
18 Other circulatory	M	1,029	2	—	—	1	3	2	11	45	195	363	407
	F	1,054	1	1	—	1	1	1	11	39	158	329	512
19 Bronchitis	M	1,295	81	11	6	5	8	18	48	156	255	298	409
	F	1,319	87	8	2	3	10	9	11	55	119	318	697
20 Pneumonia	M	2,496	534	181	81	43	66	67	177	324	364	387	272
	F	1,975	379	152	67	55	47	62	95	161	240	339	378
21 Other respiratory	M	329	8	6	4	7	18	14	22	43	66	76	65
	F	291	7	4	2	1	9	9	18	30	39	62	110
22 Peptic ulcer	M	434	—	—	—	—	8	23	67	114	131	70	21
	F	129	—	—	—	—	2	5	8	32	35	29	18
23 Diarrhœa	M	416	344	30	5	4	2	4	5	6	2	6	8
	F	340	243	21	7	3	3	8	10	8	9	11	17
24 Appendicitis	M	168	—	1	11	28	24	13	16	27	23	14	11
	F	149	—	1	8	11	15	8	17	25	27	30	7
25 Cirrhosis of liver	M	142	—	—	—	1	1	2	9	29	56	33	11
	F	98	—	—	—	1	—	—	7	23	35	24	8
26 Other liver diseases	M	91	1	—	—	—	—	3	4	8	25	33	17
	F	155	1	—	—	2	2	6	8	14	42	48	32
27 Other digestive	M	509	49	12	24	13	24	22	36	71	92	113	53
	F	530	28	10	15	23	11	18	38	70	101	121	95
28 Nephritis	M	890	1	—	1	9	29	37	52	123	217	258	163
	F	918	—	—	1	11	33	38	48	116	199	267	205
29 Puerperal sepsis	F	132	—	—	—	—	22	74	35	1	—	—	—
30 Other puerperal	F	118	—	—	—	—	26	55	32	5	—	—	—
31 Congenital causes, etc.	M	1,019	1,001	4	4	4	4	1	—	—	—	1	—
	F	763	750	3	3	3	2	1	1	—	—	—	—
32 Senility	M	423	—	—	—	—	—	—	—	—	5	56	362
	F	825	—	—	—	—	—	—	—	—	7	73	745
33 Suicide	M	430	—	—	—	—	23	40	63	113	117	51	23
	F	205	—	—	—	—	10	39	41	46	43	25	1
34 Other violence	M	1,155	54	28	41	121	166	120	74	122	156	153	120
	F	751	48	15	21	45	42	27	25	51	94	144	239
35 Other defined causes†	M	2,262	172	44	40	134	142	117	151	220	387	514	341
	F	1,925	122	38	45	123	105	147	156	274	288	347	280
36 Ill-defined causes	M	10	3	1	—	—	—	—	—	1	2	1	2
	F	10	—	1	1	—	—	—	—	1	1	3	3

† Including 3 deaths from Smallpox (1 Male—aged 63 years; 2 Females—aged 1 week and 7 years).

[illegible]



Causes of Death. <i>See first page of Table.</i>		BATTERSEA.													BERMONDSEY.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-			
All Causes	M	992	84	13	15	15	55	38	61	120	203	204	184	743	67	14	10	13	44	40	45	114	141	162			
	F	939	58	13	18	10	45	38	46	83	133	227	268	668	45	8	11	14	46	37	40	56	102	152			
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-				
	F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
3 Scarlet fever	M	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	3	-	1	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-				
4 Whooping cough	M	3	2	1	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-				
	F	2	1	1	-	-	-	-	-	-	-	-	-	4	1	2	1	-	-	-	-	-	-				
5 Diphtheria	M	3	1	-	2	-	-	-	-	-	-	-	-	3	-	-	3	-	-	-	-	-	-				
	F	2	-	1	1	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-				
6 Influenza	M	27	-	-	-	-	2	1	2	3	4	8	7	9	-	-	-	-	-	1	1	3	1				
	F	29	3	-	2	-	1	1	1	4	-	7	10	13	-	-	-	1	-	2	-	1	3				
7 Encephalitis lethargica	M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	1	-	-	-				
	F	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-				
9 Respiratory tuberculosis	M	99	-	-	-	-	23	24	16	25	9	2	-	67	-	-	-	1	13	13	9	17	10				
	F	44	-	-	-	-	18	12	5	8	1	-	-	51	-	-	2	2	18	14	5	5	3				
10 Other tuberculosis	M	12	-	-	1	4	3	2	1	-	1	-	-	5	-	-	1	1	2	-	1	-	-				
	F	18	1	4	4	2	3	2	1	-	-	1	-	7	-	-	3	2	2	-	-	-	-				
11 Syphilis	M	3	2	-	-	-	1	-	-	-	-	-	-	6	-	-	-	-	-	1	2	1	1				
	F	4	1	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	3	-	-				
12 Gen. paralysis of insane, etc.	M	6	-	-	-	-	-	-	3	3	-	-	-	6	-	-	-	-	-	1	3	2	-				
	F	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1				
13 Cancer	M	131	-	-	-	-	2	1	3	19	43	41	22	70	-	-	-	-	-	3	2	14	22				
	F	152	-	-	-	-	1	-	14	24	38	44	31	80	-	-	-	-	1	8	12	17	23				
14 Diabetes	M	5	-	-	-	-	1	-	-	-	1	2	1	6	-	-	-	-	1	-	-	-	1				
	F	13	-	-	-	-	-	-	2	1	1	7	2	4	-	-	-	-	-	-	-	3	1				
15 Cerebral hæmorrhage	M	21	-	-	-	-	-	-	-	2	8	5	6	25	-	-	-	-	-	-	-	3	5				
	F	29	-	-	-	-	-	-	-	1	8	13	7	35	-	-	-	-	-	1	2	11	12				
16 Heart disease	M	252	-	-	-	-	1	2	8	18	58	76	89	149	-	-	-	-	7	3	8	17	35				
	F	275	-	-	-	2	9	4	8	13	32	88	119	170	-	-	-	2	9	6	10	9	22				
17 Aneurysm	M	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	1	1	-				
	F	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	1	-	-				
18 Other circulatory	M	32	-	-	-	-	-	-	1	3	6	8	14	17	-	-	-	-	-	-	-	1	3				
	F	32	-	-	-	-	-	-	1	2	5	7	17	16	-	-	-	-	-	-	-	-	4				
19 Bronchitis	M	50	5	-	-	-	-	-	6	6	13	7	13	30	2	-	-	1	1	1	1	5	9				
	F	36	2	-	-	-	-	-	-	2	4	11	17	34	1	-	-	-	1	1	-	-	7				
20 Pneumonia	M	69	16	5	2	3	1	1	4	11	15	7	4	97	20	6	4	1	-	4	8	18	17				
	F	55	13	2	2	1	1	4	3	5	7	9	8	57	14	5	2	1	2	2	3	6	8				
21 Other respiratory	M	11	-	-	-	-	1	-	-	2	2	3	3	10	-	1	-	-	3	-	3	-	1				
	F	6	-	-	-	-	-	-	-	1	2	1	2	1	-	-	-	-	-	-	-	-	-				
22 Peptic ulcer	M	11	-	-	-	-	-	-	-	2	6	2	1	16	-	-	-	-	1	2	3	3	4				
	F	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	1	-	-	-	-				
23 Diarrhœa	M	8	5	2	-	-	-	-	-	1	-	-	-	7	7	-	-	-	-	-	-	-	-				
	F	6	2	-	-	-	-	-	1	-	2	-	-	7	5	-	-	-	-	1	-	1	-				
24 Appendicitis	M	5	-	-	2	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-				
	F	3	-	-	-	1	-	-	-	-	-	1	1	4	-	-	-	-	-	-	1	1	1				
25 Cirrhosis of liver	M	3	-	-	-	-	-	-	-	1	-	1	1	5	-	-	-	-	-	-	1	3	1				
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-				
26 Other liver diseases	M	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-				
	F	4	-	-	-	-	-	-	-	-	3	1	-	6	-	-	-	-	-	-	1	-	2				
27 Other digestive	M	11	-	-	1	-	-	-	4	1	3	1	1	18	5	-	-	-	2	2	-	1	4				
	F	14	1	-	-	-	1	-	1	2	6	2	1	10	-	1	-	-	-	-	1	1	3				
28 Nephritis	M	40	-	-	-	-	1	-	3	2	11	23	-	44	-	-	-	-	1	2	-	5	8				
	F	38	-	-	-	1	1	-	2	7	10	7	10	48	-	-	-	-	2	1	1	4	11				
29 Puerperal sepsis	F	5	-	-	-	-	3	1	1	-	-	-	-	8	-	-	-	-	3	5	-	-	-				
30 Other puerperal	F	10	-	-	-	-	2	6	2	-	-	-	-	3	-	-	-	-	2	1	-	-	-				
31 Congenital causes, etc.	M	46	46	-	-	-	-	-	-	-	-	-	-	26	25	1	-	-	-	-	-	-	-				
	F	29	29	-	-	-	-	-	-	-	-	-	-	20	19	-	-	-	1	-	-	-	-				
32 Senility	M	16	-	-	-	-	-	-	-	-	-	-	2	11	-	-	-	-	-	-	-	-	-				
	F	34	-	-	-	-	-	-	-	-	-	2	32	21	-	-	-	-	-	-	-	-	-				
33 Suicide	M	9	-	-	-	-	-	1	3	3	2	-	-	8	-	-	-	-	1	2	-	2	3				
	F	5	-	-	-	-	-	2	-	1	1	-	-	4	-	-											

Causes of Death. See first page of Table.		BETHNAL GREEN.												CAMBERWELL.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	734	97	13	13	20	36	35	44	83	130	144	119	1,544	121	21	16	30	60	71	97	194	283	331	320
	F	634	64	15	13	27	30	35	37	68	64	132	149	1,456	87	11	16	36	54	68	72	134	199	328	451
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Measles	M	4	3	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	4	—	—	1	2	1	—	—	—	—	—	—
Whooping cough	M	6	3	3	—	—	—	—	—	—	—	—	—	5	1	2	2	—	—	—	—	—	—	—	—
	F	4	2	—	2	—	—	—	—	—	—	—	—	6	1	2	3	—	—	—	—	—	—	—	—
Diphtheria	M	3	—	—	3	—	—	—	—	—	—	—	—	10	—	—	1	8	—	—	—	—	1	—	—
	F	4	—	3	1	—	—	—	—	—	—	—	—	7	—	—	2	5	—	—	—	—	—	—	—
Influenza	M	8	—	—	—	—	—	1	—	3	1	2	1	29	—	1	—	1	1	2	2	7	4	—	11
	F	10	1	—	—	—	—	1	—	2	1	—	5	32	1	—	—	1	2	4	3	1	7	5	8
Encephalitis lethargica	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
Cerebro-spinal fever	M	4	1	1	—	1	1	—	—	—	—	—	—	5	4	—	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	3	1	—	1	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	72	—	—	1	—	8	16	20	18	7	2	—	150	—	—	1	—	27	27	29	32	25	8	1
	F	47	—	—	2	2	16	11	7	9	—	—	—	91	1	—	—	1	30	23	18	12	4	2	—
Other tuberculosis	M	4	—	—	2	2	—	—	—	—	—	—	—	15	—	2	—	1	5	1	4	—	2	—	—
	F	9	—	—	2	2	1	1	1	2	—	—	—	12	1	—	3	3	1	2	—	1	—	—	1
Syphilis	M	2	—	—	—	—	—	—	—	1	1	—	—	8	2	—	—	—	—	—	1	3	—	2	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	—	1	—	—
Gen. paralysis of insane, etc.	M	3	—	—	—	—	—	—	—	2	—	1	—	10	—	—	—	—	—	1	2	3	3	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	4	—	—	—	—	—	—	—	3	1	—	—
Cancer	M	64	—	—	—	—	1	1	1	10	22	18	11	185	—	—	—	—	1	3	12	29	56	58	26
	F	65	—	—	—	—	—	1	3	8	14	25	14	200	—	1	—	—	—	2	19	32	44	59	43
Diabetes	M	6	—	—	—	—	—	—	—	—	1	4	1	11	—	—	—	—	—	—	1	1	1	5	3
	F	11	—	—	—	—	—	2	—	1	4	2	2	29	—	—	—	—	—	—	—	4	7	13	5
Cerebral hæmorrhage	M	27	—	—	—	—	—	—	—	3	7	12	5	44	—	—	—	—	—	—	—	7	7	19	11
	F	20	—	—	—	—	—	—	2	3	4	5	6	75	—	—	—	—	—	—	1	8	11	22	33
Heart disease	M	188	—	—	—	2	2	1	5	21	38	48	71	336	—	—	—	1	3	5	13	33	74	97	110
	F	160	—	—	—	2	3	4	6	15	15	52	63	323	—	—	—	3	5	7	14	25	39	94	136
Aneurysm	M	5	—	—	—	—	—	—	—	1	1	3	—	8	—	—	—	—	1	—	—	2	3	1	1
	F	1	—	—	—	—	—	—	—	—	—	—	1	5	—	—	—	—	—	1	—	—	1	3	—
Other circulatory	M	11	—	—	—	—	—	—	—	—	1	8	2	60	—	—	—	—	—	—	—	1	8	25	25
	F	12	—	—	—	—	—	—	1	1	1	6	3	61	—	—	—	—	—	—	—	1	8	24	28
Bronchitis	M	28	3	—	—	—	1	1	1	4	8	3	7	71	9	2	2	—	—	3	2	6	11	12	24
	F	35	4	—	—	—	—	—	1	3	—	12	15	84	7	—	—	—	2	—	—	4	7	20	44
Pneumonia	M	84	19	7	—	5	3	4	8	11	10	10	7	142	24	7	3	3	5	6	11	21	16	31	15
	F	75	10	7	4	2	3	1	2	6	8	15	17	113	19	5	2	7	2	5	3	11	19	20	20
Other respiratory	M	7	—	—	—	—	1	—	1	1	1	3	—	24	1	—	—	2	—	2	3	2	3	9	2
	F	8	—	—	1	—	—	—	1	2	2	1	1	14	—	—	—	—	1	—	—	2	—	2	9
Peptic ulcer	M	10	—	—	—	—	—	1	1	3	3	2	—	15	—	—	—	—	—	1	1	6	6	1	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	1	—	1	3	—	1
Diarrhoea	M	30	29	1	—	—	—	—	—	—	—	—	—	20	17	1	—	—	—	—	—	1	1	—	—
	F	20	18	2	—	—	—	—	—	—	—	—	—	17	11	1	—	—	—	—	—	—	—	—	2
Appendicitis	M	4	—	—	—	—	—	1	1	—	1	1	—	9	—	—	—	1	—	—	—	3	2	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	1	—	—	2	—	3	2	1	—
Cirrhosis of liver	M	2	—	—	—	—	—	—	—	—	1	1	—	6	—	—	—	—	—	—	1	1	2	—	2
	F	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Other liver diseases	M	2	—	—	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	—	—	3	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	—	1	1	2	3	—
Other digestive	M	8	2	1	2	—	1	—	—	—	2	—	—	31	4	2	2	1	2	3	1	1	4	6	5
	F</																								



Causes of Death See first page of Table.		CHELSEA.												DEPTFORD.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	423	20	2	5	4	14	15	21	49	72	119	102	686	49	16	14	16	27	30	30	88	137	155	
	F	382	11	4	5	3	9	14	16	36	61	89	134	598	44	4	12	12	28	33	38	54	89	122	
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	4	—	2	1	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—		
4 Whooping cough	M	2	1	—	1	—	—	—	—	—	—	—	—	9	2	4	3	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—		
5 Diphtheria	M	1	—	—	1	—	—	—	—	—	—	—	—	6	1	1	2	1	1	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	6	1	1	3	1	—	—	—	—	—		
6 Influenza	M	7	—	—	—	—	1	—	—	1	2	1	2	7	—	—	—	—	1	—	2	1	1		
	F	12	—	—	1	—	—	—	—	1	3	3	4	13	—	—	—	—	2	—	2	1	2		
7 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8 Cerebro-spinal fever	M	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—		
9 Respiratory tuberculosis	M	31	—	—	—	—	6	6	7	4	4	4	—	60	—	—	—	1	8	12	7	18	11		
	F	20	—	1	1	—	5	4	3	2	1	—	3	40	—	—	1	1	12	13	5	5	3		
10 Other tuberculosis	M	—	—	—	—	—	—	—	—	—	—	—	—	5	—	1	—	1	1	1	—	—	—		
	F	1	1	—	—	—	—	—	—	—	—	—	—	9	—	—	1	3	—	4	1	—	—		
11 Syphilis	M	1	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	1	—		
	F	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
12 Gen. paralysis of insane, etc.	M	2	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1	—		
13 Cancer	M	70	—	—	—	—	2	—	3	10	18	25	12	87	—	—	—	1	—	2	2	13	34		
	F	61	—	—	1	—	—	1	4	13	11	16	15	87	—	—	—	—	—	8	19	24	22		
14 Diabetes	M	7	—	—	—	—	—	—	1	1	1	3	1	6	—	—	—	—	—	—	1	—	—		
	F	5	—	—	—	—	—	—	—	—	1	3	1	13	—	—	—	—	—	1	2	2	4		
15 Cerebral hamorrhage	M	25	—	—	—	—	—	—	—	3	2	12	8	16	—	—	—	—	—	—	—	—	4		
	F	25	—	—	—	—	—	—	1	1	3	10	10	25	—	—	—	—	—	—	—	—	4		
16 Heart disease	M	101	—	—	—	—	—	2	—	6	18	35	40	167	—	—	—	1	2	3	2	17	34		
	F	103	—	—	—	—	1	1	1	4	19	33	44	155	—	—	—	3	7	5	10	12	24		
17 Aneurysm	M	2	—	—	—	—	—	—	—	—	—	2	—	6	—	—	—	—	1	—	—	1	3		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1		
18 Other circulatory	M	22	—	—	—	—	—	—	—	2	3	6	11	25	—	—	—	—	—	—	—	1	5		
	F	17	—	—	—	—	—	—	—	—	6	1	10	15	—	—	—	—	—	—	—	3	12		
19 Bronchitis	M	11	—	—	—	—	—	—	—	—	3	5	3	30	—	—	1	—	—	1	6	7	8		
	F	12	1	—	—	—	—	—	—	—	2	2	7	25	—	—	—	1	—	1	—	1	5		
20 Pneumonia	M	30	4	1	1	1	1	2	3	5	2	5	5	66	15	5	1	—	2	1	7	9	7		
	F	17	2	1	—	—	1	2	2	2	1	2	4	47	14	2	—	1	1	2	1	3	6		
21 Other respiratory	M	3	—	—	—	—	—	1	—	—	1	—	1	4	—	—	—	—	—	—	2	1	1		
	F	5	—	—	—	—	—	—	2	1	1	—	1	3	—	—	—	—	1	—	—	—	—		
22 Peptic ulcer	M	7	—	—	—	—	1	—	2	3	—	1	—	6	—	—	—	—	—	—	1	3	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	2	—	—		
23 Diarrhoea	M	2	1	1	—	—	—	—	—	—	—	—	—	8	6	—	1	—	—	—	—	—	1		
	F	4	1	1	—	—	—	—	—	1	—	—	1	6	3	—	1	—	—	—	2	—	—		
24 Appendicitis	M	3	—	—	1	—	—	—	1	—	—	1	—	10	—	—	3	1	1	—	3	—	2		
	F	5	—	—	—	—	—	—	1	1	2	—	1	5	—	—	—	2	—	—	—	1	1		
25 Cirrhosis of liver	M	2	—	—	—	—	—	—	—	—	1	—	1	7	—	—	—	—	—	—	3	1	3		
	F	1	—	—	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	2	1	—		
26 Other liver diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—		
27 Other digestive	M	9	1	—	—	—	—	—	—	2	2	2	2	8	—	—	—	—	1	—	—	1	4		
	F	8	1	—	—	—	—	1	—	4	—	—	2	12	—	—	—	—	—	—	—	2	2		
28 Nephritis	M	4	—	—	—	—	1	—	1	—	1	1	—	12	—	—	—	—	1	—	3	5	8		
	F	11	—	—	—	—	—	—	—	1	3	4	3	19	—	—	—	—	1	1	—	3	4		
29 Puerperal sepsis	F	3	—	—	—	—	—	3	—	—	—	—	—	4	—	—	—	—	1	2	1	—	—		
30 Other puerperal	F	1	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—		
31 Congenital causes, etc.	M	10	10	—	—	—	—	—	—	—	—	—	—	24	23	1	—	—	—	—	—	—	—		
	F	3	3	—	—	—	—	—	—	—	—	—	—	21	19	1	1	—	—	—	—	—	—		
32 Senility	M	6	—	—	—	—	—	—	—	—	—	1	5	16	—	—	—	—	—	—	—	—	3		
	F	14	—	—	—	—	—	—	—	—	—	2	12	22	—	—	—	—	—	—	—	1	3		
33 Suicide	M	10	—	—	—	—	2	1	1	2	4	—	—	8	—	—	—	—	—	2	2	3	1		
	F	1	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	1	1	—	—	—	—		
34 Other violence	M	16	—	—	1	2	—	1	1	2	3	2	4	23	—	1	1	4	6	3	1	3	3		
	F	19	—	—	—	1	—	—	—	1	5	2	10	7	—	—	1	—	—	—	—	1	1		
35 Other defined causes	M	36	2	—	—	1	—	—	1	8	5	12	7	59	2	—	1	6	3	6	3	5	12		
	F	29	2	—	1	2	2	1	1	2	2	10	6	39	3	—	2	—	1	3	4	4	5		
36 Ill-defined causes	M	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

Causes of Death. first page of Table.		FINSBURY.													FULHAM.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	515	43	12	6	9	13	29	35	57	115	112	84	956	98	18	9	16	49	52	56	109	173	215	161		
	F	464	36	6	9	6	20	24	27	39	70	105	122	901	56	9	9	21	36	37	50	82	137	221	243		
Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-		
Measles	M	3	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping cough	M	2	1	1	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-		
	F	5	3	1	1	-	-	-	-	-	-	-	-	4	2	-	1	1	-	-	-	-	-	-	-		
Diphtheria	M	3	-	2	1	-	-	-	-	-	-	-	-	4	2	-	1	1	-	-	-	-	-	-	-		
	F	1	-	-	-	-	1	-	-	-	-	-	-	5	1	-	1	3	-	-	-	-	-	-	-		
Influenza	M	9	-	-	-	-	1	-	-	2	2	4	-	14	1	1	1	-	1	1	1	2	1	3	2		
	F	14	-	-	-	-	-	-	-	1	3	5	5	21	1	-	-	-	2	2	1	2	5	4	4		
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	2	-	-	-	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
Cerebro-spinal fever	M	3	1	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	1	-	-	-	-	-		
Respiratory tuberculosis	M	48	-	-	-	-	6	13	6	12	9	2	-	90	-	1	-	2	14	16	15	23	11	8	-		
	F	36	-	-	-	1	10	12	7	3	2	1	-	58	1	1	-	3	19	13	9	5	5	2	-		
Other tuberculosis	M	5	-	1	1	-	2	-	1	-	-	-	-	12	2	2	2	1	1	-	2	1	-	1	-		
	F	5	-	1	3	-	-	-	-	-	1	-	-	10	1	1	1	5	1	-	-	-	1	-	-		
Syphilis	M	3	-	-	-	-	-	1	-	-	2	-	-	10	2	-	-	-	-	1	3	3	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	1	-	-	1	-	-	-		
Gen. paralysis of insane, etc.	M	8	-	-	-	-	-	-	2	4	1	1	-	14	-	-	-	-	2	2	5	2	2	1	-		
	F	3	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
Cancer	M	51	-	-	-	1	-	-	2	3	26	14	5	112	-	-	-	1	2	1	6	18	32	35	17		
	F	47	-	-	-	-	-	-	6	7	10	16	8	117	-	-	-	-	1	2	5	23	29	34	23		
Diabetes	M	3	-	-	-	-	-	-	-	-	3	-	-	5	-	-	-	-	-	1	-	1	1	1	1		
	F	9	-	-	-	1	-	-	-	-	3	5	-	13	-	-	-	-	-	-	3	1	7	2	-		
Cerebral hæmorrhage	M	32	-	-	-	-	-	-	1	1	11	13	6	26	-	-	-	-	1	-	-	2	6	7	10		
	F	30	-	-	-	-	-	-	-	3	8	7	12	36	-	-	-	-	-	1	2	7	10	16	16		
Heart disease	M	85	-	-	-	-	5	3	13	18	27	19	-	194	-	-	-	-	1	5	3	14	38	70	63		
	F	96	-	-	-	1	3	2	4	6	17	34	29	234	-	-	1	1	4	4	8	16	31	73	96		
Aneurysm	M	3	-	-	-	-	-	-	1	2	-	-	-	9	-	-	-	-	-	-	2	4	1	2	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	2	2	-	-		
Other circulatory	M	25	-	-	-	-	-	-	-	-	1	11	13	44	1	-	-	-	-	-	-	1	12	16	14		
	F	31	-	-	-	-	-	-	-	1	1	8	21	41	-	-	-	-	-	-	2	3	5	13	18		
Bronchitis	M	38	-	-	-	-	-	-	-	3	14	10	11	32	1	2	-	1	-	1	2	1	4	10	10		
	F	31	1	-	-	-	-	-	-	4	6	5	15	39	3	1	-	-	-	-	2	3	14	16	16		
Pneumonia	M	54	12	3	1	1	-	2	6	9	6	5	9	84	23	6	2	1	3	3	5	9	15	12	5		
	F	35	8	1	3	-	1	1	1	5	3	6	6	73	10	3	3	1	-	2	5	6	12	12	19		
Other respiratory	M	5	-	-	-	-	-	1	1	3	-	-	-	12	1	-	-	-	1	-	-	4	3	2	1		
	F	4	-	-	-	-	1	-	1	-	2	-	-	11	-	-	-	-	-	-	1	3	3	4	4		
Peptic ulcer	M	1	-	-	-	-	-	-	-	1	-	-	-	13	-	-	-	-	-	3	2	8	-	-	-		
	F	3	-	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	-	3	1	2	-	-		
Diarrhœa	M	11	7	2	-	-	-	-	1	-	-	-	1	13	10	1	-	-	-	-	-	1	-	1	2		
	F	7	5	-	-	-	-	-	-	1	-	-	1	10	4	-	-	-	1	-	-	1	-	2	2		
Appendicitis	M	2	-	-	-	-	-	-	1	-	1	-	-	6	-	-	-	1	1	-	-	-	2	2	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	1	2	-	2	1	-	-	-	-		
Cirrhosis of liver	M	5	-	-	-	-	-	-	-	1	2	1	1	6	-	-	-	-	-	-	-	4	2	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	2	-	1	-	1	1		
Other liver diseases	M	1	-	-	-	-	-	-	1	-	-	-	-	6	-	-	-	-	1	-	1	1	2	1	1		
	F	3	-	-	-	-	-	-	1	1	-	-	1	6	-	-	-	-	-	1	-	2	3	-	-		
Other digestive	M	7	1	-	-	1	-	-	-	1	-	2	2	17	1	-	1	-	2	2	-	2	5	2	2		
	F	7	1	-	-	-	-	-	-	1	2	-	3	16	1	2	-	-	-	3	-	6	4	-	-		
Nephritis	M	13	-	-	-	-	-	2	-	3	5	3	3	32	-	-	-	1	2	2	2	5	6	11	3		
	F	15	-	-	-	-	1	1	2	2	3	4	2	25	-	-	-	-	1	2	-	3	5	10	4		
Puerperal sepsis	F	3	-	-	-	-	-	2	1	-	-	-	-	5	-	-	-	-	2	3	-	-	-	-	-		
Other puerperal	F	2	-	-	-	-	-	1	1	-	-	-	-	4	-	-	-	-	2	2	-	-	-	-	-		
Congenital causes, etc.	M	19	17	-	1	1	-	-	-	-	-	-															



TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death. See first page of Table.		GREENWICH.												HACKNEY.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	582	52	14	6	11	33	30	37	66	87	135	111	1,239	112	13	13	28	47	41	74	138	236	28	
	F	551	45	11	8	12	30	25	21	47	66	120	166	1,254	91	19	15	27	48	55	79	92	163	31	
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
2 Measles	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	1	-	1	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-	1	1	-	
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	
	F	5	3	1	1	-	-	-	-	-	-	-	-	5	1	4	-	-	-	-	-	-	-	-	
5 Diphtheria	M	4	1	-	1	2	-	-	-	-	-	-	-	7	1	-	1	4	1	-	-	-	-	-	
	F	7	2	1	2	2	-	-	-	-	-	-	-	8	-	1	2	4	1	-	-	-	-	-	
6 Influenza	M	10	-	1	-	-	-	-	3	2	-	2	2	23	-	-	-	1	2	-	-	3	5	-	
	F	6	-	-	-	-	-	2	-	2	-	-	2	46	-	-	1	-	1	1	3	3	5	1	
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	59	-	-	-	-	14	15	10	10	6	4	-	86	-	-	2	-	7	17	17	20	18	-	
	F	38	-	-	-	-	17	7	2	3	4	5	-	69	1	-	-	3	20	17	10	5	6	-	
10 Other tuberculosis	M	10	-	1	-	2	3	1	2	1	-	-	-	19	1	-	2	7	4	-	1	2	-	-	
	F	7	-	-	1	1	1	2	-	2	-	-	-	10	1	1	-	2	2	1	2	-	1	-	
11 Syphilis	M	4	-	-	-	-	-	-	1	1	1	-	1	3	-	-	-	-	-	-	1	-	2	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-	-	
12 Gen. paralysis of insane, etc.	M	6	-	-	-	-	-	-	2	1	2	1	-	7	-	-	-	-	-	-	1	1	2	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	
13 Cancer	M	79	-	-	-	-	-	2	1	13	21	28	14	155	-	-	-	-	1	2	9	22	48	4	
	F	83	-	-	-	-																			

Causes of Death first page of Table.		HAMMERSMITH.													HAMPSTEAD.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	825	77	14	7	14	38	33	57	118	149	177	141	460	37	7	8	11	14	15	21	50	89	117	91		
	F	827	63	17	6	18	29	44	54	75	110	162	249	565	23	4	1	6	19	15	29	57	100	122	189		
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping cough	M	4	-	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	3	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
Diphtheria	M	3	-	1	1	1	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-		
	F	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza	M	12	1	-	-	-	1	-	1	2	3	2	2	11	2	-	-	-	1	-	2	2	1	2	1		
	F	15	1	1	-	-	1	-	1	2	1	3	5	27	-	-	1	1	1	1	2	2	7	3	10		
Encephalitis lethargica	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
Cerebro-spinal fever	M	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	1	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	1	-	2	-	-	-	-		
Respiratory tuberculosis	M	66	-	-	-	-	13	9	13	20	8	3	-	19	-	-	-	1	2	5	4	4	3	-	-		
	F	43	-	-	-	1	12	11	9	6	4	-	-	22	-	-	-	1	5	5	2	5	1	-	3		
Other tuberculosis	M	11	2	-	-	2	5	-	1	1	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-		
	F	7	1	-	1	2	-	2	-	1	-	-	-	4	-	-	-	-	-	1	-	3	-	-	-		
Syphilis	M	2	-	-	-	-	-	-	1	-	1	-	-	4	1	-	-	-	-	-	-	1	1	1	1		
	F	3	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
Gen. paralysis of insane, etc.	M	13	-	-	-	-	-	-	1	4	4	2	2	3	-	-	-	-	-	-	1	-	2	-	-		
	F	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer	M	104	-	-	-	-	-	2	9	20	33	29	11	75	-	-	1	-	-	-	1	12	20	32	9		
	F	125	-	-	1	-	-	1	11	16	32	32	32	90	-	-	-	-	-	1	8	15	24	26	16		
Diabetes	M	9	-	-	-	-	2	-	-	1	2	2	2	5	-	-	-	-	-	-	2	1	1	1	1		
	F	7	-	-	-	-	-	2	-	1	1	1	2	9	-	-	-	-	-	1	-	2	3	3	3		
Cerebral haemorrhage	M	29	-	-	-	-	-	-	-	3	6	14	6	6	-	-	-	-	-	-	1	-	1	2	2		
	F	49	-	-	-	-	-	-	1	3	11	17	17	27	-	-	-	-	-	-	2	11	4	10	10		
Heart disease	M	173	-	-	1	-	2	3	6	9	38	61	53	96	-	-	-	-	2	1	2	9	21	33	28		
	F	182	-	-	-	-	4	6	7	8	34	44	79	132	-	-	-	-	-	3	8	17	39	65	65		
Aneurysm	M	3	-	-	-	-	-	-	-	-	2	1	-	4	-	-	-	-	-	-	-	1	2	1	1		
	F	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	1		
Other circulatory	M	40	-	-	-	-	-	1	2	2	4	16	15	20	-	-	-	-	-	-	1	6	4	8	8		
	F	28	-	-	-	-	-	-	-	2	2	12	12	29	-	-	-	1	-	-	1	4	6	18	18		
Bronchitis	M	45	1	-	-	-	-	-	2	12	6	9	15	13	1	-	-	-	-	-	1	3	-	1	7		
	F	48	2	-	-	-	1	-	-	1	3	10	31	29	-	-	-	1	-	-	1	2	2	23	23		
Pneumonia	M	67	19	7	1	-	2	2	4	10	13	6	3	32	4	2	2	1	1	4	-	1	6	2	9		
	F	65	11	12	2	4	1	2	3	4	5	13	8	28	1	2	-	-	2	2	1	6	2	6	6		
Other respiratory	M	11	-	-	-	-	-	2	1	3	1	2	2	6	1	-	1	-	-	-	1	-	1	2	2		
	F	6	1	-	-	-	-	1	-	2	1	-	1	7	-	-	-	1	-	-	-	-	1	5	5		
Peptic ulcer	M	8	-	-	-	-	-	-	3	2	1	2	-	6	-	-	-	-	-	-	2	3	1	-	-		
	F	4	-	-	-	-	-	-	-	2	1	1	-	3	-	-	-	-	-	-	2	-	1	-	-		
Diarrhoea	M	13	10	2	-	-	-	-	-	-	-	1	-	7	6	-	-	1	-	-	-	-	-	-	-		
	F	10	7	-	-	-	-	1	-	-	1	-	-	5	2	-	-	-	-	-	-	-	1	2	2		
Appendicitis	M	4	-	-	-	1	-	2	1	-	-	-	-	3	-	-	-	-	-	1	2	-	-	-	-		
	F	10	-	-	-	1	2	-	4	2	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-		
Cirrhosis of liver	M	4	-	-	-	-	-	-	2	1	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-		
	F	6	-	-	-	-	-	-	1	2	1	2	-	3	-	-	-	-	-	-	1	2	-	-	-		
Other liver diseases	M	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	-	-	2	3	3		
Other digestive	M	11	2	-	1	1	-	1	-	2	2	2	-	10	1	-	1	1	-	1	1	4	-	-	-		
	F	20	1	-	2	1	1	1	1	4	2	5	2	6	-	-	-	-	1	-	2	-	1	2	2		
Nephritis	M	18	-	-	-	-	-	1	4	5	1	3	4	16	-	-	-	-	1	-	1	3	2	6	3		
	F	19	-	-	-	-	1	1	-	4	3	3	7	23	-	-	-	-	-	2	1	5	8	7	7		
Puerperal sepsis	F	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
Other puerperal	F	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
Congenital causes, etc.	M	34	34	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-		
	F	29	29	-	-																						



Causes of Death. <i>See first page of Table.</i>		HOLBORN.													ISLINGTON.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	275	17	3	1	1	13	15	19	32	69	63	42	2,028	192	34	29	51	80	83	111	246	367	4			
	F	217	9	3	2	3	7	9	12	20	40	50	62	2,087	148	38	28	45	76	97	105	190	292	4			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-				
	F	1	-	-	1	-	-	-	-	-	-	-	-	4	1	2	1	-	-	-	-	-	-				
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	3	-	-	-	-	-				
4 Whooping cough	M	3	2	-	1	-	-	-	-	-	-	-	-	13	5	4	4	-	-	-	-	-	-				
	F	1	1	-	-	-	-	-	-	-	-	-	-	22	13	4	4	1	-	-	-	-	-				
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	1	1	3	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	11	1	1	6	3	-	-	-	-	-				
6 Influenza	M	7	-	-	-	-	1	-	1	-	4	-	1	45	2	-	1	-	3	3	7	10	11				
	F	6	-	-	-	-	-	1	1	1	1	2	1	41	-	1	-	-	2	1	6	5	4				
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-				
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	5	4	-	-	1	-	-	-	-	-				
	F	1	-	-	-	-	-	-	-	-	1	-	-	7	-	2	1	2	-	-	1	-	1				
9 Respiratory tuberculosis	M	21	-	-	-	-	1	4	2	5	7	2	-	152	-	2	3	2	23	27	19	39	23				
	F	11	-	-	-	1	1	-	1	4	3	1	-	129	1	1	-	3	43	27	20	18	10				
10 Other tuberculosis	M	3	-	-	-	-	3	-	-	-	-	-	-	25	2	3	1	5	7	3	1	1	-				
	F	3	-	-	1	-	1	-	-	-	-	1	-	27	1	4	4	5	4	2	3	3	-				
11 Syphilis	M	3	1	-	-	-	-	-	1	-	1	-	-	11	2	-	-	-	-	1	2	4	2				
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	2	-	-	-	-	-	2	1	-				
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	-	1	1	-	13	-	-	-	-	-	-	-	8	-				
	F	1	-	-	-	-	-	-	-	-	-	1	-	8	-	-	-	-	1	1	1	2	1				
13 Cancer	M	41	-	1	-	-	-	-	4	7	16	10	3	257	-	-	-	2	1	3	6	32	73				
	F	38	-	-	-	1	-	1	1	5	11	10	9	271	-	-	-	2	-	7	19	57	66				
14 Diabetes	M	4	-	-	-	-	-	-	-	1	1	2	-	13	-	-	-	-	-	-	-	-	-				
	F	5	-	-	-	-	-	-	-	1	2	1	1	29	-	-	-	-	-	-	-	4	8				
15 Cerebral hæmorrhage	M	17	-	-	-	-	-	-	-	1	4	6	6	67	-	-	-	-	-	-	-	5	13				
	F	8	-	-	-	-	-	1	-	-	1	3	3	94	-	-	-	-	-	1	1	6	19				
16 Heart disease	M	41	-	-	-	-	1	1	3	4	13	12	7	363	-	-	-	4	6	6	18	37	80				
	F	53	-	-	-	-	2	3	4	2	8	16	18	508	-	-	-	4	8	12	13	35	60				
17 Aneurysm	M	2	-	-	-	-	-	-	-	1	1	-	-	15	-	-	-	-	-	-	1	4	5				
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	3	2	-				
18 Other circulatory	M	10	-	-	-	-	-	-	-	-	-	4	6	69	-	-	-	-	-	-	1	5	10				
	F	18	-	-	-	-	-	-	-	-	2	4	12	78	-	-	-	1	1	-	-	2	15				
19 Bronchitis	M	20	-	-	-	-	-	1	-	2	3	7	7	115	8	-	1	-	1	2	3	16	18				
	F	7	-	-	-	-	-	-	-	-	2	1	4	115	8	1	-	-	-	-	4	7	2				
20 Pneumonia	M	23	2	1	-	-	-	4	3	3	6	3	1	209	43	18	6	4	7	4	14	21	26				
	F	15	2	2	-	-	1	1	-	1	3	2	3	165	34	13	2	4	3	2	8	13	23				
21 Other respiratory	M	1	-	-	-	-	-	-	-	-	1	-	-	46	-	1	-	1	1	4	1	8	-				
	F	1	-	-	-	-	-	-	-	-	-	-	1	46	2	2	-	1	1	1	-	6	-				
22 Peptic ulcer	M	2	-	-	-	-	-	-	-	1	1	-	-	47	-	-	-	-	1	3	10	12	11				
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	1	1	1	-				
23 Diarrhoea	M	3	2	-	-	-	-	-	-	-	-	-	-	36	33	1	-	-	-	1	-	-	-				
	F	1	1	-	-	-	-	-	-	-	-	-	-	35	20	5	1	-	1	3	-	1	-				
24 Appendicitis	M	2	-	-	-	-	1	-	-	-	-	-	-	16	-	-	2	2	2	3	1	4	1				
	F	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	1	-	1	1	1	4				
25 Cirrhosis of liver	M	3	-	-	-	-	-	-	-	1	2	-	-	9	-	-	-	1	-	-	-	3	4				
	F	2	-	-	-	-	-	-	-	1	-	1	-	7	-	-	-	-	-	-	-	5	-				
26 Other liver diseases	M	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	-	1	2				
	F	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	1	-	-	-	7	-				
27 Other digestive	M	6	-	-	-	-	2	-	-	-	1	2	1	43	4	-	4	1	2	1	3	4	6				
	F	3	-	-	-	-	-	-	-	-	2	-	1	36	-	-	2	2	1	1	7	3	2				
28 Nephritis	M	5	-	-	-	-	-	-	-	2	-	1	2	59	1	-	-	1	2	5	5	10	10				
	F	8	-	-	-	-	-	1	2	3	2	-	-	51	-	-	-	1	2	2	3	8	8				
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	2	8	1	-	-				
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	3	4	3	1	-				
31 Congenital causes, etc.	M	8	8	-	-	-	-	-	-	-	-	-	-	80	79	-	-	-	1	-	-	-	-				
	F	4	4	-	-	-	-	-	-	-	-	-	-	52	51	-	-	-	-	1	-	-	-				
32 Senility	M	3	-	-	-	-	-	-	-	-	1	-	2	30	-	-	-	-	-	-	-	-	-				
	F	4	-	-	-	-	-	-	-	-	-	-	4	67	-	-	-	-	-	-	-	1	-				
33 Suicide	M	9	-	-	-	-	2	-	1	2	1	2	1	32	-	-	-	-	3	3	2	11	9				
	F	3	-	-	-	-	2	1	-	-	-	-	-	15	-	-	-	-	-	3	2	3	4				
34 Other violence	M	14	-	-	-	1	2	2	1	1	2	4	1														

Causes of Death. First page of Table.		KENSINGTON.												LAMBETH.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,066	112	22	20	8	37	36	51	101	194	255	230	1,885	160	25	21	34	57	75	124	215	376	438	360
	F	1,389	76	20	13	22	41	47	66	126	184	351	443	1,863	113	26	24	31	64	74	102	171	287	382	589
Typhoid fever, etc.	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-	-
Whooping cough	M	4	1	1	2	-	-	-	-	-	-	-	-	17	9	6	1	1	-	-	-	-	-	-	-
	F	6	1	4	-	1	-	-	-	-	-	-	-	10	5	3	2	-	-	-	-	-	-	-	-
Diphtheria	M	3	-	1	-	1	1	-	-	-	-	-	-	9	1	1	4	2	1	-	-	-	-	-	-
	F	4	1	-	1	2	-	-	-	-	-	-	-	11	1	3	2	5	-	-	-	-	-	-	-
Influenza	M	19	2	1	-	-	-	-	4	2	3	3	4	42	3	-	-	-	1	2	4	4	9	11	8
	F	45	-	-	-	-	2	2	-	4	6	14	17	40	2	2	1	-	1	1	1	3	10	10	9
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	-	-	1	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	2	-	-	-	-	1	-	1	-	-	-	-	6	3	1	-	1	-	-	-	-	-	-	-
	F	4	-	1	2	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Respiratory tuberculosis	M	73	-	-	-	-	16	11	11	15	14	4	2	147	1	-	-	-	21	24	33	34	22	10	2
	F	54	-	1	-	3	15	10	10	9	3	3	-	107	1	2	-	3	33	29	15	10	5	7	2
Other tuberculosis	M	7	-	1	1	1	2	-	-	-	2	-	-	19	-	1	-	4	5	4	-	3	2	-	-
	F	14	1	1	2	4	4	1	-	-	1	-	-	14	-	2	2	3	3	1	-	1	-	1	1
Syphilis	M	4	2	-	-	-	-	-	-	-	1	1	-	8	1	-	-	-	-	-	-	3	3	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	2	-	-	-	1	1	-	1	-	-	-
Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	-	1	1	1	2	-	18	-	-	-	-	-	-	5	3	6	2	2
	F	2	-	-	-	-	-	-	-	2	-	-	-	9	-	-	-	-	-	1	3	3	-	-	-
Cancer	M	133	-	-	-	1	1	2	4	20	43	40	22	255	-	-	-	1	-	6	11	30	86	90	31
	F	200	-	-	-	-	2	14	26	43	77	38	-	271	-	-	-	-	1	3	15	49	70	75	58
Diabetes	M	4	-	-	-	-	-	-	1	-	1	1	1	14	-	-	-	-	-	1	2	2	2	5	4
	F	17	-	-	-	-	-	-	-	4	2	8	3	19	-	-	1	1	-	1	1	-	3	6	6
Cerebral hæmorrhage	M	38	-	-	-	-	-	-	1	1	12	13	11	50	-	-	-	-	-	2	6	12	18	12	12
	F	75	-	-	-	-	-	-	-	7	17	17	34	78	-	-	-	-	-	2	9	10	22	35	35
Heart disease	M	190	-	-	-	-	2	1	3	14	31	75	64	395	-	1	-	5	4	10	9	42	78	123	123
	F	290	-	-	-	-	2	2	8	19	34	92	133	508	1	-	-	3	7	6	23	34	75	123	236
Aneurysm	M	11	-	-	-	-	-	-	1	2	6	1	1	12	1	-	-	-	-	1	-	1	5	2	2
	F	6	-	-	-	-	-	1	-	1	2	1	1	7	-	-	-	-	1	-	-	4	2	-	-
Other circulatory	M	54	-	-	-	-	-	-	-	3	11	11	29	84	-	-	-	-	-	-	-	4	13	24	42
	F	81	-	1	-	-	-	-	-	3	8	29	40	72	-	-	-	-	-	-	-	2	8	23	39
Bronchitis	M	59	3	-	-	-	-	-	1	6	12	18	19	90	1	-	-	-	-	2	3	11	24	24	25
	F	77	4	1	-	-	-	-	1	3	6	20	42	78	3	1	-	-	2	-	2	5	11	12	42
Pneumonia	M	107	34	9	6	1	1	1	4	11	8	16	16	162	25	7	7	3	3	2	15	18	24	34	24
	F	125	22	10	6	4	3	2	3	7	13	24	31	114	19	6	6	-	1	2	8	9	19	23	21
Other respiratory	M	8	-	-	-	-	1	1	-	-	4	-	2	23	-	-	-	-	2	2	-	3	3	7	6
	F	21	-	-	-	-	1	1	2	2	1	5	9	17	-	-	-	-	1	2	-	3	5	6	6
Septic ulcer	M	22	-	-	-	-	-	1	2	4	9	4	2	33	-	-	-	-	-	3	6	7	8	7	2
	F	5	-	-	-	-	-	-	-	3	2	-	-	16	-	-	-	-	-	1	1	2	4	4	4
Diarrhoea	M	25	20	3	-	-	-	-	1	-	-	-	1	21	14	3	1	-	-	2	-	1	-	-	-
	F	15	12	-	-	-	-	-	-	1	2	-	-	16	13	-	-	-	-	-	-	1	1	-	1
Appendicitis	M	5	-	-	1	-	-	-	-	-	1	1	2	6	-	-	-	3	-	-	3	-	-	-	-
	F	10	-	-	-	1	2	-	-	2	2	2	1	5	-	-	-	-	1	2	-	-	2	-	-
Cirrhosis of liver	M	8	-	-	-	-	-	-	1	3	1	3	-	10	-	-	-	-	-	1	-	1	4	3	1
	F	11	-	-	-	-	-	-	1	3	2	2	3	10	-	-	-	-	-	-	2	3	4	1	1
Other liver diseases	M	6	-	-	-	-	-	1	-	-	1	2	2	8	1	-	-	-	-	1	-	2	3	1	1
	F	9	-	-	-	-	-	-	-	-	3	4	2	13	-	-	-	-	-	-	2	4	4	4	3
Other digestive	M	24	2	1	1	1	-	-	1	3	6	6	3	33	3	-	4	1	3	2	4	8	7	-	-
	F	30	1	-	-	-	2	1	-	7	3	8	8	43	1	1	2	-	3	4	2	11	8	7	7
Nephritis	M	24	-	-	-	-	2	1	2	3	8	8	8	57	-	-	-	-	1	1	6	5	14	20	10
	F	42	-	-	-	1	1	-	3	2	9	12	14	72	-	-	-	-	4	4	2	5	16	19	22
Puerperal sepsis	F	7	-	-	-	-	1	3	3	-	-	-	-	6	-	-	-	-	1	5	-	-	-	-	-
Other puerperal	F	8	-	-	-	-	2	4	1	1	-	-	-	9	-	-	-	-	1	2	4	2	-	-	-
Congenital causes, etc.	M	44	42	-	2	-	-	-	-	-	-	-	-	78	78	-	-	-	-	-	-	-	-	-	-
	F	30	30	-	-	-	-	-	-	-	-	-	-	51	51	-	-	-	-	-	-	-	-	-	-
Senility	M	15	-	-	-	-	-	-	-	-	-	1	14	31	-	-	-	-	-	-	-	-	4	27	27
	F	24	-	-	-	-	-	-	-	-	-	1	23	63	-	-	-	-	-	-	-	1	5	57	57
Suicide	M	32	-	-	-	-	1	5	6	6	8	4	2	29	-	-	-	-	1	2	7	5	8	4	2
	F	13	-	-	-	-	-	5	4	2	2	-	-	12	-	-	-	-	-	2	4	3	2	1	-
Other violence	M	49	1	2	7	2	7	6	1	4	5	9	5	74	5	-	-	7	7	5	7	12	12	6	13
	F	57	1	1	-	1	2	3	3	3	10	9	24	55	5	1	-	3	2	3	2	6	4	6	23
Other defined causes†	M	89	5	2	-	1	3	5	6	4	11	32	20	148	13	3	4	6	8	4	8	16	31	32	23
	F	103	3	-	2	4	4	10	12	14	12	22	20	127	8	4	6	9	6	5	13	21	19	20	16
Ill-defined causes	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

† Including 1 death from Smallpox in Lambeth (a female aged 7 years).





Causes of Death. See first page of Table.		POPLAR.													ST. MARYLEBONE.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,035	114	27	25	27	39	51	62	132	180	214	164	606	43	3	4	9	18	21	39	82	121	150	116		
	F	907	97	30	14	17	51	30	54	81	121	207	205	619	27	4	7	12	24	26	34	58	101	151	175		
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
Measles	M	6	1	2	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	3	1	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-		
	F	3	-	-	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
Whooping cough	M	7	2	4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	F	12	6	5	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
Diphtheria	M	7	2	-	3	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-		
	F	4	1	1	1	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-		
Influenza	M	13	-	1	-	-	-	3	2	4	1	1	1	8	-	-	1	1	-	1	-	3	2	1	1		
	F	10	1	-	-	1	1	-	-	-	3	3	1	20	-	-	1	1	-	3	1	1	2	4	7		
Encephalitis lethargica	M	3	-	-	-	-	2	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	1		
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cerebro-spinal fever	M	4	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-		
	F	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
Respiratory tuberculosis	M	96	2	-	-	-	13	19	20	24	15	3	-	44	-	-	-	1	2	5	10	11	11	3	1		
	F	56	1	-	-	1	24	10	12	3	5	-	-	37	-	-	-	9	9	7	6	4	2	-	-		
Other tuberculosis	M	11	2	2	1	1	1	1	-	3	-	-	-	6	1	-	-	-	1	-	2	2	-	-	-		
	F	7	-	-	2	1	2	1	1	-	-	-	-	5	-	-	-	3	1	-	-	-	1	-	-		
Syphilis	M	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-		
	F	4	2	-	-	-	-	-	1	1	-	-	-	4	3	-	-	-	-	-	-	1	-	-	-		
Gen. paralysis of insane, etc.	M	6	-	-	-	-	-	-	1	4	-	1	-	7	-	-	-	-	2	1	2	1	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	-	2	2	-	-		
Cancer	M	121	1	-	-	1	1	1	6	19	33	51	8	84	-	-	-	-	1	-	4	13	22	28	16		
	F	100	-	-	-	-	-	4	11	19	22	31	13	105	-	-	1	-	2	-	7	18	26	26	25		
Diabetes	M	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	1	1	1	1		
	F	15	-	-	-	-	-	-	-	3	5	7	-	5	-	-	-	-	-	-	-	-	1	1	2		
Cerebral hæmorrhage	M	23	-	-	-	-	1	-	-	3	6	8	5	13	-	-	-	-	-	-	2	4	5	2	2		
	F	31	-	-	-	-	-	-	2	5	6	16	2	29	-	-	-	-	1	2	3	5	8	10	10		
Heart disease	M	229	-	-	-	6	1	1	4	19	36	74	88	117	-	-	-	-	1	4	5	9	23	39	36		
	F	248	-	-	-	3	9	3	7	14	28	79	105	136	-	-	-	1	3	1	2	7	23	38	61		
Aneurysm	M	6	1	-	-	-	1	-	-	3	1	-	-	11	-	-	-	1	-	-	2	3	4	1	1		
	F	2	-	-	-	-	1	-	-	-	1	-	-	7	-	-	-	-	1	-	-	2	2	2	2		
Other circulatory	M	33	-	-	-	-	-	-	2	6	12	13	17	17	-	-	-	-	-	-	-	2	5	10	11		
	F	25	-	-	-	-	-	-	-	5	15	5	26	26	-	-	-	-	-	-	-	3	12	11	11		
Bronchitis	M	58	10	-	-	-	1	4	6	14	13	10	21	21	2	-	-	-	-	2	2	6	4	5	5		
	F	64	12	2	-	-	1	-	3	5	15	26	20	20	2	-	1	-	-	-	-	1	2	14	14		
Pneumonia	M	116	27	12	7	-	4	3	9	17	14	11	12	52	10	2	-	1	2	-	4	7	6	11	9		
	F	94	18	14	4	1	3	1	7	10	12	9	15	54	7	3	-	1	3	1	3	6	7	14	9		
Other respiratory	M	11	1	1	-	-	-	-	5	4	-	-	-	11	-	-	-	1	1	-	-	2	4	3	3		
	F	10	-	-	-	-	-	-	2	1	1	6	8	8	-	-	-	1	-	1	2	-	2	2	2		
Peptic ulcer	M	17	-	-	-	1	1	-	4	8	3	-	14	14	-	-	-	-	-	-	7	4	3	-	-		
	F	6	-	-	-	1	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Diarrhoea	M	8	6	-	1	-	-	-	-	-	1	-	-	13	10	-	-	-	1	1	-	-	1	-	-		
	F	17	12	2	-	-	1	2	-	-	-	-	-	4	3	-	-	-	-	-	-	-	-	1	1		
Appendicitis	M	5	-	-	1	2	2	-	-	-	-	-	-	7	-	-	-	2	1	1	2	1	-	-	-		
	F	8	-	-	1	-	3	-	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
Cirrhosis of liver	M	4	-	-	-	-	-	-	-	2	2	-	-	6	-	-	-	-	-	1	-	4	1	-	-		
	F	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	1	-	2	1	-	-		
Other liver diseases	M	1	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	2	1	1		
	F	3	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	1	-	-	-		
Other digestive	M	21	4	1	1	-	2	-	4	2	5	2	-	20	1	-	-	1	-	2	4	4	4	3	3		
	F	18	1	1	1	-	-	3	2	3	5	2	3	19	1	-	-	1	-	-	5	3	7	2	2		
Nephritis	M	27	-	-	1	-	3	2	3	11	5	2	2	13	-	-	-	-	-	1	2	1	5	5	4		
	F	25	-	-	-	2	1	-	2	6	8	4	22	22	-	-	-	2	1	1	-	4	5	5	9		
Puerperal sepsis	F	3	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
Other puerperal	F	4	-	-	-	-	1	2	1	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-		
Congenital causes, etc.	M	45	44	-	-	1	-	-	-	-	-	-	-	11	10	-	1	-	-	-	-	-	-	-	-		
	F	31	31	-	-	-	-	-	-	-	-	-	-	7	6	-	-	-	-	1	-	-	-	-	-		
Senility	M	11	-	-	-	-	-	-	-	-	3	8	8	8	-	-	-	-	-	-	-	-	-	-	8		
	F	15	-	-	-	-	-	-	-	-	1	14	11	11	-	-	-	-	-	-	-	-	1	10	10		
Suicide	M	10	-	-	-	-	1	-	-	3	3	2	1	16	-	-	-	-	1	-	7	3	4	1	1		
	F	3	-	-	-	-	-	-	1	2	2	-	-	9	-	-	-	1	2	1	1	1	2	1	1		
Other violence	M	58	3	-	3	7	4	13	5	4	7	7	5	35	5	-	-	1	4	-	3	2	6	9	5		
	F	13	3	1	-	1	-	-	-	-	1	3	4	23	1	-	-	2	1	1	1	5	3	6	3		
Other defined causes	M	75	6	2	3	6	4	4	7	8	11	13	11	52	3	1	1	2	2	4	4	9	14	8	8		
	F	68	7	2	2	5	5	4	2	10	12	13	6	46	2	1	1	2	1	3	3	9	15	6	6		
Ill-defined causes	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		



TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death. <i>See first page of Table.</i>		ST. PANCRAS.												SHOREDITCH.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	1,362	113	21	16	29	45	41	76	168	267	323	263	639	58	30	19	27	24	29	38	75	115	129	
	F	1,250	87	12	8	24	48	59	73	149	172	279	339	588	68	22	11	22	38	29	26	50	82	114	
1 Typhoid fever, etc.	M	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	2	1	1	-	-	-	-	-	-	-	-	-	18	5	7	5	1	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	8	3	4	1	-	-	-	-	-	-	-	
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Whooping cough	M	8	4	3	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
	F	6	6	-	-	-	-	-	-	-	-	-	-	9	2	6	1	-	-	-	-	-	-	-	
5 Diphtheria	M	9	1	-	7	1	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	
	F	10	-	1	3	5	1	-	-	-	-	-	-	5	-	1	2	2	-	-	-	-	-	-	
6 Influenza	M	17	-	1	-	-	-	-	2	-	2	6	6	9	1	1	-	-	2	1	-	-	1	1	
	F	31	1	1	-	-	2	2	3	6	3	7	6	14	-	-	-	-	-	2	-	-	5	4	
7 Encephalitis lethargica	M	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
8 Cerebro-spinal fever	M	4	2	-	-	-	-	1	-	1	-	-	-	3	-	2	1	-	-	-	1	-	-	-	
	F	7	3	-	-	2	-	2	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	112	1	-	-	1	17	17	19	29	18	8	2	44	-	1	1	1	11	10	5	9	4	2	
	F	72	-	-	-	2	20	13	14	16	3	4	-	44	-	-	-	3	16	10	5	5	5	-	
10 Other tuberculosis	M	13	1	-	4	2	3	-	-	-	2	1	-	9	-	2	-	2	1	2	-	2	-	-	
	F	11	1	-	-	1	2	2	1	1	2	-	1	9	2	-	-	5	1	-	1	-	-	-	
11 Syphilis	M	14	1	-	-	-</																			

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death. first page of Table.		SOUTHWARK.												STEPNEY.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,329	98	24	18	31	69	46	76	173	259	317	218	1,616	173	53	32	36	52	77	102	202	333	350	206
	F	1,099	81	20	12	38	54	42	61	105	157	257	272	1,352	136	34	38	32	52	65	64	127	241	308	255
Typhoid fever, etc.	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	2	-	1	1	-	-	-	-	-	-	-	-	12	1	10	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	12	3	6	3	-	-	-	-	-	-	-	-
Scarlet fever	M	1	1	-	-	-	-	-	-	-	-	-	-	4	-	-	3	1	-	-	-	-	-	-	-
	F	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	M	9	4	3	2	-	-	-	-	-	-	-	-	13	3	7	3	-	-	-	-	-	-	-	-
	F	9	6	2	1	-	-	-	-	-	-	-	-	19	5	7	6	1	-	-	-	-	-	-	-
Diphtheria	M	3	-	1	2	-	-	-	-	-	-	-	-	10	1	3	4	2	-	-	-	-	-	-	-
	F	5	-	1	1	1	2	-	-	-	-	-	-	7	1	1	4	1	-	-	-	-	-	-	-
Influenza	M	17	1	-	-	-	1	3	3	3	5	1	-	8	1	1	-	1	-	2	2	1	2	-	1
	F	18	-	-	-	-	-	2	2	2	7	5	2	19	1	-	1	1	-	-	-	-	5	4	2
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Cerebro-spinal fever	M	4	1	-	1	1	1	-	-	-	-	-	-	4	1	-	1	-	-	1	-	-	1	-	-
	F	6	-	4	-	-	-	-	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	136	-	1	1	2	21	19	14	33	35	10	-	150	1	-	2	-	20	31	24	32	26	13	1
	F	72	-	1	-	3	22	10	16	8	9	3	-	85	2	-	1	3	24	14	15	13	6	6	1
Other tuberculosis	M	16	1	1	1	3	4	2	1	2	1	-	-	16	-	-	4	2	2	1	1	3	2	1	-
	F	12	-	1	-	5	3	-	1	1	-	1	-	8	-	-	2	1	2	1	-	1	-	1	-
Syphilis	M	4	-	-	-	-	-	-	1	2	1	-	-	15	1	-	-	-	1	-	6	6	1	-	-
	F	2	-	-	-	-	-	-	1	1	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	6	-	-	-	-	-	-	3	2	1	-	-	12	-	-	-	-	-	1	3	2	5	1	-
	F	6	-	-	-	-	-	-	2	-	3	1	-	3	-	-	-	-	-	1	-	2	-	-	-
Cancer	M	164	-	-	1	1	-	4	8	23	49	56	22	177	-	-	-	-	-	1	7	30	62	56	21
	F	126	-	-	-	1	-	6	10	28	29	34	18	165	-	-	1	-	1	6	5	27	48	50	27
Diabetes	M	2	-	-	-	-	-	-	-	-	2	-	-	14	-	-	-	-	-	1	1	1	4	6	1
	F	15	-	-	-	-	-	1	-	3	2	7	2	29	-	-	-	-	-	1	-	3	12	9	4
Cerebral haemorrhage	M	30	-	-	-	-	-	2	3	3	17	5	-	40	-	-	-	-	-	1	3	10	18	8	-
	F	37	-	-	-	-	-	2	2	12	15	6	-	39	-	-	-	-	-	1	4	10	20	4	-
Heart disease	M	342	-	-	1	2	9	4	14	28	57	115	112	355	-	-	-	4	7	12	9	30	81	110	102
	F	334	-	-	-	1	7	7	5	22	37	108	147	345	-	-	-	4	9	7	12	20	66	108	119
Aneurysm	M	6	-	-	-	-	-	-	1	2	2	1	-	11	-	-	-	-	-	1	3	2	4	1	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	4	-	-	-	-	-	-	-	2	2	-	-
Other circulatory	M	44	-	-	-	-	-	-	1	12	17	14	-	36	1	-	-	-	-	1	1	2	19	10	-
	F	40	-	-	-	-	-	-	4	9	9	18	-	49	1	-	-	-	-	1	4	15	16	12	-
Bronchitis	M	62	4	1	-	-	2	1	2	6	10	16	20	75	2	2	-	1	1	2	5	16	23	16	7
	F	62	2	1	-	-	1	3	3	3	4	25	23	41	1	-	-	-	-	-	2	7	19	12	-
Pneumonia	M	115	23	9	4	2	2	5	7	19	17	20	7	177	32	15	6	3	5	2	14	20	38	30	12
	F	89	20	6	5	8	2	5	6	4	13	12	8	117	25	11	7	2	3	4	10	8	13	19	15
Other respiratory	M	13	-	-	1	-	1	-	1	4	4	2	-	19	1	2	-	2	-	-	1	2	5	4	2
	F	7	-	1	1	-	-	-	1	1	2	1	1	17	-	-	-	-	-	1	2	2	8	4	-
Peptic ulcer	M	18	-	-	-	-	1	4	3	2	7	1	-	27	-	-	-	-	1	1	5	6	8	6	-
	F	6	-	-	-	-	-	-	1	3	1	1	-	8	-	-	-	-	-	1	2	3	2	-	-
Diarrhoea	M	6	4	1	-	-	-	-	1	-	-	-	-	40	32	6	-	-	-	2	-	-	-	-	-
	F	12	9	2	-	-	-	-	1	-	-	-	-	35	34	-	-	1	-	-	-	-	-	-	-
Appendicitis	M	7	-	1	-	1	1	1	1	-	-	-	1	6	-	-	1	2	-	-	3	-	-	-	-
	F	3	-	-	-	2	-	-	-	-	-	1	-	7	-	-	-	-	2	-	1	1	-	-	-
Cirrhosis of liver	M	4	-	-	-	-	-	-	2	2	-	-	-	8	-	-	-	-	-	2	2	1	2	1	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	9	-	-	-	-	-	-	4	3	2	-	-
Other digestive	M	20	-	1	-	-	-	1	5	3	3	7	-	23	-	-	2	1	-	3	10	2	4	1	-
	F	21	2	-	-	4	-	2	2	-	6	4	1	28	1	2	1	1	-	1	5	7	6	3	-
Nephritis	M	66	-	-	-	-	5	1	1	7	25	19	8	45	-	-	-	-	2	3	4	7	15	5	-
	F	53	-	-	-	3	2	4	8	8	14	14	-	54	-	-	-	-	1	5	1	9	13	7	-
Puerperal sepsis	F	5	-	-	-	-	2	1	2	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	-
Other puerperal	F	5	-	-	-	-	1	2	2	-	-	-	-	4	-	-	-	-	2	2	-	-	-	-	-
Congenital causes, etc.	M	46	46	-	-	-	-	-	-	-	-	-	-	78	76	-	-	1	1	-	-	-	-	-	-
	F	36	33	-	1	2	-	-	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-
Senility	M	5	-	-	-	-	-	-	-	-	-	-	-	17	-	-	-	-	-	-	-	-	-	1	16
	F	14	-	-	-	-	-	-	-	-	-	1	13	26	-	-	-	-	-	-	-	2	2	22	-
Suicide	M	11	-	-	-	-	1	-	2	3	3	2	-	20	-	-	-	-	1	2	2	5	7	1	2
	F	6	-	-	-	-	-	1	3	1	1	-	-	5	-	-	-	-	1	1	2	1	-	-	-
Other violence	M	58	2	1	-	7	10	1	4	11	9	10	3	59	5	-	2	7	3	7	3	5	8	15	4
	F	32	1	1	1	4	3	-	4	3	5	10	-	48	3	1	6	6	3	3	-	4	4	4	14
Other defined causes†	M	110	11	3	3	12	10	4	7	13	16	19	12	140	15	7	3	10	8	9	12	9	29	27	11
	F	56	7	-	1	9	5	5	1	7	6	7	8	105	6	6	5	10	6	16	7	16	12	14	7
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-

Including 2 deaths from Smallpox in Stepney (1 Male—aged 63 years and 1 Female—aged 1 week).



Causes of Death. See first page of Table.		STOKE NEWINGTON.													WANDSWORTH.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-			
All Causes	M	319	24	4	5	6	18	15	10	34	62	75	66	1,925	165	18	18	31	85	79	110	226	354	433			
	F	336	18	1	4	6	10	14	14	19	38	87	125	2,104	102	20	20	29	71	101	123	185	284	434			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-			
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	10	5	4	1	-	-	-	-	-	-	-			
	F	1	-	1	-	-	-	-	-	-	-	-	-	8	4	4	-	-	-	-	-	-	-	-			
5 Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	11	1	-	6	4	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	2	1	1	-	-	-	1	-	-			
6 Influenza	M	4	-	-	-	-	-	-	-	-	2	1	1	48	-	3	-	-	-	1	5	8	10	7			
	F	7	-	-	-	-	-	-	-	1	-	4	2	62	2	2	-	-	4	2	3	6	12	6			
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
8 Cerebro-spinal fever	M	1	-	-	1	-	-	-	-	-	-	-	-	3	1	-	1	1	-	-	-	-	-	-			
	F	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	1	-	-	-	1	1	-	-			
9 Respiratory tuberculosis	M	35	-	-	-	-	7	7	2	5	9	5	-	147	-	-	-	-	29	32	28	33	23	2			
	F	19	-	-	1	-	6	4	3	-	2	3	-	133	-	-	1	3	34	41	23	13	9	7			
10 Other tuberculosis	M	4	-	1	1	-	1	1	-	-	-	-	-	16	2	1	2	3	5	1	1	-	-	-			
	F	1	-	-	-	1	-	-	-	-	-	-	-	12	1	-	3	2	1	1	1	-	1	1			
11 Syphilis	M	3	-	-	-	-	-	-	1	2	-	-	-	4	-	-	-	1	-	-	-	1	2	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	1	-	-	19	-	-	-	-	1	1	-	5	6	6			
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	1	-	-	2	2	1	-			
13 Cancer	M	42	-	-	-	-	1	1	-	6	13	16	5	274	-	-	1	1	2	6	12	37	69	106			
	F	57	-	-	-	-	-	2	5	5	13	21	11	307	-	-	-	-	-	6	24	51	67	73			
14 Diabetes	M	1	-	-	-	-	-	-	-	-	1	-	-	17	-	-	-	-	-	1	1	2	2	8			
	F	4	-	-	-	-	-	-	-	-	1	2	1	23	-	-	-	-	1	1	-	2	4	9			
15 Cerebral hæmorrhage	M	14	-	-	-	-	-	-	1	-	2	8	3	49	-	-	-	-	-	-	1	4	11	16			
	F	21	-	-	-	-	-	-	-	1	1	12	7	87	-	-	-	-	-	-	-	4	15	22			
16 Heart disease	M	54	-	-	-	-	1	1	1	5	8	16	22	419	-	-	-	1	4	5	9	28	83	118			
	F	88	-	-	-	1	1	-	1	4	8	16	57	575	-	-	-	3	5	11	21	28	53	146			
17 Aneurysm	M	2	-	-	-	-	-	-	1	1	-	-	-	9	-	-	-	-	1	1	-	3	3	1			
	F	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	1	-	-	-	-			
18 Other circulatory	M	25	-	-	-	-	-	-	-	-	2	10	13	62	-	-	-	-	-	-	2	5	16	21			
	F	18	-	-	-	-	-	-	-	-	3	1	14	76	-	-	-	-	-	-	1	5	12	23			
19 Bronchitis	M	11	-	-	-	-	-	-	1	1	1	2	6	86	5	-	-	1	-	-	1	9	11	24			
	F	19	1	-	-	-	-	-	-	2	1	3	12	104	7	-	1	-	1	1	-	4	10	25			
20 Pneumonia	M	26	3	3	3	1	1	1	-	2	5	4	3	117	26	7	3	2	2	1	11	15	13	23			
	F	15	3	-	2	1	-	-	1	-	2	2	4	91	10	8	3	4	1	4	3	7	10	21			
21 Other respiratory	M	3	-	-	-	-	-	-	-	-	-	2	1	17	-	-	-	-	1	1	1	2	1	6			
	F	2	-	-	-	-	-	-	1	1	-	-	-	25	-	-	-	-	-	1	-	3	6	8			
22 Peptic ulcer	M	4	-	-	-	-	-	-	-	-	4	-	-	28	-	-	-	-	-	2	5	10	7	3			
	F	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	1	1	3	3	2			
23 Diarrhoea	M	7	7	-	-	-	-	-	-	-	-	-	-	19	16	-	-	1	1	-	-	-	-	-			
	F	1	1	-	-	-	-	-	-	-	-	-	-	14	8	1	2	-	-	2	-	-	-	-			
24 Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	1	3	1	4	1	5	1			
	F	1	-	-	-	-	-	-	-	-	-	-	1	14	-	-	2	-	-	-	2	4	1	5			
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	1	1	-	-	7	-	-	-	-	1	1	-	-	3	2			
	F	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	-	-	3	3			
26 Other liver diseases	M	3	-	-	-	-	-	-	-	-	2	1	-	10	-	-	-	-	-	-	-	-	5	3			
	F	2	-	-	-	-	-	-	-	-	-	2	-	10	-	-	-	-	-	3	1	-	1	3			
27 Other digestive	M	6	1	-	-	-	-	-	-	1	2	1	1	32	5	-	-	-	2	2	3	4	5	7			
	F	8	-	-	-	1	-	-	-	-	4	2	1	43	-	-	1	3	1	1	6	5	10	5			
28 Nephritis	M	10	-	-	-	-	1	1	-	2	2	3	1	82	-	-	-	1	2	1	6	11	25	26			
	F	10	-	-	-	-	-	1	-	-	-	7	2	91	-	-	-	1	4	2	7	13	21	24			
29 Puerperal sepsis	F	3	-	-	-	-	-	2	1	-	-	-	-	15	-	-	-	-	2	11	2	-	-	-			
30 Other puerperal	F	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-			
31 Congenital causes, etc.	M	13	13	-	-	-	-	-	-	-	-	-	-	92	87	1	-	1	1	1	-	-	-	1			
	F	11	11	-	-	-	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-			
32 Senility	M	4	-	-	-	-	-	-	-	-	-	-	-	43	-	-	-	-	-	-	-	-	-	5			
	F	7	-</																								

Causes of Death. first page of Table.		WESTMINSTER.													WOOLWICH.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	821	48	7	5	12	27	37	49	103	179	211	143	848	57	16	15	15	43	40	47	101	161	184	169		
	F	752	41	8	7	4	32	37	38	77	118	185	205	806	71	13	15	18	31	44	38	75	114	178	209		
Typhoid fever, etc.	M	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	3	-	-	-	-	-	-	-		
Whooping cough	M	2	-	1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-		
	F	3	1	-	2	-	-	-	-	-	-	-	-	7	4	2	1	-	-	-	-	-	-	-	-		
Diphtheria	M	2	-	1	-	1	-	-	-	-	-	-	-	4	-	1	1	2	-	-	-	-	-	-	-		
	F	3	-	-	-	1	1	1	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-		
Influenza	M	14	-	-	-	-	1	-	1	1	6	4	1	16	-	-	2	-	-	-	-	-	-	-	-		
	F	28	-	1	-	-	3	1	2	2	4	6	9	18	1	1	1	-	1	-	2	4	3	2	4		
Encephalitis lethargica	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Cerebro-spinal fever	M	2	1	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	1	-	-	1	-	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-		
Respiratory tuberculosis	M	68	-	-	-	1	6	12	15	18	8	6	2	86	-	-	-	-	23	16	13	17	15	2	-		
	F	37	-	-	-	-	10	11	7	6	2	-	1	62	-	-	1	-	17	18	8	12	4	2	-		
Other tuberculosis	M	7	-	-	-	1	3	1	-	1	1	-	-	13	2	3	-	4	2	-	-	-	-	-	2		
	F	8	-	-	1	-	4	2	-	-	1	-	-	7	-	-	3	3	-	-	1	-	-	-	-		
Syphilis	M	5	1	-	-	-	-	-	-	2	1	1	-	7	2	-	-	-	-	-	2	2	-	1	-		
	F	2	1	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-		
Gen. paralysis of insane, etc.	M	5	-	-	-	1	-	-	-	1	-	2	1	3	-	-	-	-	-	1	-	-	-	1	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
Cancer	M	113	1	-	-	-	2	4	20	33	41	12	125	-	-	-	-	-	3	11	16	35	42	18			
	F	101	-	-	-	-	-	8	16	29	30	18	95	-	-	-	-	-	-	7	15	26	28	19			
Diabetes	M	6	-	-	-	-	1	-	1	3	-	1	5	5	-	-	-	-	-	1	1	-	1	1	1		
	F	16	-	-	-	1	1	-	3	5	5	1	11	-	-	-	-	1	1	-	1	2	5	1			
Cerebral haemorrhage	M	30	-	-	-	-	-	-	3	9	15	3	28	-	-	-	-	-	-	1	1	6	10	10			
	F	29	-	-	-	-	-	1	3	4	10	11	47	-	-	-	-	-	-	1	2	7	15	22			
Heart disease	M	196	-	-	-	2	1	3	21	42	62	65	172	-	-	-	1	1	4	6	18	33	57	52			
	F	176	-	-	2	-	2	1	4	13	27	58	69	195	-	-	-	1	4	9	4	18	29	66	64		
Aneurysm	M	5	-	-	-	-	-	-	1	2	2	-	6	-	-	-	-	-	-	1	1	3	1	-			
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Other circulatory	M	24	-	-	-	-	-	2	2	9	5	6	26	-	-	-	-	-	-	-	3	7	7	9			
	F	25	-	-	-	-	-	-	-	5	5	15	17	-	-	-	-	-	-	-	1	3	7	6			
Bronchitis	M	38	3	-	-	-	1	-	1	3	6	14	10	44	1	1	-	-	-	-	3	9	10	20			
	F	45	2	1	-	-	1	1	2	3	10	25	47	3	-	-	1	-	-	-	1	3	12	26			
Pneumonia	M	72	12	2	2	1	3	4	3	4	18	14	9	63	11	6	4	1	3	2	1	5	17	11	2		
	F	61	8	2	-	1	2	5	4	3	8	14	14	63	18	7	2	4	1	2	3	3	4	8	11		
Other respiratory	M	12	-	-	-	1	-	1	1	2	4	2	1	11	1	-	-	-	-	1	-	2	3	4			
	F	7	1	1	-	-	1	-	1	-	2	1	9	-	-	-	-	-	-	-	2	2	2	3			
Peptic ulcer	M	5	-	-	-	-	1	2	1	-	-	-	1	13	-	-	-	-	1	1	3	5	2	1			
	F	3	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	2	-	-			
Diarrhoea	M	10	9	1	-	-	-	-	-	-	-	-	6	4	-	1	-	1	-	-	-	-	-	-			
	F	9	6	-	-	-	-	-	-	-	2	1	3	1	1	-	-	-	-	-	-	1	-	-			
Appendicitis	M	4	-	-	-	-	1	-	-	2	1	-	6	-	-	-	2	-	-	-	1	2	-	1			
	F	5	-	-	-	1	1	-	1	1	1	-	3	-	-	-	-	-	-	-	2	-	1	-			
Cirrhosis of liver	M	10	-	-	-	-	-	-	1	5	4	-	3	-	-	-	-	-	-	-	-	3	-	-			
	F	4	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other liver diseases	M	4	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-	-	-	1	1	-	-			
	F	3	-	-	-	-	-	-	-	-	2	1	5	-	-	-	-	1	-	-	2	2	-	-			
Other digestive	M	14	-	-	-	1	1	2	4	3	3	-	15	-	-	1	-	1	1	-	2	1	3	6			
	F	25	1	-	-	2	1	1	4	5	5	7	19	3	-	2	-	-	-	-	3	2	5	4			
Nephritis	M	25	-	-	-	1	-	2	1	1	5	7	8	25	-	-	-	1	1	-	5	4	9	5			
	F	19	-	-	-	1	-	-	6	4	7	1	24	-	-	-	1	-	1	1	2	5	8	6			
Puerperal sepsis	F	4	-	-	-	1	1	2	-	-	-	-	6	-	-	-	-	1	2	3	-	-	-	-			
Other puerperal	F	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-			
Congenital causes, etc.	M	18	17	1	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-			
	F	17	17	-	-	-	-	-	-	-	-	-	37	36	1	-	-	-	-	-	-	-	-	-			
Infantility	M	7	-	-	-	-	-	-	-	1	1	5	19	-	-	-	-	-	-	-	-	1	4	14			
	F	14	-	-	-	-	-	-	-	-	-	14	37	-	-	-	-	-	-	-	-	1	2	34			
Homicide	M	13	-	-	-	1	3	2	2	3	2	-	7	-	-	-	-	-	1	1	3	-	1	1			
	F	11	-	-	-	2	2	3	2	2	2	-	7	-	-	-	-	-	1	2	-	2	2	-			
Other violence	M	43	2	1	2	3	6	4	4	10	5	6	43	2	2	5	3	8	5	2	6	3	3	4			
	F	39	2	-	1	1	3	1	6	3	13	9	10	1	-	-	2	1	-	-	-	1	-	5			
Other defined causes	M	64	2	-	2	4	3	2	7	6	8	19	11	67	5	1	2	1	3	3	5	10	13	14			
	F	52	2	3	1	-	2	5	4	6	12	10	7	61	2	1	2	3	2	8	6	11	14	2			
Other undefined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			



Causes of Death. See first page of Table.		BARNSELEY.													BARROW-IN-FURNESS.												
		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—			
All Causes	M	546	91	23	30	27	20	22	32	47	72	120	62	465	35	7	2	13	23	31	35	57	89	103			
	F	450	58	30	22	21	22	23	34	34	62	79	65	351	32	2	6	10	15	16	18	36	60	76			
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
2 Measles	M	16	4	4	7	1	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—	—			
	F	22	4	9	9	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—			
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—			
4 Whooping cough	M	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	4	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—			
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6 Influenza	M	14	1	1	2	—	1	1	1	2	2	—	3	17	1	—	—	—	1	1	3	3	7	1			
	F	14	3	2	—	1	—	—	2	1	1	2	2	4	—	—	—	1	1	—	—	—	1	1			
7 Encephalitis lethargica	M	4	—	—	—	3	1	—	—	—	—	—	—	3	—	—	—	—	—	1	1	—	1	—			
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
8 Cerebro-spinal fever	M	26	2	3	8	6	3	1	2	1	—	—	—	2	—	—	—	2	—	—	—	—	—	—			
	F	16	3	2	3	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
9 Respiratory tuberculosis	M	16	—	—	—	1	3	2	2	7	—	1	—	27	—	1	—	—	7	8	3	6	2	—			
	F	28	—	—	—	2	7	4	8	4	1	2	—	15	—	—	—	—	5	3	3	—	3	—			
10 Other tuberculosis	M	13	2	1	3	4	1	—	1	1	—	—	—	10	1	2	—	5	1	—	1	—	—	—			
	F	10	1	1	1	4	1	—	—	—	2	—	—	4	—	—	—	3	—	1	—	—	—	—			
11 Syphilis	M	1	—	—	—	1	—	—	—	—	—	—	—	3	1	—	—	—	—	—	1	—	1	—			
	F	2	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—			
12 Gen. paralysis of insane, etc.	M	5	—	—	—	—	—	—	1	3	1	—	—	7	—	—	—	—	—	1	3	3	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
13 Cancer	M	49	—	—	—	—	—	—	4	5	19	18	3	58	—	—	—	—	—	2	2	10	29	12			
	F	51	—	—	—	—	—	3	7	7	16	12	6	43	—	—	—	—	—	5	12	9	8	—			
14 Diabetes	M	8	—	—	—	1	—	1	1	—	1	4	—	2	—	—	—	—	—	—	1	1	—	—			
	F	5	—	—	—	—	—	—	—	2	1	2	—	5	—	—	—	—	—	—	1	—	—	3			
15 Cerebral hæmorrhage	M	18	—	—	—	—	—	—	1	—	1	7	9	18	—	—	—	—	—	—	—	2	2	8			
	F	20	—	—	—	—	—	—	—	—	5	8	7	28	—	—	—	—	—	—	—	3	5	13			
16 Heart disease	M	91	—	—	—	1	1	2	6	13	13	36	19	85	—	—	—	2	1	4	3	9	13	32			
	F	70	—	—	—	1	4	1	7	6	12	19	20	77	—	—	—	—	—	1	—	8	17	21			
17 Aneurysm	M	2	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	1	1	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—			
18 Other circulatory	M	36	—	—	—	—	—	—	—	1	10	14	11	41	—	—	—	—	—	—	—	2	6	16			
	F	23	—	—	—	—	—	—	—	—	2	8	13	13	—	—	—	—	—	—	—	1	1	5			
19 Bronchitis	M	28	8	1	1	—	1	—	—	—	5	7	5	32	5	—	—	—	1	—	1	6	4	10			
	F	25	7	—	2	1	—	—	—	—	3	7	5	21	1	—	—	—	2	—	—	—	4	8			
20 Pneumonia	M	69	27	11	6	2	1	2	3	3	3	10	1	35	5	—	—	—	2	2	5	7	5	8			
	F	40	10	10	3	3	2	1	1	1	2	3	4	26	4	2	2	2	2	2	3	—	2	3			
21 Other respiratory	M	7	—	—	1	1	—	1	—	1	2	—	1	6	—	—	—	—	—	—	1	2	2	—			
	F	8	—	1	1	2	—	1	1	—	—	1	1	1	—	—	—	1	—	—	—	—	—	—			
22 Peptic ulcer	M	4	—	—	—	—	—	2	—	—	—	2	—	8	—	—	—	—	1	3	1	—	2	1			
	F	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—			
23 Diarrhœa	M	5	5	—	—	—	—	—	—	—	—	—	—	6	3	2	—	—	—	1	—	—	—	—			
	F	3	2	1	—	—	—	—	—	—	—	—	—	3	2	—	—	—	1	—	—	—	—	—			
24 Appendicitis	M	2	—	—	—	—	—	1	—	1	—	—	—	2	—	—	—	—	—	—	—	—	1	1			
	F	1	—	—	—	—	1	—	—	—	—	—	—	7	—	—	—	1	1	2	—	—	2	1			
25 Cirrhosis of liver	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—			
26 Other liver diseases	M	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—			
	F	2	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—			
27 Other digestive	M	7	2	—	—	1	—	—	1	—	1	2	—	9	1	—	1	—	1	—	1	—	3	2			
	F	7	1	—	—	—	—	1	—	1	2	2	—	4	—	—	—	—	1	—	1	—	—	1			
28 Nephritis	M	15	—	—	—	—	1	2	4	1	3	3	1	8	—	—	—	—	—	—	1	2	3	2			
	F	12	—	—	—	—	—	—	—	3	5	4	—	12	—	—	—	—	1	1	—	1	2	6			
29 Puerperal sepsis	F	5	—	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
30 Other puerperal	F	9	—	—	—	—	1	6	2	—	—	—	—	2	—	—	—	—	—	1	1	—	—	—			
31 Congenital causes, etc.	M	35	35	—	—	—	—	—	—	—	—	—	—	14	12	—	—	1	—	—	1	—	—	—			
	F	24	24	—	—	—	—	—	—	—	—	—	—	16	15	—	1	—	—	—	—	—	—	—			
32 Senility	M	9	—	—	—	—	—	—	—	—	—	3	6	12	—	—	—	—	—	—	—	—	—	—			
	F	5	—	—	—	—	—	—	—	—	—	2	3	16	—	—	—	—	—	—	—	—	—	3			
33 Suicide	M	5	—	—	—	—	—	—	—	1	1	3	—	5	—	—	—	—	—	—	2	1	1	1			
	F	2	—	—	—	—	—	1	—	1	—	—	—	2	—	—	—	—	—	—	1	1	—	—			
34 Other violence	M	23	—	—	1	3	6																				

TABLE 24—*contd.*      **County Boroughs.**

Causes of Death.		BATH.												BIRKENHEAD.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	410	20	5	4	5	9	10	14	39	82	109	113	1,028	145	37	27	25	40	54	66	122	165	196	151
	F	558	11	3	5	3	6	17	24	41	74	134	240	963	91	30	31	37	45	56	58	73	138	187	217
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	4	-	2	1	1	-	-	-	-	-	-	-	23	5	12	6	-	-	-	-	-	-	-	-
	F	4	1	-	3	-	-	-	-	-	-	-	-	13	1	6	4	2	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	11	8	3	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	17	2	8	7	-	-	-	-	-	-	-	-
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	9	-	1	1	5	2	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	14	-	-	2	11	1	-	-	-	-	-	-
Influenza	M	15	-	-	-	-	1	1	-	-	5	4	4	22	1	-	1	1	1	4	4	2	4	3	2
	F	22	-	1	-	-	-	1	2	2	5	5	11	30	-	-	-	1	1	2	6	4	8	5	3
Encephalitis lethargica	M	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	2	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	22	-	-	-	-	3	4	4	7	3	1	-	82	-	-	-	1	11	15	18	22	10	4	1
	F	13	-	-	-	-	2	3	3	1	1	3	-	61	-	-	-	1	17	23	10	7	2	1	-
Other tuberculosis	M	4	-	1	1	-	-	1	1	-	-	-	-	17	3	4	5	2	1	1	-	1	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	1	-	19	3	-	7	1	4	1	-	-	2	1	-
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	1	-	1	1	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	2	2	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Cancer	M	50	-	-	-	-	1	-	1	11	12	17	8	99	-	-	-	-	2	3	5	11	29	39	10
	F	73	-	-	-	-	-	1	3	12	12	25	20	110	-	-	1	-	2	1	10	16	33	32	15
Diabetes	M	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	2	-	-	-
	F	5	-	-	-	-	-	-	-	2	1	2	-	7	-	-	-	1	1	-	-	1	1	1	3
Cerebral hæmorrhage	M	12	-	-	-	-	-	-	-	-	2	2	8	48	-	-	-	-	-	-	6	12	16	14	14
	F	32	-	-	-	-	-	-	-	1	7	12	12	42	-	-	-	-	1	1	3	8	12	17	17
Heart disease	M	88	-	-	-	-	-	-	3	7	21	28	29	197	-	-	-	1	2	6	9	21	34	66	58
	F	142	-	-	-	-	1	2	3	3	25	36	72	172	-	-	-	4	5	2	5	11	28	70	47
Aneurysm	M	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	1	-	3	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	26	-	-	-	-	-	-	-	2	2	9	13	40	-	-	-	-	-	1	7	9	10	13	13
	F	39	-	-	-	-	-	-	-	2	4	13	20	45	-	-	-	-	-	-	1	2	5	11	26
Bronchitis	M	15	-	-	-	-	-	-	-	-	3	3	9	49	8	1	-	-	2	-	2	3	9	14	10
	F	23	-	-	-	-	-	-	1	1	-	3	18	51	5	1	1	1	-	-	-	2	3	16	22
Pneumonia	M	22	4	2	1	1	-	2	1	3	4	1	3	100	32	9	8	6	-	6	8	10	11	5	5
	F	32	3	1	1	1	1	1	1	3	2	4	14	94	25	11	5	10	1	9	5	4	7	9	8
Other respiratory	M	6	-	-	-	-	-	-	-	-	-	3	3	11	1	-	-	1	1	-	2	1	3	2	2
	F	12	-	-	-	-	-	-	-	-	2	1	9	5	-	-	-	-	-	-	-	1	-	-	4
Peptic ulcer	M	6	-	-	-	-	-	-	1	2	1	1	1	14	-	-	-	-	-	2	2	6	3	1	-
	F	4	-	-	-	-	-	-	-	3	1	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Diarrhœa	M	4	2	-	-	-	-	-	-	-	-	1	1	19	16	1	1	-	-	-	1	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1	1	14	9	3	-	-	-	-	-	1	1	1	-
Appendicitis	M	4	-	-	-	-	-	-	-	-	2	1	1	4	-	-	1	-	1	2	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	1	-	-	7	-	-	-	1	3	1	-	1	1	-	-
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	2	-	2	-	-
	F	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	1	1	2	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	2	6	-	-	-	-	-	1	1	2	1	1	1
Other digestive	M	11	-	-	-	1	1	-	-	-	2	2	5	13	1	2	-	-	2	-	1	-	1	3	3
	F	15	-	-	1	-	1	-	1	1	4	4	3	18	-	-	-	-	2	2	2	1	6	1	6
Nephritis	M	21	-	-	-	-	-	-	1	3	1	14	2	35	-	-	-	-	2	2	6	9	11	5	5
	F	31	-	-	-	-	2	-	3	2	2	10	14	45	-	-	-	1	-	1	5	7	9	11	11
Puerperal sepsis	F	2	-	-	-	-	2	-	-	-	-	-	-	5	-	-	-	1	1	3	-	-	-	-	-
Other puerperal	F	2	-	-	-	-	1	1	-	-	-	-	-	4	-	-	-	-	4	-	-	-	-	-	-
Congenital causes, etc.	M	8	8	-	-	-	-	-	-	-	-	-	-	60	59	-	1	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	36	35	1	-	-	-	-	-	-	-	-	-
Senility	M	14	-	-	-	-	-	-	-	-	-	1	13	19	-	-	-	-	-	-	-	-	3	16	16
	F	34	-	-	-	-	-	-	-	-	-	2	32	37	-	-	-	-	-	-	-	-	3	34	34
Suicide	M	5	-	-	-	-	-	-	-	-	2	2	1	12	-	-	-	-	2	3	-	3	4	-	-
	F	6	-	-	-	-	1	1	1	2	2	-	-	6	-	-	-	-	2	2	2	-	-	-	-
Other violence	M	15	2	-	1	2	1	1	2	-	4	1	1	39	3	1	1	3	4	7	4	4	6	3	3
	F	7	-	1	-	-	1	1	-	1	-	1	3	15	1	-	-	-	-	-	3	2	1	8	8
Other defined causes	M	50	3	-	-	2	-	-	4	16	16	9	73	7	3	2	4	5	5	4	10	13	11	9	9
	F	41	2	-	2	-	1	8	6	5	9	8	83	8	-	4	4	7	7	7	8	17	10	11	11
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Causes of Death. See first page of Table.		BIRMINGHAM.													BLACKBURN.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-			
All Causes	M	6,139	682	134	111	151	243	279	424	788	1100	1273	954	822	48	15	14	17	30	32	46	102	167	216			
	F	5,628	533	123	115	120	233	253	335	572	869	1117	1358	933	44	16	9	11	30	37	59	110	170	238			
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—				
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
2 Measles	M	93	23	41	17	12	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—				
	F	83	22	23	29	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
3 Scarlet fever	M	5	—	—	1	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	5	—	—	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
4 Whooping cough	M	39	15	17	4	3	—	—	—	—	—	—	—	5	3	—	2	—	—	—	—	—	—				
	F	50	22	18	9	1	—	—	—	—	—	—	—	12	5	6	1	—	—	—	—	—	—				
5 Diphtheria	M	33	4	2	5	20	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	30	1	5	6	16	—	—	1	—	1	—	—	2	—	1	1	—	—	—	—	—	—				
6 Influenza	M	144	10	3	1	2	6	5	17	37	27	26	10	44	1	—	2	—	2	4	3	10	10				
	F	126	6	3	1	—	4	6	12	19	19	28	28	42	2	—	—	—	1	4	6	4	5				
7 Encephalitis lethargica	M	10	—	—	—	—	3	1	2	1	2	1	—	5	—	—	—	—	—	1	3	1	—				
	F	7	—	—	—	—	1	2	3	—	1	—	—	7	—	—	1	—	3	1	—	—	1				
8 Cerebro-spinal fever	M	14	7	3	1	—	2	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—				
	F	4	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—				
9 Respiratory tuberculosis	M	563	1	2	3	7	79	94	119	154	75	26	3	54	—	—	—	2	12	8	10	8	13				
	F	369	1	2	1	5	107	91	64	57	34	7	—	39	—	—	—	—	12	10	5	9	1				
10 Other tuberculosis	M	76	9	6	10	12	15	8	4	6	3	1	2	14	2	2	1	2	3	2	—	—	1				
	F	55	9	8	11	10	4	3	1	5	3	—	1	9	—	—	—	1	1	1	3	1	—				
11 Syphilis	M	39	7	—	—	1	—	—	5	9	14	3	—	2	1	—	—	—	—	—	1	—	—				
	F	21	4	—	—	—	1	1	3	6	3	3	—	5	1	—	—	1	—	—	—	2	—				
12 Gen. paralysis of insane, etc.	M	41	—	—	—	—	—	4	8	11	14	4	—	13	—	—	—	—	—	3	4	3	2				
	F	11	—	—	—	—	—	3	2	5	1	—	—	—	—	—	—	—	—	—	—	—	—				
13 Cancer	M	705	—	—	2	—	4	18	30	123	217	230	81	95	—	—	—	1	1	—	4	12	31				
	F	762	1	1	1	1	4	19	68	158	199	186	124	125	—	—	—	—	—	7	30	38	38				
14 Diabetes	M	57	—	—	—	1	—	4	1	6	17	20	8	8	—	—	—	—	—	—	2	2	2				
	F	73	—	—	—	—	1	1	1	9	30	22	9	19	—	—	—	—	—	—	1	6	10				
15 Cerebral hæmorrhage	M	217	—	—	—	—	—	—	4	13	53	88	59	40	—	—	—	—	—	1	1	13	18				
	F	303	—	—	—	—	—	1	2	20	66	113	101	53	—	—	—	—	—	1	4	10	21				
16 Heart disease	M	1,122	—	—	2	8	11	25	46	97	242	364	327	146	—	—	—	—	1	2	3	14	31				
	F	1,329	—	—	1	8	26	24	39	93	209	386	543	210	—	—	1	1	2	3	4	23	38				
17 Aneurysm	M	26	—	—	—	—	—	—	3	4	14	4	1	—	—	—	—	—	—	—	—	—	—				
	F	15	1	—	—	—	—	2	1	5	4	1	1	1	—	—	—	—	—	—	—	—	1				
18 Other circulatory	M	223	—	—	—	—	—	—	3	11	41	88	80	45	—	—	—	—	1	—	—	5	18				
	F	202	—	—	—	—	—	—	4	14	35	59	90	37	—	—	—	—	—	1	2	—	22				
19 Bronchitis	M	296	24	2	3	2	3	3	5	21	41	83	109	38	2	—	—	—	—	—	1	4	6				
	F	259	15	1	2	—	1	1	5	5	34	72	123	72	4	—	—	—	—	1	6	12					
20 Pneumonia	M	629	134	44	21	12	32	24	63	93	96	76	34	52	8	7	2	—	1	5	5	4	8				
	F	393	91	43	25	13	8	16	22	26	51	55	43	57	12	7	1	2	3	2	7	4					
21 Other respiratory	M	52	1	1	1	3	4	4	7	13	7	5	6	8	3	—	1	—	—	—	2	—	2				
	F	52	1	1	1	2	6	—	7	5	5	9	15	5	—	—	—	—	—	2	—	2					
22 Peptic ulcer	M	97	—	—	—	—	2	6	18	29	24	15	3	16	—	—	—	—	—	2	3	5					
	F	38	—	—	—	—	—	1	2	9	14	7	5	3	—	—	—	—	1	1	—	—					
23 Diarrhœa	M	91	76	6	3	—	—	1	—	2	—	2	1	13	7	2	1	—	—	1	1	1					
	F	83	55	8	3	2	2	1	4	3	—	3	2	4	2	—	1	—	—	—	—	—					
24 Appendicitis	M	44	—	—	9	6	3	4	5	7	8	2	—	8	—	—	—	1	4	—	1	2					
	F	23	—	—	1	3	2	4	4	5	1	3	—	1	—	—	1	—	—	—	—	—					
25 Cirrhosis of liver	M	29	—	—	—	—	—	—	3	4	10	11	1	5	—	—	—	—	—	—	1	—					
	F	15	—	—	—	—	—	—	1	5	7	2	—	—	—	—	—	—	—	—	—	—					
26 Other liver diseases	M	16	—	—	—	—	—	—	—	2	5	5	4	5	—	—	—	—	—	—	—	4					
	F	30	—	—	—	—	1	—	1	5	11	7	5	10	—	—	—	—	—	2	2	3					
27 Other digestive	M	89	8	1	5	4	5	7	6	9	18	13	13	13	2	—	—	1	—	—	5	3					
	F	94	7	1	—	8	4	4	6	17	17	12	18	13	—	—	—	—	—	1	3						
28 Nephritis	M	167	1	—	—	3	8	6	10	28	34	49	28	25	—	—	—	—	—	1	3	6					
	F	139	—	1	—	2	8	7	13	26	23	38	21	32	—	—	—	1	1	4	4	9					
29 Puerperal sepsis	F	30	—	—	—	—	3	19	8	—	—	—	—	1	—	—	—	—	1	—	—	—					
30 Other puerperal	F	32	—	—	—	—	6	17	9	—																	

Causes of Death first page of Table.		BLACKPOOL												BOLTON.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	726	45	4	10	12	15	33	36	92	156	200	123	1,144	112	25	22	22	31	43	80	136	205	302	166
	F	759	32	6	6	12	14	23	40	80	139	217	190	1,269	84	26	23	24	36	73	69	141	217	297	279
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	1	-	-	1	-	-	-	-	-	-	-	-	13	4	3	6	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	10	-	5	5	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	5	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	9	4	2	2	1	-	-	-	-	-	-	-
Diphtheria	M	6	-	-	2	2	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	6	-	-	1	5	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza	M	27	1	-	-	1	1	-	3	6	5	5	5	52	7	2	1	-	2	3	9	8	7	10	3
	F	33	-	-	1	1	-	2	2	3	2	10	12	58	3	3	-	2	2	4	4	4	7	17	12
Encephalitis lethargica	M	3	-	-	-	-	-	2	-	1	-	-	-	4	-	-	-	2	-	-	-	2	-	-	-
	F	3	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	-	1	-	-	-	-
Respiratory tuberculosis	M	50	-	-	-	-	4	14	13	14	3	2	-	69	-	-	-	1	7	10	16	23	6	6	-
	F	22	-	-	-	-	6	4	7	2	1	2	-	52	-	-	-	-	12	16	9	8	2	4	1
Other tuberculosis	M	5	1	-	-	2	1	-	-	-	-	-	1	15	1	-	3	3	1	1	1	3	2	-	-
	F	4	-	1	1	-	-	-	-	1	-	1	-	7	-	1	2	2	1	1	-	-	-	-	-
Syphilis	M	1	1	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	1	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	7	-	-	-	-	-	-	1	3	1	2	-	8	-	-	-	-	-	-	3	2	3	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	89	-	-	-	-	-	2	7	12	31	33	11	117	-	-	-	-	1	1	7	15	39	37	17
	F	128	-	-	-	-	1	2	7	19	34	44	21	148	-	-	-	1	3	12	37	41	36	18	-
Diabetes	M	14	-	-	2	-	-	1	1	-	4	5	1	13	-	-	-	-	1	-	-	1	5	6	-
	F	12	-	-	-	-	-	-	1	2	1	6	2	20	-	-	-	-	-	-	1	5	13	1	-
Cerebral hæmorrhage	M	35	-	-	-	-	-	-	-	1	12	16	6	67	-	-	-	-	1	-	-	6	15	34	11
	F	53	-	-	-	-	-	-	-	4	19	20	10	72	-	-	-	-	-	1	14	12	27	18	-
Heart disease	M	150	-	-	-	1	2	-	14	39	51	43	203	-	-	-	1	1	8	5	18	44	82	44	-
	F	166	-	-	-	1	1	2	4	11	33	60	54	269	-	-	-	2	8	12	12	28	63	71	73
Aneurysm	M	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	1	3	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other circulatory	M	35	-	-	-	-	-	-	-	2	9	11	13	71	-	-	-	-	-	1	2	11	30	26	-
	F	34	-	-	-	1	-	-	-	3	5	10	15	103	-	-	-	-	-	1	3	12	31	57	-
Bronchitis	M	34	2	-	-	-	-	1	-	2	8	10	11	73	8	2	2	-	-	1	2	6	13	21	18
	F	39	-	1	-	-	-	-	1	2	2	16	17	68	2	-	-	-	-	2	3	12	20	29	-
Pneumonia	M	49	6	3	1	2	2	4	2	11	8	6	4	89	22	9	3	2	-	5	10	8	15	10	5
	F	39	9	1	2	1	-	2	3	6	7	7	1	78	16	7	7	3	1	4	8	2	10	16	4
Other respiratory	M	10	-	-	-	-	-	-	1	2	1	5	1	8	1	-	-	1	1	-	-	2	1	2	-
	F	6	-	-	-	-	-	-	-	1	3	-	2	14	1	1	-	-	1	1	4	5	-	-	-
Peptic ulcer	M	9	-	-	-	-	1	1	1	2	2	2	-	9	-	-	-	-	1	3	1	1	2	1	-
	F	7	-	-	-	-	-	-	-	2	3	2	-	4	-	-	-	-	1	-	2	1	-	-	-
Diarrhœa	M	3	3	-	-	-	-	-	-	-	-	-	-	14	13	-	-	-	-	-	-	-	-	1	-
	F	9	3	1	-	-	-	-	-	2	1	2	-	11	6	-	1	-	-	-	2	1	-	1	-
Appendicitis	M	5	-	-	1	-	-	1	1	-	1	1	-	7	-	-	-	2	1	-	2	-	1	1	-
	F	2	-	-	-	1	-	-	-	1	-	-	-	4	-	-	1	1	-	-	-	-	1	1	-
Cirrhosis of liver	M	10	-	-	-	-	-	-	1	1	2	5	1	5	-	-	-	-	-	-	1	2	1	1	-
	F	4	-	-	-	-	-	-	-	-	2	2	-	5	-	-	-	-	-	-	2	-	3	-	-
Other liver diseases	M	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
	F	9	-	-	-	-	-	-	-	1	4	3	1	6	-	-	-	-	-	1	-	3	2	-	-
Other digestive	M	19	1	-	-	1	-	1	2	1	6	4	3	23	1	-	1	3	1	1	4	5	5	1	-
	F	15	1	-	-	-	-	1	1	6	3	1	2	13	-	-	-	2	2	1	1	3	2	1	-
Nephritis	M	27	-	-	-	-	-	1	1	5	7	10	3	44	-	-	1	2	1	4	8	10	14	4	-
	F	23	-	-	-	-	-	2	1	6	4	10	-	42	-	-	-	3	-	3	1	6	8	13	8
Puerperal sepsis	F	3	-	-	-	-	1	1	1	-	-	-	-	3	-	-	-	-	1	-	2	-	-	-	-
Other puerperal	F	3	-	-	-	-	1	1	1	-	-	-	-	14	-	-	-	-	1	8	4	1	-	-	-
Congenital causes, etc.	M	26	26	-	-	-	-	-	-	-	-	-	-	47	46	1	-	-	-	-	-	-	-	-	-
	F	17	16	-	-	-	-	1	-	-	-	-	-	49	45	3	-	1	-	-	-	-	-	-	-
Senility	M	21	-	-	-	-	-	-	-	-	1	10	10	23	-	-	-	-	-	-	-	-	12	11	-
	F	42	-	-	-	-	-	-	-	-	-	11	31	44	-	-	-	-	-	-	-	-	8	36	-
Suicide	M	7	-	-	-	-	1	-	1	2	2	1	-	24	-	-	-	-	-	1	2	6	8	6	1
	F	7	-	-	-	-	1	-	1	4	1	-	-	13	-	-	-	-	1	1	-	6	2	2	1
Other violence	M	24	1	1	3	-	1	4	3	5	-	4	2	39	2	-	1	1	5	6	5	3	7	9	-
	F	19	-	1	-	1	1	3	3	2	1	1	6	32	1	-	2	1	1	2	3	2	6	7	7
Other defined causes	M	55	3	-	-	3	3	1	2	8	11	17	7	86	6	3	2	4	6	4	8	13	16	17	7
	F	50	3	-	-	1	2	2	6	8	10	15	3	109	6	2	2	4	3	14	7	14	23	24	10
Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	4	-	2	-	-	-	-	-	1	-	-	1



TABLE 24—*contd.* County Boroughs.

Causes of Death. <i>See first page of Table.</i>			BOOTLE.												BOURNEMOUTH.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	605	84	12	22	19	33	36	32	65	99	130	73	671	40	4	6	10	20	19	23	51	101	193		
	F	536	75	24	14	21	24	40	26	49	67	102	94	821	34	1	6	12	12	25	27	67	100	208		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	6	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
4 Whooping cough	M	4	2	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-			
	F	16	8	5	2	1	-	-	-	-	-	-	-	4	3	-	1	-	-	-	-	-	-			
5 Diphtheria	M	6	-	-	3	2	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-			
	F	9	-	-	1	8	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-			
6 Influenza	M	10	-	-	-	1	1	1	-	3	4	-	-	22	-	1	-	-	2	1	1	2	5			
	F	8	-	-	-	-	-	1	1	1	1	3	1	11	-	-	-	-	-	-	1	2	6			
7 Encephalitis lethargica	M	3	-	-	-	1	1	-	-	-	-	1	-	3	-	-	1	-	1	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	1			
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-			
	F	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	72	-	-	-	2	14	11	14	17	7	7	-	40	-	-	-	-	6	7	7	8	7			
	F	41	-	-	-	5	9	10	6	4	2	3	2	22	-	-	-	-	3	5	1	4	2			
10 Other tuberculosis	M	6	1	1	1	1	1	1	-	-	-	-	-	3	1	-	1	1	-	-	-	-	-			
	F	5	2	1	-	-	1	1	-	-	-	-	-	4	1	-	1	-	-	1	-	-	-			
11 Syphilis	M	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	1	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-			
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-			
13 Cancer	M	61	-	-	-	-	1	2	3	9	16	24	6	72	-	-	-	-	1	1	2	4	16			
	F	53	-	-	-	-	-	1	4	15	14	11	8	130	-	-	-	-	-	2	6	17	31			
14 Diabetes	M	5	-	-	-	-	1	-																		

TABLE 24—*contd.*      **County Boroughs.**

Causes of Death. <i>See first page of Table.</i>		BRADFORD.												BRIGHTON.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes		M F	2,084 2,212	161 130	34 29	27 30	47 33	53 60	78 74	135 129	269 251	402 343	526 560	352 573	930 1,086	60 46	11 6	12 8	12 8	27 34	30 31	57 50	72 111	140 161	234 233	275 398
1	Typhoid fever, etc.	M F	2 -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
2	Measles	M F	18 14	1 1	11 3	5 6	1 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
3	Scarlet fever	M F	1 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
4	Whooping cough	M F	2 4	1 2	1 -	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
5	Diphtheria	M F	7 2	- 1	1 -	- -	6 1	- -	- -	- -	- -	- -	- -	- -	10 6	- -	2 1	4 3	4 2	- -	- -	- -	- -	- -	- -	- -
6	Influenza	M F	57 64	2 2	1 1	- 1	2 -	- 2	4 3	9 11	16 10	10 20	11 14	15 24	15 24	1 -	- -	1 -	- -	- 1	2 1	3 1	1 2	- 2	4 6	3 11
7	Encephalitis lethargica	M F	3 2	- -	- -	- -	- -	2 -	1 1	- -	- -	- -	- -	- -	- 4	- 1	- -	- -	- -	- -	- 1	- 2	- -	- -	- -	
8	Cerebro-spinal fever	M F	4 -	- -	1 -	1 -	1 -	1 -	- -	- -	- -	- -	- -	- 4	4 4	1 2	- 1	- -	3 -	- 1	1 1	- -	- -	- -	- -	
9	Respiratory tuberculosis	M F	140 97	1 1	1 1	- 1	20 32	21 15	31 20	31 14	24 8	10 5	- -	60 59	- -	- -	- -	1 -	8 15	5 10	16 15	15 11	10 4	4 4	1 -	
0	Other tuberculosis	M F	19 27	2 3	- 3	1 2	4 5	2 1	5 4	1 6	1 2	1 -	- -	15 12	2 1	1 1	1 -	1 1	3 2	5 1	1 1	1 1	- 2	- 1	1 1	
1	Syphilis	M F	5 2	1 -	- -	- -	- -	- -	- -	2 2	2 -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	
2	Gen. paralysis of insane, etc.	M F	15 5	- -	- -	- -	- -	- 2	7 -	5 3	2 -	1 -	- -	6 3	- -	- -	- -	- 1	- -	1 -	2 1	1 1	1 -	1 -	1 -	
3	Cancer	M F	205 302	- -	- -	- -	- -	3 4	11 30	36 66	55 82	72 87	28 33	92 139	- -	- -	- -	- -	1 3	1 5	4 8	8 18	22 34	30 42	26 37	
4	Diabetes	M F	16 40	- -	- -	- -	- 1	2 1	1 1	2 3	6 14	5 15	- 5	11 17	- -	- -	- -	- -	1 1	- -	3 -	5 3	18 2	34 6	42 5	
5	Cerebral hæmorrhage	M F	119 127	- -	- -	- -	- -	- 1	2 -	8 10	25 18	49 52	35 46	33 62	- -	- -	- -	- -	- -	- 2	- 2	- 9	4 19	14 30	15 30	
6	Heart disease	M F	433 556	- -	- -	- 2	5 3	6 7	13 16	51 41	94 87	140														



TABLE 24—*contd.*      **County Boroughs.**

Causes of Death. See first page of Table.		BRISTOL.													BURNLEY.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-			
All Causes		M 2,310 F 2,427	171 132	52 33	59 38	49 47	84 91	111 98	147 154	260 231	392 318	504 533	481 752	696 713	68 42	14 8	15 17	22 9	25 29	26 29	55 47	92 92	130 123	159 202			
1 Typhoid fever, etc.		M - F 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- 1				
2 Measles		M 38 F 31	7 6	16 12	12 11	2 1	- -	- -	1 1	- -	- -	- -	- -	4 2	- 1	2 1	2 -	- -	- -	- -	- -	- -	- -				
3 Scarlet fever		M - F 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -				
4 Whooping cough		M 2 F 4	- 1	2 1	- 2	- -	- -	- -	- -	- -	- -	- -	- -	9 8	5 2	3 3	1 3	- -	- -	- -	- -	- -	- -				
5 Diphtheria		M 17 F 14	- 1	- 2	9 3	7 6	- -	- -	- 1	- -	- 1	- -	1 -	2 2	- -	- -	1 2	1 -	- -	- -	- -	- -	- -				
6 Influenza		M 48 F 69	1 1	1 2	- -	- 1	3 2	2 1	6 6	8 8	8 12	11 16	8 20	27 33	1 1	- -	1 1	- -	2 1	1 1	3 6	7 3	4 7	4 8			
7 Encephalitis lethargica		M 3 F 3	- -	- -	- -	- 1	- -	1 -	1 -	- -	- 1	1 1	- -	4 2	- -	- -	1 -	- -	- 1	- 1	- -	2 -	1 -	- -			
8 Cerebro-spinal fever		M 5 F 9	- 2	2 -	- 1	2 -	- -	- 1	- 2	1 -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -				
9 Respiratory tuberculosis		M 196 F 172	- 1	- -	1 -	3 2	39 52	44 40	38 36	43 21	25 12	3 6	- 2	40 34	- -	- -	- 1	- -	7 10	7 9	9 5	11 5	4 3	2 1			
10 Other tuberculosis		M 29 F 20	3 2	4 1	6 2	6 7	5 2	2 3	- -	1 1	1 1	1 1	- -	12 4	- -	1 -	1 2	5 1	- -	3 1	1 -	- -	1 -	- -			
11 Syphilis		M 19 F 5	3 1	- -	- -	- -	- -	- 2	2 2	8 7	6 1	- -	- -	7 1	2 1	1 -	- -	- -	- -	- 2	1 -	- -	1 -				
12 Gen. paralysis of insane, etc.		M 15 F 4	- -	- -	- -	- -	- 1	1 1	1 1	7 3	5 -	1 -	- -	4 1	- -	- -	- -	- -	- 1	- -	- -	1 -	2 1				
13 Cancer		M 271 F 326	- -	- -	1 1	- 1	- 3	5 7	8 27	44 64	73 72	91 85	49 66	67 91	- -	- -	- -	- -	1 1	1 2	3 7	11 23	20 18	25 33			
14 Diabetes		M 22 F 43	- -	- -	- 1	1 -	2 2	1 -	- -	2 6	6 8	5 12	5 14	9 17	- -	- -	- -	- -	2 -	- -	- -	3 3	1 6	2 6			
15 Cerebral hæmorrhage		M 134 F 156	- -	- -	- -	- -	- 1	- 4	12 3	28 4	48 23	41 49	28 77	28 28	- -	- -	- -	- -	- -	1 -	1 4	6 5	12 11				
16 Heart disease		M 455 F 611	- -	- -	1 -	4 3	5 10	8 6	19 18	33 37	85 84	139 182	161 271	171 208	- -	- -	1 1	1 5	- 7	7 12	24 20	38 40	61 69				
17 Aneurysm		M 20 F 5	- -	- -	- -	1 -	1 -	2 -	5 2	6 1	5 1	5 1	- 1	2 -	- -	- -	- -	- -	- -	- -	- -	2 -	- -				
18 Other circulatory		M 93 F 98	- -	- -	- -	- -	- -	- 1	2 6	15 18	42 28	33 45	31 31	31 31	- -	- -	- -	- -	- -	- -	1 1	7 10	14 13				
19 Bronchitis		M 102 F 119	8 7	- -	2 -	- -	1 1	- 3	2 3	12 2	15 11	17 30	45 65	36 43	2 3	- 1	2 1	2 1	2 1	2 -	- -	4 1	6 4	11 18			
20 Pneumonia		M 133 F 132	35 24	15 13	8 6	2 4	3 1	6 7	7 11	13 13	18 6	16 19	10 28	40 30	7 7	3 1	2 2	2 1	3 1	3 1	6 3	3 5	5 2	6 6			
21 Other respiratory		M 38 F 21	- 1	1 -	- 1	1 2	2 1	1 -	6 -	5 -	7 4	9 8	6 4	9 7	- -	1 -	- -	1 -	- 1	2 2	1 2	2 2	1 2	2 2			
22 Peptic ulcer		M 33 F 8	- -	- -	- -	- -	1 -	2 1	9 2	6 1	6 1	6 3	3 1	8 4	- -	- -	- -	- -	- -	2 2	3 1	2 1	- -				
23 Diarrhœa		M 15 F 24	6 7	2 1	1 2	- 3	- -	2 1	1 3	- 3	1 -	1 3	1 4	9 4	6 1	1 1	1 -	- 1	- -	1 -	- -	- -	- -	- -			
24 Appendicitis		M 12 F 16	- -	- -	1 1	1 3	1 2	2 3	2 1	3 2	2 1	- -	3 3	7 5	- -	- -	- 2	1 1	1 -	- 2	- 1	2 -	- -	- -			
25 Cirrhosis of liver		M 8 F 2	- -	- -	- -	- -	- -	- 1	2 -	4 -	1 -	- 1	- 1	2 2	- -	- -	- -	- -	- -	- 1	2 -	- -	- -				
26 Other liver diseases		M 10 F 10	- -	- -	- -	- -	- -	- -	- 1	3 2	6 2	1 3	- 3	2 10	- -	- -	- -	- -	- -	1 1	- 4	1 1	- 4				
27 Other digestive		M 44 F 28	3 1	1 1	1 -	2 3	- 2	3 2	3 3	1 4	7 4	13 4	10 4	14 13	3 1	- -	- -	1 1	- 1	1 -	1 4	4 6	3 3	3 3			
28 Nephritis		M 86 F 89	- -	- -	- -	- 3	4 2	1 5	4 5	15 11	26 24	24 26	12 18	23 27	- -	- -	1 2	1 -	- -	1 1	4 9	6 4	6 4	3 7			
29 Puerperal sepsis		F 10	-	-	-	-	2	6	2	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-			
30 Other puerperal		F 9	-	-	-	-	-	6	3	-	-	-	-	5	-	-	-	-	3	2	-	-	-	-			
31 Congenital causes, etc.		M 96 F 68	94 66	1 -	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	36 20	36 19	- -	- -	- -	- -	- -	- -	- -	- 1	- -			
32 Senility		M 51 F 90	- -	- -	- -	- -	- -	- -	- -	- -	1 1	9 13	41 76	5 12	- -	- -	- -	- -	- -	- -	- -	- -	- 3				
33 Suicide		M 37 F 20	- -	- -	- -	- 2	7 2	3 4	9 6	9 6	6 6	1 -	10 4	- -	- -	- -	- -	- 1	- 1	1 3	3 5	3 1	1 2	2 2			
34 Other violence		M 89 F 58	4 3	1 -	10 4	7 4	7 2	10 2	8 2	13 6	9 4	9 12	11 19	20 9	1 1	- 1	1 1	2 -	3 -	1 -	5 2	2 1	- 1	2 2			
35 Other defined causes		M 188 F 149	7 8	6 -	6 1	11 5	7 7	11 6	18 21	14 25	26 19	39 27	43 30	54 54	5 5	- -	1 1	4 6	3 6	4 2	4 6	7 8	11 10	12 13			
36 Ill-defined causes		M 1 F 2	- -	- -	- -	- -	- 1	- -	- -	- -	- -	1 1	- -	2 -	- -	2 -	- -	- -	- -	- -	- -	- -	- -	- -			

Causes of Death.		BURTON-ON-TRENT.												BURY.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	328	30	4	3	6	8	12	21	38	53	80	73	400	26	9	3	9	8	12	28	58	82	116	49
	F	301	22	2	4	10	5	13	13	29	48	68	87	416	23	1	7	2	13	14	38	38	83	105	92
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	M	9	1	1	-	1	-	1	-	2	1	1	1	15	1	1	-	-	1	-	1	1	8	2	-
	F	10	-	-	-	-	1	1	-	-	2	3	3	13	2	-	-	-	1	1	-	1	5	1	4
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
	F	3	-	-	-	2	-	1	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	17	1	-	1	-	4	6	4	1	-	-	-	23	-	-	-	-	5	6	8	4	-	-	-
	F	9	-	-	-	1	1	3	2	2	-	-	-	20	-	-	-	8	3	7	2	-	-	-	-
Other tuberculosis	M	4	1	-	1	-	1	1	-	-	-	-	-	5	-	-	-	1	-	3	-	-	-	-	-
	F	3	-	-	1	-	1	1	-	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-
Syphilis	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	48	-	-	-	-	1	2	10	10	20	5	45	48	-	-	-	-	1	3	13	8	16	4	2
	F	39	-	-	-	-	2	2	11	8	10	6	3	3	-	-	-	-	2	9	6	17	12	2	1
Diabetes	M	3	-	-	-	-	-	-	-	2	2	-	-	7	-	-	-	-	-	-	-	-	2	1	-
	F	6	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	1	-	-	3	3	3	-
Cerebral hæmorrhage	M	19	-	-	-	-	-	1	4	4	4	6	13	15	-	-	-	-	-	1	1	9	2	2	-
	F	8	-	-	-	-	-	-	2	2	2	2	106	-	-	-	1	1	1	2	3	5	3	3	-
Heart disease	M	60	-	-	-	1	1	2	8	17	22	10	116	-	-	-	1	-	4	10	20	46	23	31	-
	F	59	-	-	1	-	1	2	4	12	21	18	-	-	-	-	-	2	4	12	29	37	31	-	-
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	16	-	-	-	-	-	-	1	4	6	5	10	-	-	-	-	-	-	-	2	-	3	5	-
	F	13	-	-	-	-	-	-	1	4	5	3	23	-	-	-	-	-	-	-	-	6	7	10	-
Bronchitis	M	21	4	1	-	-	-	-	-	3	5	8	34	2	-	-	-	2	-	-	4	7	14	5	-
	F	22	1	-	-	-	-	1	-	3	4	13	43	2	-	-	-	-	1	2	8	13	17	12	-
Pneumonia	M	20	4	2	-	-	2	2	4	2	1	3	33	7	4	2	1	1	2	2	5	3	4	2	-
	F	16	8	1	1	-	2	-	-	2	2	-	24	5	1	1	-	-	2	4	4	4	4	3	-
Other respiratory	M	3	-	-	-	-	-	-	-	-	2	1	4	-	-	-	1	-	-	1	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	-	1	1	-	-	1	1	-
Peptic ulcer	M	6	-	-	-	-	3	-	1	2	-	-	4	-	-	-	-	-	1	-	-	3	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-
Diarrhoea	M	1	-	-	-	-	-	1	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis	M	3	-	-	-	2	-	-	-	-	1	-	3	-	-	-	1	1	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	3	1	-	-
	F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	2	2	1	3	-	-	-	-	-	-	2	1	-	-	-	-
Other digestive	M	4	-	-	-	-	-	-	-	-	2	2	8	1	1	-	-	-	-	-	3	3	-	-	-
	F	5	1	-	1	-	-	1	1	1	-	-	9	-	-	-	-	-	1	1	1	5	1	-	-
Nephritis	M	6	-	-	-	1	3	3	1	1	-	-	15	-	-	-	-	-	-	3	8	4	-	-	-
	F	10	-	-	-	-	1	2	1	-	6	-	9	-	-	-	1	-	-	2	3	2	-	-	-
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	2	-	-	-	-	-	-
Other puerperal	F	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Congenital causes, etc.	M	15	15	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-	-
	F	12	11	-	1	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-	-
Senility	M	25	-	-	-	-	-	-	-	-	-	5	20	4	-	-	-	-	-	-	-	1	3	-	-
	F	39	-	-	-	-	-	-	-	-	-	3	36	9	-	-	-	-	-	-	-	1	8	-	-
Suicide	M	4	-	-	-	-	-	-	-	-	4	-	5	-	-	-	-	-	1	1	2	1	-	-	-
	F	4	-	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-
Other violence	M	10	1	-	1	3	3	1	2	-	1	-	20	-	1	-	3	2	-	3	2	5	2	2	-
	F	8	-	-	3	-	-	-	-	1	1	3	11	1	-	-	-	1	-	-	1	3	5	5	-
Other defined causes†	M	29	2	-	3	1	-	2	2	4	5	10	24	2	-	1	1	-	1	2	5	6	5	1	-
	F	15	-	-	1	-	-	2	2	3	6	1	29	-	-	2	-	3	1	4	3	7	6	3	-
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-

† Including 1 death from Smallpox in Burton-on-Trent (a Male—aged 75 years).



Causes of Death. See first page of Table.		CANTERBURY.														CARLISLE.													
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-					
All Causes	M	149	13	-	-	1	3	5	11	13	27	34	42	348	35	9	9	11	9	12	22	25	47	92					
	F	165	12	2	1	2	5	6	11	13	23	35	55	363	34	15	5	12	13	11	18	23	48	90					
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	6	2	1	2	1	-	-	-	-	-						
	F	1	-	-	-	1	-	-	-	-	-	-	-	9	2	3	3	1	-	-	-	-	-						
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-						
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-						
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	2	-	-	-	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-						
6 Influenza	M	4	-	-	-	-	-	-	1	1	1	-	1	8	1	-	-	-	1	1	1	1	-						
	F	11	-	-	-	-	-	1	-	2	3	3	2	5	1	-	-	-	1	1	-	2	2						
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-						
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
9 Respiratory tuberculosis	M	8	-	-	-	-	1	1	3	1	2	-	-	22	-	1	1	-	1	4	10	3	1						
	F	6	-	-	-	-	3	1	1	1	-	-	-	17	-	-	-	-	6	3	2	2	-						
10 Other tuberculosis	M	1	-	-	-	-	-	1	-	-	-	-	-	9	2	-	2	1	2	-	-	-	1						
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	1	1	-	2	-	1	-	1	-						
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-						
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	2	1	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
13 Cancer	M	16	-	-	-	-	-	-	1	-	5	7	3	40	-	-	-	-	-	1	1	2	14						
	F	19	-	-	-	-	-	-	4	2	2	5	6	35	-	-	-	-	-	-	1	7	16						
14 Diabetes	M	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	2	1						
	F	4	-	-	-	-	-	-	-	-	1	3	-	2	-	-	-	-	-	1	-	-	-						
15 Cerebral hæmorrhage	M	11	-	-	-	-	-	-	-	2	2	3	4	19	-	-	-	-	-	-	-	2	8						
	F	10	-	-	-	-	-	-	1	1	2	3	3	29	-	-	-	-	-	1	1	3	7						
16 Heart disease	M	29	-	-	-	1	-	1	-	3	6	9	9	99	-	-	-	1	1	2	-	5	11						
	F	44	-	-	-	1	-	1	1	1	7	15	18	104	-	-	-	-	-	3	3	14	34						
17 Aneurysm	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
18 Other circulatory	M	5	-	-	-	-	-	-	-	-	1	1	3	25	-	-	-	-	-	-	-	4	10						
	F	4	-	-	-	-	-	-	-	-	1	1	2	24	-	-	-	-	-	-	-	-	9						
19 Bronchitis	M	10	2	-	-	-	-	-	-	1	1	2	4	9	2	-	-	-	-	-	1	1	2						
	F	8	1	-	-	-	-	-	-	-	-	2	5	12	1	1	-	-	-	1	1	-	4						
20 Pneumonia	M	3	1	-	-	-	-	-	-	-	1	1	-	18	5	6	1	-	-	-	3	-	1						
	F	6	3	1	1	-	-	-	-	-	-	1	-	24	7	7	1	2	-	2	-	2	2						
21 Other respiratory	M	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	1	-	1						
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-						
22 Peptic ulcer	M	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	1	-	1	-						
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-						
23 Diarrhœa	M	2	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-						
	F	1	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-						
24 Appendicitis	M	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	1	2	-	1	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	2	-	-						
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-						
	F	4	-	-	-	-	-	1	1	-	2	-	-	7	-	-	-	-	-	-	3	-	3						
27 Other digestive	M	3	-	-	-	-	-	-	-	1	-	2	-	9	1	-	1	1	-	1	-	1	3						
	F	7	2	-	-	-	-	-	2	1	1	1	-	7	-	-	-	2	1	-	1	1	2						
28 Nephritis	M	6	-	-	-	-	1	1	-	-	2	1	1	4	-	-	-	-	-	1	1	1	1						
	F	4	-	-	-	-	-	-	-	2	1	-	1	16	-	-	-	-	-	4	-	4	6						
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
30 Other puerperal	F	2	-	-	-	-	1	1	-	-	-	-	-	5	-	-	-	-	2	2	1	-	-						
31 Congenital causes, etc.	M	9	9	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-						
	F	5	5	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-						
32 Senility	M	11	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1						
	F	13	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1						
33 Suicide	M	4	-	-	-	-	-	-	2	-	1	1	-	2	-	-	-	-	-	1	-	-	1						
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-						
34 Other violence	M	8	-	-	-	-	-	1	2	1	2	2	-	12	1	-	1	2	2	1	2	-	2						
	F	4	-	-	-	-	-	-	-	-	1	-	3	5	-	-	-	-	1	-	-	2	-						
35 Other defined causes	M	8	-	-	-	-	2	-	-	-	-	2	4	23	1	-	1	2	1	1	2	4	6						
	F	9	1	1	-	-	1	-	1	1	2	-	2	17	1	1	-	1	2	-	1	2	3						
36 Ill-defined causes	M	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-						

Causes of Death. <i>See first page of Table.</i>		CHESTER.												COVENTRY.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
	All Causes	M F	285 261	26 20	6 9	7 4	5 4	6 15	15 18	19 8	36 15	56 38	62 55	47 75	905 786	88 58	11 4	13 12	22 19	53 45	51 34	68 52	124 111	167 116	165 143	143 192
1	Typhoid fever, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
2	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
3	Scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	
4	Whooping cough	M F	1 1	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	5 2	4 1	1 -	- 1	- -	- -	- -	- -	- -	- -	- -	- -
5	Diphtheria	M F	2 2	- -	- -	1 1	1 1	- -	- -	- -	- -	- -	- -	- -	5 6	- -	- -	1 1	4 2	- -	- -	1 1	1 -	- -	- -	- -
6	Influenza	M F	5 8	1 1	1 1	- -	- -	- -	- -	1 -	- 2	1 2	1 -	- 2	23 24	1 -	- -	1 1	- -	1 2	1 3	5 1	4 5	5 2	2 4	3 6
7	Encephalitis lethargica	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	3 6	- -	- -	- -	- 3	1 1	- -	- 1	2 -	- 2	- -	- -
8	Cerebro-spinal fever	M F	- 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	- -	- 1	1 -	- -	- -	- -	- -	- -	- -	
9	Respiratory tuberculosis	M F	24 16	- -	- 1	- -	- 2	8 5	7 1	5 -	7 -	2 1	- 1	- 1	100 47	- -	- -	1 -	1 1	16 17	21 6	29 8	23 9	6 5	3 -	- 1
10	Other tuberculosis	M F	10 8	4 1	1 -	3 1	1 1	1 2	- -	- -	1 -	1 1	- -	- -	7 7	1 1	1 -	1 1	- 1	2 1	2 -	- 1	- 2	- -	- -	- -
11	Syphilis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	11 7	2 -	- -	- -	1 1	- -	2 1	2 1	1 2	2 1	1 -	
12	Gen. paralysis of insane, etc.	M F	2 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	12 2	- -	- -	- -	- -	1 1	4 -	2 1	4 -	1 -	- -	- -
13	Cancer	M F	39 27	- -	- -	- -	- 1	- 2	- -	2 -	5 4	12 9	15 6	5 5	88 106	- -	- -	- -	1 1	1 2	1 1	1 8	17 25	29 32	30 24	8 13
14	Diabetes	M F	5 -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	3 -	1 -	9 7	- -	- -	- -	- -	- -	- -	- -	1 3	1 4	7 -	- -
15	Cerebral hæmorrhage	M F	14 20	- -	- -	- -	- -	- -	- 1	- 1	1 -	2 2	7 9	3 8	28 44	- -	- -	- -	- -	1 -	- 2	3 7	8 7	11 7	5 17	
16	Heart disease	M F	50 53	- -	- -	- -	- 2	1 2	2 2	5 1	13 2	12 6	17 20	194 202	- -	- -	- -	2 2	5 3	2 3	4 6	18 24	42 34	58 59	63 71	
17	Aneurysm	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	9 -	- -	- -	- -	- -	- 1	3 -	4 -	1 -	- -	- -	
18	Other circulatory	M F	8 12	- -	- -	- -	- -	- -	- -	- -	- -	2 2	3 4	3 6	33 26	- -	- -	- -	- -	- -	- -	- 2	6 4	14 7	13 13	
19	Bronchitis	M F	10 14	- 1	- 1	- -	- -	- -	- 1	- 1	- 1	3 1	4 2	2 7	34 41	3 2	1 1	- 1	- -	1 -	- -	2 1	7 5	6 10	14 21	
20	Pneumonia	M F	18 12	1 3	2 2	1 -	1 1	- -	1 -	- -	5 -	4 -	- 2	3 4	67 46	15 10	4 2	4 2	1 1	1 3	5 3	2 6	15 4	15 4	3 6	2 5
21	Other respiratory	M F	3 2	1 1	- -	- -	- 1	- -	- -	2 -	- -	- -	- -	- -	13 9	1 -	1 -	- 1	- -	2 1	2 -	1 -	- 1	3 -	1 1	2 5
22	Peptic ulcer	M F	5 1	- -	- -	- -	1 -	- -	1 -	3 -	- 1	- -	- -	- -	12 3	- -	- -	- -	- -	1 -	6 1	5 -	- 1	- 1	- -	
23	Diarrhœa	M F	3 2	3 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	10 8	7 4	2 -	- 1	- -	- 2	- -	- 1	- -	- -	- 1	
24	Appendicitis	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	8 4	- -	- -	- 1	4 1	- -	- -	1 2	2 -	- 1	- -	
25	Cirrhosis of liver	M F	2 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	1 -	- -	7 -	- -	- -	- -	- -	- -	- -	2 -	3 -	2 -	- -	
26	Other liver diseases	M F	1 2	- -	- -	- -	- -	- -	- 1	- 1	- 1	- 1	- -	- -	2 4	- -	- -	- -	- -	- -	- -	- 1	1 2	1 1	- -	
27	Other digestive	M F	10 5	1 1	- 1	2 1	- -	1 -	1 -	- -	1 -	2 1	2 1	- -	19 12	2 -	1 -	- 2	1 -	1 5	- 1	2 3	3 4	4 5	4 3	1 2
28	Nephritis	M F	14 16	- -	- -	- -	- 2	- 1	2 1	3 1	5 1	5 3	2 4	1 -	22 18	- -	- -	- -	5 1	1 2	4 -	8 2	5 4	3 2	- 4	2 1
29	Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	8	-	-	-	1	2	5	-	-	-	-	
30	Other puerperal	F	2	-	-	-	-	1	1	-	-	-	-	-	7	-	-	-	2	2	2	1	-	-	-	
31	Congenital causes, etc.	M F	12 10	12 10	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	47 31	47 31	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
32	Senility	M F	8 10	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	7 10	16 25	- -	- -	- -	- -	- -	- -	- -	- -	3 -	13 25	
33	Suicide	M F	1 3	- -	- -	- -	- -	- -	- -	- -	1 1	- 2	2 1	- -	17 7	- -	- -	- -	- -	1 1	4 1	4 3	5 1	2 -	1 -	
34	Other violence	M F	12 7	- -	1 1	- -	- -	2 -	2 -	1 -	2 1	2 2	1 3	2 3	28 25	2 3	- 1	2 1	4 3	6 4	7 3	1 -	3 1	1 2	- 2	2 5
35	Other defined causes	M F	23 23	3 1	- -	- 1	- 2	- 4	1 1	2 2	6 3	7 3	3 6	75 48	3 6	- -	3 1	6 3	5 6	4 4	8 5	11 9	10 5	11 3	14 6	
36	Ill-defined causes	M F	2 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	1 -	- -	2 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- 1	



TABLE 24—contd. County Boroughs.

Causes of Death. See first page of Table.		CROYDON.												DARLINGTON.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,274	114	18	9	18	53	49	67	135	234	274	303	456	47	11	10	9	27	20	32	50	70	107	73
	F	1,403	80	16	16	18	50	64	81	127	176	312	463	452	34	8	7	10	26	30	18	42	66	110	101
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
3 Scarlet fever	M	3	-	-	-	2	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
4 Whooping cough	M	4	3	1	-	-	-	-	-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-	-
	F	5	3	1	-	-	-	-	-	-	1	-	-	5	2	2	1	-	-	-	-	-	-	-	-
5 Diphtheria	M	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	2	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-
6 Influenza	M	35	-	2	-	-	1	3	6	4	13	6	24	24	1	-	-	1	3	1	3	4	2	6	3
	F	49	1	2	-	-	1	1	1	4	7	14	18	17	-	-	-	-	1	1	1	1	2	6	6
7 Encephalitis lethargica	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	1	1	-	1	2	-	-	-	-	1	-	-	-	1	-	-
8 Cerebro-spinal fever	M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	82	1	1	-	-	12	16	22	15	9	6	-	37	-	-	-	-	7	9	6	8	3	4	-
	F	67	1	-	-	1	21	15	11	9	7	2	-	41	-	-	-	1	16	11	5	4	4	-	-
10 Other tuberculosis	M	9	-	2	1	1	-	-	2	1	2	-	-	12	2	-	2	2	2	1	1	1	1	-	-
	F	16	2	-	3	2	2	5	-	-	1	1	-	3	-	1	-	1	-	-	1	-	-	-	-
11 Syphilis	M	6	2	-	-	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	3	2	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	11	-	-	-	-	-	1	1	3	4	1	1	5	-	-	-	-	-	-	2	2	-	1	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 Cancer	M	143	1	-	-	-	1	5	20	43	45	28	41	41	-	-	-	-	-	2	8	16	11	4	-
	F	202	-	-	-	-	3	12	34	48	63	42	42	42	-	-	-	-	1	2	6	16	12	5	-
14 Diabetes	M	13	-	-	-	1	-	-	2	1	8	1	4	4	-	-	-	1	-	1	-	1	-	1	-
	F	31	-	-	-	1	-	2	1	5	5	10	7	5	-	-	-	-	-	-	1	3	1	-	-
15 Cerebral hæmorrhage	M	38	-	-	-	1	-	1	5	3	11	17	24	24	-	-	-	-	-	-	3	8	7	6	-
	F	69	-	-	-	1	1	1	5	8	14	39	32	32	-	-	-	-	-	-	5	6	13	8	-
16 Heart disease	M	330	-	-	-	2	2	2	4	24	71	92	133	87	-	-	-	1	1	5	6	21	29	25	-
	F	370	-	-	-	6	3	12	23	39	101	186	81	81	-	-	-	1	1	5	8	9	31	25	-
17 Aneurysm	M	11	-	-	-	-	1	1	1	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	1	-	-	-
18 Other circulatory	M	49	-	-	-	-	-	-	-	5	7	14	23	21	-	-	-	-	-	-	2	2	9	8	-
	F	77	-	-	-	-	-	1	6	11	21	38	27	27	-	-	-	1	1	1	-	4	9	11	-
19 Bronchitis	M	50	5	-	1	-	1	-	2	6	9	26	19	19	2	2	1	-	-	2	2	1	2	7	-
	F	56	3	-	-	1	-	-	3	5	11	33	17	17	3	-	-	-	-	-	1	1	7	5	-
20 Pneumonia	M	102	19	8	1	2	5	6	4	8	23	14	12	36	7	6	1	1	1	5	5	1	5	4	-
	F	101	19	6	6	2	1	5	11	6	13	12	20	29	8	2	1	1	1	1	4	-	5	5	-
21 Other respiratory	M	14	1	-	1	-	-	1	3	4	3	1	5	5	-	-	-	-	-	-	2	-	3	-	-
	F	7	-	-	-	-	-	2	-	1	-	4	4	4	-	-	-	1	-	-	1	-	1	1	-
22 Peptic ulcer	M	16	-	-	-	-	1	1	6	5	2	1	3	3	-	-	-	-	2	1	-	-	-	-	-
	F	12	-	-	-	-	1	-	4	3	4	-	1	1	-	-	-	-	-	-	-	-	1	-	-
23 Diarrhœa	M	13	11	-	-	-	-	1	-	-	1	-	6	6	4	-	-	1	-	-	-	-	1	-	-
	F	9	4	-	-	-	-	-	1	1	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-
24 Appendicitis	M	11	-	-	1	2	2	1	1	1	3	-	-	5	-	-	-	2	-	1	1	1	-	-	-
	F	6	-	-	2	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 Cirrhosis of liver	M	6	-	-	-	-	-	-	-	3	3	-	1	1	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26 Other liver diseases	M	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	1	-	-	-	3	1	5	3	3	-	-	1	-	-	-	-	-	-	-	-
27 Other digestive	M	25	2	1	1	1	1	1	5	3	7	3	5	5	1	-	-	1	-	-	-	-	2	1	-
	F	29	2	1	-	1	3	1	4	2	5	10	9	9	-	-	-	1	2	-	2	-	3	1	-
28 Nephritis	M	47	1	-	-	2	2	-	8	12	11	11	9	9	-	-	-	1	1	1	1	2	2	1	-
	F	32	-	-	-	-	1	1	7	4	13	6	15	15	-	-	-	3	-	1	3	7	-	1	-
29 Puerperal sepsis	F	11	-	-	-	5	6	-	-	-	-	-	4	4	-	-	-	1	3	-	-	-	-	-	-
30 Other puerperal	F	12	-	-	-	2	6	4	-	-	-	-	7	7	-	-	-	-	6	1	-	-	-	-	-
31 Congenital causes, etc.	M	60	58	-	-	2	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-	-
	F	37	37	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-	-
32 Senility	M	8	-	-	-	-	-	-	-	-	1	7	23	23	-	-	-	-	-	-	-	-	14	9	-
	F	20	-	-	-	-	-	-	-	-	2	18	41	41	-	-	-	-	-	-	-	1	13	27	-
33 Suicide	M	17	-	-	-	1	2	1	5	5	2	1	6	6	-	-	-	-	-	1	1	2	1	1	-
	F	14	-	-	-	1	3	1	4	2	3	-	1	1	-	-	-	-	-	-	1	-	-	-	-
34 Other violence	M	59	3	-	1	5	13	7	5	7	6	5	11	11	-	1	-	1	5	1	-	-	2	1	-
	F	34	-	1	1	3	2	3	2	-	5	2	15	5	-	-	-	1	-	-	-	-	3	1	-
35 Other defined causes	M	102	6	2	1	2	11	6	11	6	13	20	24	32	4	1	2	2	3	4	2	4	6	2	-
	F	107	6	4	4	5	5	5	19	8	6	29	16	34	6	2	3	2	2	-	6	9	3	1	-
36 Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	-	-	5	2	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	1	-	-	-	1	2	1	-

TABLE 24—*contd.* **County Boroughs.**

Causes of Death. <i>See first page of Table.</i>		DERBY.												DEWSBURY.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	850	96	9	11	13	27	29	40	98	162	205	160	387	31	7	7	14	14	13	28	50	70	94	59
	F	782	51	13	14	21	19	31	45	76	143	185	184	415	27	4	8	15	23	25	19	38	81	102	73
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
4 Whooping cough	M	2	1	-	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	F	6	2	4	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-
5 Diphtheria	M	4	-	-	1	2	1	-	-	-	-	-	-	7	-	-	2	5	-	-	-	-	-	-	-
	F	12	-	1	5	6	-	-	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-	-
6 Influenza	M	24	-	1	-	-	3	4	-	3	8	5	-	5	-	-	-	-	-	1	-	1	2	1	1
	F	23	-	-	-	1	-	2	2	2	8	5	3	8	-	-	-	-	1	1	1	1	1	3	-
7 Encephalitis lethargica	M	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
8 Cerebro-spinal fever	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	73	-	-	-	-	7	8	10	27	16	5	-	17	-	-	-	-	1	2	8	3	3	-	-
	F	36	-	1	-	1	12	9	4	3	5	1	-	27	-	-	-	-	12	6	4	1	4	-	-
0 Other tuberculosis	M	5	-	-	-	2	-	1	-	2	-	-	-	6	1	1	-	1	-	1	2	-	-	-	-
	F	9	1	-	1	3	-	2	2	-	-	-	-	8	1	-	-	-	4	2	-	-	1	-	-
1 Syphilis	M	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	1	-	-	-	-	2	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Gen. paralysis of insane, etc.	M	8	-	-	-	1	-	-	3	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Cancer	M	87	-	-	-	-	2	-	3	15	24	34	9	50	-	-	-	-	1	1	3	4	11	18	12
	F	116	-	-	-	-	1	-	7	28	37	29	14	38	-	-	-	-	2	4	4	4	13	10	5
4 Diabetes	M	7	-	-	-	-	-	-	1	-	2	2	2	3	-	-	-	-	-	1	-	1	1	-	-
	F	11	-	-	-	-	-	1	-	1	1	6	2	7	-	-	-	-	-	-	-	4	2	1	1
5 Cerebral hæmorrhage	M	43	-	-	-	-	-	-	2	2	10	14	15	31	-	1	-	-	-	1	3	9	8	9	9
	F	36	-	-	-	-	-	-	-	3	10	14	9	46	-	-	-	-	-	-	6	11	16	13	13
6 Heart disease	M	162	-	-	-	-	3	1	1	14	41	62	40	60	-	-	-	-	1	2	4	12	14	16	11
	F	186	-	-	-	-	2	5	7	10	40	61	61	66	-	-	-	-	1	2	5	7	10	26	15
Aneurysm	M	6	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	2	-	-	1	1
8 Other circulatory	M	43	-	-	-	-	-	-	-	3	10	13	17	27	-	-	-	-	-	-	-	1	5	13	8
	F	12	-	-	-	-	-	-	-	1	3	4	4	26	-	-	-	-	-	1	-	3	9	13	13
9 Bronchitis	M	33	5	1	1	-	-	-	1	4	1	6	14	33	2	1	-	-	-	1	4	7	10	8	8
	F	39	3	3	-	2	-	-	-	-	4	9	18	34	-	-	1	-	-	-	1	7	12	13	13
0 Pneumonia	M	56	22	3	4	1	2	4	3	3	6	7	1	36	11	2	4	2	-	1	2	4	3	6	1
	F	35	6	3	4	2	1	1	3	2	4	5	4	28	4	2	3	8	-	2	1	3	-	2	3
Other respiratory	M	10	2	-	-	-	1	-	2	2	2	-	1	4	1	-	-	-	1	-	-	-	1	1	1
	F	6	-	-	-	-	-	-	-	1	1	2	2	5	-	-	-	-	1	-	-	-	2	2	-
2 Peptic ulcer	M	8	-	-	-	-	-	-	2	2	2	2	-	1	-	-	-	-	-	-	-	-	1	1	-
	F	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
3 Diarrhœa	M	10	7	1	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	5	3	1	-	-	-	-	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
4 Appendicitis	M	4	-	-	-	-	-	2	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-
5 Cirrhosis of liver	M	4	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-	-	-	2	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
6 Other liver diseases	M	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	4	1	2	3	-	-	-	-	-	-	1	1	-	1	1
7 Other digestive	M	18	-	1	-	2	-	-	4	1	2	7	1	1	-	-	-	-	-	-	-	-	1	-	-
	F	16	-	-	-	1	-	1	2	5	2	2	3	7	-	-	-	-	-	-	2	2	2	1	1
8 Nephritis	M	32	-	-	-	-	4	1	4	9	10	4	4	23	-	-	-	1	-	2	8	5	6	1	1
	F	24	-	-	1	-	1	1	2	6	8	4	4	25	-	-	-	-	1	1	5	9	8	1	1
9 Puerperal sepsis	F	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0 Other puerperal	F	5	-	-	-	-	1	2	2	-	-	-	-	6	-	-	-	-	5	1	-	-	-	-	-
1 Congenital causes, etc.	M	51	51	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
	F	31	31	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
2 Senility	M	50	-	-	-	-	-	-	-	-	-	11	39	5	-	-	-	-	-	-	-	-	1	4	4
	F	63	-	-	-	-	-	-	-	-	1	14	48	9	-	-	-	-	-	-	-	1	2	6	6
3 Suicide	M	11	-	-	-	-	-	2	4	-	2	3	-	4	-	-	-	-	-	1	2	1	-	-	-
	F	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Other violence	M	24	1	1	1	2	3	2	-	4	5	2	3	15	-	-	-	-	4	2	2	3	2	2	-
	F	19	-	-	2	2	-	-	1	2	4	5	3	6	2	-	1	1	-	-	-	-	1	1	-
5 Other defined causes	M	66	7	1	1	2	4	1	2	5	13	18	12	30	1	-	-	3	4	3	1	5	3	7	3
	F	68	5	-	1	2	-	4	11	14	11	16	4	34	4	-	-	3	1	4	1	4	11	6	-
6 Ill-defined causes	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-



TABLE 24—contd. County Boroughs.

Causes of Death. See first page of Table.		DONCASTER.													DUDLEY.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	411	29	6	9	6	24	22	32	44	54	107	78	424	54	16	8	13	24	13	26	49	54	87			
	F	294	26	2	10	6	11	12	25	32	36	58	76	354	39	22	8	6	15	17	31	26	44	63			
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
2 Measles	M	3	1	2	—	—	—	—	—	—	—	—	—	6	1	3	1	1	—	—	—	—	—	—			
	F	2	1	1	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—			
3 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—			
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—	—			
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
5 Diphtheria	M	4	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6 Influenza	M	10	—	—	—	—	2	1	1	2	1	2	2	15	1	—	—	1	1	2	3	3	4	1			
	F	8	—	—	—	—	1	1	—	1	1	1	3	8	—	—	—	—	2	2	—	—	1	2			
7 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—			
8 Cerebro-spinal fever	M	5	—	—	1	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	3	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
9 Respiratory tuberculosis	M	25	—	—	—	—	4	5	7	4	5	—	—	40	—	—	—	1	10	8	8	6	5	2			
	F	11	—	—	—	—	3	1	5	1	1	—	—	23	—	—	—	1	9	6	5	2	—	—			
10 Other tuberculosis	M	3	—	—	1	—	—	1	—	1	—	—	—	5	—	—	—	1	2	1	1	—	—	—			
	F	3	—	1	1	—	—	1	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—	—			
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—	—			
	F	2	—	—	—	1	—	—	—	—	1	—	—	2	—	1	—	—	1	—	—	—	—	—			
12 Gen. paralysis of insane, etc.	M	5	—	—	—	—	—	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
13 Cancer	M	46	—	—	—	—	—	1	—	7	8	23	7	36	—	—	—	—	—	—	3	5	8	18			
	F	31	—	—	—	—	—	—	3	8	11	5	4	27	—	—	—	—	—	—	2	7	10	5			
14 Diabetes	M	4	—	—	—	—	—	—	—	1	—	1	2	3	—	—	—	—	—	—	—	—	1	1			
	F	4	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—			
15 Cerebral hæmorrhage	M	24	—	—	—	—	—	—	2	—	5	10	7	25	—	—	—	—	—	—	—	—	5	12			
	F	17	—	—	—	—	—	—	—	2	8	3	4	22	—	—	—	—	—	2	3	4	7	7			
16 Heart disease	M	89	—	—	—	—	3	3	2	9	13	36	23	42	—	—	1	—	—	—	9	8	15	15			
	F	73	—	—	—	—	—	2	5	7	8	25	26	49	—	—	—	2	1	1	5	5	5	12			
17 Aneurysm	M	2	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	1	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
18 Other circulatory	M	21	—	—	—	—	—	—	—	2	3	8	8	21	—	—	—	—	—	—	1	5	7	7			
	F	12	—	—	—	—	—	—	—	2	1	2	7	15	—	—	—	—	—	—	—	1	5	5			
19 Bronchitis	M	17	2	1	—	—	—	—	3	2	3	4	2	38	1	—	—	—	—	1	2	5	3	8			
	F	24	2	—	2	—	1	—	—	1	2	6	10	44	3	1	—	—	—	3	2	8	16	16			
20 Pneumonia	M	32	4	3	2	2	3	—	6	3	2	5	2	47	17	6	1	1	4	1	5	4	4	1			
	F	21	6	—	2	—	1	1	4	3	1	2	1	47	11	12	6	—	1	—	2	2	6	3			
21 Other respiratory	M	4	1	—	—	—	—	—	1	1	—	1	—	7	—	—	1	—	1	—	—	2	1	2			
	F	2	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—			
22 Peptic ulcer	M	8	—	—	—	—	1	1	2	1	—	2	1	5	—	—	—	—	—	—	1	3	—	1			
	F	2	—	—	—	—	—	—	1	—	—	1	—	2	—	—	—	—	1	1	—	—	—	—			
23 Diarrhoea	M	2	1	—	—	—	—	—	1	—	—	—	—	9	4	2	1	—	—	—	—	—	—	1			
	F	2	1	—	—	—	—	—	—	1	—	—	—	5	3	1	—	—	—	—	—	—	—	—			
24 Appendicitis	M	2	—	—	—	1	—	—	—	—	—	—	1	3	—	—	—	—	2	—	—	1	—	—			
	F	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—			
25 Cirrhosis of liver	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—			
26 Other liver diseases	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	3	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	1	—	—			
27 Other digestive	M	7	1	—	—	—	1	—	1	—	1	2	1	4	1	—	1	1	—	—	—	—	—	—			
	F	2	—	—	—	—	—	—	1	—	—	—	1	6	1	—	—	1	—	1	—	2	—	1			
28 Nephritis	M	11	—	—	—	—	2	—	—	2	2	2	3	9	—	—	—	—	1	1	—	1	1	3			
	F	7	1	—	—	—	1	—	—	—	—	4	1	12	—	—	—	—	—	1	1	4	5	5			
29 Puerperal sepsis	F	3	—	—	—	—	—	3	—	—	—	—	—	3	—	—	—	—	1	1	1	—	—	—			
30 Other puerperal	F	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	1	—	—	—	—			
31 Congenital causes, etc.	M	13	13	—	—	—	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—	—	—			
	F	13	12	—	—	—	1	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—	—			
32 Senility	M	13	—	—	—	—	—	—	—	—	—	2	11	34	—	—	—	—	—	—	—	—	1	9			
	F	14	—	—	—	—	—	—	—	—	—	2	12	25	—	—	—	—	—	—	—	—	—	3			
33 Suicide	M	12	—	—	—	—	1	1	2	3	2	3	—	3	—	—	—	—	—	—	2	1	—	—			
	F	2	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—			
34 Other violence	M	17	—	—	2	—	4	3	1	2	2	—	3	12	—	—	1	3	—	1	3	1	—	—			
	F	7	—	—	—	3	—	—	1	1	—	—	2	9	—	1	1	—	1	—	—	2	1	1			
35 Other defined causes	M	27	6	—	—	1	2	3	1	1	5	4	4	30	4	4	1	4	3	—	1	3	4	6			
	F	23	3	—	2	1	2	3	3	4	1	2	2	18	2	2	1	1	—	5	—	2	3	3			
36 Ill-defined causes	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	1	—	—	—	—			

TABLE 24—*contd.*      **County Boroughs.**

Causes of Death. See first page of Table.		EASTBOURNE.													EAST HAM.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes		M	331	17	4	1	2	4	14	11	30	69	110	762	66	14	21	23	40	38	52	72	124	174	138		
		F	384	7	5	1	3	8	9	15	33	57	150	764	55	9	15	17	38	39	40	84	111	148	208		
1	Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	Measles	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
4	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	-			
		F	-	-	-	-	-	-	-	-	-	-	-	5	1	1	2	1	-	-	-	-	-	-			
5	Diphtheria	M	1	-	-	-	-	1	-	-	-	-	-	12	1	1	4	6	-	-	-	-	-	-			
		F	-	-	-	-	-	-	-	-	-	-	-	6	-	1	2	3	-	-	-	-	-	-			
6	Influenza	M	2	1	-	-	-	-	-	-	1	-	-	10	-	-	1	-	-	1	3	1	4	-			
		F	7	-	-	-	-	-	-	-	-	2	5	15	-	-	-	-	1	1	3	-	3	7			
7	Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
8	Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	7	4	1	2	-	-	-	-	-	-	-			
		F	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	1	-	-	-	-	-			
9	Respiratory tuberculosis	M	18	-	-	-	-	6	4	5	3	-	-	55	-	-	-	13	15	13	7	7	-	-			
		F	10	-	-	-	3	2	1	2	1	-	1	45	-	-	1	17	8	8	7	3	1	-			
10	Other tuberculosis	M	4	-	-	-	1	-	-	1	2	-	-	8	-	2	2	3	1	-	-	-	-	-			
		F	8	-	1	-	2	2	1	-	1	1	-	7	1	1	2	1	2	-	-	-	-	-			
11	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	-	-	2	1	1	-			
		F	2	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-			
12	Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	2	-	1	-	-			
		F	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	1	-	-	-			
13	Cancer	M	49	-	-	-	-	-	-	3	12	19	15	89	-	-	1	-	1	5	15	24	32	11			
		F	65	-	-	-	-	2	5	8	17	21	12	94	1	-	-	-	2								



Causes of Death. See first page of Table.		EXETER.												GATESHEAD.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	441	39	13	4	8	11	15	26	47	83	82	113	896	139	50	40	24	35	42	60	103	136	159	10
	F	421	14	2	4	9	14	15	19	32	52	89	171	815	112	40	25	34	41	52	42	62	104	154	14
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	1	—	—	1	—	—	—	—	—	—	—	—	21	4	8	8	1	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	19	7	8	4	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	4	1	—	1	2	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	—
4 Whooping cough	M	4	2	2	—	—	—	—	—	—	—	—	—	8	6	1	1	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	8	3	4	1	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Influenza	M	14	—	—	—	—	—	1	2	2	2	3	4	28	2	1	—	1	1	8	1	8	1	4	—
	F	16	—	—	1	—	—	2	—	1	2	3	7	30	3	—	1	2	—	2	7	5	1	2	—
7 Encephalitis legargica	M	3	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	—	—	—	—
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	11	2	3	2	2	1	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	9	5	1	1	1	—	1	—	—	—	—	—
9 Respiratory tuberculosis	M	25	—	—	—	—	2	2	8	9	3	1	—	72	—	—	—	1	20	14	16	14	7	—	—
	F	23	—	—	—	—	6	8	5	2	1	—	—	71	—	—	2	7	24	23	8	5	1	1	—
10 Other tuberculosis	M	6	1	3	2	—	—	—	—	—	—	—	—	20	2	2	1	4	4	2	3	1	—	1	—
	F	4	—	—	—	2	1	—	1	—	—	—	—	20	2	3	—	4	5	2	1	1	1	1	—
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	8	3	—	—	—	1	—	2	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	6	2	1	1	1	—	—	1	—	—	—	—
12 Gen. paralysis of insane, etc.	M	3	—	—	—	—	—	—	—	1	1	1	—	7	—	—	—	—	—	—	2	2	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—	—	—
13 Cancer	M	40	—	—	—	1	—	1	2	8	10	9	9	72	1	—	—	—	2	5	13	26	17	—	—
	F	56	—	—	—	—	—	1	2	5	10	23	15	78	—	—	—	—	1	3	13	23	27	1	—
14 Diabetes	M	7	—	—	—	—	—	1	—	1	—	—	—	13	1	—	—	—	—	—	1	4	2	—	—
	F	4	—	—	—	—	—	1	—	—	—	2	1	8	—	—	—	—	—	1	2	—	2	3	—
15 Cerebral hæmorrhage	M	24	—	—	—	—	—	—	1	3	5	8	7	43	—	—	—	—	—	—	4	14	18	—	—
	F	25	—	—	—	—	—	—	—	4	1	8	12	41	—	—	—	—	—	—	2	9	13	1	—
16 Heart disease	M	85	—	—	—	—	3	3	6	22	23	28	28	103	—	—	—	2	3	3	8	10	20	40	3
	F	76	—	—	1	1	1	2	1	12	18	39	39	136	—	—	—	1	2	6	2	12	32	44	3
17 Aneurysm	M	1	—	—	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	—	1	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—
18 Other circulatory	M	17	—	—	—	—	—	—	—	—	3	5	9	43	—	—	—	—	—	—	5	8	12	1	—
	F	25	—	—	—	—	—	—	—	—	4	7	14	31	—	—	—	—	1	—	3	1	11	1	—
19 Bronchitis	M	16	1	1	—	—	—	—	—	2	4	8	8	64	16	2	1	—	—	5	9	7	10	1	—
	F	39	1	—	—	—	—	—	—	2	3	5	28	60	15	2	—	1	—	—	2	7	6	2	—
20 Pneumonia	M	26	6	3	—	1	—	2	1	6	4	1	2	109	34	27	16	5	1	1	4	7	6	3	—
	F	25	1	—	—	1	1	—	1	3	2	4	12	85	26	18	9	6	—	3	3	1	7	8	—
21 Other respiratory	M	7	—	—	—	1	—	—	—	—	1	3	2	12	—	—	1	—	1	—	4	1	2	—	—
	F	7	—	—	—	1	—	—	—	—	1	3	2	6	—	—	—	2	—	1	—	1	1	—	—
22 Peptic ulcer	M	4	—	—	—	—	—	1	—	2	1	—	—	9	—	—	—	—	—	1	2	—	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
23 Diarrhœa	M	2	1	—	—	—	—	—	—	—	—	—	1	21	16	2	—	—	—	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	11	8	—	1	1	—	—	1	—	—	—	—
24 Appendicitis	M	2	—	—	—	—	1	—	—	1	—	—	—	4	—	—	—	2	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
25 Cirrhosis of liver	M	2	—	—	—	—	—	—	—	—	1	—	1	3	—	—	—	—	—	—	—	—	2	—	—
	F	4	—	—	—	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
26 Other liver diseases	M	2	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	1	—	—
	F	5	—	—	—	—	—	—	—	1	—	1	3	7	1	—	—	—	—	—	—	1	4	—	—
27 Other digestive	M	10	2	—	—	2	1	—	1	2	1	1	—	16	3	1	—	—	1	—	2	2	3	—	—
	F	6	—	—	—	—	—	—	1	1	—	2	2	14	1	1	1	2	—	1	3	1	2	—	—
28 Nephritis	M	17	—	—	—	—	1	1	—	5	5	5	5	26	—	—	—	1	—	—	1	9	11	4	—
	F	14	—	—	—	—	1	—	—	4	4	2	3	31	—	—	—	—	1	5	3	7	11	3	—
29 Puerperal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	3	2	1	—	—	—	—	—
30 Other puerperal	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
31 Congenital causes, etc.	M	20	20	—	—	—	—	—	—	—	—	—	—	32	32	—	—	—	—	—	—	—	—	—	—
	F	10	10	—	—	—	—	—	—	—	—	—	—	30	29	—	—	—	1	—	—	—	—	—	—
32 Senility	M	15	—	—	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—	4	11	—
	F	24	—	—	—	—	—	—	—	—	—	—	24	28	—	—	—	—	—	—	—	—	10	18	—
33 Suicide	M	9	—	—	—	—	—	1	2	6	—	—	—	8	—	—	—	—	2	2	2	2	—	—	—
	F	2	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
34 Other violence	M	32	—	1	1	1	7	3	2	3	6	6	2	36	1	1	1	3	2	4	5	5	3	5	—
	F	9	—	—	—	3	2	—	1	1	—	—	1	11	—	1	1	—	—	—	1	—	2	5	—
35 Other defined causes	M	46	6	3	—	2	—	2	1	6	10	16	6	69	15	2	7	—	1	3	2	5	13	14	7
	F	41	1	1	—	2	1	1	4	6	10	9	6	48	9	1	2	5	2	5	3	4	7	6	4
36 Ill-defined causes	M	1	—	—	—	—	—	—	—	—	—	—	—	13	—	—	—	—	—	—	—	6	3	4	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—	1	—	1	2	2	2	—	—





Causes of Death. See first page of Table.		GRIMSBY.												HALIFAX.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	599	63	13	16	13	35	27	44	71	102	123	92	696	53	7	15	28	16	27	34	68	166	180	105
	F	513	37	14	10	21	27	24	36	41	76	94	133	769	43	9	9	17	23	25	48	74	143	192	186
1 Typhoid fever, etc.	M	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
2 Measles	M	3	-	1	1	1	-	-	-	-	-	-	-	5	-	2	2	1	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
5 Diphtheria	M	2	-	-	2	-	-	-	-	-	-	-	-	10	-	-	2	8	-	-	-	-	-	-	-
	F	5	-	-	-	5	-	-	-	-	-	-	-	7	-	-	1	5	-	1	-	-	-	-	-
6 Influenza	M	14	1	-	-	-	1	2	2	1	2	2	3	19	3	-	-	2	-	2	4	4	3	-	-
	F	6	-	-	1	-	1	-	-	-	-	1	3	19	2	-	-	-	3	-	1	5	3	-	-
7 Encephalitis lethargica	M	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
8 Cerebro-spinal fever	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	55	1	-	-	-	15	14	10	10	3	2	-	29	-	-	-	1	5	9	3	3	7	1	-
	F	32	-	-	-	-	13	10	3	3	-	-	-	21	-	-	-	2	7	5	4	2	-	1	-
10 Other tuberculosis	M	14	2	2	4	1	1	2	1	-	1	-	-	7	-	-	2	1	-	1	1	1	1	-	-
	F	10	2	5	1	2	-	-	-	-	-	-	-	13	-	1	3	2	2	2	1	-	-	-	-
11 Syphilis	M	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	12	-	-	-	-	2	2	-	4	3	1	-	6	-	-	-	-	-	-	2	3	1	-	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	1	1	-	-	-	-	-
13 Cancer	M	60	-	-	-	-	-	4	12	16	22	6	77	-	-	-	-	1	-	6	11	25	29	-	-
	F	71	-	-	-	-	-	1	13	18	16	13	114	-	-	-	-	-	-	8	22	36	34	1	-
14 Diabetes	M	3	-	-	-	-	-	-	-	-	2	1	10	-	-	-	-	-	1	1	-	3	3	-	-
	F	9	-	-	-	-	1	-	-	4	2	2	13	-	-	-	-	-	-	1	3	6	3	-	-
15 Cerebral hæmorrhage	M	31	-	-	-	-	-	-	4	4	13	10	34	-	-	-	-	1	-	-	-	7	18	-	-
	F	30	-	-	-	-	-	-	2	7	10	11	61	-	-	-	-	-	4	5	7	27	1	-	-
16 Heart disease	M	115	-	-	-	3	4	1	4	14	32	32	25	142	-	-	3	1	1	2	16	36	45	3	-
	F	93	-	1	-	4	2	3	5	7	17	22	32	185	-	-	-	1	2	6	13	35	48	6	-
17 Aneurysm	M	4	-	-	-	-	-	2	-	1	-	1	2	-	-	-	-	-	-	-	1	1	-	-	-
	F	3	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
18 Other circulatory	M	17	-	-	-	-	-	-	2	2	5	8	51	-	-	-	-	-	-	2	1	16	20	1	-
	F	15	-	-	-	-	-	-	-	1	6	8	61	-	-	-	-	-	-	-	4	13	20	2	-
19 Bronchitis	M	36	1	1	1	-	-	-	3	2	10	11	7	22	1	1	-	-	2	-	-	6	7	-	-
	F	29	4	-	-	1	1	-	1	2	9	11	30	4	-	-	-	1	-	-	1	5	7	1	-
20 Pneumonia	M	45	14	8	3	2	1	1	4	1	9	-	2	61	3	4	6	1	2	1	4	12	17	9	-
	F	44	9	4	5	1	1	2	6	4	5	3	4	48	8	4	1	1	1	3	5	4	14	-	-
21 Other respiratory	M	5	1	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	1	-	-	-	2	1	4	-	-	-	-	-	-	1	-	3	-	-	-
22 Peptic ulcer	M	11	-	-	-	-	1	-	2	3	3	2	9	-	-	-	-	-	1	1	3	4	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	1	2	1	1	-	-
23 Diarrhœa	M	7	3	-	-	-	-	1	-	1	-	2	4	4	4	-	-	-	-	-	-	-	-	-	-
	F	5	3	1	-	-	-	-	-	-	-	1	6	2	-	-	1	-	1	1	-	1	-	-	-
24 Appendicitis	M	7	-	-	-	2	2	-	-	2	1	-	6	-	-	-	3	-	1	-	-	2	-	-	-
	F	4	-	-	1	1	-	1	-	1	-	-	4	-	-	-	-	-	1	1	2	-	-	-	-
25 Cirrhosis of liver	M	2	-	-	-	-	-	1	-	-	1	-	5	-	-	-	-	-	-	-	1	-	4	-	-
	F	2	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	-	1	-	-
	F	5	-	-	-	1	-	-	-	2	1	1	8	-	-	-	-	-	-	-	1	1	5	-	-
27 Other digestive	M	11	1	-	-	1	2	1	3	2	1	-	22	3	-	-	1	-	1	2	5	3	4	-	-
	F	6	-	-	-	1	1	-	1	1	1	1	12	2	-	-	1	1	-	3	-	2	3	-	-
28 Nephritis	M	18	-	1	1	-	1	-	2	4	7	2	23	-	-	-	-	-	3	3	1	9	5	-	-
	F	9	-	-	-	1	-	1	1	2	-	4	29	-	-	-	-	1	2	2	4	9	8	-	-
29 Puerperal sepsis	F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30 Other puerperal	F	1	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	2	1	1	-	-	-	-
31 Congenital causes, etc.	M	38	36	-	2	-	-	-	-	-	-	-	34	33	-	-	-	1	-	-	-	-	-	-	-
	F	14	14	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-	-
32 Senility	M	27	-	-	-	-	-	-	-	-	-	9	18	9	-	-	-	-	-	-	-	-	2	-	-
	F	44	-	-	-	-	-	-	-	-	-	9	35	28	-	-	-	-	-	-	-	-	2	2	-
33 Suicide	M	6	-	-	-	1	-	1	2	2	-	-	17	-	-	-	-	1	2	-	7	5	-	-	-
	F	3	-	-	-	-	1	1	1	-	-	-	7	-	-	-	-	1	2	1	1	1	1	-	-
34 Other violence	M	18	-	-	1	-	4	1	2	1	2	6	29	-	-	-	4	5	3	3	3	4	3	-	-
	F	12	2	-	1	1	-	2	1	2	2	1	12	2	-	-	1	-	-	-	1	-	5	-	-
35 Other defined causes	M	32	2	-	-	2	2	3	5	5	10	1	51	4	-	3	3	-	1	3	2	10	17	-	-
	F	46	1	3	-	2	5	5	4	6	8	4	43	1	1	2	3	3	1	2	6	9	9	-	-
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of Death. <i>See first page of Table.</i>			HASTINGS.												HUDDERSFIELD.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	F	433	21	2	5	9	5	15	15	37	67	105	152	754	53	12	6	18	30	23	43	95	173	201	100
			547	18	2	3	3	8	16	14	49	74	132	228	812	33	4	10	11	26	38	59	77	127	219	208
1 Typhoid fever, etc.	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	F	1	—	—	1	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	8	3	2	2	1	—	—	—	—	—	—	—
3 Scarlet fever	M	F	1	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	F	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
			1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	F	4	—	—	—	3	—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—
6 Influenza	M	F	10	—	1	—	1	—	—	—	2	2	1	3	22	—	—	—	—	3	—	1	4	8	3	3
			19	—	—	—	—	1	2	1	1	3	5	6	15	—	—	—	1	1	1	2	5	—	3	2
7 Encephalitis lethargica	M	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—
8 Cerebro-spinal fever	M	F	—	—	—	—	—	—	—	—	—	—	—	—	3	—	1	1	—	—	—	—	—	1	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
9 Respiratory tuberculosis	M	F	31	—	—	—	1	—	4	6	11	8	1	—	39	—	—	—	1	10	8	4	9	6	1	—
			13	—	—	—	1	3	3	3	2	—	1	—	30	—	—	—	1	9	10	8	—	1	1	—
10 Other tuberculosis	M	F	2	1	—	—	1	—	—	—	—	—	—	—	9	—	—	3	1	1	1	—	2	1	—	—
			1	—	—	—	—	—	—	—	—	—	—	1	10	1	1	2	1	2	1	—	1	—	1	—
11 Syphilis	M	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
			1	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	—	—	—	—
12 Gen. paralysis of insane, etc.	M	F	1	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	—	1	—	—
			1	—	—	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	1	—	—	—	1
13 Cancer	M	F	49	—	—	—	—	—	2	—	2	12	16	17	81	—	—	—	—	—	5	7	31	35	3	—
			87	—	—	—	—	1	1	2	15	19	19	30	101	1	—	—	—	1	2	9	23	14	30	21
14 Diabetes	M	F	7	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	1	1	5	—	—	—
			6	—	—	—	—	—	—	—	—	—	—	—	20	—	—	—	—	—	1	2	1	6	10	—
15 Cerebral hæmorrhage	M	F	14	—	—	—	—	—	—	—	—	2	2	10	42	—	—	—	—	—	1	3	15	17	6	—
			38	—	—	—	—	—	—	1	4	4	10	19	58	—	—	—	—	—	2	2	17	20	17	—
16 Heart disease	M	F	78	—	—	—	—	—	3	4	12	31	28	159	159	—	—	—	5	2	1	10	13	38	54	36
			127	—	—	—	—	1	3	2	7	17	36	61	188	—	—	—	1	1	3	12	17	31	58	65
17 Aneurysm	M	F	2	—	—	—	—	1	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1	—	—	—
			2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18 Other circulatory	M	F	47	—	—	—	—	—	—	—	1	4	12	30	65	1	—	—	—	—	—	—	1	11	30	22
			51	—	—	—	—	—	—	1	1	3	19	27	79	—	—	—	—	—	—	1	—	14	34	30
19 Bronchitis	M	F	16	1	—	—	—	—	—	—	2	3	1	9	28	3	—	—	—	—	—	3	2	2	11	7
			29	—	—	—	—	—	—	—	1	3	4	21	46	4	—	—	—	—	—	1	—	6	13	22
20 Pneumonia	M	F	14	—	—	1	—	—	2	—	—	3	3	5	59	9	6	—	1	—	4	6	10	8	9	6
			25	3	—	2	2	1	1	1	1	3	4	7	35	5	1	1	1	4	2	3	2	3	8	5
21 Other respiratory	M	F	8	1	—	—	—	—	—	—	1	1	1	4	4	—	—	—	—	—	—	1	1	1	1	—
			2	—	—	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	—	—	2	—	—
22 Peptic ulcer	M	F	4	—	—	—	—	—	—	—	3	—	1	—	16	—	—	—	—	2	—	5	4	3	—	—
			3	—	—	—	—	—	—	—	3	—	—	—	4	—	—	—	—	—	1	—	—	3	—	—
23 Diarrhœa	M	F	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
			2	1	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	—	—	—	—	—
24 Appendicitis	M	F	2	—	—	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—	—	—	—
			4	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Cirrhosis of liver	M	F	3	—	—	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	—	—	—	1	—	—
			1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—
26 Other liver diseases	M	F	2	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	1	2	—	—
			4	—	—	—	—	—	—	1	1	—	—	2	11	—	—	—	—	—	1	—	5	3	—	2



Causes of Death. See first page of Table.		IPSWICH.												KINGSTON UPON HULL.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	488	45	5	11	19	15	22	17	46	78	108	122	2,223	298	90	75	86	101	100	140	254	338	402	338
	F	545	36	4	16	18	15	22	23	52	73	110	176	1,946	191	88	60	68	100	101	129	185	277	326	421
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	2	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
2 Measles	M	1	-	-	1	-	-	-	-	-	-	-	-	32	10	11	11	-	-	-	-	-	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	-	38	7	22	7	2	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
	F	3	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	8	3	5	-	-	-	-	-	-	-	-	-
	F	7	2	2	3	-	-	-	-	-	-	-	-	17	6	4	5	2	-	-	-	-	-	-	-
5 Diphtheria	M	14	1	-	4	9	-	-	-	-	-	-	-	44	1	3	12	28	-	-	-	-	-	-	-
	F	10	-	-	3	5	2	-	-	-	-	-	-	49	-	5	16	26	-	1	1	-	-	-	-
6 Influenza	M	6	-	-	1	-	-	-	-	-	4	-	1	45	3	4	1	3	5	-	5	8	6	5	5
	F	7	-	-	1	-	-	1	-	-	2	2	1	43	-	-	-	-	5	2	4	4	7	6	13
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	F	2	-	-	-	1	1	-	-	-	-	-	-	4	-	-	-	-	1	2	1	-	-	-	-
8 Cerebro-spinal fever	M	1	-	-	-	1	-	-	-	-	-	-	-	6	4	1	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	1	2	1	1	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	36	-	-	-	1	3	6	3	14	6	3	-	204	1	1	1	6	37	37	41	48	26	6	-
	F	36	-	-	-	-	6	11	6	8	3	-	2	161	1	2	3	4	52	33	32	19	11	3	1
10 Other tuberculosis	M	6	-	1	1	1	-	2	-	1	-	-	-	43	4	5	9	11	6	3	3	1	1	-	-
	F	11	1	1	4	1	-	2	-	1	-	-	1	20	3	1	3	7	1	-	2	1	1	1	-
11 Syphilis	M	4	1	-	-	-	-	-	-	1	2	-	-	11	-	1	-	-	1	1	1	4	3	-	-
	F	3	-	-	-	-	-	-	-	1	1	1	-	10	3	-	-	-	1	-	2	3	1	-	-
12 Gen. paralysis of insane, etc.	M	5	-	-	-	-	1	-	1	-	2	1	-	16	-	-	-	-	1	3	7	4	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	1	4	3	4	2	-	-
13 Cancer	M	49	-	-	-	-	-	1	1	7	18	11	11	184	-	-	-	1	-	4	7	27	59	57	29
	F	89	-	-	-	-	-	1	7	17	22	22	20	220	-	-	-	1	-	2	22	44	68	50	33
14 Diabetes	M	7	-	-	-	-	1	-	-	-	3	2	1	11	-	-	-	-	2	-	-	4	3	2	-
	F	6	-	-	-	1	-	-	-	1	2	2	-	26	-	-	-	-	2	2	4	10	5	3	3
15 Cerebral hæmorrhage	M	32	-	-	-	-	-	1	-	3	17	11	11	92	-	-	-	-	-	2	8	16	37	29	29
	F	38	-	-	-	-	-	-	-	4	6	13	15	108	-	-	-	-	-	1	15	19	32	41	41
16 Heart disease	M	107	-	-	-	1	1	1	1	8	15	37	43	408	-	-	-	4	10	7	20	43	88	133	103
	F	132	-	-	-	1	1	-	3	7	16	29	75	401	-	-	-	6	4	12	11	45	76	112	135
17 Aneurysm	M	4	-	-	-	-	-	-	-	2	1	-	1	15	-	-	-	-	-	1	5	3	5	1	1
	F	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	2	2	-	-	1
18 Other circulatory	M	10	-	-	-	-	-	1	-	-	1	1	7	90	-	-	-	-	-	-	2	18	30	40	40
	F	11	-	-	1	-	-	-	-	-	1	7	2	60	-	-	-	-	-	-	1	3	16	40	40
19 Bronchitis	M	24	2	1	-	-	-	-	-	1	1	5	14	98	18	6	1	1	-	3	8	14	22	24	24
	F	35	2	-	-	1	-	-	-	1	2	8	21	96	13	3	-	2	1	1	2	3	22	49	49
20 Pneumonia	M	18	5	1	2	-	1	-	-	1	3	3	2	252	81	40	26	6	10	5	12	21	18	21	12
	F	21	6	-	2	-	2	-	2	-	1	7	1	191	53	37	16	7	4	4	13	11	10	17	19
21 Other respiratory	M	14	1	-	1	1	-	-	3	1	1	4	2	23	2	2	-	3	1	3	3	3	3	2	2
	F	3	-	-	-	1	-	-	-	-	1	1	1	13	-	-	1	-	1	1	3	2	1	3	3
22 Peptic ulcer	M	5	-	-	-	-	1	-	-	4	-	-	-	41	-	-	-	-	6	4	16	10	5	-	-
	F	3	-	-	-	-	-	-	-	1	2	-	-	8	-	-	-	-	1	1	2	1	3	-	-
23 Diarrhœa	M	4	2	1	-	-	-	-	-	-	-	-	1	30	23	2	1	-	1	-	1	1	1	1	1
	F	6	1	-	-	1	-	1	-	-	-	-	3	24	12	4	1	1	-	2	-	-	3	-	-
24 Appendicitis	M	4	-	-	-	1	-	1	-	1	-	1	-	10	-	-	1	1	1	1	1	4	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	7	-	-	-	1	1	3	-	-	2	-	-
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	1	2	2	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	-	4	3	-	-	-
26 Other liver diseases	M	4	-	-	-	-	1	-	-	-	-	2	1	7	-	-	-	-	1	-	1	2	2	1	1
	F	3	-	-	-	-	1	-	-	-	-	2	-	8	-	-	-	-	1	1	-	1	4	1	1
27 Other digestive	M	10	-	1	-	-	1	2	-	-	-	5	1	39	4	2	2	1	3	1	2	4	4	8	8
	F	8	1	-	1	-	-	-	-	-	1	3	2	25	4	-	1	-	5	1	1	8	2	3	3
28 Nephritis	M	11	-	-	-	-	-	-	-	-	5	3	3	47	-	-	-	-	2	4	8	14	9	10	10
	F	14	-	-	-	-	-	1	3	3	3	5	2	42	-	1	-	-	2	4	3	14	7	11	11
29 Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	15	-	-	-	4	6	5	-	-	-	-	-
30 Other puerperal	F	1	-	-	-	-	1	-	-	-	-	-	-	8	-	-	-	3	3	2	-	-	-	-	-
31 Congenital causes, etc.	M	29	28	-	-	1	-	-	-	-	-	-	-	125	122	1	-	1	-	1	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	72	72	-	-	-	-	-	-	-	-	-	-
32 Senility	M	11	-	-	-	-	-	-	-	-	-	2	9	54	-	-	-	-	-	-	-	-	5	49	49
	F	24	-	-	-	-	-	-	-	-	-	1	23	54	-	-	-	-	-	-	-	1	6	47	47
33 Suicide	M	6	-	-	-	1	-	-	1	-	-	1	3	30	-	-	-	-	3	7	7	9	4	-	-
	F	4	-	-	-	-	1	-	2	1	-	-	-	13	-	-	-	1	5	1	4	2	-	-	-
34 Other violence	M	25	1	-	-	2	5	5	1	4	3	2	2	100	5	4	6	7	15	10	11	14	15	7	6
	F	7	1	-	1	1	1	2	1	1	-	1	-	51	3	3	2	2	3	3	4	6	10	13	13
35 Other defined causes	M	38	4	-	1	1	2	3	3	5	4	6	9	145	17	1	4	11	12	10	6	18	13	35	18
	F	36	4	-	-	3	2	2	2	3	8	5	7	131	13	4	4	8	11	18	11	13	22	21	6
36 Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of Death. See first page of Table.		LEEDS.												LEICESTER.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes		M 3,387 F 3,120	314 240	85 51	84 70	94 74	152 123	154 158	203 186	408 318	684 492	764 712	445 696	1,503 1,481	130 105	35 17	22 15	32 30	65 63	66 71	90 73	180 153	264 227	333 315	286 412
1	Typhoid fever, etc.	M - F 2	- -	- -	- -	- -	- -	- -	- 1	- 1	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -
2	Measles	M 28 F 27	2 4	12 6	14 13	- 4	- -	- -	- -	- -	- -	- -	- -	9 10	3 4	3 2	3 4	- -	- -	- -	- -	- -	- -	- -	- -
3	Scarlet fever	M 5 F 6	- 1	- 1	1 1	3 2	- 1	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
4	Whooping cough	M 24 F 20	8 6	13 8	2 6	1 -	- -	- -	- -	- -	- -	- -	- -	8 5	4 4	3 1	- -	1 -	- -	- -	- -	- -	- -	- -	- -
5	Diphtheria	M 43 F 44	- -	6 2	10 14	26 25	1 -	- 1	- 1	- 1	- -	- -	- -	5 1	- -	2 1	2 -	1 -	- -	- -	- -	- -	- -	- -	- -
6	Influenza	M 70 F 56	3 1	1 -	2 -	1 2	3 2	4 1	9 4	14 7	6 12	17 14	10 13	24 18	3 1	1 -	1 1	1 -	1 1	- 1	1 1	2 1	7 2	3 7	4 4
7	Encephalitis lethargica	M 5 F 3	- -	- -	- -	- -	1 1	2 -	1 1	- -	1 -	- 1	- -	5 5	- -	1 -	- -	- 1	1 1	1 -	1 -	1 -	1 2	- -	- 1
8	Cerebro-spinal fever	M 6 F 5	3 2	1 1	1 1	- 1	1 -	- -	- -	- -	- -	- -	- -	3 4	1 2	- 1	1 -	- 1	- -	- -	- -	- -	- -	- -	- -
9	Respiratory tuberculosis	M 263 F 184	1 1	1 -	2 -	2 2	49 57	50 48	42 33	56 26	54 9	6 7	- 1	146 121	- 2	- 1	- 1	1 2	30 27	26 36	35 15	28 18	20 12	4 7	2 -
10	Other tuberculosis	M 46 F 41	3 3	4 4	9 9	12 6	10 8	1 4	1 1	- 3	4 1	- 2	2 -	31 17	2 1	7 1	2 2	7 7	7 4	2 1	2 -	1 -	1 -	- 1	- -
11	Syphilis	M 27 F 6	3 3	- -	- -	- -	2 1	3 1	4 -	5 -	6 1	3 -	1 -	13 4	- 1	- -	- -	1 -	- -	2 1	- 1	4 1	4 1	2 -	- -
12	Gen. paralysis of insane, etc.	M 28 F 7	- -	- -	- -	- -	- -	- -	4 3	10 3	7 1	5 -	2 -	13 4	- -	- -	- -	- -	- -	5 1	4 2	4 -	1 -	- 1	- -
13	Cancer	M 354 F 389	- 1	1 1	1 -	- -	4 -	10 5	23 22	60 91	116 102	108 105	31 62	173 212	- -	- -	- -	- -	1 4	2 2	5 15	24 37	49 55	66 56	26 43
14	Diabetes	M 31 F 62	- -	- -	- -	- -	1 1	- -	- 2	5 6	10 19	12 23	3 11	8 24	- -	- -	- -	- -	2 1	- -	1 1	2 4	3 10	- 8	
15	Cerebral hæmorrhage	M 145 F 197	- -	- -	- -	- -	1 -	1 -	3 3	15 13	36 45	59 72	30 64	99 94	- -	- -	- -	- -	1 1	2 1	3 12	19 16	41 32	33 32	
16	Heart disease	M 614 F 682	- -	- -	- -	9 3	14 10	11 25	19 33	73 57	164 141	211 198	113 215	211 304	- -	- -	1 3	1 7	4 5	7 8	23 29	43 55	70 100	97 97	
17	Aneurysm	M 18 F 8	- -	- -	- -	- -	2 1	1 -	- 1	4 2	8 1	2 2	1 2	10 -	- -	- -	- -	- -	1 -	- -	1 -	4 -	4 -	- -	
18	Other circulatory	M 274 F 209	- -	- -	- -	- -	- -	- -	1 -	8 6	37 21	116 74	112 108	68 50	- -	- -	- -	- -	- -	- -	3 -	11 9	24 13	30 28	
19	Bronchitis	M 177 F 169	8 12	1 2	1 1	1 1	- 1	6 1	5 3	27 7	37 25	63 44	28 73	65 76	2 5	- 1	1 1	- -	- -	2 -	1 -	8 3	9 7	14 20	28 39
20	Pneumonia	M 299 F 210	67 43	30 18	20 12	6 6	12 8	13 8	28 16	32 14	44 24	27 40	20 21	116 65	30 14	10 4	4 3	1 2	6 1	6 3	8 5	14 5	13 5	14 6	10 17
21	Other respiratory	M 38 F 26	1 2	1 -	1 1	2 3	5 3	2 2	3 3	9 5	7 5	6 2	1 4	14 7	- 1	1 -	- -	1 -	- -	- 1	3 -	5 -	2 -	2 3	3 2
22	Peptic ulcer	M 33 F 19	- -	- -	- -	- -	- 1	2 2	8 3	7 3	10 6	5 3	1 1	25 6	- -	- 1	- -	- -	- -	1 -	2 3	7 -	7 1	6 1	2 1
23	Diarrhœa	M 46 F 36	33 18	4 2	- 1	1 1	1 2	2 2	- 2	1 1	1 2	1 1	2 4	16 15	10 11	1 1	1 -	1 -	1 -	- -	1 -	1 -	- -	1 -	- 1
24	Appendicitis	M 13 F 14	- -	- 1	2 4	3 1	- -	3 -	1 -	- 2	2 3	2 2	- 1	7 9	- -	- -	- 2	1 1	1 -	- 1	2 1	1 2	1 2	- 2	- -
25	Cirrhosis of liver	M 9 F 9	- -	- -	- -	- 1	- -	- -	2 -	2 5	3 6	2 3	- 2	11 3	- -	- -	- -	1 -	- 1	1 -	1 -	2 -	4 -	2 -	- -
26	Other liver diseases	M 14 F 34	- -	- -	- -	- -	- -	- 2	- 3	3 8	6 3	3 13	2 5	3 9	- -	- -	- -	- -	- 2	- -	1 3	2 3	- 3	- 1	
27	Other digestive	M 54 F 48	10 7	3 -	2 3	1 2	- 3	2 1	5 2	12 5	7 8	9 10	3 7	26 26	3 3	2 1	- 2	2 -	1 1	1 -	5 2	5 4	4 4	2 4	2 5
28	Nephritis	M 101 F 90	- -	- -	1 1	1 2	6 6	3 15	8 12	13 12	31 20	28 24	10 10	72 53	- -	- -	- -	- -	2 2	2 1	4 7	13 15	15 11	21 17	15 17
29	Puerperal sepsis	F 18	-	-	-	-	6	6	6	-	-	-	-	3	-	-	-	-	1	2	-	-	-	-	-
30	Other puerperal	F 21	-	-	-	-	2	15	4	-	-	-	-	11	-	-	-	-	2	5	2	2	-	-	-
31	Congenital causes, etc.	M 141 F 101	134 101	1 -	1 -	3 -	2 -	- -	- -	- -	- -	- -	- -	58 48	58 48	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
32	Senility	M 45 F 67	- -	- -	- -	- -	- -	- -	- -	- -	- 1	10 10	35 56	65 100	- -	- -	- -	- -	- -	- -	- -	1 -	13 13	- -	51 87
33	Suicide	M 45 F 21	- -	- -	- -	- -	- 2	7 3	6 2	10 6	14 6	5 9	3 -	30 16	- -	- -	- -	- -	2 1	2 -	6 4	7 6	8 3	5 1	- 1
34	Other violence	M 107 F 91	4 16	1 2	6 4	8 7	23 3	15 6	7 7	12 9	15 7	9 14	7 16	52 37	6 4	1 -	5 1	5 3	3 4	- 1	7 4	7 4	7 4	7 4	6 9
35	Other defined causes†	F 280 M 197	34 19	5 4	8 2	14 7	14 8	15 17	22 18	30 27	58 27	54 47	26 21	117 123	8 4	3 2	1 -	6 10	6 7	7 8	9 12	16 17	23 25	26 20	12 18
36	Ill-defined causes	M 4 F 1	- -	- -	- -	- -	- -	- -	1 -	- -	- -	1 1	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -

† Including 1 death from Smallpox in Leicester (a Female—aged one week).



Causes of Death. <i>See first page of Table.</i>		LINCOLN.												LIVERPOOL.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes		M F	397 435	28 20	4 2	5 8	8 11	10 13	13 21	23 26	54 54	66 62	104 102	82 116	6,437 5,839	1056 695	341 279	241 197	223 206	275 280	289 305	416 334	747 517	983 801	1146 1127	720 1098
1	Typhoid fever, etc.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 1	— —	— —	1 —	1 —	— —	— —	1 —	2 1	— —	— —	— —
2	Measles	M F	2 2	1 —	— —	1 1	— —	— 1	— —	— —	— —	— —	— —	— —	204 175	63 43	85 85	46 43	10 4	— —	— —	— —	— —	— —	— —	— —
3	Scarlet fever	M F	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	6 6	— 2	2 1	2 —	1 1	— 2	1 —	— —	— —	— —	— —	— —
4	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	99 92	53 39	27 27	13 21	6 5	— —	— —	— —	— —	— —	— —	— —
5	Diphtheria	M F	3 1	— —	— —	2 —	— —	— —	— —	— —	1 —	— —	— 1	— —	86 104	4 7	10 5	29 26	42 59	1 2	— 2	— 1	— —	— —	— 2	— —
6	Influenza	M F	15 21	— 1	— —	— 1	— —	1 1	— 1	2 1	6 4	3 2	— 7	1 3	143 202	12 2	3 3	3 3	4 2	5 12	10 12	19 18	25 24	23 37	23 47	
7	Encephalitis lethargica	M F	2 —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	14 17	— —	— —	2 1	— —	3 3	1 4	— 1	6 3	2 2	— 2	— 1
8	Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	33 18	13 8	7 1	6 3	2 2	5 2	— 1	— —	— 1	— —	— —	— —
9	Respiratory tuberculosis	M F	26 28	1 —	1 —	— 1	— 8	2 8	6 8	3 6	7 3	5 —	— 1	1 —	594 406	— 1	3 1	8 2	6 16	105 132	103 100	125 68	130 47	82 24	28 11	— 4
10	Other tuberculosis	M F	7 8	2 —	2 1	— 2	2 1	— —	— —	— —	— —	— 1	— 1	— —	77 87	9 11	7 5	19 21	12 18	16 14	6 6	3 4	2 2	3 4	— 1	— —
11	Syphilis	M F	— 2	— —	— —	— —	— —	— —	— —	— 1	— 1	— —	— —	— —	25 17	3 4	— —	— —	1 1	— 1	1 3	5 3	5 1	7 3	3 1	— —
12	Gen. paralysis of insane, etc.	M F	3 1	— —	— —	— —	— —	— —	— —	— 1	— —	2 —	— —	1 —	27 7	— —	— —	— —	— —	2 —	7 1	8 4	5 1	4 —	— —	— —
13	Cancer	M F	45 67	— —	— —	— —	— —	1 —	— —	3 5	6 16	11 15	17 17	7 13	549 609	2 —	— 2	1 —	3 2	2 2	9 15	33 59	89 121	163 162	180 163	67 83
14	Diabetes	M F	5 7	— —	— —	— —	— —	— —	— 1	— —	1 2	1 1	2 2	1 1	32 74	— —	— —	— —	2 3	2 2	2 1	2 2	3 6	12 25	6 26	3 8
15	Cerebral hæmorrhage	M F	22 32	— —	— —	— —	— —	— —	— 1	— —	1 5	7 6	4 11	10 9	225 248	— —	— —	— —	— —	— —	4 1	5 2	14 22	59 52	89 80	54 91
16	Heart disease	M F	76 109	— —	— —	— 1	— 2	— —	1 —	1 5	11 9	13 17	32 32	17 43	972 1,084	1 —	— —	2 1	15 14	22 30	23 46	42 47	114 94	209 205	325 321	218 326
17	Aneurysm	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	23 4	— —	— —	— —	— —	— —	1 1	7 —	10 2	2 1	— —	— —
18	Other circulatory	M F	28 15	— —	— —	— —	— —	— —	— —	— —	1 1	1 3	11 5	15 6	201 166	— —	1 —	— —	— —	— —	— —	2 2	12 13	49 29	85 49	52 72
19	Bronchitis	M F	26 25	2 —	— —	— 1	— —	— —	1 —	— —	2 1	2 4	8 5	11 14	284 288	37 25	7 6	6 1	2 —	2 3	3 1	6 5	39 13	39 34	81 81	62 119
20	Pneumonia	M F	19 13	4 3	— —	1 1	1 2	1 —	1 —	— —	2 3	5 1	4 —	— 2	838 655	225 167	126 107	59 46	31 21	30 17	36 25	50 34	112 43	81 58	62 91	26 46
21	Other respiratory	M F	3 1	— —	— —	— —	— —	— —	— —	1 —	— —	1 1	— —	1 —	63 59	1 1	3 4	3 1	2 2	1 2	1 2	5 3	12 3	13 12	13 13	8 16
22	Peptic ulcer	M F	3 2	— —	— —	— —	— —	— —	— —	1 —	— 1	— 1	2 —	— —	70 12	— —	— —	— —	1 —	1 2	3 —	17 4	20 2	16 4	7 —	5 —
23	Diarrhœa	M F	1 4	1 2	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	187 106	140 84	24 10	4 1	3 1	1 —	1 —	2 —	1 1	6 2	4 3	— —
24	Appendicitis	M F	— 2	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	21 14	— —	— —	3 —	3 2	3 2	4 1	1 3	3 1	3 2	3 —	— —
25	Cirrhosis of liver	M F	2 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	2 —	— —	9 9	— —	— —	— —	— —	— —	2 —	2 4	4 2	1 3	— —	— —
26	Other liver diseases	M F	2 5	— —	— —	— —	— —	— —	— —	1 —	— —	1 1	— 3	— 1	6 23	— —	— —	— —	— —	1 —	— 1	— 7	2 4	2 6	1 —	— 5
27	Other digestive	M F	8 9	— —	— —	— —	1 2	— —	— —	1 —	3 —	1 2	1 2	— 3	92 88	18 3	4 5	7 3	4 9	3 2	7 4	4 5	5 9	18 19	13 18	9 11
28	Nephritis	M F	16 5	— —	— —	— —	1 —	— —	— —	— 2	— 3	— 4	— 3	— 2	199 176	— —	— —	— —	3 3	6 8	7 15	14 32	42 35	55 54	49 54	22 26
29	Puerperal sepsis	F	1	—	—	—	—	—	1	—	—	—	—	—	20	—	—	—	—	5	10	5	—	—	—	—
30	Other puerperal	F	2	—	—	—	—	—	1	1	—	—	—	—	34	—	—	—	—	6	12	15	1	—	—	—
31	Congenital causes, etc.	M F	16 10	16 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	400 246	395 242	1 1	2 1	— 1	1 —	— —	1 —	— —	— —	— —	— —
32	Senility	M F	9 13	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 2	4 10	182 250	— —	— —	— —	— —	— —	— —	— —	— 1	9 13	68 67	105 169
33	Suicide	M F	4 3	— —	— —	— —	— —	— —	— 1	— 1	— —	1 —	1 —	— 1	69 29	— —	— —	— —	— —	8 6	13 4	8 5	13 8	17 3	8 3	2 —
34	Other violence	M F	14 5	— 1	— —	1 —	— 2	— —	— —	—<																

Causes of Death. See first page of Table.		MANCHESTER.												MIDDLESBROUGH.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	5,481	638	152	118	119	207	275	427	718	1067	1111	649	1,072	160	57	38	40	53	51	68	111	182	199	113
	F	5,164	411	129	106	121	235	266	305	506	842	1221	1022	882	137	42	28	32	46	47	60	92	109	144	145
Typhoid fever, etc.	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	35	7	15	10	3	—	—	—	—	—	—	—	20	4	10	4	2	—	—	—	—	—	—	—
	F	28	3	12	10	3	—	—	—	—	—	—	—	13	3	6	3	1	—	—	—	—	—	—	—
Scarlet fever	M	6	1	—	3	1	—	—	1	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	—
	F	5	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	42	19	15	7	1	—	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—	—	—	—
	F	48	10	23	12	2	—	—	—	—	1	—	—	2	1	1	—	—	—	—	—	—	—	—	—
Diphtheria	M	30	3	—	8	18	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	F	30	3	1	7	17	1	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—
Influenza	M	141	3	2	3	3	6	16	20	25	27	26	10	26	2	3	2	—	1	1	4	4	3	5	1
	F	196	9	1	4	4	11	11	16	28	31	44	37	28	2	1	—	—	1	3	6	1	4	6	4
Encephalitis lethargica	M	14	—	—	—	—	4	2	—	6	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	F	19	—	—	—	1	4	3	3	2	2	3	1	1	—	—	—	1	—	—	—	—	—	—	—
Cerebro-spinal fever	M	13	4	2	3	2	1	—	—	—	1	—	—	3	1	—	—	1	—	1	—	—	—	—	—
	F	17	5	3	1	—	3	1	1	3	—	—	—	2	—	—	—	1	—	1	—	—	—	—	—
Respiratory tuberculosis	M	519	2	2	—	6	68	94	99	128	91	27	2	117	1	1	—	7	23	21	18	23	18	5	—
	F	342	2	1	1	11	113	100	51	37	20	6	—	72	—	1	2	5	27	15	11	8	3	—	—
Other tuberculosis	M	65	5	12	12	7	5	9	6	2	4	3	—	22	3	3	5	4	2	2	1	1	1	—	—
	F	68	5	7	11	12	10	12	3	3	4	1	—	15	1	4	3	2	—	2	—	—	3	—	—
Syphilis	M	17	6	—	—	—	2	1	1	4	2	1	—	3	—	—	—	—	—	—	—	2	1	—	—
	F	7	2	—	—	1	—	1	1	1	1	1	—	5	1	—	—	—	—	—	1	1	2	—	—
Gen. paralysis of insane, etc.	M	34	—	—	—	—	4	10	10	5	3	2	—	8	—	—	—	—	1	4	1	2	—	—	—
	F	6	—	—	—	—	1	—	1	3	1	—	—	3	—	—	—	—	—	2	1	—	—	—	—
Cancer	M	645	—	—	—	1	2	9	30	91	225	211	76	96	—	—	1	—	1	2	7	40	32	13	—
	F	614	—	—	—	—	6	9	53	110	169	193	74	77	—	—	—	—	2	7	9	24	19	16	—
Diabetes	M	41	—	—	—	1	3	1	2	5	9	15	5	5	—	—	—	—	—	—	3	1	1	—	—
	F	66	—	—	—	—	1	2	1	7	22	26	7	8	—	—	—	—	1	—	2	2	2	1	—
Cerebral hæmorrhage	M	210	—	—	—	—	—	7	20	52	84	47	47	47	—	—	—	—	—	—	2	11	24	10	—
	F	243	—	—	—	—	—	1	6	23	70	88	55	52	—	—	—	—	—	1	4	6	25	16	—
Heart disease	M	776	—	1	—	12	24	24	54	89	185	240	147	189	—	—	—	—	2	6	7	20	49	59	46
	F	962	—	—	—	11	23	17	42	84	182	329	274	162	—	—	—	—	3	5	6	19	28	43	58
Aneurysm	M	12	—	—	—	—	—	1	—	3	6	2	—	2	—	—	—	—	—	—	—	1	1	—	—
	F	9	—	—	—	—	—	—	3	3	2	1	—	5	—	—	—	—	—	—	2	1	2	—	—
Other circulatory	M	244	1	—	—	—	—	—	—	13	45	99	86	46	—	—	—	—	—	—	3	8	17	18	—
	F	252	—	—	—	1	—	—	1	9	24	88	129	23	—	—	—	—	1	—	3	1	7	11	—
Bronchitis	M	423	28	3	4	2	5	6	23	64	102	107	79	39	13	1	1	—	—	—	1	—	7	10	6
	F	403	28	5	1	1	2	3	7	18	64	136	138	34	7	4	—	—	—	—	1	—	6	8	8
Pneumonia	M	572	122	68	38	12	16	33	62	75	69	56	21	161	42	32	11	6	4	9	11	16	13	13	4
	F	409	79	49	28	10	11	28	25	37	49	55	38	113	37	19	14	10	1	1	9	2	8	7	5
Other respiratory	M	57	3	3	2	2	2	3	4	16	12	6	4	13	—	—	2	—	—	—	1	—	6	4	—
	F	34	—	1	3	2	—	5	3	5	3	4	8	7	1	—	—	1	—	2	4	1	2	—	1
Peptic ulcer	M	62	—	—	—	—	1	3	13	16	17	11	1	9	—	—	—	—	—	2	—	2	1	—	—
	F	22	—	—	—	—	—	4	6	7	3	2	2	2	—	—	—	—	—	1	—	1	—	—	—
Diarrhœa	M	107	95	4	2	—	—	—	—	2	3	1	—	14	12	1	—	1	—	—	—	—	—	—	—
	F	86	58	15	1	3	—	—	—	1	6	2	—	10	5	2	1	2	—	—	—	—	—	—	—
Appendicitis	M	31	—	—	1	4	8	4	3	3	6	1	1	5	—	—	1	1	—	—	1	2	—	—	—
	F	18	—	—	—	1	1	1	2	3	4	6	—	4	—	—	—	1	1	1	—	—	—	—	—
Cirrhosis of liver	M	21	—	—	—	—	—	—	2	4	7	8	—	2	—	—	—	—	—	—	1	1	—	—	—
	F	10	—	—	—	—	—	1	1	3	1	3	1	2	—	—	—	—	—	—	2	—	—	—	—
Other liver diseases	M	13	—	—	—	—	—	—	—	1	7	2	3	3	—	—	—	—	—	—	1	1	1	—	—
	F	34	—	—	—	—	—	1	1	5	7	9	11	4	—	—	—	—	—	—	2	1	—	—	1
Other digestive	M	81	13	2	6	7	4	9	5	12	7	10	6	15	3	1	—	4	—	—	1	1	2	2	1
	F	86	7	2	6	6	1	5	3	12	13	17	14	21	3	1	—	—	—	2	3	5	3	4	—
Nephritis	M	140	—	1	1	2	6	3	19	32	33	27	16	18	—	—	—	—	1	—	6	6	5	—	—
	F	160	—	—	1	—	6	8	15	22	41	45	22	27	—	—	—	1	4	—	1	12	4	4	1
Puerperal sepsis	F	18	—	—	—	—	6	7	5	—	—	—	—	8	—	—	—	—	2	5	1	—	—	—	—
Other puerperal	F	22	—	—	—	—	6	11	5	—	—	—	—	11	—	—	—	—	6	5	—	—	—	—	—
Congenital causes, etc.	M	270	264	1	1	3	1	—	—	—	—	—	—	65	65	—	—	—	—	—	—	—	—	—	—
	F	172	167	2	1	—	1	—	—	—	—	1	—	62	61	—	—	1	—	—	—	—	—	—	—
Senility	M	166	—	—	—	—	—	—	—	—	6	77	83	7	—	—	—	—	—	—	—	—	—	—	7
	F	231	—	—	—	—	—	—	—	—	10	65	156	12	—	—	—	—	—	—	—	1	1	10	—
Suicide	M	68	—	—	—	—	4	6	17	25	11	4	1	8	—	—	—	—	1	—	4	2	—	1	—
	F	27	—	—	—	—	4	2	4	9	4	3	1	2	—	—	—	—	—	1	—	—	—	—	—
Other violence	M	187	12	5	8	16	19	21	16	20	31	18	21	48	2	1	5	4	13	3	6	—	6	—	2
	F	115	8	2	7	11	6	11	6	11	12	23	18	19	3	1	2	1	—	—	—	2	2	4	4
Other defined causes	M	431	50	16	9	16	25	26	33	50	101	70	35	71	9	1	5	8	6	4	3	6	10	14	5
	F	398	25	5	7	25	18	26	41	61	89	66	35	74	12	2	3	5	5	3	7	16	7	9	



Causes of Death. See first page of Table.			NEWCASTLE-ON-TYNE.													NORTHAMPTON.												
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	2,062	256	99	72	62	92	90	116	254	317	414	290	538	45	2	9	9	18	27	27	58	102	135	10			
	F	1,751	211	61	56	51	87	98	109	133	237	355	353	551	42	7	7	12	21	20	33	56	71	107	17			
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	74	14	33	19	8	-	-	-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-			
	F	55	15	17	14	9	-	-	-	-	-	-	-	5	1	2	2	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	4	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
4 Whooping cough	M	32	6	15	10	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-			
	F	24	6	6	11	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-			
5 Diphtheria	M	3	1	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-			
	F	3	1	-	2	-	-	-	-	-	-	-	-	4	-	-	-	4	-	-	-	-	-	-	-			
6 Influenza	M	34	1	1	-	2	2	1	5	7	3	6	6	8	-	-	-	-	1	1	1	2	3	-	-			
	F	48	4	-	-	2	2	7	5	4	9	6	9	15	-	-	-	-	1	-	1	1	1	4	-			
7 Encephalitis lethargica	M	9	-	-	-	-	2	-	2	2	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-			
	F	4	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-			
8 Cerebro-spinal fever	M	15	4	2	2	2	3	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-			
	F	11	1	-	3	2	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	182	3	1	3	4	37	35	33	40	18	7	1	34	-	-	-	-	4	10	6	8	5	-	-			
	F	122	1	1	-	7	44	26	23	11	6	3	-	38	-	-	-	1	9	10	9	7	1	1	-			
10 Other tuberculosis	M	48	5	8	6	13	5	2	3	2	3	-	1	9	2	-	2	4	-	1	-	-	-	-	-			
	F	40	2	1	2	13	12	6	1	-	1	2	-	6	1	1	1	1	-	-	-	1	-	-	-			
11 Syphilis	M	17	1	-	-	-	-	-	2	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	4	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	12	-	-	-	-	-	-	3	7	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-			
	F	6	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
13 Cancer	M	203	-	-	-	-	3	3	2	33	68	67	27	66	-	-	-	-	1	2	11	20	23	-	-			
	F	167	-	-	-	-	-	6	14	25	40	53	29	82	-	-	-	-	-	1	6	18	23	15	1			
14 Diabetes	M	7	-	-	-	-	-	-	1	2	3	1	-	2	-	-	-	-	-	-	-	-	1	-	-			
	F	34	-	-	-	-	-	2	2	1	8	14	7	5	-	-	-	-	-	1	-	1	1	-	-			
15 Cerebral hæmorrhage	M	65	-	-	-	-	-	1	-	7	21	23	13	33	-	-	-	-	1	-	-	3	3	15	1			
	F	62	-	-	-	-	-	2	1	6	13	27	13	34	-	-	-	-	-	-	3	2	9	2	-			
16 Heart disease	M	342	-	-	1	1	6	8	16	40	68	129	73	104	-	-	-	-	1	1	3	8	25	38	4			
	F	297	-	-	-	2	3	12	15	22	61	105	77	132	-	-	-	1	3	3	5	5	15	39	6			
17 Aneurysm	M	12	-	-	-	-	-	-	3	5	3	1	-	2	-	-	-	-	-	-	1	1	-	-	-			
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
18 Other circulatory	M	155	1	-	-	-	-	-	-	9	27	50	68	36	-	-	-	-	-	1	-	3	9	15	-			
	F	120	-	-	-	-	-	1	-	4	11	42	62	13	-	-	-	-	-	1	1	-	5	-	-			
19 Bronchitis	M	123	31	5	1	1	3	4	5	10	13	26	24	32	1	-	-	1	-	-	3	2	3	3	1			
	F	115	15	6	1	2	1	-	2	6	12	23	47	40	3	1	-	-	-	-	1	3	9	2	-			
20 Pneumonia	M	147	46	15	14	5	6	5	6	13	12	18	7	27	2	1	1	1	4	-	4	6	4	-	-			
	F	126	36	23	14	4	3	6	6	6	8	11	9	15	3	-	-	1	-	-	3	1	5	-	-			
21 Other respiratory	M	20	1	1	1	-	-	2	-	2	4	5	4	8	1	-	-	-	1	-	1	1	1	2	-			
	F	25	2	1	-	-	1	2	2	-	4	8	5	3	-	-	-	-	-	1	-	2	-	-	-			
22 Peptic ulcer	M	29	-	-	-	-	-	6	4	9	6	3	1	7	-	-	-	-	-	1	2	1	3	-	-			
	F	4	-	-	-	-	-	-	-	1	2	-	1	5	-	-	-	-	1	1	1	1	-	-	-			
23 Diarrhœa	M	24	21	-	-	1	-	-	1	1	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-			
	F	28	25	1	-	1	-	-	-	-	-	1	-	4	3	-	-	-	-	-	-	-	-	-	-			
24 Appendicitis	M	12	-	-	-	2	2	1	-	3	2	1	1	3	-	-	-	1	-	1	-	-	1	-	-			
	F	6	-	-	-	1	2	-	2	1	-	-	-	5	-	-	-	1	-	1	-	1	1	-	-			
25 Cirrhosis of liver	M	5	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-			
	F	9	-	-	-	-	-	-	2	2	3	1	1	1	-	-	-	-	-	-	-	1	-	-	-			
26 Other liver diseases	M	6	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-			
	F	13	-	-	-	-	-	1	-	2	6	2	2	3	-	-	-	-	-	-	2	-	1	-	-			
27 Other digestive	M	33	11	2	1	2	2	-	2	3	3	4	3	8	1	-	-	1	-	-	-	-	2	3	-			
	F	24	2	-	1	1	3	1	-	1	6	5	4	15	1	-	1	2	-	-	1	5	1	3	-			
28 Nephritis	M	71	1	-	2	2	2	-	3	6	24	22	9	26	-	-	-	-	2	-	7	6	10	4	-			
	F	71	-	-	-	-	-	2	2	15	22	15	15	9	-	-	-	1	-	-	2	2	-	-	-			
29 Puerperal sepsis	F	9	-	-	-	-	1	4	4	-	-	-	-	4	-	-	-	1	2	1	-	-	-	-	-			
30 Other puerperal	F	11	-	-	-	-	3	6	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-			
31 Congenital causes, etc.	M	85	84	-	1	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-			
	F	80	79	-	1	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-			
32 Senility	M	31	-	-	-	-	-	-	-	-	-	-	7	8	-	-	-	-	-	-	-	-	-	1	-			
	F	54	-	-	-	-	-	-	-	-	1	8	45	25	-	-	-	-	-	-	-	-	-	1	-			
33 Suicide	M	28	-	-	-	-	2	3	4	9	7	3	-	17	-	-	-	-	1	2	5	3	4	1	-			
	F	8	-	-	-	-	1	3	2	1	-	1	-	4	-	-	-	-	-	2	1	1	-	-	-			
34 Other violence	M	94	4	6	5	9	10	8	11	14	6	12	9	27	3	-	1	1	3	5	2	4	2	3	-			
	F	36	3	-	2	4	-	1	1	2	5	8	10	14	2	-	-	-	1	-	2	1	4	-	-			
35 Other defined causes	M	136	21	8	4	7	7	10	8	20	13	21	17	41	3	1	1	-	3	1	2	2	7	14	-			
	F	130	18	5	3	2	7	9	17	17	17	19	16	46	7	3	2	1	4	2	1	5	9	9	-			
36 Ill-defined causes	M	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

TABLE 24—*contd.* County Boroughs.

Causes of Death.		NORWICH.												NOTTINGHAM.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	743	68	13	6	18	27	25	40	66	107	176	197	1,895	229	46	38	49	81	88	119	213	297	413	322
	F	782	59	10	6	9	26	24	35	69	102	187	275	1,779	150	40	19	36	68	96	103	142	253	423	449
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	25	7	10	7	1	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	17	9	6	2	-	-	-	-	-	-	-	
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	4	2	1	1	-	-	-	-	-	-	-	-	5	3	1	1	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	2	1	2	1	-	-	-	-	-	-	
Diphtheria	M	7	-	1	1	5	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	
	F	3	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
Influenza	M	14	-	1	-	-	-	-	1	2	2	4	4	35	-	4	-	-	2	4	3	4	9	6	3
	F	21	-	-	-	1	-	-	1	2	3	6	8	50	1	-	-	-	2	2	6	4	11	11	13
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	2	-	1	-	-	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	1	-	-	-	-	-	
Cerebro-spinal fever	M	6	3	-	-	1	1	-	-	1	-	-	-	3	2	-	-	1	-	-	-	-	-	-	
	F	2	-	-	1	1	-	-	-	-	-	-	-	4	1	-	1	2	-	-	-	-	-	-	
Respiratory tuberculosis	M	48	-	-	-	-	8	9	13	7	8	1	2	139	-	1	1	2	22	25	31	33	17	7	-
	F	29	1	-	-	-	12	8	3	3	1	1	-	114	1	-	-	2	24	40	20	11	8	7	1
Other tuberculosis	M	5	-	-	-	-	1	1	3	-	-	-	-	31	6	2	3	10	3	3	1	3	-	-	-
	F	6	1	-	2	-	-	1	2	-	-	-	-	20	2	-	-	5	5	3	1	1	-	-	3
Syphilis	M	4	1	1	-	-	-	-	-	-	2	-	-	12	2	-	-	2	-	2	1	2	3	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	7	3	-	-	-	2	-	-	2	-	-	-
Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	-	1	2	1	-	12	-	-	-	-	1	3	4	4	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Cancer	M	88	-	-	-	-	2	-	2	12	16	42	14	204	-	-	-	-	2	4	11	28	58	79	22
	F	112	-	-	-	-	-	1	6	16	31	31	27	204	-	-	-	1	-	3	23	27	57	54	39
Diabetes	M	8	-	-	-	-	1	-	-	2	1	3	1	14	-	-	-	-	1	-	2	-	3	6	2
	F	14	-	-	-	-	-	-	2	-	1	7	4	32	-	-	-	-	1	-	-	4	8	12	7
Cerebral hæmorrhage	M	59	-	-	-	-	-	-	-	2	8	13	36	65	-	-	-	-	-	-	1	3	13	30	18
	F	65	-	-	-	-	-	-	-	5	14	21	25	103	-	-	-	-	-	5	6	15	45	32	32
Heart disease	M	135	-	-	-	-	-	2	2	8	25	43	55	382	-	-	-	5	6	7	10	34	63	127	130
	F	176	-	-	-	-	-	4	7	14	21	58	72	433	-	-	-	5	5	13	16	24	65	147	158
Aneurysm	M	4	-	-	-	-	-	1	-	1	1	1	-	10	-	-	-	-	1	1	-	3	5	-	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Other circulatory	M	41	-	-	-	-	-	-	-	1	2	11	27	58	-	-	-	-	-	-	1	3	10	23	21
	F	49	-	-	-	-	-	-	-	2	4	17	26	69	-	-	-	-	1	-	1	1	9	29	28
Bronchitis	M	41	3	1	-	-	1	-	1	5	13	16	16	94	11	4	-	1	-	1	2	3	19	25	28
	F	56	3	-	-	-	1	-	-	1	2	13	36	125	5	2	-	1	1	1	2	3	12	37	61
Pneumonia	M	51	16	6	1	3	2	-	2	6	3	8	4	199	38	15	13	4	10	12	16	28	24	31	8
	F	40	6	6	1	1	1	2	1	6	1	3	12	124	32	22	4	4	3	4	5	11	13	16	10
Other respiratory	M	13	-	-	-	-	-	-	3	1	4	4	1	29	-	-	-	-	-	1	3	1	5	5	14
	F	8	1	-	-	1	1	-	-	-	-	3	1	22	-	-	1	-	-	2	-	1	2	16	1
Peptic ulcer	M	7	-	-	-	-	1	1	1	3	1	-	-	35	-	-	-	-	2	1	7	15	9	-	1
	F	3	-	-	-	-	1	-	-	1	1	-	-	8	-	-	-	-	1	-	1	2	2	2	-
Diarrhœa	M	8	3	1	-	-	-	-	1	1	-	1	1	45	36	3	2	-	-	-	1	-	1	-	2
	F	5	-	1	-	1	-	-	-	-	-	2	1	19	12	1	-	-	-	1	-	-	1	2	2
Appendicitis	M	5	-	-	-	3	1	1	-	-	-	-	-	16	-	-	1	1	3	1	1	5	3	-	1
	F	2	-	-	-	-	1	-	-	-	-	-	1	6	-	-	-	1	2	-	-	-	2	1	-
Cirrhosis of liver	M	4	-	-	-	-	-	-	1	1	-	1	1	5	-	-	-	-	-	-	-	1	2	2	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other liver diseases	M	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-	-	2	4	-
	F	3	-	-	-	-	1	-	-	-	1	-	1	6	-	-	-	-	-	1	1	1	-	-	2
Other digestive	M	10	-	-	-	1	-	-	-	2	2	1	4	26	1	3	1	-	-	1	2	6	1	5	6
	F	16	-	-	-	-	-	1	4	-	2	1	8	32	-	-	1	1	-	3	4	8	6	4	5
Nephritis	M	17	-	-	-	-	1	2	1	-	3	5	5	53	-	-	-	-	1	4	5	11	14	13	5
	F	15	-	-	-	-	1	-	1	4	4	3	2	55	-	-	-	1	7	3	5	3	17	13	6
Puerperal sepsis	F	3	-	-	-	-	1	2	-	-	-	-	-	13	-	-	-	-	3	7	3	-	-	-	-
Other puerperal	F	2	-	-	-	-	1	-	1	-	-	-	-	7	-	-	-	-	1	4	1	1	-	-	-
Congenital causes, etc.	M	36	36	-	-	-	-	-	-	-	-	-	-	111	108	1	-	1	-	-	-	-	-	-	-
	F	25	25	-	-	-	-	-	-	-	-	-	-	75	75	-	-	-	-	-	-	-	-	-	-
Senility	M	16	-	-	-	-	-	-	-	-	-	-	-	26	-	-	-	-	-	-	-	-	-	1	25
	F	40	-	-	-	-	-	-	-	-	-	-	-	54	-	-	-	-	-	-	-	-	-	7	47
Suicide	M	16	-	-	-	-	-	3	1	7	3	2	-	34	-	-	-	-	1	2	4	11	9	6	1
	F	7	-	-	-	-	1	1	1	4	1	-	-	8	-	-	-	-	1	2	2	2	1	-	-
Other violence	M	28	2	-	1	3	3	2	4	2	5	2	4	71	1	1	4	10	15	11	6	4	2	10	7
	F	15	-	-	-	-	4	-	-	2	1	3	5	44	2	3	4	5	3	3	-	7	2	10	5
Other defined causes	M	63	2	1	2	2	5	3	4	5	13	15	11	134	14	1	3	10	8	5	7	9	21	32	24
	F	60	2	3	1	2	2	2	5	9	11	10	13	110	5	3	4	6	4	7	5	21	20	21	14
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	1	-	-	-	-	-	1	3
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-



Causes of Death. See first page of Table.			OLDHAM.												OXFORD.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,027	119	24	16	18	41	52	69	135	216	236	101	421	37	2	7	5	14	18	20	47	67	93	117	
	F	996	86	11	10	16	39	51	52	118	194	239	180	446	17	4	5	13	15	24	17	31	48	102	172	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	5	1	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
	F	5	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
	F	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
4 Whooping cough	M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	6	1	2	3	-	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-	-	
5 Diphtheria	M	2	-	-	1	1	-	-	-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 Influenza	M	39	2	-	1	-	2	1	5	9	10	5	4	16	-	-	-	-	2	-	-	3	2	1	-	
	F	29	1	-	1	1	1	1	2	4	8	7	3	13	-	-	-	-	1	-	-	1	-	2	-	
7 Encephalitis lethargica	M	9	-	-	-	-	3	-	1	2	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	
	F	6	-	-	-	-	-	2	-	2	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-	
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	64	-	-	-	1	7	12	8	24	11	1	-	25	-	-	-	-	4	6	3	6	3	1	-	
	F	45	-	-	-	-	13	18	5	5	2	2	-	29	-	-	-	2	7	9	5	3	3	-	-	
10 Other tuberculosis	M	18	-	-	3	3	6	4	1	1	-	-	-	4	1	-	-	2	1	-	-	-	-	-	-	
	F	10	1	-	1	2	-	1	1	2	2	-	-	6	-	1	1	3	-	-	-	-	1	-	-	
11 Syphilis	M	3	-	1	-	-	-	-	1	1	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	
	F	4	1	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-	1	-	-	1	-	-	-	
12 Gen. paralysis of insane, etc.	M	8	-	-	-	-	-	-	2	1	4	1	-	5	-	-	-	-	-	-	1	4	-	-	-	
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 Cancer	M	112	-	-	-	-	1	2	4	10	44	45	6	62	-	-	-	-	-	2	7	12	31	1	-	
	F	117	-	-	-	-	1	1	7	28	42	26	12	68	-	-	-	-	-	2	7	11	12	19	1	
14 Diabetes	M	8	-	-	-	-	-	1	-	1	3	3	-	3	-	-	-	-	-	-	1	-	2	5	-	
	F	9	-	-	-	-	-	1	-	1	6	1	-	13	-	-	-	-	-	-	2	-	2	5	-	
15 Cerebral hæmorrhage	M	53	-	-	-	-	-	-	1	4	13	21	14	13	-	-	-	-	-	-	-	1	6	6	-	
	F	67	-	-	-	-	-	2	4	18	30	13	13	21	-	-	-	1	-	-	3	2	6	6	-	
16 Heart disease	M	182	1	-	-	1	5	4	14	24	48	58	27	73	-	-	-	-	1	1	7	18	20	4	-	
	F	221	-	-	-	2	6	5	9	19	46	69	65	102	-	-	-	-	1	1	6	8	30	4	-	
17 Aneurysm	M	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	2	2	-	-	
18 Other circulatory	M	49	-	-	-	-	-	-	1	2	10	23	13	26	-	-	-	-	-	-	1	2	9	3	-	
	F	52	-	-	-	-	-	-	1	4	8	23	16	29	-	-	-	-	-	-	1	1	8	8	-	
19 Bronchitis	M	69	13	2	-	-	1	2	-	9	11	20	11	8	1	-	-	-	1	-	-	1	-	-	-	
	F	89	8	-	-	-	2	1	4	9	13	28	24	16	1	1	-	-	-	-	-	1	5	5	-	
20 Pneumonia	M	104	21	15	6	3	3	7	15	10	13	8	3	28	7	2	3	-	-	2	1	2	4	1	-	
	F	64	19	5	2	3	3	4	6	3	8	8	3	18	2	1	1	-	1	1	2	1	2	2	-	
21 Other respiratory	M	9	-	-	-	2	2	-	3	-	2	-	-	4	-	-	-	-	1	-	-	2	-	-	-	
	F	6	1	-	-	-	-	-	-	-	2	2	1	2	-	-	-	-	-	-	-	-	1	-	-	
22 Peptic ulcer	M	9	-	-	-	-	-	1	2	1	3	2	-	5	-	-	-	-	-	1	1	-	2	-	-	
	F	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	-	-	1	-	-	-	
23 Diarrhœa	M	5	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F	6	3	-	-	-	-	-	-	2	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	
24 Appendicitis	M	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
	F	6	-	-	-	1	1	-	1	1	2	-	-	2	-	-	-	1	-	-	-	-	-	-	-	
25 Cirrhosis of liver	M	3	-	-	-	-	-	-	-	2	-	1	-	3	-	-	-	-	-	1	-	-	2	-	-	
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-	
26 Other liver diseases	M	5	-	-	-	-	-	-	1	-	1	1	2	2	-	-	-	-	1	-	-	-	-	-	-	
	F	6	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
27 Other digestive	M	17	4	-	-	2	2	-	-	3	3	3	-	10	1	-	-	-	1	-	1	3	-	2	-	
	F	17	1	-	-	1	1	1	2	3	4	2	2	5	1	-	-	-	-	-	-	1	2	2	-	
28 Nephritis	M	47	-	-	-	-	4	4	6	14	16	3	3	23	-	-	-	-	1	1	3	1	5	4	-	
	F	29	-	-	-	-	2	3	7	5	8	4	4	26	-	-	-	1	-	1	-	5	7	1	-	
29 Puerperal sepsis	F	5	-	-	-	-	2	2	1	-	-	-	-	4	-	-	-	-	4	-	-	-	-	-	-	
30 Other puerperal	F	8	-	-	-	-	1	5	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
31 Congenital causes, etc.	M	70	70	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-	
	F	40	40	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-	
32 Senility	M	20	-	-	-	-	-	-	-	-	1	8	11	12	-	-	-	-	-	-	-	-	-	2	-	
	F	31	-	-	-	-	-	-	-	-	1	8	22	17	-	-	-	-	-	-	-	-	-	1	-	
33 Suicide	M	14	-	-	-	-	-	2	3	7	1	1	-	10	-	-	-	-	1	1	4	4	-	-	-	
	F	5	-	-	-	-	1	-	-	2	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	
34 Other violence	M	15	-	1	1	2	4	3	-	3	1	-	-	20	2	-	-	-	2	6	3	6	-	-	-	
	F	16	-	1	-	2	-	-	-	1	3	4	5	8	-	-	2	1	-	-	-	1	3	-	-	
35 Other defined causes	M	68	4	-	1	2	4	9	2	12	15	15	4	38	5	-	-	1	1	2	4	7	8	8	-	
	F	74	6	1	1	3	8	5	4	16	15	9	6	38	2	-	-	4	2	4	1	7	8	8	-	
36 Ill-defined causes	M	14	1	-	-	-	-	1	3	3	5	2	2	1	-	-	-	-	-	-	-	-	-	1	-	
	F	15	1	-	-	-	-	-	1	2	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 24—*contd.*      **County Boroughs.**

253

Causes of Death.		PLYMOUTH.												PORTSMOUTH.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,379	131	32	18	45	50	59	84	145	243	318	254	1,441	134	32	21	31	46	47	87	155	257	312	319
	F	1,452	98	12	19	29	68	51	81	132	199	317	446	1,509	105	20	24	31	60	57	91	128	221	310	462
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	9	1	1	2	5	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	11	5	2	4	-	-	-	-	-	-	-	-	6	5	1	-	2	-	1	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	15	4	5	5	1	-	-	-	-	-	-	-
Diphtheria	M	11	-	2	1	8	-	-	-	-	-	-	-	8	1	1	5	1	-	-	-	-	-	-	-
	F	6	-	-	2	3	1	-	-	-	-	-	-	4	-	1	1	2	-	-	-	-	-	-	-
Influenza	M	31	-	2	-	-	1	2	4	2	8	6	6	27	-	1	-	2	2	2	1	3	5	8	3
	F	27	-	-	-	-	4	1	1	3	5	3	10	38	-	-	1	2	-	-	3	8	12	12	12
Encephalitis lethargica	M	4	-	-	-	-	-	-	1	1	2	-	-	2	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	2	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	2	1	-	-	1	-	-	-	-	-	-	-	3	1	-	1	-	-	1	-	3	2	-	-
	F	3	-	-	1	1	-	1	-	-	-	-	-	7	-	-	3	-	2	1	-	1	-	-	-
Respiratory tuberculosis	M	88	-	-	-	2	23	22	14	15	9	3	-	104	-	-	-	-	16	23	29	21	9	5	1
	F	76	-	-	-	3	24	25	11	6	5	2	-	85	-	-	-	3	22	17	22	15	4	-	2
Other tuberculosis	M	21	2	1	1	6	2	3	3	1	1	1	-	19	3	2	2	5	4	-	2	-	1	-	-
	F	22	3	1	2	1	6	3	3	1	1	-	1	19	3	2	3	3	6	1	-	-	-	-	-
Syphilis	M	17	2	-	-	-	1	-	2	2	9	1	-	9	1	-	-	-	-	1	2	3	1	1	1
	F	5	1	-	-	-	-	-	-	1	1	1	-	3	1	-	-	-	-	-	-	1	1	-	-
Gen. paralysis of insane, etc.	M	22	-	-	-	-	-	1	4	5	7	5	-	15	-	-	-	-	1	-	8	4	2	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	2	2	1	-	-	-	-
Cancer	M	143	-	-	-	-	-	3	4	24	42	51	19	155	-	-	-	1	-	-	4	17	42	60	31
	F	181	-	-	-	-	2	1	19	29	47	50	33	198	-	-	-	-	2	2	10	42	54	57	31
Diabetes	M	18	-	-	1	1	-	-	1	2	6	5	2	14	-	-	-	-	1	-	1	-	6	4	2
	F	31	-	-	-	-	-	1	-	4	9	12	5	19	-	-	-	-	2	1	-	6	6	6	3
Cerebral hæmorrhage	M	63	-	-	-	-	-	-	2	3	15	25	18	84	-	1	-	-	-	-	-	10	19	32	22
	F	102	-	-	-	-	-	-	2	6	15	41	38	107	-	-	-	-	-	-	-	10	18	27	52
Heart disease	M	261	-	-	-	2	1	2	12	27	51	85	81	280	-	-	-	-	2	2	9	22	75	87	83
	F	347	-	-	-	1	5	3	9	28	57	105	139	278	-	-	-	2	8	8	12	20	37	85	106
Aneurysm	M	10	-	-	-	-	-	-	1	3	3	2	1	11	-	-	-	-	-	1	-	2	6	2	-
	F	1	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	2	6	2	-	-
Other circulatory	M	53	1	-	-	-	-	-	-	6	7	21	18	31	1	-	-	-	-	-	-	1	1	1	-
	F	41	-	-	-	-	-	-	1	1	12	10	17	52	-	-	-	-	-	1	-	3	5	10	10
Bronchitis	M	103	13	3	2	-	1	2	3	7	9	22	41	75	7	-	-	-	-	1	1	6	8	17	35
	F	137	11	2	-	-	-	1	2	2	5	25	89	101	9	-	1	2	2	1	3	1	6	24	52
Pneumonia	M	121	24	16	6	3	-	3	13	9	12	19	16	96	25	16	2	2	1	2	9	8	20	6	5
	F	81	21	6	2	4	2	4	4	4	6	12	16	85	19	8	2	4	2	3	11	3	16	7	10
Other respiratory	M	10	-	-	-	-	1	2	1	4	1	-	-	20	-	-	-	-	-	1	5	5	4	5	5
	F	14	1	-	-	1	1	1	2	3	2	3	-	18	1	1	-	2	-	-	3	1	2	8	8
Peptic ulcer	M	21	-	-	-	-	-	4	2	5	6	4	-	23	-	-	-	-	1	1	4	9	5	3	-
	F	6	-	-	-	-	1	-	1	2	1	1	-	2	-	-	-	-	1	1	-	-	-	-	-
Diarrhœa	M	6	4	1	1	-	-	-	-	-	-	-	-	21	13	3	2	1	-	-	-	2	-	-	-
	F	15	7	-	2	-	-	-	1	-	-	-	4	11	7	1	-	-	-	1	-	-	-	2	-
Appendicitis	M	5	-	-	-	1	-	1	1	-	1	-	-	7	-	-	-	2	1	1	1	1	1	-	-
	F	6	-	-	-	2	1	1	2	-	-	-	-	16	-	-	1	1	1	2	2	1	6	1	1
Cirrhosis of liver	M	5	-	-	-	-	-	-	1	1	2	1	-	7	-	-	-	-	-	1	1	2	2	1	1
	F	7	-	-	-	1	-	-	-	-	3	2	1	6	-	-	-	-	-	1	1	2	1	1	1
Other liver diseases	M	5	1	-	-	-	-	-	-	-	-	4	-	5	-	-	-	-	-	-	-	1	2	1	1
	F	9	-	-	-	-	-	-	-	-	1	4	4	7	-	-	-	-	2	-	-	1	2	1	3
Other digestive	M	23	4	1	-	1	3	1	2	1	5	3	2	19	4	1	1	1	-	1	3	2	4	2	2
	F	31	5	1	-	3	-	-	3	4	5	4	6	39	1	-	1	1	1	1	3	2	9	9	9
Nephritis	M	48	-	-	-	1	2	4	2	5	14	11	9	50	-	-	-	1	-	5	7	12	9	14	13
	F	41	-	-	-	1	3	1	2	9	8	11	6	58	-	-	-	-	1	4	6	8	16	23	23
Puerperal sepsis	F	2	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Other puerperal	F	8	-	-	-	-	3	3	2	-	-	-	-	8	-	-	-	-	2	4	2	-	-	-	-
Congenital causes, etc.	M	64	63	-	-	1	-	-	-	-	-	-	-	72	70	1	1	-	-	-	-	-	-	-	-
	F	44	41	-	2	-	-	-	-	1	-	-	-	54	54	-	-	-	-	-	-	-	-	-	-
Senility	M	16	-	-	-	-	-	-	-	-	-	-	-	79	-	-	-	-	-	-	-	-	-	-	-
	F	49	-	-	-	-	-	-	-	-	-	3	13	114	-	-	-	-	-	-	-	1	8	70	96
Suicide	M	16	-	-	-	-	-	-	-	-	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-
Other violence	M	44	4	-	1	6	7	2	6	4	7	4	3	49	-	1	1	2	11	3	1	2	1	-	-
	F	34	2	-	3	4	2	1	2	1	2	7	10	30	2	1	2	-	4	-	8	7	4	9	11
Other defined causes	M	134	7	2	1	11	8	6	3	12	22	37	25	108	2	2	3	5	4	9	10	8	12	30	23
	F	108	4	1	4	9	4	13	22	10	17	20	20	108	4	1	4	6	4	10	14	8	17	27	13
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-



Causes of Death. See first page of Table.		PRESTON.													READING.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-			
All Causes	M	790	98	19	13	19	30	39	59	81	133	188	111	584	39	4	11	15	20	21	35	54	87	132			
	F	871	69	15	16	14	28	42	44	93	142	210	198	585	27	8	8	10	22	18	26	43	80	141			
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
2 Measles	M	4	1	1	1	1	—	—	—	—	—	—	—	5	1	2	1	1	—	—	—	—	—	—			
	F	2	—	1	—	1	—	—	—	—	—	—	—	6	—	3	3	—	—	—	—	—	—	—			
3 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
4 Whooping cough	M	5	1	1	2	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—			
	F	3	1	2	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—			
5 Diphtheria	M	1	1	—	—	—	—	—	—	—	—	—	—	3	—	1	—	2	—	—	—	—	—	—			
	F	3	—	—	1	2	—	—	—	—	—	—	—	3	—	—	1	—	—	1	1	—	—	—			
6 Influenza	M	35	1	2	—	1	—	2	4	6	6	8	5	11	1	—	—	1	—	1	—	—	—	3			
	F	47	—	1	4	—	1	2	3	5	13	11	7	18	—	1	—	1	2	—	1	1	2	5			
7 Encephalitis lethargica	M	3	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
8 Cerebro-spinal fever	M	3	—	2	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—			
	F	4	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			
9 Respiratory tuberculosis	M	41	—	—	—	—	12	9	11	6	1	2	—	39	1	—	—	1	8	5	10	9	4	1			
	F	41	—	—	1	—	16	10	7	5	2	—	—	29	—	—	1	1	9	5	9	1	2	1			
10 Other tuberculosis	M	13	1	1	1	2	4	2	1	—	1	—	—	9	—	—	3	3	2	—	1	—	—	—			
	F	7	—	1	—	3	—	—	1	2	—	—	—	8	—	—	1	—	2	1	1	1	—	—			
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—			
	F	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—			
12 Gen. paralysis of insane, etc.	M	5	—	—	—	—	—	—	3	1	1	—	—	4	—	—	—	—	1	1	—	1	—	—			
	F	3	—	—	—	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	1	—	—	—			
13 Cancer	M	71	—	—	—	—	—	1	5	9	19	31	6	78	—	—	1	—	1	—	2	10	22	22			
	F	91	—	—	—	—	—	1	6	23	26	27	8	82	—	—	—	—	—	1	2	21	18	26			
14 Diabetes	M	6	—	—	—	—	—	1	1	—	3	—	—	9	—	—	—	—	—	—	—	—	3	3			
	F	17	—	—	—	1	—	—	2	3	3	8	—	11	—	—	—	1	—	—	—	—	1	5			
15 Cerebral hæmorrhage	M	34	—	—	—	—	—	—	1	3	11	9	10	17	—	—	—	—	—	—	—	1	5	3			
	F	42	—	—	—	—	—	—	1	3	7	19	12	22	—	—	—	—	—	1	—	1	3	7			
16 Heart disease	M	140	—	—	—	2	—	2	6	10	41	54	25	106	—	—	—	—	1	1	—	4	12	39			
	F	177	—	—	—	2	2	4	18	32	62	57	124	—	—	—	—	1	2	1	3	3	15	34			
17 Aneurysm	M	1	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	1			
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1			
18 Other circulatory	M	43	—	—	—	—	—	—	2	4	8	12	17	64	—	—	—	—	—	—	—	2	10	20			
	F	40	—	—	—	—	—	—	—	3	7	18	12	67	—	—	—	—	—	—	—	1	9	13			
19 Bronchitis	M	43	8	—	—	—	—	1	2	4	8	11	9	33	1	—	—	—	—	—	1	2	3	9			
	F	38	2	1	—	—	—	—	—	1	4	7	23	35	1	—	—	—	—	—	—	—	4	15			
20 Pneumonia	M	85	22	8	5	3	5	4	10	9	4	10	5	36	7	—	3	2	3	2	4	3	3	7			
	F	67	14	8	6	1	1	6	4	4	7	11	5	28	4	3	2	—	—	2	1	2	1	8			
21 Other respiratory	M	3	1	—	—	—	—	—	—	1	—	1	—	8	1	—	—	—	1	—	2	1	2	—			
	F	12	—	—	—	—	—	1	—	5	2	3	1	6	—	—	—	—	—	—	—	—	—	2			
22 Peptic ulcer	M	9	—	—	—	—	—	—	2	3	2	2	—	8	—	—	—	—	—	—	2	3	2	—			
	F	4	—	—	—	—	—	—	—	1	3	—	—	2	—	—	—	—	—	—	—	—	1	—			
23 Diarrhœa	M	7	6	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	5	3	—	1	—	—	—	—	1	—	—	—	5	5	—	—	—	—	—	—	—	—	—			
24 Appendicitis	M	3	—	—	1	1	—	—	1	—	—	—	—	5	—	1	—	—	2	—	—	1	—	1			
	F	3	—	—	—	—	—	2	1	—	—	—	—	8	—	—	—	1	2	—	—	1	1	1			
25 Cirrhosis of liver	M	4	—	—	—	—	—	—	—	3	—	1	—	6	—	—	—	—	—	—	1	3	1	—			
	F	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—			
26 Other liver diseases	M	3	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—			
	F	7	—	—	—	—	—	—	1	—	3	2	1	3	—	—	—	—	—	—	1	—	—	—			
27 Other digestive	M	12	1	1	—	1	—	1	—	1	3	4	—	18	1	—	—	—	—	2	2	5	3	2			
	F	16	3	—	—	—	—	1	—	—	3	6	3	10	—	—	—	1	—	1	—	—	4	3			
28 Nephritis	M	46	—	—	—	—	—	—	—	9	9	16	12	11	—	—	1	—	—	—	—	2	1	4			
	F	62	—	—	—	1	1	—	3	6	10	16	25	17	—	—	—	—	—	—	2	5	7	7			
29 Puerperal sepsis	F	5	—	—	—	—	—	4	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—			
30 Other puerperal	F	5	—	—	—	—	1	4	—	—	—	—	—	3	—	—	—	—	1	2	—	—	—	—			
31 Congenital causes, etc.	M	46	45	—	—	1	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—	—	—			
	F	33	32	—	—	1	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—	—			
32 Senility	M	16	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	—	—	—	1	1			
	F	36	—	—	—	—	—	—	—	—	1	2	33	17	—	—	—	—	—	—	—	—	—	1			
33 Suicide	M	8	—	—																							





Causes of Death. <i>See first page of Table.</i>		ST. HELENS.													SALFORD.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-			
All Causes	M	743	124	37	20	24	29	41	58	72	113	133	92	1,670	204	34	32	47	68	77	128	215	335	335			
	F	611	68	23	21	24	48	36	34	61	81	115	100	1,539	147	42	25	50	86	82	92	156	249	343			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	17	3	8	3	3	-	-	-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	-	-	-	-
	F	13	4	4	4	1	-	-	-	-	-	-	-	8	1	4	3	-	-	-	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	9	4	3	2	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	10	7	2	1	-	-	-	-	-	-	-	-	-	-
5 Diphtheria	M	6	-	-	2	3	1	-	-	-	-	-	-	16	3	1	4	7	1	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	15	1	-	5	9	-	-	-	-	-	-	-	-	-
6 Influenza	M	32	3	3	-	1	1	5	2	5	5	5	2	38	2	1	1	2	1	-	4	7	8	8			
	F	24	2	2	2	2	2	3	2	4	1	3	1	37	4	1	-	-	-	5	4	3	10	6			
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	-	-	1	1	1	1			
	F	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	2			
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	3	-	1	-	2	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	58	-	-	-	1	10	10	18	12	6	1	-	172	-	-	-	2	31	31	33	37	31	7			
	F	45	-	-	-	4	18	13	5	2	3	-	-	104	-	-	-	3	40	21	19	12	8	-			
10 Other tuberculosis	M	12	2	2	3	4	1	-	-	-	-	-	-	23	1	3	3	4	5	2	3	1	1	-			
	F	5	2	-	2	1	-	-	-	-	-	-	-	23	1	1	1	5	8	4	1	2	-	-			
11 Syphilis	M	1	-	-	-	-	1	-	-	-	-	-	-	11	3	-	-	-	-	-	1	1	5	1			
	F	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	1	1	-	-	-	11	-	-	-	-	-	-	1	4	3	3			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-			
13 Cancer	M	59	-	-	-	-	-	-	4	13	19	22	1	176	-	-	-	-	1	1	6	30	68	53			
	F	62	-	-	-	-	-	1	4	16	13	22	6	166	-	-	-	-	1	3	10	42	38	48			
14 Diabetes	M	7	-	-	-	-	-	1	-	-	3	2	1	10	-	-	-	-	-	-	-	-	4	6			
	F	3	-	-	-	-	-	-	1	1	-	1	-	13	-	-	-	1	1	-	-	2	5	3			
15 Cerebral hæmorrhage	M	35	-	-	-	-	-	-	-	1	7	15	12	57	-	-	-	-	-	1	1	6	9	23			
	F	37	-	-	-	-	-	-	1	1	7	18	10	67	-	-	-	-	-	1	-	9	17	27			
16 Heart disease	M	99	-	-	-	2	2	3	7	17	23	26	19	323	-	-	1	2	6	5	17	42	74	104			
	F	110	-	-	-	-	9	6	6	13	27	25	24	355	-	-	-	4	7	11	12	24	75	111			
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	2	-	1	1			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
18 Other circulatory	M	21	-	-	-	-	-	-	-	-	5	9	7	47	-	-	-	-	-	-	-	2	15	19			
	F	18	-	-	-	-	-	-	-	2	4	8	4	64	-	-	1	-	-	-	1	5	7	27			
19 Bronchitis	M	49	11	3	-	-	-	-	5	1	3	13	13	102	5	-	-	-	-	3	5	18	22	33			
	F	39	8	-	-	-	1	-	1	3	1	10	15	99	6	1	-	-	-	1	3	8	18	36			
20 Pneumonia	M	72	12	13	5	3	3	5	5	5	12	7	2	179	61	17	7	5	4	12	18	21	24	6			
	F	52	10	6	6	5	2	3	1	7	2	6	4	155	36	26	9	6	5	10	7	9	19	19			
21 Other respiratory	M	8	-	1	2	-	-	1	-	1	-	1	2	14	1	1	1	-	-	-	3	4	1	3			
	F	6	2	-	-	1	-	-	1	-	1	1	-	26	-	2	-	2	2	-	2	5	-	9			
22 Peptic ulcer	M	3	-	-	-	-	-	-	-	1	2	-	-	16	-	-	-	-	-	-	6	4	4	1			
	F	3	-	-	-	-	-	1	-	-	2	-	-	8	-	-	-	-	1	-	2	-	2	3			
23 Diarrhœa	M	9	5	3	1	-	-	-	-	-	-	-	-	41	36	1	2	-	-	1	-	1	-	-			
	F	12	3	4	1	-	-	-	-	2	1	-	1	28	24	1	-	-	1	-	1	-	1	-			
24 Appendicitis	M	3	-	-	-	-	1	1	-	-	1	-	-	7	-	-	-	-	2	1	1	2	1	-			
	F	3	-	-	-	1	1	-	-	-	1	-	-	8	-	-	-	2	3	-	-	-	1	2			
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	1	-	1	-	6	-	-	-	-	-	-	-	-	4	2			
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-			
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	1	-	3	2			
	F	5	-	-	-	-	-	-	-	1	-	1	3	17	1	-	-	-	-	-	-	5	4	3			
27 Other digestive	M	21	10	-	-	1	-	2	1	1	4	1	1	25	1	-	2	2	4	2	2	3	4	2			
	F	12	-	2	-	1	-	1	1	1	3	2	1	42	3	1	1	6	-	1	1	4	7	7			
28 Nephritis	M	12	2	-	-	-	-	1	1	-	3	4	1	36	-	-	-	-	2	4	2	4	5	17			
	F	12	1	1	1	-	2	1	-	-	5	-	1	57	-	-	1	2	2	2	7	10	13	15			
29 Puerperal sepsis	F	2	-	-	-	-	1	1	-	-	-	-	-	10	-	-	-	-	4	2	4	-	-	-			
30 Other puerperal	F	5	-	-	-	-	1	1	3	-	-	-	-	5	-	-	-	-	1	1	3	-	-	-			
31 Congenital causes, etc.	M	62	62	-	-	-	-	-	-	-	-	-	-	71	71	-	-	-	-	-	-	-	-	-			
	F	30	28	1	-	1	-	-	-	-	-	-	-	56	55	1	-	-	-	-	-	-	-	-			
32 Senility	M	42	-	-	-	-	-	-	-	-	1	14	27	42	-	-	-	-	-	-	-	-	1	10			
	F	31	-	-	-	-	-	-	-	-	-	9	22	29	-	-	-	-	-	-	-	-	1	6			
33 Suicide	M	12	-	-	-	-	1	2	2	5	2	-	-	22	-	-	-	-	-	2	3	6	8	2			
	F	4	-	-	-	-	2	1	-	-	1	-	-	4	-	-	-	-	-	2	1	1	-	-			
34 Other violence	M	32	1	1	1	3	5	5	4	2	5	4	1	65	2	1	5	10	8	8	8	8	5	5			
	F	16	-	-	1	3	2	-	2	1	2	-	5	25	2	-	1	4	2	2	2	1	3	4			
35 Other defined causes	M	60	13	3	3	3	3	5	8	6	10	5	1	125	12	3	2	11	3	3	10	13	33	25			
	F	53	7	2	3	3	5	4	6	7	6	7	3	94	6	1	1	3	7	17	11	11	18	14			
36 Ill-defined causes	M	7	-	-	-	-	-	-	-	-	2	3	2	2	-	-	-	-	-	-	-	-	-	-			
	F	4	1	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1			

TABLE 24—*contd.* County Boroughs.

Causes of Death. See first page of Table.		SHEFFIELD.												SMETHWICK											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	3,117	320	50	55	82	137	130	170	420	603	693	457	487	62	13	6	14	19	24	34	72	82	91	70
	F	2,723	213	52	41	53	129	135	144	292	436	570	658	472	45	19	9	16	13	25	21	40	63	99	122
Typhoid fever, etc.	M	4	-	-	-	-	1	2	-	1	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	4	1	2	1	-	-	-	-	-	-	-	-	8	3	1	2	2	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	4	-	3	-	1	-	-	-	-	-	-	-
Scarlet fever	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	14	12	-	2	-	-	-	-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	-	-
	F	18	6	9	2	1	-	-	-	-	-	-	-	5	3	2	-	-	-	-	-	-	-	-	-
Diphtheria	M	4	-	2	-	2	-	-	-	-	-	-	-	6	1	1	2	2	-	-	-	-	-	-	-
	F	2	-	-	1	1	-	-	-	-	-	-	-	10	-	3	2	4	1	-	-	-	-	-	-
Influenza	M	91	7	4	4	-	2	3	12	14	14	21	10	14	2	-	-	-	1	-	1	6	3	1	-
	F	90	2	2	3	-	1	1	10	10	10	22	29	10	1	1	-	-	-	-	2	2	1	-	3
Encephalitis lethargica	M	9	-	-	-	-	2	-	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	2	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Cerebro-spinal fever	M	15	1	1	1	5	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	1	4	1	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	235	-	-	1	2	30	35	41	79	34	12	1	34	-	-	-	-	6	8	7	11	2	-	-
	F	117	1	-	-	2	41	33	19	12	6	2	1	19	-	-	-	-	3	9	4	2	-	-	1
Other tuberculosis	M	36	3	1	3	10	10	4	1	2	2	-	-	5	-	-	1	1	-	3	-	-	-	-	-
	F	37	2	3	5	9	8	5	-	2	1	2	-	4	-	-	-	2	-	-	1	1	-	-	-
Syphilis	M	14	3	-	-	-	-	-	-	5	5	1	-	6	-	-	-	-	-	-	1	1	2	2	-
	F	7	-	-	-	-	-	-	-	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	28	-	-	-	1	-	1	3	9	11	3	-	4	-	-	-	-	-	1	1	2	-	-	-
	F	11	-	-	-	-	-	6	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	388	-	-	-	-	4	7	20	55	146	120	36	51	-	-	-	-	1	-	11	13	19	7	-
	F	358	-	-	1	1	1	9	29	76	98	92	51	55	-	-	-	-	1	4	14	15	14	7	-
Diabetes	M	19	-	-	-	-	-	1	-	1	7	9	1	3	-	-	-	-	-	-	-	1	2	-	-
	F	30	-	-	-	-	1	-	-	4	9	12	4	6	-	-	-	-	1	-	-	4	1	-	-
Cerebral hæmorrhage	M	98	-	-	-	-	-	1	-	11	19	36	31	27	-	-	-	-	-	1	2	6	8	10	-
	F	130	-	-	-	-	-	2	1	14	30	41	42	43	-	-	-	-	-	1	2	6	21	13	-
Heart disease	M	638	-	-	2	7	15	16	21	74	142	214	147	81	-	-	-	1	3	2	11	16	24	24	-
	F	564	-	-	-	5	20	20	22	48	94	168	187	125	-	-	-	3	2	5	3	8	18	27	59
neurysm	M	13	-	-	-	-	-	-	1	6	6	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	259	-	-	-	-	-	-	-	6	38	111	104	23	-	-	-	-	-	-	1	3	13	6	-
	F	233	-	-	-	-	-	-	-	11	33	70	119	9	-	-	-	-	-	-	1	3	4	1	-
Bronchitis	M	133	23	1	1	1	1	2	3	18	21	28	34	23	2	1	-	-	-	2	2	7	4	5	-
	F	121	16	1	2	1	-	1	-	5	15	29	51	30	2	2	-	-	1	-	-	1	7	17	-
Pneumonia	M	276	67	31	21	13	6	11	16	34	37	27	13	45	11	5	1	1	3	1	9	7	5	2	-
	F	172	38	17	12	4	7	4	9	13	21	23	24	37	8	6	4	2	1	-	2	3	3	7	1
Other respiratory	M	33	1	1	-	-	3	2	4	5	8	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	1	-	-	1	3	2	4	5	-	1	-	-	-	1	-	-	1	1	-
Peptic ulcer	M	30	-	-	-	-	1	3	3	11	5	4	3	12	-	-	-	-	2	1	5	3	1	-	-
	F	10	-	-	-	-	-	-	-	5	2	1	2	3	-	-	-	-	-	-	-	2	-	1	-
Diarrhœa	M	29	21	2	2	-	-	-	-	3	-	1	-	5	5	-	-	-	-	-	-	-	-	-	-
	F	28	11	7	1	1	1	-	-	3	1	1	2	6	5	-	1	-	-	-	-	-	-	-	-
Appendicitis	M	22	-	-	1	7	6	4	2	1	1	-	-	3	-	-	-	-	1	-	1	-	1	-	-
	F	17	-	-	1	-	-	-	2	6	3	4	1	3	-	-	1	-	1	1	-	-	-	-	-
Cirrhosis of liver	M	11	-	-	-	-	1	-	-	4	5	1	-	2	-	-	-	-	-	-	-	1	-	1	-
	F	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other liver diseases	M	9	-	-	-	-	-	-	-	1	3	1	4	1	-	-	-	-	-	-	-	1	-	-	-
	F	35	-	-	-	-	-	2	1	8	9	8	7	2	-	-	-	-	-	-	-	1	-	1	-
Other digestive	M	53	5	1	2	3	1	5	5	6	12	8	5	6	-	1	-	-	-	-	2	3	-	-	-
	F	48	5	-	2	5	-	3	2	8	8	9	6	8	-	-	1	-	1	1	3	2	-	-	-
Nephritis	M	110	-	-	-	2	11	2	6	23	24	28	14	10	-	-	-	-	-	2	1	1	4	2	-
	F	119	-	-	-	2	6	6	9	16	26	32	22	14	-	-	-	1	-	2	1	3	5	2	-
Puerperal sepsis	F	21	-	-	-	-	6	11	4	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Other puerperal	F	20	-	-	-	-	1	13	6	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital causes, etc.	M	150	149	-	-	-	1	-	-	-	-	-	-	35	34	-	-	1	-	-	-	-	-	-	-
	F	114	112	-	-	-	2	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
Senility	M	31	-	-	-	-	-	-	-	-	-	3	28	5	-	-	-	-	-	-	-	-	2	3	-
	F	66	-	-	-	-	-	-	-	-	1	1	64	16	-	-	-	-	-	-	-	-	5	11	-
Suicide	M	34	-	-	-	-	6	2	3	9	11	2	1	13	-	-	-	-	1	1	1	6	2	1	1
	F	9	-	-	-	-	5	3	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Other violence	M	111	5	2	6	13	16	13	11	16	19	5	5	19	-	1	-	3	3	2	3	1	-	-	4
	F	67	4	2	4	5	6	4	2	5	12	5	19	7	-	1	-	-	-	-	1	1	1	3	-
Other defined causes	M	213	22	1	8	16	16	14	15	23	31	49	18	38	3	-	-	4	4	1	3	-	10	6	7
	F	236	15	5	6	11	19	14	20	37	45	43	21	24	4	-	-	3	4	2	1	2	2	5	1
Ill-defined causes	M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Causes of Death. See first page of Table.			SOUTHAMPTON.													SOUTHEND-ON-SEA.												
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
	All Causes	M F	1,064 930	89 54	15 14	6 13	18 16	37 36	43 50	58 45	142 93	164 136	249 197	243 276	706 767	36 30	8 5	4 13	16 12	23 18	19 29	49 41	76 75	119 111	163 169	19 20		
1	Typhoid fever, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -			
2	Measles	M F	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -			
3	Scarlet fever	M F	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -			
4	Whooping cough	M F	5 9	3 1	- 6	1 1	1 -	- -	- -	- -	- -	- -	- -	- -	2 2	1 -	1 1	- 1	- -	- -	- -	- -	- -	- -	- -			
5	Diphtheria	M F	5 8	1 -	1 1	1 2	1 4	- -	- 1	1 3	- 5	- -	- -	- -	5 4	- -	- 1	2 3	3 -	- -	- -	- -	- -	- -	- -			
6	Influenza	M F	23 19	2 1	- -	- -	1 1	1 -	3 1	5 3	2 1	3 2	3 5	4 5	13 24	- -	- -	- -	1 1	1 2	1 1	2 1	3 2	3 2	5 5			
7	Encephalitis legargica	M F	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	- -	- -	1 -	- -	- -	- -	- -	- -	1 -			
8	Cerebro-spinal fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- 1			
9	Respiratory tuberculosis	M F	89 63	1 -	- -	- -	11 17	14 18	26 6	24 11	7 3	6 5	- -	54 43	- -	- 1	- -	1 -	9 5	7 14	22 6	8 10	4 6	2 1				
10	Other tuberculosis	M F	10 11	1 1	2 1	1 5	1 -	- 2	1 1	4 -	- 1	- -	- -	6 9	2 1	- 1	- 1	2 2	1 1	- 1	1 -	1 -	- -	2 -				
11	Syphilis	M F	6 2	1 1	- -	- -	- -	- -	- -	1 -	3 1	1 -	- -	2 2	- -	- -	- 1	- -	- -	- -	1 -	1 -	- -	- -				
12	Gen. paralysis of insane, etc.	M F	10 1	- -	- -	- -	- -	- -	3 -	7 1	- -	- -	- -	8 -	- -	- -	- -	- -	- -	2 -	4 -	1 -	1 -					
13	Cancer	M F	118 134	- -	- -	- -	1 -	2 1	1 11	25 21	30 29	35 35	24 37	84 137	- -	- -	- 1	- -	1 2	4 4	10 27	21 36	29 30					
14	Diabetes	M F	14 20	- -	- -	- -	- -	- -	2 -	- 3	4 7	5 6	3 4	8 11	- -	- -	- -	1 1	- -	1 -	- -	1 3	5 4					
15	Cerebral hæmorrhage	M F	30 43	- -	- -	- -	- -	1 2	- 4	5 7	5 4	8 16	11 14	46 54	- -	- -	- -	- -	- -	2 -	3 1	5 13	17 23					
16	Heart disease	M F	267 280	- -	- -	1 -	4 4	1 7	4 7	18 21	40 37	94 80	105 124	145 171	- -	- -	- -	2 1	- 1	1 8	14 11	19 20	49 44					
17	Aneurysm	M F	7 -	- -	- -	- -	- -	- -	- -	2 -	1 -	4 -	- -	4 -	- -	- -	- -	- -	- -	- -	1 -	2 -	1 -					
18	Other circulatory	M F	30 16	- -	- -	- -	- -	- -	- -	1 1	1 5	13 3	15 7	23 32	- -	- -	- -	- -	- -	- -	- -	7 5	7 11					
19	Bronchitis	M F	34 32	- 1	1 -	- -	- -	1 2	1 -	3 2	2 2	6 8	20 19	35 55	- 1	- 2	- 1	- -	- -	1 -	3 1	4 4	7 8					
20	Pneumonia	M F	85 51	21 13	3 3	1 3	1 1	5 4	3 3	4 3	15 14	11 5	16 3	5 9	34 25	4 2	3 1	1 3	1 -	1 1	9 4	5 3	3 3					
21	Other respiratory	M F	12 13	- -	- -	- -	- -	1 1	1 1	2 2	5 2	1 1	2 6	4 2	- -	- -	- -	- -	- -	1 -	1 -	1 -	1 1					
22	Peptic ulcer	M F	21 2	- -	- -	- -	- -	2 -	1 -	11 1	5 1	1 -	1 -	8 1	- -	- -	- -	- -	- -	2 1	2 -	3 -	- -					
23	Diarrhœa	M F	8 7	3 4	1 -	- -	- 1	- -	- 1	- -	2 1	- -	2 -	3 -	2 -	- -	- -	- -	- -	- -	- -	1 -	- -					
24	Appendicitis	M F	6 4	- -	- -	- 3	- -	2 -	- -	- -	1 -	- 3	- 1	14 6	1 -	- -	- 1	1 1	2 -	1 1	2 -	3 2	1 1					
25	Cirrrosis of liver	M F	2 1	- -	- -	- -	- -	- -	- -	2 -	- 1	- -	- -	6 3	- -	- -	- -	- -	- -	1 -	2 -	- -	- 1					
26	Other liver diseases	M F	4 8	- -	- -	- -	- -	- 1	- -	- 1	2 3	2 1	- 2	2 3	- -	- -	- -	- -	- -	- -	- -	2 2	- -					
27	Other digestive	M F	23 20	1 2	1 2	1 1	- 1	1 -	3 -	2 1	3 4	8 5	3 3	20 13	2 -	- -	- -	2 -	1 -	- 4	2 1	3 1	5 5					
28	Nephritis	M F	47 33	- -	- -	- -	- 4	1 2	7 6	17 5	13 8	9 8	27 26	- -	- -	- -	1 1	- 1	1 2	2 4	9 6	6 6						
29	Puerperal sepsis	F	4	-	-	-	1	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-				
30	Other puerperal	F	1	-	-	-	-	1	-	-	-	-	-	6	-	-	-	1	4	1	-	-	-	-				
31	Congenital causes, etc.	M F	48 24	47 24	- -	- -	1 -	- -	- -	- -	- -	- -	- -	23 24	22 24	- -	- -	1 -	- -	- -	- -	- -	- -	- -				
32	Senility	M F	18 20	- -	- -	- -	- -	- -	- -	- -	- -	5 4	13 16	15 33	- -	- -	- -	- -	- -	- -	- -	- 1	- 4					
33	Suicide	M F	17 11	- -	- -	- -	1 2	1 3	2 3	3 3	4 3	2 -	4 -	8 9	- -	- -	- -	- 1	- 2	2 -	3 4	2 -	1 1					
34	Other violence	M F	35 25	4 2	2 1	1 1	4 3	5 1	7 -	1 2	1 2	6 3	3 4	29 22	1 2	2 -	1 -	3 2	3 1	2 3	3 -	5 2	4 4					
35	Other defined causes	M F	84 68	4 4	2 -	- -	5 1	8 5	4 5	1 4	7 9	10 12	22 13	21 15	74 45	1 -	1 -	- 3	3 3	3 2	3 6	5 8	17 6	19 13				
36	Ill-defined causes	M F	3 -	- -	- -	- -	- -	- -	- -	- -	- 2	- 1	- -	- 2	- -	- -	- -	- 1	- -	- -	- -	- 1	- 1					

Cause of Death first page of Table.		SOUTHPORT.												SOUTH SHIELDS.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	511	23	4	4	10	18	19	37	58	88	119	131	956	157	57	43	53	54	51	73	83	124	153	108
	F	645	33	1	8	9	11	12	35	59	93	168	216	831	115	50	35	31	50	49	40	88	98	125	150
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	27	4	7	11	5	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	18	1	9	7	1	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	9	4	3	1	1	-	-	-	-	-	-	-
	F	3	2	-	1	-	-	-	-	-	-	-	-	17	4	9	4	-	-	-	-	-	-	-	-
Diphtheria	M	3	-	-	-	2	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	1	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza	M	20	-	1	-	-	1	4	4	2	-	2	6	29	2	4	3	3	2	2	5	3	2	2	1
	F	11	-	-	1	-	-	-	-	-	3	4	3	40	-	1	4	1	-	5	7	5	2	11	4
Encephalitis lethargica	M	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	2	2	1	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	1	-	-	2	-	2	-	1	-	-	-
Respiratory tuberculosis	M	20	-	-	-	-	2	6	4	2	6	-	-	73	1	1	3	5	19	17	8	11	8	-	-
	F	19	-	-	-	-	4	4	5	4	2	-	-	71	1	1	-	9	22	18	7	7	5	1	-
Other tuberculosis	M	5	1	1	1	-	-	1	-	1	-	-	-	33	4	3	5	9	4	4	4	-	-	-	-
	F	5	-	-	2	-	-	1	1	-	-	1	-	20	4	1	3	5	6	1	-	-	-	-	-
Syphilis	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	1	-	-	13	-	-	-	-	-	-	4	3	2	4	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	1	1	-	-	-
Cancer	M	52	-	-	-	-	-	-	3	6	15	23	5	74	-	-	-	-	-	1	4	11	25	24	9
	F	103	-	-	-	-	-	-	6	16	26	29	26	67	-	1	-	-	-	1	4	16	23	13	9
Diabetes	M	8	-	-	-	-	-	-	-	1	-	4	3	3	-	-	-	-	-	1	1	-	1	-	-
	F	16	-	-	-	-	2	-	-	-	6	5	3	4	-	-	-	-	-	1	-	1	1	1	-
Cerebral hæmorrhage	M	31	-	-	-	-	-	-	4	3	6	7	11	33	-	-	-	-	-	-	1	2	9	10	11
	F	56	-	-	-	-	-	-	2	3	6	22	23	29	-	-	-	-	-	-	3	6	12	8	8
Heart disease	M	102	-	-	-	-	4	2	4	7	18	32	35	154	-	-	1	4	2	6	10	15	35	46	35
	F	125	-	-	-	1	-	2	5	10	15	40	52	140	-	-	-	3	7	7	5	18	24	36	40
Aneurysm	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other circulatory	M	33	-	-	-	1	-	-	-	1	6	11	14	40	-	-	-	-	-	-	1	1	10	17	11
	F	41	-	-	-	-	-	-	-	1	2	12	26	43	-	-	-	-	1	-	-	4	5	10	23
Bronchitis	M	27	-	-	1	-	-	-	-	4	4	6	12	73	22	9	-	1	1	1	8	4	6	12	9
	F	34	3	-	-	-	-	-	-	2	2	7	20	75	21	5	4	-	-	2	5	5	11	22	22
Pneumonia	M	26	4	1	1	2	-	-	4	7	1	4	2	99	36	21	13	6	6	2	4	-	4	5	2
	F	37	7	-	-	1	1	1	3	9	5	7	3	63	15	14	11	3	2	2	4	3	5	2	2
Other respiratory	M	7	-	-	-	-	-	-	-	2	4	1	1	12	-	1	1	-	1	-	5	1	2	-	1
	F	4	1	-	-	-	-	-	-	1	1	1	1	5	-	-	-	-	1	-	1	-	-	-	-
Peptic ulcer	M	11	-	-	-	-	1	-	-	5	2	3	-	9	-	-	-	1	-	1	2	1	3	1	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Diarrhoea	M	4	3	-	-	-	-	-	-	-	1	-	-	12	8	1	-	-	-	-	2	-	-	-	1
	F	2	-	1	-	-	-	-	1	-	-	-	-	9	3	3	-	1	-	-	-	-	-	-	2
Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	2	2	1	2	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cirrhosis of liver	M	3	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
	F	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Other liver diseases	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	2	-	1	3	-	-	-	-	-	-	1	1	-	-	1
Other digestive	M	12	-	-	-	2	-	-	3	-	4	1	2	26	4	1	-	2	1	3	2	4	3	4	2
	F	16	-	-	-	1	-	-	2	3	-	4	6	12	-	1	1	2	-	1	-	1	3	3	-
Nephritis	M	29	-	-	-	-	-	-	1	5	9	7	7	16	-	-	-	3	1	1	1	3	3	3	1
	F	21	-	-	-	2	-	-	2	2	5	7	3	21	-	-	-	2	1	-	2	6	4	4	2
Puerperal sepsis	F	2	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Other puerperal	F	4	-	-	-	-	-	1	3	-	-	-	-	8	-	-	-	-	3	3	2	-	-	-	-
Congenital causes, etc.	M	13	13	-	-	-	-	-	-	-	-	-	-	56	56	-	-	-	-	-	-	-	-	-	-
	F	15	15	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
Senility	M	24	-	-	-	-	-	-	-	-	-	4	20	27	-	-	-	-	-	-	-	-	-	6	21
	F	47	-	-	-	-	-	-	-	-	2	8	37	37	-	-	-	-	-	-	-	-	-	8	29
Suicide	M	7	-	-	-	-	1	-	2	4	-	-	-	7	-	-	-	-	1	-	-	5	1	-	-
	F	3	-	-	-	-	1	1	-	1	-	-	-	4	-	-	-	-	-	3	1	-	-	-	-
Other violence	M	15	1	-	-	1	2	2	3	2	1	1	2	34	-	1	1	4	8	4	6	4	4	1	1
	F	13	-	-	2	-	1	-	-	2	1	5	2	10	-	-	-	-	3	1	-	3	1	1	1
Other defined causes	M	48	1	-	1	2	8	2	3	5	7	9	10	69	16	4	3	5	3	5	6	8	6	9	4
	F	51	5	-	-	2	2	-	3	5	10	14	10	53	10	2	1	2	3	6	2	9	9	6	3
Ill-defined causes	M	4	-	-	-	-	-	-	1	-	1	1	1	8	-	1	-	-	-	-	-	2	1	4	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	9	-	2	-	-	-	-	-	3	1	3	3



TABLE 24—*contd.* County Boroughs.

Causes of Death. <i>See first page of Table.</i>		STOCKPORT.													STOKE-ON-TRENT.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	841	77	9	10	24	30	36	47	109	178	206	115	1,955	304	61	60	53	96	84	130	210	345	406	2		
	F	913	59	14	8	16	28	49	59	98	142	231	209	1,675	216	70	39	45	73	75	116	176	270	303	2		
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—		
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	39	8	15	13	3	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	35	9	18	6	2	—	—	—	—	—	—	—		
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Whooping cough	M	2	1	—	1	—	—	—	—	—	—	—	—	8	6	2	—	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	11	4	2	5	—	—	—	—	—	—	—	—		
5 Diphtheria	M	7	—	—	3	4	—	—	—	—	—	—	—	10	1	2	3	3	1	—	—	—	—	—	—		
	F	8	—	—	2	6	—	—	—	—	—	—	—	7	1	1	1	4	—	—	—	—	—	—	—		
6 Influenza	M	32	—	—	—	1	2	4	2	4	6	10	3	48	7	—	3	—	3	3	4	5	10	9	—		
	F	56	2	—	—	—	2	7	3	12	5	16	9	47	4	6	2	—	3	3	1	5	5	10	—		
7 Encephalitis lethargica	M	2	—	—	—	—	—	1	—	—	1	—	—	3	—	1	—	—	1	—	—	1	—	—	—		
	F	4	—	—	—	1	—	1	1	1	—	—	—	5	—	—	—	2	—	—	3	—	—	—	—		
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	1	—	—	—	1	—	—	—	—	—	—	3	—	1	—	—	1	1	—	—	—	—	—		
9 Respiratory tuberculosis	M	63	—	—	—	1	9	13	12	13	11	4	—	155	2	—	1	2	17	20	34	40	34	5	—		
	F	43	—	—	—	1	10	10	7	8	5	2	—	118	—	—	—	5	28	27	18	20	17	3	—		
10 Other tuberculosis	M	5	1	2	—	1	1	—	—	—	—	—	—	31	3	—	6	6	6	1	2	1	4	2	—		
	F	8	—	2	—	2	—	1	—	3	—	—	—	21	2	—	5	4	6	1	1	1	1	—	—		
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	5	1	—	—	—	—	—	—	1	3	—	—		
	F	5	3	—	—	—	—	—	—	—	2	—	—	7	2	—	—	—	—	1	2	1	1	—	—		
12 Gen. paralysis of insane, etc.	M	10	—	—	—	—	—	—	2	5	2	1	—	7	—	—	—	—	—	—	2	4	—	—	—		
	F	3	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
13 Cancer	M	101	—	—	—	1	1	2	10	12	43	22	10	181	—	—	—	—	2	6	9	31	61	55	—		
	F	116	—	1	—	—	2	3	9	17	34	44	6	193	—	—	—	—	2	4	24	35	57	45	—		
14 Diabetes	M	6	—	—	—	—	—	—	1	1	3	1	—	16	—	—	—	1	—	1	2	1	4	5	—		
	F	8	—	—	—	—	1	—	1	—	2	2	2	23	—	—	—	1	1	—	—	1	8	10	—		
15 Cerebral hæmorrhage	M	27	—	—	—	—	—	—	—	3	4	15	5	62	—	—	—	—	—	—	1	5	15	26	—		
	F	60	—	—	—	—	—	—	2	7	6	21	24	81	—	—	—	—	1	1	4	11	14	30	—		
16 Heart disease	M	189	—	—	—	—	—	1	2	7	28	41	63	343	—	—	—	2	9	8	19	29	82	126	—		
	F	234	—	—	—	—	3	7	9	15	41	70	89	336	—	—	—	6	6	9	11	25	74	98	—		
17 Aneurysm	M	3	—	—	—	—	—	—	—	2	1	—	—	6	—	—	—	—	1	—	1	—	4	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
18 Other circulatory	M	50	—	—	—	—	—	—	—	2	9	24	15	96	—	1	—	—	—	—	—	3	17	40	—		
	F	59	—	1	—	—	—	1	—	6	10	21	20	58	1	—	—	—	—	—	1	3	12	12	—		
19 Bronchitis	M	46	6	—	—	—	1	—	—	8	9	10	12	106	21	5	1	—	2	1	4	5	19	26	—		
	F	59	5	3	—	—	—	—	—	3	1	24	23	96	18	3	2	—	—	—	6	6	8	25	—		
20 Pneumonia	M	56	16	4	3	3	4	1	3	4	8	8	2	171	63	20	12	6	8	4	9	21	13	13	—		
	F	39	7	1	5	1	—	—	5	2	5	5	8	124	41	28	8	6	1	1	4	8	8	11	—		
21 Other respiratory	M	8	—	—	1	—	—	—	2	1	2	2	—	39	4	—	1	—	—	—	2	11	12	7	—		
	F	8	—	—	—	—	1	1	1	2	1	2	—	15	1	—	1	—	—	2	2	3	2	2	—		
22 Peptic ulcer	M	9	—	—	—	—	—	1	—	4	3	1	—	26	—	—	—	—	1	5	6	3	6	5	—		
	F	7	—	—	—	—	—	—	1	—	3	3	—	6	—	—	—	—	1	2	1	1	—	1	—		
23 Diarrhœa	M	9	6	2	—	—	—	—	—	—	1	—	—	56	45	5	2	1	—	—	—	—	2	—	—		
	F	6	1	2	—	—	—	—	1	1	—	—	—	43	31	5	1	1	—	1	—	1	1	—	—		
24 Appendicitis	M	7	—	—	—	1	3	1	1	—	1	—	—	13	—	—	1	—	4	2	2	2	2	—	—		
	F	6	—	—	—	1	2	—	—	2	—	1	—	5	—	—	—	—	—	1	—	3	1	—	—		
25 Cirrhosis of liver	M	3	—	—	—	—	—	—	—	1	1	1	—	4	—	—	—	—	—	—	—	—	1	3	—		
	F	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
26 Other liver diseases	M	3	—	—	—	—	—	—	—	—	1	1	1	5	—	—	—	—	—	—	—	1	2	1	—		
	F	4	—	—	—	—	—	—	1	1	1	—	1	4	—	—	—	—	—	—	1	—	—	2	—		
27 Other digestive	M	17	2	—	—	1	1	1	—	2	4	5	1	40	5	2	5	1									

Causes of Death. first page of Table.		SUNDERLAND.												TYNEMOUTH.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,412	228	80	67	76	73	66	88	125	194	248	167	423	60	18	5	14	18	25	28	49	58	92	56
	F	1,289	177	67	56	54	58	58	88	108	151	233	239	393	42	14	12	19	20	20	34	38	47	65	82
Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Measles	M	59	12	20	19	8	-	-	-	-	-	-	-	6	1	3	1	1	-	-	-	-	-	-	-
	F	49	8	17	19	5	-	-	-	-	-	-	-	12	6	3	2	-	1	-	-	-	-	-	-
Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	9	4	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	8	7	2	1	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Diphtheria	M	5	-	1	1	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	6	-	1	3	2	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
Influenza	M	45	-	1	3	5	3	6	6	5	10	4	2	7	-	-	-	1	-	-	2	2	1	-	1
	F	33	1	-	1	1	1	2	2	4	5	11	6	10	-	-	-	2	-	1	2	-	1	3	1
Encephalitis lethargica	M	4	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cerebro-spinal fever	M	22	5	2	2	3	6	2	-	-	2	-	-	4	-	-	-	1	3	-	-	-	-	-	-
	F	5	2	-	-	2	1	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Respiratory tuberculosis	M	96	-	1	3	8	29	18	16	14	5	2	-	40	-	-	-	-	7	9	12	7	3	2	-
	F	108	-	-	4	10	33	21	20	15	3	2	-	38	-	1	1	2	13	9	8	2	2	-	-
Other tuberculosis	M	32	3	4	3	11	6	2	2	-	1	-	-	11	1	3	-	1	3	1	1	-	-	1	-
	F	30	2	7	5	8	4	2	-	1	1	-	-	11	4	-	2	3	1	-	1	-	-	-	-
Syphilis	M	10	4	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	9	-	-	-	-	-	1	1	1	4	2	-	5	-	-	-	-	-	-	-	3	2	-	-
	F	4	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cancer	M	108	1	-	-	-	1	-	9	17	30	39	11	30	-	-	-	-	1	-	4	11	12	2	-
	F	117	-	-	1	-	-	2	13	21	31	30	19	31	-	-	-	-	1	4	9	8	4	5	-
Diabetes	M	9	-	-	-	1	1	-	1	-	3	3	-	2	-	-	-	-	-	-	-	-	2	-	-
	F	10	-	-	-	-	-	1	-	2	2	3	2	6	-	-	-	1	-	-	1	2	1	1	-
Cerebral hæmorrhage	M	42	-	-	-	-	-	-	1	2	12	18	9	20	-	-	-	-	1	-	3	3	12	1	-
	F	55	-	-	-	-	-	-	1	2	11	24	17	19	-	-	-	-	-	-	2	4	8	5	-
Heart disease	M	151	-	-	-	-	2	5	8	17	31	54	34	67	-	-	-	1	1	2	4	6	17	19	17
	F	175	-	-	-	-	3	3	9	11	31	52	66	50	-	-	-	2	1	3	3	12	9	20	-
Aneurysm	M	3	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	1	-	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	65	-	-	-	-	-	-	-	3	11	26	25	30	-	-	-	-	-	-	-	4	19	7	-
	F	67	-	-	-	-	-	-	-	2	12	23	30	23	-	-	-	-	-	-	-	2	3	9	9
Bronchitis	M	84	34	4	-	-	-	1	6	4	7	11	17	24	4	-	-	-	1	1	5	1	5	7	-
	F	78	16	2	-	1	1	-	2	5	8	15	28	25	3	-	-	-	-	-	3	5	8	6	-
Pneumonia	M	190	51	33	12	12	9	5	14	19	16	15	4	40	13	11	1	1	2	1	5	2	1	2	-
	F	112	32	21	15	9	2	2	7	7	7	6	4	30	8	8	1	4	1	1	2	2	1	1	1
Other respiratory	M	10	-	-	-	-	1	1	2	3	2	1	-	5	1	-	-	1	-	-	-	1	2	-	-
	F	13	-	-	1	1	1	1	2	1	2	4	-	5	-	-	1	-	1	-	-	-	2	1	-
Peptic ulcer	M	21	-	-	-	-	-	2	3	6	5	5	-	5	-	-	-	-	1	1	2	-	1	-	-
	F	4	-	-	-	-	-	-	1	2	1	-	-	3	-	-	-	-	-	2	-	1	-	-	-
Diarrhoea	M	35	22	6	4	2	-	-	-	1	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
	F	33	19	5	2	1	-	-	1	1	1	1	2	6	3	1	-	-	-	1	-	-	-	-	1
Appendicitis	M	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Cirrhosis of liver	M	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other liver diseases	M	3	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
	F	7	-	-	-	-	-	1	1	1	2	1	1	2	-	-	-	-	1	-	-	1	-	-	-
Other digestive	M	17	4	-	3	2	-	2	1	2	2	1	-	4	-	-	-	-	-	1	-	-	1	2	-
	F	24	3	1	-	1	-	1	2	5	5	3	3	8	-	-	-	-	-	2	1	2	1	2	-
Nephritis	M	93	-	-	-	-	2	1	2	12	24	33	19	17	-	-	1	1	2	-	3	5	3	2	-
	F	69	-	-	-	-	4	3	5	10	10	28	9	12	-	-	-	1	-	-	4	2	4	1	-
Puerperal sepsis	F	8	-	-	-	-	2	3	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Other puerperal	F	11	-	-	-	-	1	6	3	1	-	-	-	4	-	-	-	-	2	2	-	-	-	-	-
Congenital causes, etc.	M	74	74	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
	F	71	71	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Senility	M	24	-	-	-	-	-	-	-	-	-	5	19	12	-	-	-	-	-	-	-	-	4	8	-
	F	42	-	-	-	-	-	-	-	-	-	-	5	37	31	-	-	-	-	-	-	-	6	25	-
Suicide	M	10	-	-	-	-	1	-	2	3	2	1	1	2	-	-	-	-	-	-	1	1	-	-	-
	F	8	-	-	-	-	1	3	2	-	1	1	-	1	-	-	-	-	-	-	1	1	-	-	-
Other violence	M	52	-	2	11	4	4	11	3	2	4	5	6	11	-	-	1	2	2	1	2	1	1	-	1
	F	35	3	1	2	1	1	3	2	4	4	9	5	3	-	1	1	-	-	-	-	-	-	-	1
Other defined causes	M	121	14	4	5	12	8	6	8	10	16	18	20	28	3	1	1	2	1	2	2	3	4	4	5
	F	82	6	5	1	8	2	4	10	11	12	15	8	29	-	-	1	5	1	2	4	5	3	5	3
Ill-defined causes	M	2	-	-	-	-	-	-	-	1	-	1	-	8	-	-	-	-	-	-	1	3	2	1	1
	F	1	-	-	1	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	1	-	1	3	1



TABLE 24—contd. County Boroughs.

Causes of Death. See first page of Table.		WAKEFIELD.													WALLASEY.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes		M F	407 396	43 36	9 5	16 11	12 23	19 16	16 25	30 26	46 46	64 58	96 81	56 69	556 593	32 30	7 2	4 5	11 9	21 24	28 11	41 32	74 59	102 99	127 147	10 17	
1	Typhoid fever, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
2	Measles	M F	5 2	- -	3 2	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
3	Scarlet fever	M F	1 1	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	
4	Whooping cough	M F	2 4	2 1	- 1	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	1 1	- 1	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
5	Diphtheria	M F	8 16	- -	1 -	3 1	4 14	- -	- -	- -	- 1	- -	- -	- -	3 3	- -	- -	1 1	2 2	- -	- -	- -	- -	- -	- -	- -	
6	Influenza	M F	12 9	3 1	- -	- 1	1 1	2 -	1 -	- 2	- 1	- 1	2 2	2 1	21 21	1 -	1 -	- -	- -	- 4	1 2	4 2	3 4	2 5	- -		
7	Encephalitis lethargica	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	5 1	- -	- -	- -	- -	- -	1 -	1 -	2 1	- -	- -		
8	Cerebro-spinal fever	M F	2 -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	2 2	- 2	- -	1 -	- -	- -	1 -	- -	- -	- -	- -		
9	Respiratory tuberculosis	M F	27 20	- -	1 -	- -	- 1	2 5	4 4	8 1	7 6	5 3	- -	47 38	- -	- -	- -	- 1	9 10	8 6	11 9	12 5	7 5	- 2	- -		
10	Other tuberculosis	M F	7 4	- -	- -	3 -	2 -	1 1	- 1	- 1	- -	1 1	- -	5 5	- 1	1 1	1 -	1 1	1 -	1 -	- 1	- 1	- -	- -	- -		
11	Syphilis	M F	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -		
12	Gen. paralysis of insane, etc.	M F	5 -	- -	- -	- -	- -	- -	1 -	3 -	1 -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- 1	1 -	- -	- -		
13	Cancer	M F	41 49	- -	- -	- -	- -	1 -	- 2	- 1	5 9	13 18	19 11	3 8	76 79	- -	- -	- -	- 1	1 1	2 2	15 18	23 14	22 25	- -		
14	Diabetes	M F	1 2	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- 2	- -	7 10	- -	- -	- -	- -	1 -	- 1	1 3	- 4	- -	- -		
15	Cerebral hæmorrhage	M F	24 25	- -	- -	- -	- -	- -	- 3	1 2	4 2	4 6	8 11	7 3	24 35	- -	- -	- -	- -	- -	1 1	1 2	5 6	8 16	- -		
16	Heart disease	M F	81 71	- -	- -	- -	- 1	2 2	2 2	1 2	4 7	24 13	35 27	15 17	115 148	- -	- -	- -	1 -	1 1	4 4	12 9	23 25	37 51	- -		
17	Aneurysm	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	2 -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -		
18	Other circulatory	M F	16 11	- -	- -	- -	- -	- -	- 1	- -	- -	2 3	6 1	7 7	30 35	- -	- -	- -	- -	- -	- -	2 1	6 6	10 9	- -		
19	Bronchitis	M F	27 25	- 5	- -	- -	- -	- -	- 1	1 -	4 1	3 1	9 6	10 11	18 25	- 2	1 -	- -	- -	- 1	- -	2 4	2 1	4 7	- -		
20	Pneumonia	M F	33 26	7 7	2 1	3 -	1 1	1 -	1 1	4 2	6 6	1 1	5 4	2 3	28 32	3 1	2 1	- 1	- 2	5 1	1 4	5 8	8 7	- -	- -		
21	Other respiratory	M F	2 2	1 -	- -	1 -	- -	- -	- 2	- -	- -	- -	- -	- -	6 1	- -	- -	- -	- -	- -	- -	2 -	1 -	- 1	- -		
22	Peptic ulcer	M F	5 4	- -	- -	- -	- -	- -	1 1	1 -	2 -	1 1	- 2	- -	13 2	- -	- -	- -	- -	1 -	- -	6 1	4 -	2 -	- -		
23	Diarrhœa	M F	14 12	7 7	1 -	1 2	1 -	1 -	- -	- -	2 -	1 -	- 2	- 1	4 2	3 1	- -	- -	- -	- -	1 -	- -	- -	- -	- -		
24	Appendicitis	M F	4 4	- -	- -	- -	- -	1 -	1 1	- 1	1 1	1 1	- -	- -	2 3	- -	- -	1 -	- -	- -	1 -	- 2	- -	- -	- -		
25	Cirrhosis of liver	M F	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	2 1	- -	- -	- -	- -	- -	1 -	1 -	- -	- 1	- -		
26	Other liver diseases	M F	- 4	- -	- -	- -	- -	- -	- 1	- -	1 -	- 1	- 1	- 1	6 6	- -	- -	- -	- -	- -	- -	2 -	2 2	1 2	- -		
27	Other digestive	M F	6 8	- -	- -	- 1	1 -	- -	- 1	2 -	1 -	- 4	- -	1 2	7 11	2 -	- -	- -	2 1	- -	- -	- 1	2 3	- -	- -		
28	Nephritis	M F	5 10	- -	- -	- -	- 2	- 1	- 1	- 3	- 2	1 3	1 -	1 -	24 24	- -	- -	- -	1 1	2 1	1 -	1 3	5 9	12 6	- -		
29	Puerperal sepsis	F	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-		
30	Other puerperal	F	4	-	-	-	-	-	2	2	-	-	-	-	4	-	-	-	2	-	2	-	-	-	-		
31	Congenital causes, etc.	M F	22 14	22 14	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	18 17	18 16	- -	- -	- 1	- -	- -	- -	- -	- -	- -		
32	Senility	M F	9 12	- -	- -	- -	- -	- -	- -	- -	- -	- -	3 -	6 12	11 21	- -	- -	- -	- -	- -	- -	- -	- -	2 2	- -		
33	Suicide	M F	4 5	- -	- -	- -	- -	1 3	- 1	1 -	1 -	1 -	- 1	- -	5 3	- -	- -	- -	1 1	1 1	1 1	2 -	1 -	- -	- -		
34	Other violence	M F	18 8	- -	1 -	1 1	- -	4 -	3 1	5 -	2 2	1 2	1 1	- 1	25 12	- 1	- -	- 1	2 1	4 -	4 1	5 3	4 1	2 3	3 3		
35	Other defined causes	M F	25 40	1 1	- 1	1 3	1 4	2 5	2 5	3 4	4 6	3 2	7 7	1 2	45 47	5 4	1 -	- 2	3 1	3 4	4 5	2 4	7 9	12 6	- -		
36	Ill-defined causes	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 2	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -		

Causes of Death. See first page of Table.			WALSALL.													WARRINGTON.												
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	644	83	20	15	27	28	43	30	58	96	123	121	600	91	22	14	19	23	26	35	78	106	128	58			
	F	534	67	7	17	17	20	37	29	37	77	113	113	474	58	14	12	20	32	32	39	38	59	93	77			
Typhoid fever, etc.	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Measles	M	9	2	3	2	2	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-				
	F	12	3	3	5	1	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	1	-	-				
Scarlet fever	M	1	-	1	-	-	-	-	-	-	-	-	-	7	-	1	2	4	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	-	1	2	3	-	-	-	-	-	-				
Whooping cough	M	7	3	2	2	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-				
	F	1	-	-	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-				
Diphtheria	M	6	-	1	3	1	-	-	1	-	-	-	-	3	-	1	-	2	-	-	-	-	-	-				
	F	5	-	1	-	4	-	-	-	-	-	-	-	5	-	-	4	1	-	-	-	-	-	-				
Influenza	M	15	-	-	-	-	-	2	4	1	3	2	3	19	1	1	1	-	1	2	2	8	2	1				
	F	12	-	-	-	1	-	-	1	-	3	4	3	27	-	-	-	2	-	2	4	3	6	10				
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	1	-	1	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	1	2	-	-	-	-				
Cerebro-spinal fever	M	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Respiratory tuberculosis	M	57	-	-	-	-	9	16	9	11	8	4	-	53	-	-	1	1	7	6	10	15	12	1	-			
	F	40	-	-	-	2	9	18	5	4	1	1	-	37	-	-	-	3	15	9	5	4	1	-	-			
Other tuberculosis	M	7	1	1	1	3	-	-	1	-	-	-	-	5	-	1	1	-	1	1	-	-	1	-	-			
	F	3	1	1	-	-	1	-	-	-	-	-	-	9	1	1	2	-	3	1	-	1	-	-				
Syphilis	M	1	1	-	-																							



TABLE 24—contd. County Boroughs.

Causes of Death. <i>See first page of Table.</i>		WEST BROMWICH.												WEST HAM.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M F	545 453	89 57	17 18	12 18	22 16	24 23	24 16	39 20	72 40	82 60	87 84	77 101	1,794 1,590	194 136	35 35	24 31	43 37	79 78	91 79	111 93	219 140	334 244	383 339	281 378
1 Typhoid fever, etc.	M F	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
2 Measles	M F	6 7	— 1	2 4	3 1	1 1	— —	— —	— —	— —	— —	— —	— —	1 2	1 —	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —
3 Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 4	— 2	— —	— —	— 2	— —	1 —	— —	— —	— —	— —	— —
4 Whooping cough	M F	1 2	1 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	16 19	8 9	5 5	3 5	— —	— —	— —	— —	— —	— —	— —	— —
5 Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	4 7	— —	— —	3 4	1 3	— —	— —	— —	— —	— —	— —	— —
6 Influenza	M F	15 14	— —	— —	1 3	1 1	1 1	2 1	2 1	1 1	3 —	2 3	2 3	45 52	— 1	— 1	— 1	— —	— 2	3 1	8 1	2 7	7 9	15 15	— —
7 Encephalitis lethargica	M F	2 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	1 3	— —	— —	— —	— —	1 1	— 1	— —	— —	— —	— —	— —
8 Cerebro-spinal fever	M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	5 4	3 3	— 1	1 —	— —	— —	1 —	— —	— —	— —	— —	— —
9 Respiratory tuberculosis	M F	39 21	— —	— —	— —	2 7	6 5	4 3	8 3	13 4	3 —	3 1	— 1	157 97	— 1	— —	— 1	1 2	38 35	32 27	30 12	31 8	23 8	2 2	— —
10 Other tuberculosis	M F	3 3	— —	— 1	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	30 12	5 3	4 —	4 2	6 2	3 3	2 2	— —	— —	— —	— —	— —
11 Syphilis	M F	4 4	2 —	— —	— —	— —	— —	— 1	1 1	— 1	— 2	— —	— —	4 3	1 —	— —	— —	— —	— —	— —	1 1	1 —	1 —	— —	— —
12 Gen. paralysis of insane, etc.	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	13 2	— —	— —	— —	— —	— —	3 —	5 —	4 —	1 2	— —	— —
13 Cancer	M F	62 43	— —	— —	— —	— —	1 1	2 1	2 1	15 12	20 14	16 11	6 3	215 193	— —	— —	— —	— —	1 1	3 5	6 13	34 27	67 51	79 60	25 31
14 Diabetes	M F	3 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 2	— —	11 18	— —	— —	— —	— —	1 —	2 1	— 1	— 2	— 3	— 9	— —
15 Cerebral hæmorrhage	M F	21 20	— —	— —	— —	— —	— —	— 2	1 —	3 2	9 3	6 9	74 6	95 —	— —	— —	— —	— —	1 —	— —	2 13	7 25	16 32	27 22	— —
16 Heart disease	M F	80 86	— —	— —	— 1	3 6	3 —	8 1	6 —	18 9	19 14	22 29	340 26	375 —	— —	— —	— —	6 3	5 16	9 14	7 18	40 37	71 62	116 101	86 124
17 Aneurysm	M F	1 —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	9 4	— —	— —	— —	— —	— —	— —	— —	2 —	3 2	4 2	— —
18 Other circulatory	M F	32 20	— —	2 —	— —	— —	— —	— 1	1 —	4 —	9 2	15 5	33 13	34 —	— —	— —	— —	— —	— —	1 —	2 3	8 2	12 12	16 11	— —
19 Bronchitis	M F	35 40	4 9	— 1	— 1	— 1	2 —	— —	— 1	7 2	3 5	9 10	10 10	147 110	12 7	1 1	1 —	1 2	2 2	3 1	6 3	11 3	26 8	40 29	44 57
20 Pneumonia	M F	69 47	28 11	9 5	2 11	3 2	1 1	4 1	4 2	6 2	6 3	3 5	3 4	161 142	41 33	17 15	6 5	4 4	2 4	5 4	9 9	26 8	30 24	10 17	11 19
21 Other respiratory	M F	8 6	— —	— 2	1 —	— —	— —	— 1	2 —	— —	— —	3 —	1 4	25 11	3 —	— 1	— —	1 —	— —	3 1	4 2	5 1	2 2	5 2	— —
22 Peptic ulcer	M F	5 1	— —	— —	— —	— —	— 2	— 2	— 1	— —	— 1	— —	— —	21 9	— —	— —	— —	— —	— —	1 1	— —	5 4	8 3	2 —	— —
23 Diarrhœa	M F	8 9	7 5	— —	— 1	— 1	— —	— 1	— —	— —	— —	— —	— 1	26 22	20 13	2 6	— —	— 1	— —	— —	— —	— —	1 —	1 —	— —
24 Appendicitis	M F	3 2	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	12 4	— —	— —	— —	1 1	— —	2 —	4 —	1 —	2 1	1 1	— —
25 Cirrhosis of liver	M F	3 2	— —	— —	— —	— —	— —	— —	— —	2 —	— 1	— 1	— —	5 1	— —	— —	— —	— —	— —	— —	2 —	1 —	— —	2 —	— —
26 Other liver diseases	M F	1 4	— —	— —	— —	— —	— —	— —	— —	— —	— 2	— 1	— 1	2 11	— —	— —	— —	— —	— 1	— 2	— —	— 1	1 2	1 3	— —
27 Other digestive	M F	12 13	4 1	— —	— 1	— —	— —	— 1	— 1	2 1	1 4	2 2	1 3	39 21	4 —	3 1	1 3	— —	1 —	2 1	2 5	6 3	8 5	9 5	— —
28 Nephritis	M F	12 7	— —	— —	1 1	— —	2 1	— 1	— 1	— —	— 1	— —	— 3	52 51	— —	— 1	— —	2 2	— 1	4 5	2 14	6 10	14 10	13 12	— —
29 Puerperal sepsis	F	4	—	—	—	—	2	1	—	1	—	—	—	7	—	—	—	—	—	3	4	—	—	—	—
30 Other puerperal	F	4	—	—	—	—	1	1	2	—	—	—	—	9	—	—	—	—	2	4	3	—	—	—	—
31 Congenital causes, etc.	M F	36 25	36 25	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	78 55	78 54	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —
32 Senility	M F	7 16	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	6 15	28 68	— —	— —	— —	— —	— —	— —	— —	— —	— 1	4 8	— —
33 Suicide	M F	9 3	— —	— —	— —	— 1	— —	2 —	1 —	4 1	2 1	— —	— —	29 8	— —	— —	— —	2 2	1 2	3 3	11 1	7 —	2 —	— —	
34 Other violence	M F	24 10	— —	— —	1 3	5 —	4 —	1 1	4 1	3 —	5 —	— —	— 5	78 27	2 1	1 1	3 5	12 —	8 1	7 2	5 1	10 3	— —	— —	
35 Other defined causes	M F	39 31	7 4	4 4	1 1	6 —	2 2	3 4	2 3																

Causes of Death.		WEST HARTLEPOOL.												WIGAN.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes	M	547	90	29	26	13	24	25	43	53	76	102	66	607	88	26	14	20	19	30	31	63	106	141	69	
	F	426	46	23	15	17	13	23	22	49	75	75	68	616	77	18	8	17	24	28	53	62	96	133	100	
Typhoid fever, etc.	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	13	2	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	12	2	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	M	11	5	4	1	1	-	-	-	-	-	-	-	7	3	3	1	-	-	-	-	-	-	-	-	
	F	8	4	1	3	-	-	-	-	-	-	-	-	6	3	3	-	-	-	-	-	-	-	-	-	
Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza	M	15	1	-	-	-	1	2	3	4	2	1	1	26	-	-	-	5	1	1	5	4	6	2	1	
	F	27	-	1	2	1	2	1	5	5	6	2	2	23	-	-	1	1	-	1	4	2	5	5	4	
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cerebro-spinal fever	M	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
	F	1	-	-	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	
Respiratory tuberculosis	M	33	-	-	-	1	4	6	12	8	1	-	1	28	-	-	-	1	8	4	4	6	5	-	-	
	F	28	-	-	-	2	4	10	7	3	1	1	-	36	-	-	-	3	8	13	8	2	2	-	-	
Other tuberculosis	M	13	1	1	4	2	3	1	1	-	-	-	-	6	-	2	-	2	1	1	-	1	-	-	-	
	F	4	1	-	-	2	1	-	-	-	-	-	-	10	1	1	-	2	2	1	2	-	-	-	-	
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
	F	2	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	2	1	-	1	1	-	4	-	-	-	-	-	2	1	1	-	-	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer	M	41	-	-	-	-	1	-	4	9	11	13	3	42	-	-	-	-	1	2	2	5	13	16	3	
	F	47	-	-	-	-	1	2	1	11	18	11	3	68	-	-	-	-	-	7	11	25	19	6	6	
Diabetes	M	4	-	-	-	1	1	-	1	-	-	1	-	5	-	-	-	1	1	1	-	-	1	1	-	
	F	3	-	-	-	-	-	-	-	1	-	2	-	8	-	-	-	-	1	1	-	3	3	-	-	
Cerebral hæmorrhage	M	31	-	-	-	-	-	-	2	2	6	14	7	34	-	-	-	-	-	-	-	2	14	12	6	
	F	30	-	-	-	-	-	-	2	2	9	12	7	36	-	-	-	-	-	1	4	7	15	9	9	
Heart disease	M	84	-	-	-	-	4	2	1	9	17	31	20	87	-	-	-	2	1	2	-	10	21	38	13	
	F	73	-	-	-	1	1	1	1	11	15	18	25	103	1	-	-	3	4	1	9	13	17	34	21	
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other circulatory	M	14	-	-	-	-	-	-	-	3	5	6	6	17	-	-	-	-	-	-	-	7	7	2	2	
	F	5	-	-	-	-	-	-	-	1	1	2	1	8	-	-	-	-	-	-	-	2	3	3	3	
Bronchitis	M	34	13	4	1	-	-	-	1	1	2	6	6	71	5	4	-	-	-	2	9	14	25	12	12	
	F	18	5	2	1	-	-	-	-	2	2	4	4	62	6	-	-	-	2	-	7	11	19	17	17	
Pneumonia	M	65	12	9	11	4	1	4	6	6	7	4	1	54	12	12	6	1	1	3	2	4	6	7	-	
	F	48	9	7	4	3	-	2	2	4	9	6	2	60	16	11	3	1	4	2	6	5	4	5	3	
Other respiratory	M	12	-	-	-	-	1	-	-	1	3	4	3	4	-	-	-	-	-	-	2	1	1	-	-	
	F	15	-	-	-	-	-	-	-	1	1	4	10	6	-	-	1	-	-	1	1	2	2	1	-	
Peptic ulcer	M	11	-	-	-	-	1	1	2	1	5	1	-	8	-	-	-	-	1	-	4	1	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	
Diarrhoea	M	9	5	1	1	-	1	-	1	-	-	-	-	6	5	-	-	-	-	-	-	1	-	-	-	
	F	5	1	1	2	-	-	1	-	-	-	-	-	7	4	1	-	1	-	-	-	1	-	-	-	
Appendicitis	M	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	1	-	2	-	1	-	-	-	
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Cirrhosis of liver	M	3	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	
Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-	
	F	5	-	-	-	-	-	-	-	1	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
Other digestive	M	7	3	1	-	1	-	-	1	1	-	-	-	8	-	-	-	-	1	1	2	1	2	1	1	
	F	6	-	3	-	-	-	1	-	-	2	-	-	13	1	-	-	1	-	3	2	2	4	3	-	
Nephritis	M	13	-	-	-	-	-	1	1	2	3	3	4	8	-	-	1	-	1	-	3	1	2	-	-	
	F	12	-	-	-	-	-	1	1	2	3	3	2	17	-	-	1	-	-	3	2	7	3	1	1	
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other puerperal	F	4	-	-	-	-	2	1	1	-	-	-	-	5	-	-	-	1	2	2	-	-	-	-	-	
Congenital causes, etc.	M	36	36	-	-	-	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-	
	F	17	16	-	-	1	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-	
Senility	M	8	-	-	-	-	-	-	-	-	-	1	7	34	-	-	-	-	-	-	-	-	11	23	23	
	F	8	-	-	-	-	-	-	-	-	-	1	7	47	-	-	-	-	-	-	-	-	16	31	31	
Suicide	M	4	-	-	-	-	2	-	-	1	1	-	-	8	-	-	-	-	2	1	2	1	1	1	1	
	F	3	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	
Other violence	M	21	1	1	1	-	1	3	5	2	2	3	2	30	-	-	4	3	3	7	2	4	2	4	1	
	F	4	1	-	-	1	-	-	-	1	-	1	-	12	-	-	1	1	-	1	2	2	2	2	3	
Other defined causes	M	52	10	1	2	2	3	3	1	4	9	12	5	50	11	3	1	3	-	4	2	5	5	6	11	4
	F	34	7	1	-	2	2	2	2	5	7	3	3	38	8	-	-	4	2	5	5	5	5	2	2	
Ill-defined causes	M	3	1	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	



Causes of Death. See first page of Table.		WOLVERHAMPTON.													WORCESTER.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	806	76	28	15	29	42	31	62	101	126	167	129	348	22	10	5	4	20	16	18	34	51	89	79		
	F	801	83	11	24	19	27	34	51	71	99	181	201	352	26	3	6	6	14	19	17	25	44	67	125		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
2 Measles	M	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	-	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	4	-	3	-	1	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-		
	F	11	6	2	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	7	-	1	2	3	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	5	-	-	1	4	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-		
6 Influenza	M	14	-	-	-	-	1	2	1	3	4	3	-	7	-	-	-	-	-	-	-	3	2	2	-		
	F	12	-	-	-	-	1	1	-	-	3	4	3	6	-	-	-	-	-	1	-	-	1	4	-		
7 Encephalitis lethargica	M	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	68	-	-	-	-	13	10	19	13	8	5	-	25	-	-	1	-	8	5	5	5	1	-	-		
	F	37	-	-	-	-	12	6	8	3	5	1	2	24	-	-	1	2	10	7	3	1	-	-	-		
10 Other tuberculosis	M	12	1	1	2	2	1	-	-	3	-	2	-	5	-	-	-	1	2	1	1	-	-	1	-		
	F	8	3	-	2	1	1	-	-	1	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-		
11 Syphilis	M	5	-	-	-	-	-	-	2	-	2	-	1	3	1	-	-	-	-	-	-	-	1	1	-		
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	9	-	-	-	-	-	1	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	85	1	-	1	1	1	-	2	17	25	28	9	40	-	-	-	-	-	-	-	4	9	18	9		
	F	91	-	-	-	-	1	4	6	24	21	23	12	45	-	-	-	-	-	-	2	11	12	10	10		
14 Diabetes	M	7	-	-	-	-	-	-	2	1	1	2	1	1	-	-	-	-	-	-	-	-	1	-	-		
	F	11	-	-	-	-	1	-	1	-	4	3	2	4	-	-	-	-	-	-	-	1	2	1	-		
15 Cerebral hæmorrhage	M	29	-	-	-	-	-	-	1	5	6	9	8	18	-	-	-	-	-	-	-	2	1	9	6		
	F	37	-	-	-	-	-	-	-	2	2	18	15	25	-	-	-	-	-	-	-	1	2	13	9		
16 Heart disease	M	140	-	-	-	-	5	3	10	13	23	49	37	87	-	-	-	-	2	5	2	6	15	30	27		
	F	195	-	-	-	4	2	4	4	8	34	72	67	77	-	-	-	1	2	2	3	2	12	19	33		
17 Aneurysm	M	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	44	-	1	-	-	-	-	-	-	9	15	19	12	-	-	-	-	-	-	-	-	4	1	7		
	F	42	-	-	-	-	-	-	-	-	2	17	23	19	-	-	-	-	-	-	-	-	3	2	14		
19 Bronchitis	M	43	4	-	-	-	-	-	1	2	10	10	16	16	1	1	-	-	-	-	-	1	1	4	8		
	F	42	3	-	-	-	-	-	2	1	3	7	26	12	-	-	-	-	-	-	-	-	7	5	5		
20 Pneumonia	M	85	13	14	4	3	4	6	7	13	9	6	6	27	5	7	2	1	2	-	4	-	2	2	2		
	F	57	10	5	7	2	4	5	8	5	4	5	2	17	5	1	2	-	-	1	1	-	2	-	5		
21 Other respiratory	M	9	-	-	-	-	-	-	-	6	1	1	1	5	-	-	-	-	-	-	-	-	1	3	-		
	F	9	-	-	-	-	-	-	1	-	1	-	4	2	-	-	-	-	-	-	-	-	-	-	-		
22 Peptic ulcer	M	11	-	-	-	-	1	1	4	4	1	-	-	6	-	-	-	-	1	-	3	2	-	-	-		
	F	4	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
23 Diarrhœa	M	14	9	3	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
	F	15	10	2	1	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-		
24 Appendicitis	M	5	-	-	-	1	2	-	-	1	-	1	-	3	-	-	-	-	-	1	-	-	-	2	-		
	F	5	-	-	-	2	-	-	1	1	-	-	1	6	-	-	1	-	-	1	1	1	2	-	-		
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-		
26 Other liver diseases	M	4	-	-	-	-	-	1	-	-	1	2	-	3	-	-	-	-	1	1	-	-	1	-	-		
	F	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
27 Other digestive	M	11	2	1	1	-	1	-	1	-	3	2	-	7	-	-	-	-	-	-	1	1	2	2	-		
	F	29	3	-	-	2	1	2	1	5	5	6	4	11	-	-	-	-	-	1	1	3	1	3	-		
28 Nephritis	M	15	-	-	-	-	1	1	-	-	7	4	2	11	-	-	-	-	-	-	3	3	3	3	-		
	F	21	-	-	-	-	-	3	1	5	2	7	3	13	-	-	-	1	-	2	-	2	3	-	-		
29 Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
30 Other puerperal	F	4	-	-	-	-	-	2	1	1	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-		
31 Congenital causes, etc.	M	40	38	1	-	1	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-		
	F	42	42	-	-	-	-	-	-	-																	

TABLE 24—*contd.* County Boroughs.

Causes of Death. first page of Table.		YORK.												CARDIFF.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M F	516 510	41 42	8 4	9 6	12 9	17 26	19 23	27 34	58 52	95 57	122 119	108 138	1,584 1,274	167 123	42 33	42 28	39 26	72 73	75 68	137 80	181 110	281 185	289 260	259 288
Typhoid fever, etc.	M F	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	
Measles	M F	1 2	1 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	28 22	7 2	10 13	8 6	3 1	- -	- -	- -	- -	- -	- -	- -
Scarlet fever	M F	2 -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	3 2	- -	2 -	1 -	- 2	- -	- -	- -	- -	- -	- -	- -
Whooping cough	M F	1 5	1 3	- -	- 2	- -	- -	- -	- -	- -	- -	- -	- -	1 5	- 3	- 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -
Diphtheria	M F	2 2	- -	- -	- -	2 2	- -	- -	- -	- -	- -	- -	- -	14 10	1 -	2 -	5 3	6 5	- -	1 1	1 -	- -	- -	- -	- -
Influenza	M F	21 18	2 -	- -	- -	1 -	1 -	- -	2 2	4 5	5 1	4 4	2 6	33 27	6 4	- -	- -	1 -	1 2	1 1	4 4	6 1	6 7	7 5	5 3
Encephalitis lethargica	M F	1 1	- -	- -	- -	- -	- -	- 1	- -	- -	1 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	
Cerebro-spinal fever	M F	3 1	- -	- -	- -	1 1	1 1	1 -	- -	- -	- -	- -	- -	1 3	- -	1 1	- 2	- -	- -	- -	- -	- -	- -	- -	
Respiratory tuberculosis	M F	34 35	- -	- -	1 -	2 2	7 14	6 7	8 7	7 2	3 2	- 1	- -	148 90	- -	- -	1 -	2 38	35 25	35 12	31 6	27 1	15 8	2 1	- -
Other tuberculosis	M F	8 6	- 1	2 -	1 1	1 2	1 1	1 -	2 -	- -	- 1	- -	- -	35 20	3 1	3 -	7 1	6 4	3 5	3 2	1 3	1 2	1 1	1 -	
Syphilis	M F	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	7 3	- -	- -	- -	- 1	1 1	3 1	- -	3 -	- -	- -	
Gen. paralysis of insane, etc.	M F	5 1	- -	- -	- -	- -	- -	- 1	2 -	1 -	2 -	- -	- -	22 4	- -	- -	- -	- -	- -	10 1	8 1	4 1	- 1	- -	
Cancer	M F	62 70	- -	- -	- -	1 -	- 2	1 6	11 13	21 15	20 21	8 13	142 141	- -	- -	- -	- -	- 1	3 3	6 12	23 24	48 38	52 41	10 22	
Diabetes	M F	5 7	- -	- -	- -	- -	- -	- -	1 1	4 2	- 3	- 1	- 13	11 13	- -	- -	- -	1 -	- 3	1 2	1 1	3 3	4 4	- -	
Cerebral hæmorrhage	M F	35 33	- -	- -	- -	- -	- -	- 1	2 5	5 5	15 13	12 9	35 61	- -	- -	- -	- -	- -	- 3	2 3	- 3	8 8	15 23	10 24	
Heart disease	M F	95 106	- -	- -	- -	1 2	1 2	1 3	3 8	8 15	16 39	34 37	310 309	- -	- -	- -	1 1	2 5	2 6	17 13	37 27	77 56	79 89	95 112	
Aneurysm	M F	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	13 1	- -	- -	- -	- -	- -	3 -	3 -	4 1	3 -	- -	
Other circulatory	M F	16 13	- -	- -	- -	- -	- -	- -	- 2	- 1	8 3	8 7	82 62	1 -	- -	- -	- -	- -	- -	2 -	2 4	18 7	34 26	25 25	
Bronchitis	M F	27 19	- 2	1 -	- -	1 1	- 1	1 1	4 1	6 -	4 -	9 10	101 83	14 9	2 -	- 1	- 1	- 1	1 -	6 -	12 3	9 14	20 19	37 35	
Pneumonia	M F	30 30	5 7	5 2	1 1	1 1	- 2	3 2	6 3	3 -	3 4	3 8	107 59	26 13	14 11	11 7	5 -	3 -	3 2	11 4	6 6	14 2	9 5	5 9	
Other respiratory	M F	3 8	- -	- -	- -	- -	- 1	- 1	- 2	1 -	1 1	1 3	21 8	- -	- -	- -	- 1	- 1	1 2	3 -	6 -	4 2	3 1	4 1	
Peptic ulcer	M F	3 3	- -	- -	- -	- -	- -	- -	2 1	- 1	- 1	- -	19 6	- -	- -	- -	- 1	- 1	- -	3 3	6 3	5 1	1 1	- -	
Diarrhoea	M F	- 2	- -	- -	- -	- -	- -	- -	- 1	- 1	- -	- -	- -	17 18	15 10	2 2	- 1	- 1	- -	- 1	- 1	- 3	- -	- 2	
Appendicitis	M F	- 1	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	7 9	- -	- -	- 2	- 4	1 1	1 -	1 -	1 -	- 1	- 1	
Cirrhosis of liver	M F	4 3	- -	- -	- -	- -	- 1	- 1	1 1	- -	2 -	1 -	- -	9 3	- -	- -	- -	- -	- -	- -	2 -	5 1	1 -	1 2	
Other liver diseases	M F	5 6	- -	- -	- -	- -	- -	- 1	1 1	1 2	2 2	1 -	3 8	- -	- -	1 -	- -	- -	- 1	1 1	2 2	3 3	1 1	1 1	
Other digestive	M F	10 10	- 1	- -	- -	1 -	1 1	- 3	2 1	1 2	4 7	1 4	27 58	4 1	- -	- -	2 2	- 3	4 2	3 -	3 8	2 9	6 14	3 17	3 5
Nephritis	M F	20 19	1 -	- -	- 1	- 4	1 -	1 1	2 1	- 2	4 1	7 3	4 37	1 -	- -	- -	- -	2 3	- 3	8 4	9 6	14 6	17 10	5 5	
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	1	5	1	-	-	-	-	
Other puerperal	F	2	-	-	-	-	1	1	-	-	-	-	6	-	-	-	-	-	4	2	-	-	-	-	
Congenital causes, etc.	M F	27 21	27 21	- -	- -	- -	- -	- -	- -	- -	- -	- -	70 66	70 65	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	
Senility	M F	22 44	- -	- -	- -	- -	- -	- -	- -	- -	- -	5 7	17 37	31 35	- -	- -	- -	- -	- -	- -	- -	2 6	- -	29 27	
Suicide	M F	8 2	- -	- -	- -	- -	- -	1 -	1 1	4 1	2 1	- -	22 10	- -	- -	- -	- -	2 1	1 1	6 1	6 5	6 7	- 1	1 4	
Other violence	M F	25 9	2 3	- -	3 -	1 2	3 -	- -	3 -	6 -	1 1	3 2	65 28	4 1	1 2	3 5	7 1	8 -	7 2	9 -	2 2	3 3	7 7	4 5	
Other defined causes	M F	39 29	2 3	- 2	3 -	1 2	7 3	4 4	4 3	1 6	6 6	5 4	141 85	15 11	5 2	4 3	4 3	12 6	9 3	9 14	14 10	24 13	24 11	21 9	
Ill-defined causes	M F	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	



Causes of Death. See first page of Table.		MERTHYR TYDFIL.												NEWPORT.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	504	72	6	12	22	22	23	33	46	89	109	70	607	62	19	18	20	26	33	38	65	106	133	87
	F	511	48	18	9	15	35	34	35	42	72	110	93	559	64	11	16	26	32	29	33	51	82	114	103
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	8	3	2	2	1	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	10	4	1	4	1	-	-	-	-	-	-	
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	1	-	1	-	-	-	-	
4 Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	
5 Diphtheria	M	3	-	-	1	2	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-	
	F	7	1	2	1	1	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	
6 Influenza	M	18	-	-	1	1	1	1	2	5	1	5	2	27	2	1	-	1	1	1	1	4	7	5	
	F	28	2	-	1	2	2	1	1	5	5	4	5	15	-	1	-	1	1	2	1	3	6	-	
7 Encephalitis lethargica	M	1	-	-	-	1	-	-	-	-	-	-	-	5	-	-	1	-	-	-	2	1	-	-	
	F	1	-	-	-	-	-	1	-	-	-	-	-	3	1	-	-	1	-	-	1	-	-	-	
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	42	1	-	-	2	9	10	7	8	4	1	-	48	1	-	-	2	9	14	10	6	5	1	
	F	46	-	-	-	2	18	13	11	2	-	-	-	52	-	-	-	2	20	13	7	6	4	-	
10 Other tuberculosis	M	7	1	-	1	4	1	-	-	-	-	-	-	10	-	1	-	3	2	1	-	1	2	-	
	F	12	-	1	-	3	2	1	2	2	1	-	-	11	1	1	1	2	3	-	1	-	1	-	
11 Syphilis	M	5	4	-	-	-</																			

Causes of Death. <i>See first page of Table.</i>			SWANSEA.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	F	993 921	95 98	24 16	17 21	30 26	43 61	41 43	75 55	160 91	177 129	193 188	138 193
1 Typhoid fever, etc.	M	F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
2 Measles	M	F	5 8	2 2	1 2	2 4	— —	— —	— —	— —	— —	— —	— —	— —
3 Scarlet fever	M	F	3 —	— —	— —	1 —	2 —	— —	— —	— —	— —	— —	— —	— —
4 Whooping cough	M	F	3 11	1 9	2 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —
5 Diphtheria	M	F	7 4	— 1	2 1	3 —	2 2	— —	— —	— —	— —	— —	— —	— —
6 Influenza	M	F	35 26	1 2	1 —	— 1	— —	2 1	4 —	1 2	8 3	8 6	5 6	5 5
7 Encephalitis lethargica	M	F	— 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
8 Cerebro-spinal fever	M	F	— 3	— 1	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —
9 Respiratory tuberculosis	M	F	78 75	— —	— —	— 1	— 4	17 36	14 14	20 10	17 3	9 4	1 3	— —
10 Other tuberculosis	M	F	12 12	2 —	1 1	2 1	3 5	2 1	— 2	1 2	1 —	— —	— —	— —
11 Syphilis	M	F	8 3	4 2	— —	— —	— —	— —	1 1	— —	1 —	2 —	— —	— —
12 Gen. paralysis of insane, etc.	M	F	5 1	— —	— —	— —	— —	— —	— —	2 —	— —	3 1	— —	— —
13 Cancer	M	F	108 96	— —	— —	— 1	— —	1 1	— 1	5 5	20 21	46 22	27 31	9 14
14 Diabetes	M	F	8 14	— —	— —	— —	1 —	— —	— —	— —	— 2	1 5	4 6	2 1
15 Cerebral hæmorrhage	M	F	48 65	— —	— —	— —	— —	— 1	— 1	4 5	6 5	12 6	15 18	11 20
16 Heart disease	M	F	175 194	— —	— —	— —	1 3	6 4	6 6	9 8	29 24	35 33	59 62	30 54
17 Aneurysm	M	F	5 —	— —	— —	— —	— —	— —	— —	— —	— —	4 —	1 —	— —
18 Other circulatory	M	F	43 39	— —	— —	— —	— —	— —	1 —	2 —	3 2	10 6	12 11	15 20
19 Bronchitis	M	F	60 41	11 6	1 1	— —	— —	— —	1 —	3 —	8 2	5 3	17 11	14 17
20 Pneumonia	M	F	75 46	23 13	11 8	1 3	2 3	2 2	1 —	6 1	16 4	3 2	6 7	4 3
21 Other respiratory	M	F	20 8	1 —	— —	— —	— —	— —	— —	4 1	4 1	3 2	5 1	3 3
22 Peptic ulcer	M	F	14 5	— —	— —	— —	— —	1 1	1 —	3 —	6 1	2 1	1 —	— 2
23 Diarrhœa	M	F	6 6	4 5	1 —	— 1	— —	— —	— —	— —	1 —	— —	— —	— —
24 Appendicitis	M	F	5 6	— —	— —	1 —	1 —	— 3	1 2	— 1	— —	1 —	— —	1 —
25 Cirrhosis of liver	M	F	7 1	— —	— —	— —	— —	— —	— —	2 —	4 1	1 —	— —	— —
26 Other liver diseases	M	F	6 6	— —	— —	— —	— —	— —	— —	— —	1 1	4 1	— 2	1 2
27 Other digestive	M	F	13 14	2 2	1 —	— 1	1 1	— —	1 —	2 1	1 1	1 2	3 2	1 4
28 Nephritis	M	F	40 42	— —	— —	1 —	2 2	2 2	1 2	5 2	9 8	5 13	10 12	5 3
29 Puerperal sepsis	F		5	—	—	—	—	2	2	1	—	—	—	—
30 Other puerperal	F		9	—	—	—	—	2	5	2	—	—	—	—
31 Congenital causes, etc.	M	F	38 48	37 48	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
32 Senility	M	F	18 34	— —	— —	— —	— —	— —	— —	— —	— —	— 2	2 4	16 28
33 Suicide	M	F	10 2	— —	— —	— —	— —	1 —	1 1	1 1	5 —	1 —	1 —	— —
34 Other violence	M	F	42 18	— —	1 1	4 4	8 1	6 —	2 —	1 2	6 1	4 1	6 3	4 5
35 Other defined causes	M	F	96 78	7 7	2 1	2 1	7 5	2 7	6 5	4 10	14 11	17 19	18 9	17 3
36 Ill-defined causes	M	F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —



TABLE 24—*contd.* Administrative County of Bedford.

Causes of Death <i>See first page of Table.</i>			Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—	All Ages	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	
	All Causes	M F	802 832	60 54	8 8	5 8	10 11	41 28	26 30	56 45	78 65	147 108	207 181	164 294	488 505	37 14	7 5	5 9	8 10	19 21	16 12	22 24	40 38	71 69	112 120	
1	Typhoid fever, etc.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2	Measles	M F	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 1	— —	2 —	— 1	— —	— —	— —	— —	— —	— —	— —	
3	Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4	Whooping cough	M F	1 4	— 3	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— 3	— —	1 —	— —	1 —	— —	— —	— —	1 —	— —	— —	
5	Diphtheria	M F	2 3	1 —	— —	— 1	1 1	— 1	— —	— —	— —	— —	— —	— —	2 2	— —	— —	— 1	1 —	— —	— —	1 —	— —	— —	— —	
6	Influenza	M F	29 28	— —	— —	— —	— 1	1 —	2 1	2 4	7 1	4 9	8 5	5 8	18 19	— —	— —	— —	2 1	— —	— 1	1 2	4 1	2 5	4 3	
7	Encephalitis lethargica	M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	
8	Cerebro-spinal fever	M F	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
9	Respiratory tuberculosis	M F	67 47	— 1	— —	— —	1 —	13 13	13 9	16 9	14 3	8 7	2 4	— 1	26 24	— —	— —	1 —	1 1	4 13	6 2	2 4	6 1	6 —	— 3	
10	Other tuberculosis	M F	7 6	1 1	— —	2 —	1 —	1 2	1 —	1 1	— —	— 1	— —	— 1	6 4	1 —	— —	1 —	— 1	3 —	— —	1 2	— —	— —	— —	
11	Syphilis	M F	4 4	— 2	— —	— —	— —	— —	— 1	— —	1 1	2 —	1 —	— —	2 1	— 1	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	
12	Gen. paralysis of insane, etc.	M F	2 —	— —	— —	— —	— —	— 1	— —	— —	1 —	— —	— —	— —	2 1	— —	— —	— —	— —	— —	— —	— 1	2 —	— —	— —	
13	Cancer	M F	100 120	— —	— —	— —	— —	— 2	5 6	11 22	35 26	31 33	16 33	70 72	— —	— —	— —	— 1	— —	— —	2 2	6 11	12 13	30 27		
14	Diabetes	M F	13 16	— —	— —	— —	— 1	— 1	— —	1 —	3 2	5 3	3 3	6 7	— —	— —	— —	— —	— —	— —	— —	— 1	1 —	2 5		
15	Cerebral hæmorrhage	M 																								

TABLE 24—*contd.*      **Administrative County of Berks.**

Cause of Death.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	406	18	3	5	6	15	15	18	33	60	113	120	844	55	9	6	18	30	23	30	68	132	214	259
	F	484	22	5	13	8	15	15	23	31	68	106	178	796	36	2	7	18	29	23	46	62	102	153	318
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	5	3	1	-	1	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	5	3	1	1	-	-	-	-	-	-	-	-
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	1	2	-	-	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-	-
Influenza	M	8	-	-	-	-	-	1	-	2	2	1	2	24	1	-	-	1	-	1	-	-	6	7	8
	F	13	-	1	1	-	-	-	-	1	2	6	2	21	-	-	-	1	1	-	-	3	8	3	5
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	22	-	-	-	-	5	7	3	5	-	1	1	37	-	-	-	-	5	9	5	5	9	2	2
	F	22	-	-	-	-	8	6	3	-	3	-	2	40	-	-	-	1	13	10	9	2	2	2	1
Other tuberculosis	M	4	1	1	1	1	1	-	-	-	-	-	-	19	2	1	3	3	4	2	1	2	-	-	-
	F	6	-	1	2	1	1	-	1	-	-	-	-	7	-	-	-	2	-	-	3	1	1	-	-
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-
Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	-	1	-	2	1	3	-	-	-	-	-	1	-	1	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Cancer	M	72	-	-	-	-	-	-	3	2	20	33	14	108	1	-	-	1	1	-	1	7	19	45	33
	F	79	-	-	1	-	-	-	3	9	19	25	22	112	-	-	-	-	2	-	4	16	34	30	26
Diabetes	M	6	-	-	-	-	-	-	-	-	2	3	1	10	-	-	-	-	1	-	2	2	3	2	2
	F	6	-	-	-	-	-	-	-	-	1	3	2	18	-	-	-	2	-	1	-	1	8	6	6
Cerebral hæmorrhage	M	29	-	-	-	-	-	-	1	3	7	18	36	-	-	-	-	-	-	-	-	6	15	15	
	F	35	-	-	-	-	-	1	2	7	5	20	52	-	-	-	-	-	1	-	-	4	20	27	
Heart disease	M	77	-	-	-	2	2	8	10	29	26	175	-	-	-	-	1	2	7	14	30	55	66	66	
	F	104	-	-	1	1	3	4	9	5	35	46	142	-	-	-	1	1	2	2	9	20	29	78	
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Other circulatory	M	25	-	-	-	-	-	-	2	2	7	14	59	-	-	-	-	-	-	-	3	8	20	28	
	F	31	-	-	-	-	-	1	-	3	6	21	44	-	-	-	-	-	-	-	-	3	14	27	
Bronchitis	M	19	1	-	-	1	-	-	2	-	2	5	8	39	4	2	-	1	-	1	-	-	10	19	
	F	26	-	-	1	-	-	-	1	2	3	19	46	2	-	-	-	1	-	-	1	2	7	33	
Pneumonia	M	23	7	1	1	-	-	-	2	1	2	5	4	31	3	2	1	-	2	1	2	4	5	6	5
	F	10	1	-	-	-	-	-	-	1	1	7	33	6	1	-	-	-	1	3	3	3	4	12	
Other respiratory	M	2	-	-	-	-	-	-	-	-	2	-	11	-	-	-	-	1	1	-	1	3	3	2	
	F	4	-	-	-	-	-	1	-	1	1	1	7	-	-	-	-	-	1	-	1	2	3	3	
Peptic ulcer	M	3	-	-	-	2	-	-	-	1	-	-	9	-	-	-	-	-	-	2	4	2	1	1	
	F	1	-	-	-	-	-	-	1	-	-	-	6	-	-	-	-	-	2	2	1	-	-	-	
Diarrhœa	M	3	-	-	1	-	-	-	-	-	-	1	1	4	3	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	5	-	-	-	-	-	-	1	2	1	1	1	
Appendicitis	M	5	-	-	-	1	2	-	-	1	-	1	-	8	-	-	1	-	2	1	-	2	1	-	-
	F	2	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	2	-	-	-	1	-	-
Cirrhosis of liver	M	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	2	-	1	-	-
Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	1	-	-	1	-	1	-
Other digestive	M	5	-	-	-	-	-	1	-	2	2	-	17	-	-	-	2	1	-	2	3	1	4	4	3
	F	4	-	-	-	-	-	-	-	2	-	2	11	-	-	-	-	1	-	2	4	1	-	3	6
Nephritis	M	6	-	-	-	-	-	-	-	2	-	3	1	26	-	-	-	-	1	-	2	10	7	6	6
	F	10	-	-	-	-	-	-	1	3	2	4	37	-	-	1	-	1	2	2	5	3	9	14	14
Puerperal sepsis	F	4	-	-	-	3	1	-	-	-	-	-	-	3	-	-	-	2	1	-	-	-	-	-	-
Other puerperal	F	3	-	-	-	-	2	-	-	-	-	-	-	6	-	-	-	-	2	4	-	-	-	-	-
Congenital causes, etc.	M	9	9	-	-	-	-	-	-	-	-	-	-	34	33	-	-	-	1	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	26	25	1	-	-	-	-	-	-	-	-	-
Senility	M	19	-	-	-	-	-	-	1	-	-	-	18	47	-	-	-	-	-	-	-	-	6	41	
	F	21	-	-	-	-	-	-	-	-	-	1	20	63	-	-	-	-	-	-	-	-	8	55	
Suicide	M	5	-	-	-	-	1	-	1	2	-	1	15	-	-	-	-	-	1	2	5	5	-	-	-
	F	4	-	-	-	1	1	-	1	2	-	-	3	-	-	-	-	1	1	1	1	-	-	-	-
Other violence	M	23	-	-	2	1	2	2	1	8	3	2	39	1	-	-	4	7	1	1	12	4	5	4	4
	F	14	-	-	-	1	1	-	1	2	5	4	17	-	-	1	2	1	1	1	1	2	4	5	5
Other defined causes	M	31	-	1	-	3	1	2	4	5	3	6	6	74	3	2	-	6	4	2	5	8	9	14	21
	F	49	-	1	2	4	1	8	4	15	10	4	62	-	-	-	4	5	3	6	10	9	7	18	18
Ill-defined causes	M	3	-	-	-	-	-	1	-	1	-	1	5	-	-	-	-	-	-	1	1	1	1	2	2
	F	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	1	-	-	1	3	3



Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	647	41	11	8	11	40	27	39	74	96	148	152	828	46	14	10	21	37	20	36	63	141	215	22		
	F	659	47	7	2	13	27	27	29	48	93	145	221	815	38	11	9	8	28	33	38	72	110	181	23		
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Scarlet fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
4 Whooping cough	M	4	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
5 Diphtheria	M	2	—	—	2	—	—	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	4	1	—	1	2	—	—	—	—	—	—	—		
6 Influenza	M	16	—	2	—	—	—	—	1	2	6	2	3	18	—	—	—	2	—	—	2	3	5	4	—		
	F	22	—	1	—	1	—	1	—	2	4	4	9	27	—	1	—	1	—	4	1	5	4	5	—		
7 Encephalitis lethargica	M	3	—	—	1	—	1	—	1	—	—	—	—	2	—	—	—	1	—	—	1	—	—	—	—		
	F	2	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—		
8 Cerebro-spinal fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—		
9 Respiratory tuberculosis	M	34	—	—	—	1	10	9	5	4	3	2	—	36	—	—	—	—	9	7	6	8	5	1	—		
	F	34	2	—	—	1	11	10	4	3	2	1	—	29	—	—	—	—	8	6	7	5	2	2	—		
10 Other tuberculosis	M	6	—	—	—	1	4	—	—	—	—	—	—	7	—	2	—	—	—	1	—	2	—	—	—		
	F	11	1	1	—	1	1	3	1	—	1	1	1	11	2	3	1	1	—	2	—	1	—	1	—		
11 Syphilis	M	3	—	1	—	—	—	1	—	—	1	—	—	2	1	—	—	—	—	—	—	—	1	—	—		
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
12 Gen. paralysis of insane, etc.	M	5	—	—	—	—	—	—	—	2	2	1	—	3	—	—	—	—	—	—	2	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	—	—		
13 Cancer	M	79	—	—	—	—	—	—	3	14	18	27	17	114	—	—	1	—	—	—	4	4	31	46	—		
	F	80	—	1	—	—	1	1	2	15	23	26	11	122	—	—	—	—	—	7	17	31	41	—			
14 Diabetes	M	5	—	—	—	—	2	—	—	1	—	—	—	4	—	—	—	1	—	—	—	—	1	2	—		
	F	7	—	—	—	—	—	—	—	—	3	3	1	10	—	—	—	—	—	—	2	2	4	—	—		
15 Cerebral hæmorrhage	M	34	—	—	—	—	—	—	1	—	8	12	13	55	—	—	—	—	—	—	—	2	13	15	—		
	F	48	—	—	—	—	—	—	—	2	7	18	21	59	—	—	—	—	—	—	1	4	6	16	—		
16 Heart disease	M	101	—	—	—	1	3	1	5	11	18	33	29	156	—	—	—	—	1	4	5	9	37	53	—		
	F	129	1	—	—	1	2	1	2	7	19	36	60	169	—	—	—	1	7	1	4	10	28	44	—		
17 Aneurysm	M	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	2	—		
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
18 Other circulatory	M	33	—	—	—	—	—	—	—	3	4	13	13	50	—	—	—	—	—	—	—	2	4	19	—		
	F	34	—	—	—	—	—	—	—	2	6	8	18	44	—	—	—	—	—	1	—	1	3	16	—		
19 Bronchitis	M	38	2	1	—	—	—	—	—	2	9	8	16	43	—	1	—	—	—	—	—	2	4	8	—		
	F	46	3	1	—	—	—	—	1	—	2	5	34	41	2	—	—	—	1	—	—	1	1	6	—		
20 Pneumonia	M	37	5	3	—	1	1	2	3	7	2	7	6	46	6	5	2	3	3	—	6	1	5	10	—		
	F	29	6	2	—	2	1	2	1	3	—	6	6	39	5	1	1	2	—	—	1	7	5	5	—		
21 Other respiratory	M	7	—	—	—	—	—	—	1	1	1	—	4	15	—	—	2	2	—	—	2	1	—	5	—		
	F	13	—	—	—	—	—	—	2	1	2	3	5	5	—	—	—	—	—	—	—	3	1	—	—		
22 Peptic ulcer	M	10	—	—	—	—	—	1	2	4	1	2	—	10	—	—	—	—	—	—	1	3	1	4	—		
	F	2	—	—	—	—	—	—	1	—	—	—	1	6	—	—	—	—	1	—	1	—	—	2	—		
23 Diarrhœa	M	1	—	—	—	—	—	—	—	—	—	—	—	7	3	1	—	—	1	—	—	—	1	1	—		
	F	3	2	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	—	—	—		
24 Appendicitis	M	6	—	—	1	1	1	—	—	1	—	1	1	9	—	—	—	1	1	—	—	—	2	2	—		
	F	3	—	—	—	—	—	1	—	—	1	1	—	2	—	—	—	2	—	—	—	—	—	—	—		
25 Cirrhosis of liver	M	4	—	—	—	—	—	—	2	—	—	2	—	3	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	—	—	1	3	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
26 Other liver diseases	M	1	—	—	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	—	1	—	1	—		
	F	9	—	—	—	—	—	—	1	1	2	4	1	4	—	—	—	—	—	—	1	1	—	1	—		
27 Other digestive	M	17	—	—	—	1	3	1	2	1	5	2	2	18	2	—	—	1	—	—	1	3	1	4	—		
	F	13	—	—	1	2	—	—	—	1	5	2	2	17	—	—	—	—									

TABLE 24—*contd.* Administrative County of Cambridge.

Causes of Death.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
1 Causes	M	333	17	1	5	6	14	9	11	28	48	87	107	471	31	5	2	12	9	12	23	37	69	100	171
	F	416	16	4	1	6	12	10	15	26	59	107	160	451	20	4	2	11	15	16	21	35	55	91	181
phoid	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
fever, etc.	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
asles	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
arlet	M	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
fever	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
hooping	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
cough	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
phtheria	M	2	-	-	-	2	-	-	-	-	-	-	-	7	-	1	1	3	1	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
fluenza	M	5	-	-	-	-	-	-	-	-	1	3	-	20	-	-	-	-	1	-	-	3	4	2	10
	F	6	-	-	-	-	-	-	-	1	3	-	2	10	-	-	-	1	-	-	1	2	3	-	3
ncephalitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lethargica	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	-	-	-	-
rebro-spinal	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
fever	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
espiratory	M	17	1	-	-	-	1	4	3	4	2	2	-	21	-	-	-	-	3	3	8	4	2	1	-
tuberculosis	F	19	-	-	-	-	6	4	3	-	4	2	-	26	-	-	1	-	7	7	5	3	2	1	-
ther	M	4	-	1	1	-	1	-	-	-	-	1	-	7	-	1	-	1	1	-	1	-	2	1	-
tuberculosis	F	5	1	1	-	1	1	1	-	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-	-
ymphilis	M	1	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	1	1
	F	1	-	-	-	-	1	-	-	-	-	-	-	4	1	-	-	-	-	-	-	1	2	-	-
en. paralysis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
of insane, etc.	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
ancer	M	51	-	-	-	-	1	-	2	7	12	14	15	55	-	-	-	-	-	2	9	8	20	16	16
	F	84	-	-	-	1	-	-	5	7	16	33	22	61	-	-	-	-	2	4	12	9	16	18	18
diabetes	M	5	-	-	-	-	-	-	-	1	2	2	-	7	-	-	-	-	-	-	-	3	2	2	1
	F	10	-	-	-	-	-	-	-	1	3	2	4	4	-	-	-	1	-	-	-	1	1	-	-
erebral	M	17	-	-	-	-	-	-	-	1	2	8	6	27	-	-	-	-	-	-	-	3	11	13	13
hamorrhage	F	31	-	-	-	-	-	-	-	-	4	7	20	37	-	-	-	-	-	1	2	9	7	18	18
heart	M	72	-	-	1	-	-	-	1	2	13	29	26	82	-	-	-	1	1	4	16	27	33	33	33
disease	F	89	-	-	-	-	1	2	-	4	12	25	45	94	-	-	-	-	1	2	4	13	21	53	53
neurysm	M	5	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ther	M	11	-	-	-	-	-	-	-	1	-	4	6	20	-	-	-	-	-	-	1	1	4	14	14
circulatory	F	21	-	-	-	-	-	-	-	1	3	5	12	25	-	-	-	-	-	-	1	2	6	16	16
ronchitis	M	18	2	-	-	-	-	-	-	2	2	1	11	30	1	-	-	-	-	1	1	2	7	18	18
	F	19	2	-	-	-	-	-	-	-	8	9	22	22	2	1	-	-	-	-	-	-	6	13	13
neumonia	M	13	2	-	-	1	-	1	1	1	1	3	3	18	5	1	-	-	2	2	3	1	1	3	3
	F	16	1	1	1	-	1	-	-	-	2	7	3	23	4	2	1	-	-	1	-	4	5	6	6
ther	M	4	-	-	-	-	-	-	-	2	1	1	5	5	1	-	-	1	-	-	-	2	-	1	1
respiratory	F	6	-	-	-	-	-	-	-	-	4	2	2	2	-	-	-	-	-	-	-	1	1	-	-
teptic	M	7	-	-	-	-	-	2	2	1	2	-	5	5	-	-	-	-	1	1	3	-	-	-	-
ulcer	F	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
diarrhoea	M	1	1	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-	-	-	-	1	1	1
	F	2	1	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	1	-	-	1	-	-	-
ppendicitis	M	2	-	-	1	-	-	-	-	1	-	-	-	5	-	-	-	-	-	1	2	2	-	-	-
	F	3	-	-	-	1	-	-	1	-	-	-	1	4	-	-	-	-	-	2	1	-	-	-	-
irrhosis of	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-
liver	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ther liver	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
diseases	F	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	1	1	-	-	-
ther	M	5	-	-	-	-	1	1	-	-	-	2	1	14	-	-	-	1	-	-	4	4	3	2	2
digestive	F	9	-	-	-	2	1	-	1	1	1	2	1	7	-	-	-	2	1	-	-	-	1	1	1
ephritis	M	11	-	-	-	-	-	-	1	3	3	1	3	14	-	-	-	1	-	1	1	2	4	4	4
	F	9	-	-	-	1	-	-	-	1	3	3	1	13	-	-	-	-	1	-	1	2	6	3	3
uerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
ther puerperal	F	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
ongenital	M	9	9	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
causes, etc.	F	11	10	1	-	-	-	-	-	-	-	-	-	11	10	-	-	1	-	-	-	-	-	-	-
enility	M	18	-	-	-	-	-	-	-	-	-	1	17	30	-	-	-	-	-	-	-	-	3	2	2
	F	29	-	-	-	-	-	-	-	-	-	3	26	39	-	-	-	-	-	-	-	-	5	3	3
uicide	M	6	-	-	-	-	-	2	-	1	2	1	-	6	-	-	-	-	-	4	1	1	-	-	-
	F	2	-	-	-	-	-	-	-	2	-	-	-	7	-	-	-	-	-	1	3	2	1	-	-
Other	M	16	1	-	1	-	9	-	-	1	1	1	2	23	1	-	-	2	1	5	1	1	4	1	1
violence	F	8	-	-	-	-	-	-	-	3	2	3	10	10	-	-	-	2	4	1	-	1	-	-	-
Other defined	M	31	1	-	-	2	1	1	1	-	2	10	13	39	1	-	1	2	-	1	1	2	10	6	1
causes	F	25	1	1	-	-	1	2	2	4	5	4	5	30	3	1	-	2	1	1	4	4	2	5	5
Ill-defined	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
causes	F	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	2	2



Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—	All Ages	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—			
All Causes	M	2747	235	37	50	65	78	106	145	302	524	691	514	1093	83	9	14	34	41	29	56	110	170	283			
	F	2731	142	36	31	57	81	129	136	253	464	653	749	1108	65	9	9	34	31	57	59	105	169	268			
1 Typhoid fever, etc.	M	1	—	—	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—	1	—	1	—	1			
	F	2	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—			
2 Measles	M	4	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	4	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—			
	F	1	—	—	—	1	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—			
4 Whooping cough	M	10	7	2	1	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—	—			
	F	17	7	6	4	—	—	—	—	—	—	—	—	7	4	2	1	—	—	—	—	—	—	—			
5 Diphtheria	M	21	—	—	5	16	—	—	—	—	—	—	—	5	—	—	1	4	—	—	—	—	—	—			
	F	12	—	—	3	8	—	—	—	1	—	—	—	11	—	—	3	7	—	—	—	—	1	—			
6 Influenza	M	81	1	1	1	4	4	2	6	15	20	11	16	24	—	1	—	2	2	—	2	4	2	6			
	F	106	—	1	1	—	6	9	12	11	15	21	30	20	1	—	—	—	—	1	5	1	3	4			
7 Encephalitis lethargica	M	12	—	—	—	2	1	2	1	2	1	3	—	1	—	—	—	—	—	—	—	—	—	1			
	F	5	—	—	—	—	—	—	—	1	2	2	—	1	—	—	—	—	—	—	—	—	—	1			
8 Cerebro-spinal fever	M	2	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—			
	F	1	1	—	—	—	—	—	—	—	—	—	—	3	—	1	—	1	1	—	—	—	—	—			
9 Respiratory tuberculosis	M	146	—	2	—	—	20	25	33	34	20	10	2	49	—	—	—	2	6	8	8	15	7	3			
	F	121	—	1	—	6	33	37	22	9	9	4	—	54	—	—	—	2	8	19	10	5	9	1			
10 Other tuberculosis	M	29	2	5	7	4	1	4	3	1	1	1	—	14	2	1	2	3	1	1	1	2	1	—			
	F	19	3	4	1	2	4	3	—	1	1	—	—	6	—	1	2	2	1	—	—	—	—	—			
11 Syphilis	M	5	—	—	—	—	—	—	1	1	3	—	—	1	1	—	—	—	—	—	—	—	—	—			
	F	4	3	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1			
12 Gen. paralysis of insane, etc.	M	17	—	—	—	—	—	2	5	2	7	1	—	3	—	—	—	—	—	—	1	1	—	1			
	F	3	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
13 Cancer	M	359	—	—	1	—	2	1	8	47	116	137	47	141	—	—	1	—	3	—	5	21	46	46			
	F	375	—	1	1	—	1	4	20	59	111	105	73	166	—	—	—	—	—	10	34	38	56	—			
14 Diabetes	M	41	—	—	—	1	2	2	—	5	8	15	8	10	—	—	—	—	1	—	—	1	2	3			
	F	46	—	—	—	2	2	—	1	4	11	16	10	17	—	—	—	1	—	—	—	—	5	7			
15 Cerebral hæmorrhage	M	143	—	—	—	—	—	—	1	10	39	51	42	54	—	—	—	—	—	—	2	4	8	19			
	F	173	—	—	—	—	1	1	2	9	27	71	62	72	—	—	—	—	—	—	—	7	10	25			
16 Heart disease	M	556	—	—	—	3	4	12	19	56	127	193	142	241	—	—	—	1	1	2	4	12	43	84			
	F	635	—	—	—	7	9	13	14	45	117	206	224	271	—	—	—	2	4	5	8	14	46	86			
17 Aneurysm	M	6	—	—	—	—	—	—	—	1	2	2	1	6	—	—	—	—	—	—	—	3	1	2			
	F	2	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	—	—			
18 Other circulatory	M	164	—	—	—	—	1	1	1	6	24	76	55	65	—	—	—	—	—	—	—	1	10	27			
	F	147	—	—	—	—	—	1	—	9	29	47	61	58	—	—	—	—	—	—	—	2	6	25			
19 Bronchitis	M	135	19	3	4	2	2	2	2	11	10	37	43	32	4	2	—	—	—	—	—	4	1	8			
	F	141	9	2	1	1	—	4	5	15	37	67	30	4	—	—	2	—	—	2	—	—	1	6			
20 Pneumonia	M	172	28	11	10	10	4	6	13	26	32	23	9	54	7	2	1	1	2	1	7	6	11	10			
	F	128	22	7	9	5	3	5	11	10	24	13	19	54	8	1	—	1	3	5	2	4	11	9			
21 Other respiratory	M	29	—	—	2	—	2	2	2	9	6	2	4	9	1	—	1	1	1	1	1	2	—	—			
	F	25	—	—	—	—	—	2	2	4	9	4	4	11	—	—	—	1	—	1	2	1	1	4			
22 Peptic ulcer	M	24	—	—	—	—	—	1	5	6	7	4	1	8	—	—	—	—	—	—	3	2	2	1			
	F	7	—	—	—	—	—	1	—	3	2	1	—	6	—	—	—	—	—	1	—	1	—	3			
23 Diarrhoea	M	22	15	2	3	1	—	—	—	—	1	—	—	4	3	—	—	—	—	—	—	1	—	—			
	F	19	5	4	2	—	—	1	1	2	2	—	—	8	2	—	—	—	—	1	1	2	—	1			
24 Appendicitis	M	12	—	—	1	2	1	3	—	3	1	1	—	5	—	—	1	2	—	—	—	1	—	—			
	F	19	—	—	—	3	2	2	1	4	4	2	1	7	—	—	—	1	—	1	1	—	3	—			
25 Cirrhosis of liver	M	4	—	—	—	—	—	—	—	—	2	1	1	7	—	—	—	—	—	—	—	1	2	3			
	F	4	—	—	—	—	—	—	—	1	2	1	—	3	—	—	—	—	—	—	1	—	1	1			
26 Other liver diseases	M	10	—	—	—	1	—	—	—	1	1	5	2	1	—	—	—	—	—	—	—	—	—	1			
	F	25	—	—	—	—	—	—	2	2	6	9	6	12	—	—	—	—	—	1	1	1	2	3			
27 Other digestive	M	53	6	—	4	2	1	7	4	7	8	9	5	22	3	—	1	2	2	2	3	2	2	4			
	F	47	2	2	—	2	2	2	6	3	5	14	9	21	2	—	—	—	1	2	2	3	6	6			
28 Nephritis	M	93	—	—	1	1	1	1	8	14	23	31	13	50	1	—	—	—	2	2	2	4	6	18			
	F	102	—	—	1	2	1	3	2	13	21	33	26	35	—	—	—	—	1	3	2	3	7	9			
29 Puerperal sepsis	F	8	—	—	—	—	—	5	3	—	—	—	—	2	—	—	—	—	1	1	—	—	—	—			
30 Other puerperal	F	18	—	—	—	—	3	10	4	1	—	—	—	4	—	—	—	—	1	3	—	—	—	—			
31 Congenital causes, etc.	M	126	124	1	—	—	—	1	—	—	—	—	—	52	52	—	—	—	—	—	—	—	—	—			
	F	76	76	—	—	—	—	—	—	—	—	—	—	40	38	—	—	2	—	—	—	—	—	—			
32 Senility	M	83	—	—	—	—	—	—	—	—	—	—	9	74	—	—	—	—	—	—	—	—	1	3			
	F	127	—	—	—	—	—	—	—	—	—	16	111	44	—	—	—	—	—	—	—	—	—	1			
33 Suicide	M	39	—	—	—	—	1	2	8	11	8	8	1	20	—	—	—	—	—	2	6	4	6	2			
	F	20	—	—	—	—	2																				

Causes of Death. First page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	966	59	10	13	17	39	30	51	86	182	229	250	1146	82	16	9	16	35	35	49	109	166	293	336		
	F	1116	36	9	12	18	38	42	39	86	158	260	418	1150	65	8	8	16	34	42	53	85	148	275	416		
Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-		
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
Whooping cough	M	3	2	-	1	-	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-	-		
	F	3	-	-	2	1	-	-	-	-	-	-	-	5	3	1	1	-	-	-	-	-	-	-	-		
Diphtheria	M	3	-	-	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	5	-	-	2	3	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-		
Influenza	M	19	-	-	2	-	1	2	1	1	4	4	4	23	-	-	-	1	-	2	1	2	7	6	4		
	F	24	-	1	-	-	2	1	2	5	2	6	5	26	-	-	-	-	1	1	3	1	5	10	5		
Encephalitis lethargica	M	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
	F	2	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-		
Cerebro-spinal fever	M	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Respiratory tuberculosis	M	56	-	-	-	-	12	9	11	8	12	4	-	57	-	-	-	-	8	12	14	17	5	1	-		
	F	49	-	-	-	2	14	13	6	3	4	6	1	41	-	-	-	-	13	14	5	1	4	4	-		
Other tuberculosis	M	23	5	-	4	2	3	2	5	1	1	-	-	10	-	1	-	1	3	2	1	-	2	-	-		
	F	16	-	1	-	3	2	3	2	2	1	1	1	12	1	-	-	2	1	2	3	2	1	-	-		
Syphilis	M	6	2	-	-	-	-	-	-	1	-	3	-	2	1	-	-	-	-	-	-	1	-	-	-		
	F	3	-	-	-	-	-	-	1	2	-	-	-	5	-	-	-	-	2	-	-	1	2	-	-		
Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	4	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer	M	86	-	-	-	-	1	-	1	8	21	31	24	129	-	-	-	-	1	-	3	17	24	51	33		
	F	170	-	-	-	-	1	2	9	33	39	50	36	136	-	-	-	-	-	3	5	22	35	44	27		
Diabetes	M	16	-	-	-	-	-	1	3	-	4	4	4	19	-	-	-	-	1	-	-	3	7	6	2		
	F	32	-	-	-	-	1	-	-	-	8	14	9	29	-	-	-	-	-	1	1	2	9	10	6		
Cerebral hæmorrhage	M	61	-	-	-	-	-	-	1	3	16	21	20	59	-	-	-	-	-	-	2	3	6	20	28		
	F	86	-	-	-	-	-	-	1	4	13	25	43	97	-	-	-	-	-	1	4	11	38	43			
Heart disease	M	238	-	-	-	-	3	3	5	18	53	72	84	255	-	-	-	2	-	1	1	14	46	100	91		
	F	233	-	-	-	-	2	4	5	9	33	64	116	245	-	-	-	1	2	3	7	15	34	76	107		
Aneurysm	M	3	-	-	-	-	-	-	-	2	-	1	-	3	-	-	-	-	-	-	-	1	1	1	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-		
Other circulatory	M	45	-	-	-	-	-	-	-	2	6	19	18	49	-	-	-	-	-	-	-	2	7	16	24		
	F	43	-	-	-	-	-	1	-	4	3	16	19	53	-	-	-	-	-	-	-	4	4	16	29		
Bronchitis	M	39	2	-	-	-	-	-	-	6	8	11	12	55	3	1	-	-	-	-	1	2	11	12	25		
	F	51	-	2	-	-	-	1	-	1	4	13	30	44	4	2	-	-	-	-	1	2	13	22			
Pneumonia	M	43	5	5	1	1	2	1	3	4	8	5	8	29	3	5	2	-	-	-	3	4	5	4	3		
	F	34	1	3	1	-	1	2	4	1	5	5	11	36	3	3	3	1	1	2	6	2	2	6	7		
Other respiratory	M	24	-	-	-	-	1	-	1	7	6	3	6	29	-	-	1	1	-	-	3	4	5	10	5		
	F	10	1	-	-	-	2	-	-	-	1	3	3	14	-	-	-	1	1	-	1	-	4	4	3		
Peptic ulcer	M	11	-	-	-	-	-	1	4	3	2	1	-	10	-	-	-	-	-	-	3	5	1	1			
	F	3	-	-	-	-	-	1	-	-	1	-	1	8	-	-	-	-	-	1	-	3	1	-	3		
Diarrhoea	M	7	5	-	-	-	-	-	-	-	1	1	-	8	3	1	-	1	-	-	1	1	-	-	-		
	F	7	5	-	-	1	-	-	-	-	-	1	-	9	3	-	1	-	1	-	-	-	2	2			
Appendicitis	M	6	-	1	-	-	-	-	-	2	2	1	-	9	-	-	-	1	2	-	1	3	1	1	-		
	F	10	-	-	-	2	1	1	-	-	6	-	-	4	-	-	-	-	-	-	1	1	-	-	2		
Cirrhosis of liver	M	4	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	1	-	-	-	-		
	F	3	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-		
Other liver diseases	M	7	-	-	-	-	-	-	-	1	1	2	3	7	-	1	-	-	-	-	-	-	1	-	5		
	F	9	-	-	1	-	-	-	-	1	2	3	2	8	-	-	-	-	1	-	1	-	3	-	2		
Other digestive	M	16	-	-	-	1	1	1	2	1	3	4	3	24	1	-	1	-	-	1	1	7	4	8			
	F	23	-	-	1	1	2	1	-	1	8	4	5	27	1	-	-	1	3	3	1	2	4	4			
Nephritis	M	36	-	-	-	-	-	1	-	3	13	7	12	40	-	-	-	-	1	2	2	6	4	13	12		
	F	54	-	-	-	-	-	1	3	4	6	15	25	41	-	-	1	1	1	1	2	8	4	10	13		
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	2	-	-	-	-	-		
Other puerperal	F	9	-	-	-	-	2	5	2	-	-	-	-	4	-	-	-	-	1	1	2	-	-	-	-		
Congenital causes, etc.	M	30	29	-	-	-	-	1	-	-	-	-	-	65	64	-	1	-	-	-	-	-	-	-	-		
	F	23	21	1	1	-	-	-	-	-	-	-	-	44	44	-	-	-	-	-	-	-	-	-	-		
Senility	M	35	-	-	-	-	-	-	-	-	-	-	4	31	70	-	-	-	-	-	-	-	-	8	62		
	F	101	-	-	-	-	-	-	-	-	1	11	89	126	-	-	-	-	-	-	-	-	9	117			
Suicide	M	6	-	-	-	-	-	1	1	-	2	2															



Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	866	106	18	23	31	49	46	53	94	120	176	150	587	48	8	4	13	16	16	25	59	96	140	1		
	F	759	63	15	16	28	45	42	24	64	117	159	186	601	44	11	8	16	15	12	24	29	82	142	2		
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	7	2	4	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-			
	F	7	2	2	1	2	-	-	-	-	-	-	-	4	2	1	-	1	-	-	-	-	-	-			
3 Scarlet fever	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
4 Whooping cough	M	5	3	-	2	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-			
	F	4	1	2	1	-	-	-	-	-	-	-	-	7	4	2	1	-	-	-	-	-	-	-			
5 Diphtheria	M	2	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-			
	F	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
6 Influenza	M	20	-	-	-	1	2	3	-	2	2	7	3	9	-	-	-	-	-	-	2	2	2	-			
	F	20	1	-	1	3	-	1	1	3	5	3	2	12	-	-	-	1	-	-	3	1	2	2			
7 Encephalitis lethargica	M	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-			
8 Cerebro-spinal fever	M	1	-	-	-	-	1	-	-	-	-	-	-	5	1	-	-	1	-	-	2	-	1	-			
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	63	-	-	-	2	16	17	11	12	3	1	1	30	-	-	-	1	5	5	9	3	1	-			
	F	54	-	-	-	4	21	16	6	1	3	3	-	14	-	-	-	1	4	-	1	3	1	-			
10 Other tuberculosis	M	11	2	2	2	1	1	-	2	1	-	-	-	7	-	1	-	1	-	-	-	3	-	-			
	F	18	3	-	-	5	3	4	-	-	2	1	-	4	-	-	-	3	-	-	-	1	-	-			
11 Syphilis	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
	F	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
13 Cancer	M	88	-	-	-	-	-	1	2	14	21	40	10	79	-	-	-	1	1	-	5	6	21	29			
	F	104	-	-	-	-	-	1	3	21	34	25	20	77	-	-	-	2	1	3	5	7	21	17			
14 Diabetes	M	8	-	-	-	-	-	-	1	2	2	2	1	8	-	-	-	-	-	1	-	1	2	4			
	F	13	-	-	-	-	1	-	1	1	4	4	2	7	-	-	-	-	-	-	-	3	4	-			
15 Cerebral hæmorrhage	M	41	-	-	-	-	-	-	2	-	7	18	14	39	-	-	-	-	-	-	2	5	14	-			
	F	40	-	-	-	-	-	-	-	5	6	12	17	50	-	-	-	-	-	-	1	2	6	18			
16 Heart disease	M	143	-	-	-	4	1	3	5	14	26	37	53	121	-	-	-	-	-	-	3	9	18	46			
	F	168	-	-	-	1	4	6	2	8	27	60	60	128	-	-	-	-	2	5	8	19	33	-			
17 Aneurysm	M	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	1	-			
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
18 Other circulatory	M	29	-	-	-	-	-	-	-	-	2	13	14	34	1	-	-	-	-	-	-	4	9	-			
	F	18	-	-	-	-	-	1	-	-	2	5	10	59	-	-	-	-	-	-	-	6	22	-			
19 Bronchitis	M	49	12	4	3	1	-	1	-	2	4	11	11	21	4	-	-	-	-	-	1	3	5	-			
	F	43	7	-	-	-	-	-	-	1	7	12	16	29	1	1	-	-	-	-	1	1	7	-			
20 Pneumonia	M	56	11	3	8	2	4	4	4	8	6	4	2	29	7	1	-	2	1	2	1	5	3	5			
	F	47	14	5	7	2	4	2	-	3	4	5	1	22	2	5	1	2	1	1	-	3	3	-			
21 Other respiratory	M	21	-	-	1	2	1	1	1	7	5	1	2	13	-	-	-	-	1	-	2	4	2	-			
	F	13	-	-	-	1	-	1	1	-	1	3	6	9	-	-	1	-	-	-	1	1	2	-			
22 Peptic ulcer	M	8	-	-	-	-	-	-	3	1	3	1	-	5	-	-	-	-	1	-	2	1	-	-			
	F	3	-	-	-	-	-	-	1	-	1	-	1	4	-	-	-	-	-	-	1	1	2	-			
23 Diarrhœa	M	6	5	1	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-			
	F	8	2	1	2	1	-	1	-	-	-	-	1	6	3	-	1	-	-	1	-	-	-	-			
24 Appendicitis	M	3	-	-	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	1	-	-	-	-			
25 Cirrhosis of liver	M	3	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	-	3	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-			
	F	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-			
27 Other digestive	M	15	3	1	-	-	-	1	2	-	6	2	-	10	2	-	1	1	1	-	1	1	1	-			
	F	10	2	1	-	2	-	-	-	-	-	2	3	16	4	1	-	1	1	1	-	3	3	-			
28 Nephritis	M	36	-	-	-	1	3	2	-	6	10	10	4	25	-	1	-	-	-	-	3	8	5	-			
	F	27	-	-	-	-	-	1	-	6	6	8	6	24	-	-	-	1	1	1	-	3	4	5			
29 Puerperal sepsis	F	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-			
30 Other puerperal	F	12	-	-	-	-	4	5	3	-	-	-	-	4	-	-	-	-	2	1	1	-	-	-			
31 Congenital causes, etc.	M	57	55	-	-	1	-	-	-	-	1	-	-	24	23	-	-	1	-	-	-	-	-	-			
	F	25	24	1	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-			
32 Senility	M	29	-	-	-	-	-	-	-	-	1	6	22	22	-	-	-	-	-	-	-	-	2				

Causes of Death. 1st page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M F	1900 1744	202 149	32 28	39 28	43 34	62 77	89 80	107 102	172 146	320 280	452 388	382 432	1702 1509	201 146	36 33	39 30	34 44	67 64	70 66	108 89	173 134	245 197	379 331	350 375
Typhoid fever, etc.	M F	1 2	- -	- -	- -	- -	- -	- -	- -	- 2	1 -	- -	- -	2 1	- -	- -	- -	- 1	1 -	- -	1 -	- -	- -	- -	- -
Measles	M F	8 10	1 2	4 1	2 2	1 5	- -	- -	- -	- -	- -	- -	- -	3 6	1 1	- 2	- 2	2 1	- -	- -	- -	- -	- -	- -	- -
Scarlet fever	M F	2 1	- -	- -	1 1	1 1	- -	- -	- -	- -	- -	- -	- -	1 7	- 5	- 1	- 1	- 1	1 -	- -	- -	- -	- -	- -	- -
Whooping cough	M F	5 13	2 8	1 1	2 3	- 1	- -	- -	- -	- -	- -	- -	- -	7 9	5 4	1 3	1 2	- -	- -	- -	- -	- -	- -	- -	- -
Diphtheria	M F	4 2	- -	- -	2 1	2 1	- -	- -	- -	- -	- -	- -	- -	10 8	- -	- 3	5 1	4 3	- 1	- 3	- 5	- 11	1 5	- 8	- 9
Influenza	M F	80 57	7 -	- 4	2 -	2 4	3 5	5 3	10 7	13 5	11 8	17 7	10 14	63 58	5 3	3 4	3 3	1 1	3 3	5 4	11 2	5 8	8 6	15 15	10 9
Encephalitis lethargica	M F	3 5	- -	- -	- -	- -	1 1	1 -	2 -	1 -	- -	1 -	- -	1 2	- -	- -	- -	1 -	- -	- -	1 -	1 -	- -	- -	- -
Cerebro-spinal fever	M F	9 4	3 1	- -	- 1	1 -	3 -	2 -	- -	- -	- 2	- -	- -	22 16	2 2	1 -	3 3	2 4	8 2	4 3	2 -	1 -	1 -	- -	- -
Respiratory tuberculosis	M F	83 71	- 1	1 1	1 1	3 -	9 20	16 16	16 18	13 6	16 6	3 2	1 -	47 57	- -	- -	- 1	- 1	7 19	11 18	10 8	13 6	3 3	3 1	- 1
Other tuberculosis	M F	23 20	3 -	2 -	3 3	4 5	4 8	6 3	- -	- -	1 -	- 1	- -	18 17	3 -	1 1	3 2	2 5	2 3	1 1	3 3	1 1	1 -	- -	- -
Syphilis	M F	3 2	1 -	- -	- -	- -	1 -	- -	- -	- 1	- 1	1 -	- -	3 1	2 -	- -	- -	- -	- -	- -	- -	- 1	1 -	- 4	- -
Gen. paralysis of insane, etc.	M F	7 -	- -	- -	- -	- -	- -	1 -	2 -	2 -	- -	1 -	1 -	5 1	- -	- -	- -	- -	- -	- -	- 1	- 1	- -	- -	- -
Cancer	M F	203 218	- -	- -	- -	- -	1 -	1 7	7 13	22 47	60 56	83 57	29 38	180 165	- -	- -	2 -	- -	1 2	1 3	4 14	27 33	54 40	62 45	29 28
Diabetes	M F	16 32	- -	- -	- -	- -	1 1	1 1	- 1	2 -	3 13	8 10	1 6	24 29	- -	- -	- -	1 1	3 1	1 1	2 1	8 8	12 12	4 4	- -
Cerebral haemorrhage	M F	115 132	- -	- -	- -	- -	- -	- -	3 10	9 22	25 54	49 43	32 95	92 304	- -	- -	- -	- -	- 3	- 6	- 8	9 25	19 59	35 98	27 105
Heart disease	M F	340 352	- 1	- -	- -	3 2	4 9	9 10	13 14	26 21	68 66	119 116	98 113	304 310	- -	- -	- -	2 4	4 9	9 14	14 17	17 52	52 96	96 116	- -
Aneurysm	M F	6 2	- -	- -	- -	- -	- -	- -	1 -	1 -	1 1	3 -	- 1	3 1	- -	- -	- -	1 -	- -	- -	- 1	1 3	- 14	- 30	- 22
Other circulatory	M F	82 82	- -	- -	- -	- -	- -	1 -	- 3	7 1	14 13	34 30	26 35	70 51	- -	- -	- -	- -	- -	1 -	- -	3 7	14 19	30 22	- -
Bronchitis	M F	90 80	12 8	3 1	- -	1 -	- -	- 1	1 2	7 2	11 11	27 18	28 38	79 76	6 9	2 2	- 1	- -	- -	- -	5 -	5 2	8 4	25 20	28 38
Pneumonia	M F	135 106	37 28	14 11	4 8	7 5	2 6	9 5	15 4	14 8	16 9	13 15	4 7	104 89	31 22	13 14	7 6	1 6	2 3	3 3	12 6	14 1	6 10	8 9	7 9
Other respiratory	M F	28 18	- -	- -	- -	- 1	1 -	- -	3 2	3 2	7 3	8 5	6 5	17 18	- -	- -	2 -	- 3	- -	- 1	- 1	2 3	4 2	4 1	5 2
Peptic ulcer	M F	16 4	- -	- -	- -	- -	- -	- -	3 1	5 -	4 2	2 1	2 -	28 5	- -	- -	- -	- -	- -	2 -	5 -	14 2	2 -	1 1	2 2
Diarrhoea	M F	28 13	16 6	3 1	- -	1 -	1 -	1 -	1 -	- -	1 1	- 5	4 -	18 17	13 10	2 1	1 -	- 4	- 1	- 2	1 1	- 4	- -	1 -	1 -
Appendicitis	M F	10 9	- -	- -	2 -	2 1	2 2	1 -	- 2	- 1	2 1	1 1	- 1	13 5	- -	1 -	- -	4 1	1 -	2 -	1 2	4 -	- -	1 -	1 -
Cirrhosis of liver	M F	6 4	- -	- -	- -	- -	- -	- 1	- -	1 1	3 1	1 1	- -	5 2	- -	- -	- -	- 1	- -	- -	1 2	- 2	2 1	2 1	- 2
Other liver diseases	M F	6 13	- -	- -	- -	- -	- -	- -	1 -	- 2	2 4	2 5	1 2	7 14	- -	- -	- -	- -	1 -	- 1	2 5	5 3	3 3	- -	- -
Other digestive	M F	40 45	7 3	- 1	4 3	2 2	1 1	2 1	2 6	3 5	8 13	7 7	4 4	28 26	1 3	1 -	1 -	1 1	2 3	2 1	2 8	4 4	7 6	4 13	3 10
Nephritis	M F	53 41	- -	1 1	- -	- -	1 3	2 1	7 3	7 5	14 10	12 12	9 6	46 49	- -	- -	1 1	1 1	1 1	1 1	3 10	7 7	16 16	- -	- -
Puerperal sepsis	F	13	-	-	-	-	3	7	3	-	-	-	-	9	-	-	-	1	2	6	-	-	-	-	-
Other puerperal	F	16	-	-	-	-	5	6	4	1	-	-	-	14	-	-	-	4	7	3	-	-	-	-	-
Congenital causes, etc.	M F	87 78	86 78	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	113 76	107 76	3 -	2 -	- -	1 -	- -	- -	- -	- -	- -	- -
Senility	M F	105 114	- -	- -	- -	- -	- -	- -	- -	- -	1 1	19 16	85 97	81 102	- -	- -	- -	- -	- -	- -	- -	- 1	- 22	15 79	66 79
Suicide	M F	27 10	- -	- -	- -	- -	1 -	6 1	3 3	5 2	8 2	4 2	- -	20 6	- -	- -	- -	- -	- 1	2 1	8 1	2 2	7 7	1 2	- -
Other violence	M F	105 25	2 3	1 1	8 3	4 3	17 2	16 13	13 -	14 1	16 3	5 2	9 6	88 38	2 4	1 1	5 1	6 5	17 6	14 -	15 3	12 4	7 2	8 5	1 7
Other defined causes†	M F	162 139	24 8	2 6	7 3	9 3	9 11	5 16	9 12	17 21	24 28	27 19	29 12	187 129	22 12	7 2	4 7	8 7	14 11	13 12	10 17	19 17	26 22	37 15	27 7
Ill-defined causes	M F	12 11	1 2	- -	- -	- -	- -	- -	- -	1 1	3 2	5 2	2 4	14 6	1 -	- -	- -	- -	- -	- -	- -	4 1	2 2	5 2	2 1



Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1548	85	17	18	21	46	69	68	139	237	415	433	1443	87	15	8	18	57	44	57	122	230	350	453
	F	1669	64	9	12	26	33	56	78	128	227	379	657	1425	69	4	11	24	37	62	57	121	207	314	518
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
	F	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
4 Whooping cough	M	6	4	-	2	-	-	-	-	-	-	-	-	4	1	1	1	1	-	-	-	-	-	-	-
	F	6	2	3	1	-	-	-	-	-	-	-	-	5	4	-	1	-	-	-	-	-	-	-	-
5 Diphtheria	M	5	-	1	3	1	-	-	-	-	-	-	-	7	1	-	1	1	1	1	-	-	1	1	-
	F	10	-	-	2	8	-	-	-	-	-	-	-	4	-	1	1	2	-	-	-	-	-	-	-
6 Influenza	M	66	4	-	2	1	2	8	2	8	6	13	20	62	1	2	-	1	2	4	2	9	11	14	10
	F	73	2	1	-	1	4	1	4	8	9	12	31	56	-	-	1	3	2	8	2	4	7	15	14
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	1	1	-	-
	F	5	-	-	1	-	-	-	1	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-
8 Cerebro-spinal fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	100	-	-	-	1	13	28	18	20	15	5	-	60	-	-	-	-	12	12	15	7	8	6	-
	F	68	-	-	-	2	10	22	16	11	3	1	3	69	1	-	-	2	16	20	10	10	6	2	-
10 Other tuberculosis	M	14	-	1	4	2	4	-	2	-	-	1	-	15	2	3	1	-	5	2	1	-	1	-	-
	F	15	1	2	-	2	2	4	1	2	-	1	-	14	1	-	-	3	1	3	1	2	-	2	-
11 Syphilis	M	6	-	-	-	-	-	-	4	1	1	-	-	5	1	-	-	-	-	-	1	1	2	-	-
	F	3	-	-	-	-	-	-	2	2	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	9	-	-	-	-	-	-	2	2	5	-	-	9	-	-	-	-	-	-	1	3	5	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
13 Cancer	M	162	-	1	-	-	1	1	4	12	38	69	36	153	-	-	-	1	1	1	3	18	32	56	4
	F	217	-	-	-	-	-	2	12	28	55	66	54	193	-	-	-	1	-	1	8	32	53	55	4
14 Diabetes	M	23	1	-	-	1	1	-	-	1	4	5	10	9	-	-	-	1	-	-	-	2	4	1	-
	F	26	-	-	-	1	-	1	1	2	5	9	7	26	-	-	-	-	2	2	1	-	9	4	-
15 Cerebral hæmorrhage	M	85	-	-	-	-	-	1	2	9	20	29	24	89	-	-	-	-	1	-	1	3	17	33	3
	F	127	-	-	-	-	-	2	2	8	24	38	55	95	-	-	-	-	1	1	8	13	27	4	-
16 Heart disease	M	320	-	-	-	-	3	6	5	20	44	127	115	300	-	-	-	-	2	2	6	19	54	90	12
	F	369	-	-	-	-	2	2	10	20	44	108	183	300	-	-	-	-	1	7	4	16	52	85	13
17 Aneurysm	M	8	-	-	-	-	1	2	1	-	1	2	1	9	-	-	-	-	-	-	-	3	4	1	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-
18 Other circulatory	M	109	1	-	-	-	-	-	-	2	13	28	65	78	-	-	-	-	-	-	-	1	9	24	4
	F	121	-	-	-	-	-	-	1	4	11	24	81	70	-	-	-	-	-	-	1	4	8	16	4
19 Bronchitis	M	79	3	1	-	-	-	1	2	8	7	17	40	86	5	1	-	-	1	1	1	3	12	21	4
	F	94	-	-	-	-	-	-	-	1	6	27	60	79	4	-	-	-	1	-	-	3	3	16	5
20 Pneumonia	M	68	10	8	-	2	4	1	3	5	11	11	13	60	11	4	1	2	-	4	7	9	11	1	-
	F	85	8	2	2	2	4	4	4	7	12	18	22	57	10	1	1	-	1	2	3	2	6	16	1
21 Other respiratory	M	20	1	1	-	-	-	-	3	3	6	4	2	16	1	1	-	-	1	2	-	1	3	2	-
	F	22	-	-	-	-	-	-	3	1	4	4	10	18	-	-	-	-	1	3	2	-	2	4	-
22 Peptic ulcer	M	22	-	-	-	-	-	1	1	3	8	5	4	13	-	-	-	-	-	2	-	4	1	6	-
	F	4	-	-	-	-	-	-	1	-	-	-	3	3	-	-	-	-	-	-	-	-	-	1	-
23 Diarrhœa	M	10	6	1	-	-	-	-	1	2	-	-	-	9	4	1	-	-	-	-	-	-	1	1	-
	F	9	2	-	1	-	2	-	-	-	1	1	2	10	-	-	1	-	1	1	-	1	-	-	-
24 Appendicitis	M	6	-	-	-	-	-	1	2	1	-	1	3	8	-	-	-	2	1	-	2	-	1	2	-
	F	11	-	-	-	1	1	2	1	2	1	-	-	11	-	-	-	1	5	-	-	-	-	-	-
25 Cirrhosis of liver	M	14	-	-	-	-	-	1	1	3	4	4	1	7	-	-	-	-	-	-	-	1	3	2	-
	F	3	-	-	-	-	-	-	1	1	1	1	-	4	-	-	-	-	-	-	-	1	1	2	-
26 Other liver diseases	M	9	-	-	-	-	1	-	-	2	-	4	2	9	-	-	-	1	-	1	1	1	1	3	-
	F	15	-	-	-	-	-	-	-	-	1	3	11	7	-	-	-	-	1	-	2	1	-	-	-
27 Other digestive	M	30	1	1	1	-	1	1	-	4	5	12	4	22	2	-	-	-	3	2	1	1	5	3	-
	F	30	1	1	-	-	-	-	3	3	9	7	6	34	2	-	-	3	-	1	3	3	10	1	-
28 Nephritis	M	56	-	-	-	-	-	-	3	7	9	18	19	59	-	-	-	2	2	1	1	6	10	17	2
	F	40	-	-	-	1	-	2	2	9	14	12	35	-	-	-	-	1	1	5	3	9	7	-	-
29 Puerperal sepsis	F	5	-	-	-	-	2	2	1	-	-	-	-	5	-	-	-	-	2	2	1	-	-	-	-
30 Other puerperal	F	8	-	-	-	-	1	3	4	-	-	-	-	4	-	-	-	-	1	2	1	-	-	-	-
31 Congenital causes, etc.	M	51	50	-	1	-	-	-	-	-	-	-	-	48	46	1	-	1	-	-	-	-	-	-	-
	F	43	41	-	1	1	-	-	-	-	-	-	-	45	41	1	1	-	-	-	1	-	-	-	-
32 Senility	M	51	-	-	-	-	-	-	-	-	-	-	-	62	-	-	-	-	-	-	-	-	-	-	-
	F	87	-	-	-	-	-	-	-	-	-	-	-	83	-	-	-	-	-	-	-	-	-	-	-
33 Suicide	M	15	-	-	-	-	-	1	2	4	4	4	-	24	-	-	-	-	-	1	3	12	3	4	-
	F	5	-	-	-	-	-	2	1	-	1	-	1	9	-	-	-	-	-	3	2	4	-	-	-
34 Other violence	M	57	2	-	-	8	8	9	3	8	9	7	3	52	1	-	2	1	15	9	4	9	5	5	-
	F	21	2	-	-	2	2	1	3	1	2	3	5	24	-	-	2	1	-	-	1	-	-	5	1
35 Other defined causes	M	129	2	2	4	4	7	7	7	11	23	35	27	135	11	1	1	3	9	2	7	7	21	34	3
	F	119	4	-	2	4	3	9	6	23	23	25	20	135	5	1	1	5	4	5	9	22	31	28	2
36 Ill-defined causes	M	14	-	-	-	-	-	-	-	3	2	7	2	26	-	-	-	-	-	-	2	3	5	8	-
	F	22	-	-	-	-	-	1	-	2	4	8	7	17	-	-	-	-	-	-	1	2	-	8	-





TABLE 24—contd. Administrative County of Durham.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages	
All Causes	M	3454	510	151	136	128	170	144	212	304	512	693	494	2498	374	98	77	90	164	135	145	186	310	494	4		
	F	3004	403	102	92	123	171	145	206	264	402	557	539	2336	284	92	78	97	110	131	161	194	330	432	4		
1 Typhoid fever, etc.	M	6	-	-	-	-	2	1	-	1	2	-	-	2	-	-	-	1	1	-	-	-	-	-	-		
	F	2	-	-	-	-	-	1	1	-	-	-	-	5	-	-	-	-	2	-	1	-	-	1	-		
2 Measles	M	84	15	37	29	3	-	-	-	-	-	-	-	53	10	25	15	3	-	-	-	-	-	-	-		
	F	59	15	22	16	6	-	-	-	-	-	-	-	41	12	14	14	1	-	-	-	-	-	-	-		
3 Scarlet fever	M	7	1	1	1	3	-	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-		
	F	3	1	-	1	1	-	-	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-	-		
4 Whooping cough	M	16	8	3	4	1	-	-	-	-	-	-	-	9	3	5	1	-	-	-	-	-	-	-	-		
	F	21	4	6	10	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	14	-	1	7	6	-	-	-	-	-	-	-	13	-	1	4	7	1	-	-	-	-	-	-		
	F	16	2	1	9	4	-	-	-	-	-	-	-	4	-	-	-	3	-	-	-	1	-	-	-		
6 Influenza	M	93	3	1	6	6	8	6	9	16	10	15	13	101	8	3	6	3	8	11	14	12	11	12	-		
	F	99	4	3	3	7	9	3	7	7	13	19	24	81	2	1	3	3	2	6	5	10	14	16	-		
7 Encephalitis lethargica	M	4	-	-	-	-	1	1	-	1	1	-	-	8	-	-	-	1	2	-	-	3	2	-	-		
	F	6	-	-	1	-	-	-	2	2	-	1	-	5	-	-	-	-	1	2	1	-	1	-	-		
8 Cerebro-spinal fever	M	21	1	2	2	7	3	4	1	-	1	-	-	6	1	-	2	-	1	-	-	-	-	-	-		
	F	12	-	-	4	5	2	-	1	-	-	-	-	5	1	1	-	3	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	210	2	-	-	6	49	54	36	40	16	5	2	117	-	-	5	2	38	29	25	10	7	1	-		
	F	181	1	-	-	11	66	43	31	18	7	3	1	132	-	-	8	35	39	30	10	9	-	-	-		
10 Other tuberculosis	M	87	11	4	10	26	22	6	5	1	2	-	-	47	6	6	6	8	10	5	1	4	-	-	-		
	F	56	9	4	8	9	12	5	4	5	-	-	-	52	3	3	11	15	13	2	2	2	2	-	-		
11 Syphilis	M	14	2	1	-	1	1	2	4	2	-	1	-	12	2	-	1	1	-	-	2	2	1	3	-		
	F	10	5	-	-	-	1	-	-	2	2	-	-	6	1	-	-	-	-	1	2	1	1	-	-		
12 Gen. paralysis of insane, etc	M	18	-	-	-	-	-	-	5	7	5	-	1	6	-	-	-	-	-	1	-	-	2	1	-		
	F	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-		
13 Cancer	M	304	-	1	-	1	1	3	14	42	107	98	37	212	-	-	-	1	1	5	22	19	61	82	-		
	F	299	1	-	1	-	3	8	25	64	78	85	34	232	-	-	1	-	1	5	22	38	65	74	-		
14 Diabetes	M	27	-	-	-	3	2	1	1	2	7	7	4	23	-	-	-	2	2	5	1	1	7	5	-		
	F	45	-	-	-	3	3	1	4	5	13	11	5	32	-	-	-	-	2	1	2	4	12	10	-		
15 Cerebral hæmorrhage	M	188	-	-	-	-	-	-	4	13	37	72	62	140	-	-	-	-	-	2	2	6	24	58	-		
	F	184	-	-	-	-	-	2	6	16	51	57	52	144	-	-	-	-	-	6	15	27	60	-	-		
16 Heart disease	M	551	-	-	-	3	9	14	26	45	124	210	120	383	-	-	-	3	15	9	18	26	66	121	-		
	F	545	-	-	-	14	16	14	40	56	102	154	149	430	-	-	-	10	14	16	25	38	86	124	-		
17 Aneurysm	M	9	-	-	-	-	-	-	-	2	4	3	-	6	-	-	-	-	-	-	1	1	2	2	-		
	F	1	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	2	1	-		
18 Other circulatory	M	199	-	-	-	-	-	-	1	5	28	78	87	133	-	-	-	1	-	-	-	7	12	56	-		
	F	126	-	-	-	-	-	-	-	4	13	46	63	94	-	-	-	-	-	-	-	8	10	26	-		
19 Bronchitis	M	177	41	9	2	4	1	1	15	15	18	39	32	132	38	7	3	1	3	1	4	3	9	31	-		
	F	168	32	4	2	3	1	-	2	2	12	48	62	121	31	11	5	1	3	4	1	3	7	15	-		
20 Pneumonia	M	351	107	73	34	12	18	13	19	25	23	17	10	214	48	36	15	9	20	12	15	13	19	20	-		
	F	241	68	42	22	10	13	11	14	14	14	21	12	192	50	30	19	15	8	8	14	12	19	7	-		
21 Other respiratory	M	51	5	1	6	1	4	1	7	2	11	8	5	31	1	1	1	4	1	4	3	4	4	3	-		
	F	29	2	2	1	1	1	1	4	-	4	5	8	28	1	2	2	1	-	3	2	4	3	2	-		
22 Peptic ulcer	M	28	-	-	-	-	1	3	4	8	7	5	-	22	-	-	-	-	4	5	3	3	3	3	-		
	F	8	-	-	-	-	-	-	3	2	3	-	-	7	-	-	-	-	1	1	4	-	-	1	-		
23 Diarrhoea	M	48	29	3	5	2	-	2	1	1	3	1	1	44	31	5	2	1	-	-	1	1	2	1	-		
	F	45	26	8	2	2	1	-	-	-	2	3	1	30	14	6	4	-	1	1	1	1	-	-	-		
24 Appendicitis	M	19	-	-	-	5	2	1	2	5	3	1	-	13	-	-	-	4	2	2	-	2	1	-	-		
	F	14	-	-	-	2	-	2	2	5	2	1	-	8	-	-	-	4	-	2	-	1	-	-	-		
25 Cirrhosis of liver	M	13	-	-	-	-	-	-	1	1	6	5	-	8	-	-	-	-	-	-	1	1	2	4	-		
	F	6	-	-	-	-	-	1	1	-	1	1	2	4	-	-	-	-	-	-	-	3	1	-	-		
26 Other liver diseases	M	7	-	-	-	1	-	-	1	-	2	3	-	6	-	-	-	-	-	-	-	2	2	2	-		
	F	16	-	-	-	-	-	-	-	2	6	7	1	21	-	-	-	-	-	-	-	2	10	7	-		
27 Other digestive	M	44	13	1	2	4	-	1	2	5	2	7	7	38	2	1	1	6	1	4	1	7	7	7	-		
	F	53	11	-	1	6	1	2	2	5	10	8	7	47	4	1	3	4	2	2	3	3	7	10	-		
28 Nephritis	M	88	-	-	3	6	2	2	5	16	19	24	11	68	-	2	1	1	4	3	2	16	12	20	-		
	F	83	-	-	2	2	8	4	7	15	19	21	5	72	1	2	-	2	5	5	9	4	15	18	-		
29 Puerperal sepsis	F	24	-	-	-	-	6	12	6	-	-	-	-	12	-	-	-	-	2	5	5	-	-	-	-		
30 Other puerperal	F	39	-	-	-	-	9	16	14	-	-	-	-	21	-	-	-	-	5	9	7	-	-	-	-		
31 Congenital causes, etc.	M	217	214	1	2	-	-	-	-	-	-	-	-	190	186	2	1	1	-	-	-	-	-	-	-		
	F	187	184	1	-	-	2	-	-	-	-	-	-	128	126	1	1	-	-	-	-	-	-	-	-		
32 Senility	M	97	-	-	-	-	-	-	-	-	1	24	72	81	-	-	-	-	-	-	-	-	1	17	-		
	F	107	-	-	-	-	-	-	-	-	1	24	82	86	-	-	-	-	-	-	-	-	3	21	-		
33 Suicide	M	28	-	-	-	-	2	1	5	9	7	4	-	19	-	-	-	-	3	4	3	3	4	2	-		
	F	7	-	-	-	-	1	1	1	3	-	1	-	4	-	-	-	-	1	1	2	2	-	-	-		
34 Other violence	M	131	5	2	6	9	24	14	19	14	20	13	5	136	3	2	7	12	31	21	15	19	11	8	-		
	F	64	7	2	6	12	6	5	3	4	6	6	7	59	3	-	6	8	5	2	2	6	4	9	-		
35 Other defined causes	M	262	51	10	16	17	18	12	20	18	36	45	19	206	37	6	7	14	17	14	20	18	32	27	-		
	F	223	30	6	3	24	10	13	24	28	36	30	19	203	32	14	7	17	9	14	20	21	28	26	-		
36 Ill-defined causes	M	41	2	-	1	1	-	-	5	8	10	8	6	25	-	1	-	-	-	-	3	1	6	8	-		
	F	23	1	1	-	-	-	-	1	4	6	5	5	13	-	-	-	-	-	1	1	2	2	2	-		

TABLE 24—*contd.* Administrative County of Isle of Ely.

Causes of Death.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
first page of Table.																									
All Causes	M	265	31	5	3	2	8	10	16	17	40	64	69	196	21	3	1	3	8	9	5	15	24	54	53
	F	250	17	-	4	6	6	6	11	19	28	54	99	159	13	-	1	4	4	8	9	12	21	33	54
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough	M	2	1	1	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	M	5	-	-	-	-	-	-	-	-	1	3	1	9	1	-	-	-	1	1	-	1	-	1	4
	F	11	1	-	-	1	1	-	-	-	2	1	5	16	-	-	-	-	1	1	-	1	4	3	7
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	13	-	-	-	-	1	4	5	1	2	-	-	5	-	-	-	-	2	1	1	1	-	-	-
	F	7	-	-	-	-	4	1	-	2	-	-	-	7	-	-	-	3	1	2	-	1	-	-	-
Other tuberculosis	M	8	-	2	1	1	1	-	2	1	-	-	-	3	1	-	-	1	-	-	-	-	1	-	-
	F	5	-	-	-	2	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Syphiis	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane,etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Cancer	M	38	-	-	-	-	-	1	1	2	5	19	10	30	-	-	-	-	-	1	1	9	12	7	7
	F	47	-	-	-	-	-	-	3	8	12	10	14	20	-	-	-	-	-	1	2	3	7	-	-
Diabetes	M	3	-	-	-	1	-	-	-	-	-	2	-	4	-	-	-	-	1	-	-	1	2	-	-
	F	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	1	-	1	1	-	-	-
Cerebral hæmorrhage	M	18	-	-	-	-	-	-	-	2	5	6	5	10	-	-	-	-	-	-	-	2	5	3	5
	F	12	-	-	-	-	-	-	-	1	2	4	5	10	-	-	-	-	-	-	-	1	4	-	-
Heart disease	M	49	-	-	-	-	3	1	1	-	10	16	18	35	-	-	-	1	2	-	3	2	12	15	9
	F	51	-	-	-	-	-	1	-	4	7	14	25	28	-	-	-	-	1	1	2	8	7	-	-
Aneurysm	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	14	-	-	-	-	-	-	-	-	2	4	8	9	-	-	-	-	-	1	-	1	3	4	5
	F	13	-	-	-	-	-	-	-	-	-	6	7	7	-	-	-	-	-	-	-	-	2	-	-
Bronchitis	M	15	-	-	-	-	-	-	-	-	4	4	7	11	2	-	-	-	-	-	-	-	1	8	5
	F	11	1	-	-	-	-	-	-	-	-	1	9	7	-	-	-	-	-	1	-	-	1	-	-
Pneumonia	M	17	7	1	1	-	1	1	1	-	1	2	2	8	3	1	-	-	-	-	1	-	1	2	2
	F	14	2	-	-	1	-	-	-	1	1	4	5	7	2	-	1	1	-	1	-	-	2	-	-
Other respiratory	M	4	-	-	1	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	1	1	1
	F	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	1	1
Peptic ulcer	M	5	-	-	-	-	-	1	-	1	2	-	1	3	-	-	-	-	-	-	1	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-	-	-	1	-	-	-	-
Appendicitis	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of liver	M	3	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other liver diseases	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Other digestive	M	2	-	-	-	-	-	-	1	-	1	-	-	2	1	-	-	1	-	1	2	-	1	-	-
	F	8	-	-	-	-	-	-	-	1	1	2	4	5	-	-	-	1	-	-	1	-	-	1	1
Nephritis	M	6	-	-	-	-	-	-	1	1	2	2	2	4	-	-	-	-	-	-	1	1	2	-	-
	F	12	-	-	-	-	-	-	3	-	1	2	6	4	-	-	-	1	-	-	-	-	1	-	2
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other puerperal	F	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-
Congenital causes, etc.	M	21	21	-	-	-	-	-	-	-	-	-	-	13	11	1	-	1	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
Senilty	M	8	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	1	5	4
	F	8	-	-	-	-	-	-	-	-	-	-	8	7	-	-	-	-	-	-	-	-	3	-	-
Suicide	M	3	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other violence	M	8	-	-	-	-	-	2	1	-	2	2	1	14	-	-	-	1	4	2	2	1	2	1	1
	F	4	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other defined causes	M	19	2	1	-	-	-	2	3	1	4	6	22	1	1	-	-	1	1	-	3	3	10	2	7
	F	22	-	-	-	1	4	3	1	1	6	6	18	1	-	-	2	-	-	1	3	3	1	-	-
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



TABLE 24—contd. Administrative County of Essex.

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts*													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M F	4658 4453	488 317	75 70	91 61	135 109	200 162	250 262	300 275	499 407	772 554	936 918	912 1318	1712 1631	119 88	16 19	18 14	34 37	63 35	58 79	70 69	151 132	233 195	445 333	503 630		
1 Typhoid fever, etc.	M F	4 5	- -	- -	- -	2 -	- 1	2 2	- -	- -	- 1	- 1	- -	3 3	- -	- -	- 1	1 -	- -	- 2	- -	1 -	1 -	- -	- -		
2 Measles	M F	8 3	2 1	2 1	2 -	2 1	- -	- -	- -	- -	- -	- -	- -	1 1	1 -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -		
3 Scarlet fever	M F	4 12	- 1	1 -	1 4	2 4	- -	- 1	- 1	- 1	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -			
4 Whooping cough	M F	23 25	11 12	10 7	2 5	- 1	- -	- -	- -	- -	- -	- -	- -	4 6	4 3	- 2	1 1	- -	- -	- -	- -	- -	- -	- -	- -		
5 Diphtheria	M F	32 30	- 1	- -	19 9	9 18	2 -	- 1	1 -	1 -	- 1	- -	- -	8 12	- -	- 1	3 2	3 9	2 -	- -	- -	- -	- -	- -	- -		
6 Influenza	M F	115 148	5 4	2 2	2 1	3 3	9 4	6 10	7 12	18 22	17 15	26 34	20 41	47 50	2 2	1 -	- 1	- 1	1 1	3 1	3 2	5 3	8 4	8 14	10 2		
7 Encephalitis lethargica	M F	5 11	- -	- -	- -	- 2	- 3	2 1	- 1	- 3	2 -	1 1	- 1	6 4	- -	- -	1 -	- -	- -	1 2	2 1	1 -	1 -	- -	- -		
8 Cerebro-spinal fever	M F	11 2	2 1	3 -	1 -	1 -	2 -	1 1	- -	1 -	- -	- -	- -	- 1	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -			
9 Respiratory tuberculosis	M F	367 267	1 1	1 -	2 -	6 3	63 71	94 103	78 44	66 25	37 12	18 6	1 1	77 66	- -	- -	- -	1 2	15 14	19 20	19 11	13 10	8 6	2 3	- -		
10 Other tuberculosis	M F	68 61	12 3	9 6	4 11	12 10	7 10	8 5	6 5	4 5	4 4	2 1	- 1	14 19	1 2	1 2	4 1	2 4	1 2	2 3	- 1	3 1	- 1	- -	- -		
11 Syphilis	M F	18 6	6 1	- -	- -	- -	- -	- 2	- -	4 1	7 2	1 -	- -	2 4	- 1	- -	- -	- -	- -	2 -	- -	- -	- 1	- -	- -		
12 Gen. paralysis of insane, etc.	M F	26 3	- -	- -	- -	- -	- -	- 1	9 1	9 2	5 -	2 -	1 -	9 5	- -	- -	- -	- -	- 1	- 1	- 1	4 1	4 1	1 1	- -		
13 Cancer	M F	540 606	- -	- -	1 -	2 1	2 3	11 13	28 47	73 110	162 151	185 161	76 120	210 243	- -	- -	- -	1 1	- 1	1 4	5 14	20 46	41 52	96 77	4 4		
14 Diabetes	M F	34 64	- -	- -	- -	1 -	- 2	1 1	- 3	- 5	6 15	14 30	8 8	22 24	- -	- -	- -	- -	- -	1 2	2 1	- 3	4 3	11 8	- -		
15 Cerebral hæmorrhage	M F	222 291	- -	- -	- -	- -	1 -	3 4	4 26	21 45	54 95	66 121	73 106	94 106	- -	- -	- -	- -	- -	- -	1 1	2 5	14 10	36 30	4 6		
16 Heart disease	M F	854 1,016	- -	- -	1 1	7 6	14 17	19 23	35 36	74 54	167 119	261 279	276 481	334 340	- -	- -	- -	- 3	5 -	2 7	11 8	25 15	47 49	126 101	11 15		
17 Aneurysm	M F	21 12	- -	- -	- -	- -	1 -	3 -	1 -	4 1	5 4	5 7	2 -	9 1	- -	- -	- -	- -	- -	- -	1 -	2 1	1 -	5 -	- -		
18 Other circulatory	M F	161 146	1 -	- -	- -	- 1	1 -	- 1	1 1	5 10	25 25	50 35	78 73	109 108	- -	- -	- -	- -	- -	1 -	- -	4 3	5 9	32 15	6 8		
19 Bronchitis	M F	247 235	11 16	3 3	1 -	1 -	2 -	2 4	6 2	17 8	31 16	62 57	111 129	90 73	4 4	2 1	1 -	2 -	- 1	- -	- -	6 1	8 3	19 10	4 5		
20 Pneumonia	M F	339 264	78 41	32 32	15 12	10 11	7 5	13 8	27 16	41 22	45 22	41 43	30 52	78 77	12 12	4 3	3 2	2 3	5 2	3 5	3 4	12 3	12 5	10 12	1 2		
21 Other respiratory	M F	47 55	5 3	- -	3 1	- 1	1 1	1 4	1 1	11 5	9 8	5 15	11 16	20 23	- -	1 -	- -	1 2	- -	- -	3 -	4 2	4 3	2 4	1 1		
22 Peptic ulcer	M F	68 17	- -	- -	- -	- -	- -	10 1	8 4	22 4	20 4	8 1	- 3	19 10	- -	- -	- -	- 1	- -	2 2	1 2	6 2	4 2	5 1	- -		
23 Diarrhœa	M F	47 38	33 19	1 1	3 2	- 1	1 1	2 4	2 3	1 1	2 3	1 1	1 2	11 9	5 4	- -	1 -	- -	- -	1 -	- -	- -	2 1	2 1	- -		
24 Appendicitis	M F	42 25	- -	1 -	4 3	9 7	4 2	6 1	6 3	4 2	2 4	5 3	1 -	16 6	- -	- -	1 -	5 -	2 2	- -	- -	1 1	3 2	2 1	- -		
25 Cirrhosis of liver	M F	16 11	- -	- -	- -	- -	- -	- 2	- 1	5 5	6 1	3 1	2 1	8 6	- -	- -	- -	- 2	- -	- -	1 -	2 1	4 2	- -	- -		
26 Other liver diseases	M F	12 28	- -	- -	- -	- -	- -	- 4	1 4	2 4	4 3	3 7	2 10	3 13	- -	- -	- -	- -	- 2	- -	1 2	- 1	1 6	1 -	- -		
27 Other digestive	M F	90 99	14 8	1 5	4 2	4 2	3 6	5 5	4 5	11 15	11 17	19 17	14 17	33 38	6 1	- 1	- -	1 2	1 2	- -	3 -	2 5	3 9	9 6	1 1		
28 Nephritis	M F	136 95	- -	- 1	1 -	5 1	2 3	7 5	9 11	24 13	38 22	29 23	21 16	46 36	- -	- -	1 -	- -	2 2	- 3	- 2	5 5	10 7	13 8	1 -		
29 Puerperal sepsis	F	23	-	-	-	-	2	11	10	-	-	-	-	10	-	-	-	-	2	5	3	-	-	-	-		
30 Other puerperal	F	26	-	-	-	-	5	14	7	-	-	-	-	9	-	-	-	-	1	5	3	-	-	-	-		
31 Congenital causes, etc.	M F	278 175	270 171	1 1	2 1	1 2	3 -	- -	- -	- -	- -	- -	- -	1 55	78 53	1 1	- -	- -	- -	1 1	1 -	- -	- -	- -	- -		
32 Senility	M F	99 173	- -	- -	- -	- -	- -	- -	- -	- -	2 -	12 19	85 154	91 111	- -	- -	- -	- -	- -	- -	- -	- 1	10 8	8 10	- -		
33 Suicide	M F	83 43	- -	- -	- -	- -	6 10	9 10	11 10	25 9	22 7	8 5	2 2	25 11	- -	- -	- -	- -	- -	1 1	3 3	8 6	8 1	3 -	- -		
34 Other violence	M F	222 91	8 9	2 4	7 4	26 10	46 6	24 3	29 5	17 6	24 6	21 15	18 23	94 28	2 1	2 2	2 2	12 2	23 1	12 1	4 1	12 3	13 2	8 4	- -		
35 Other defined causes	M F	406 345	27 25	4 6	16 5	32 26	23 21	21 24	26 38	34 48	64 47	86 61	73 44	147 120	7 5	4 4	1 3	3 6	6 4	8 13	6 10	12 11	22 20	42 20	3 2		
36 Ill-defined causes	M F	13 2	2 -	2 -	- -	- -	- -	- -	- -	1 -	1 -	2 -	5 2	3 3	- -	- 1	- -	- -	- -	- -	- -	1 -	- -	2 1	- -		

TABLE 24—contd. Administrative County of Gloucester.

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	768	53	17	7	17	36	29	41	59	124	176	209	1417	110	13	13	21	40	44	80	122	219	367	388
	F	849	28	8	7	9	22	36	38	55	97	191	358	1390	78	14	16	19	53	61	78	87	162	300	522
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	4	1	2	1	-	-	-	-	-	-	-	-	7	1	3	-	3	-	-	-	-	-	-	-
	F	8	-	4	2	1	-	-	-	-	-	1	-	6	1	1	-	2	2	-	-	-	-	-	-
Scarlet fever	M	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	2	-	1	1	-	-	-	-	-	-	-	-	4	3	-	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	10	4	2	4	-	-	-	-	-	-	-	-
Diphtheria	M	2	-	-	1	1	-	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-
	F	3	1	-	1	1	-	-	-	-	-	-	-	7	-	1	1	4	-	1	-	-	-	-	-
Influenza	M	20	-	-	-	-	2	1	1	3	1	5	7	40	2	-	-	-	-	3	4	10	7	7	7
	F	25	2	-	-	-	1	-	1	1	1	4	15	61	3	-	1	-	-	1	4	2	5	17	28
Encephalitis lethargica	M	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	-	1	-	-	-	-
Cerebro-spina fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	59	-	-	-	-	11	15	15	9	6	3	-	45	-	-	1	-	8	10	13	6	4	3	-
	F	39	-	-	-	1	12	14	6	1	2	2	1	67	-	-	-	1	21	23	12	5	1	2	2
Other tuberculosis	M	7	-	-	-	4	1	-	-	1	1	-	-	10	-	-	-	-	2	1	4	2	-	1	-
	F	7	-	-	1	2	2	-	2	-	-	-	-	13	-	-	1	1	4	1	2	1	1	2	-
Syphilis	M	7	-	1	-	-	1	-	-	3	2	-	-	5	1	-	-	-	-	-	2	-	2	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	-	2	2	1	-	-	8	-	-	-	-	-	3	-	4	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	90	-	-	-	1	-	-	1	7	23	38	20	174	1	-	-	-	-	4	14	40	69	46	46
	F	123	-	-	-	-	-	3	7	19	24	29	41	201	-	-	-	-	6	9	33	46	58	49	49
Diabetes	M	4	-	-	-	-	-	-	-	-	1	1	2	13	-	-	-	1	-	-	1	2	5	4	4
	F	11	-	-	-	-	-	-	-	1	3	2	5	18	-	-	-	-	-	3	-	3	9	3	3
Cerebral hæmorrhage	M	45	-	-	-	-	-	-	1	1	4	16	23	75	-	-	-	-	-	1	3	13	23	35	35
	F	54	-	-	-	-	-	-	3	1	7	14	29	80	-	-	-	-	-	4	2	7	30	37	37
Heart disease	M	152	-	-	-	2	3	3	4	6	37	45	52	297	-	-	-	-	2	3	7	28	43	106	108
	F	220	-	-	-	-	1	3	3	11	22	73	107	353	-	-	-	2	2	10	9	16	46	91	177
Aneurysm	M	2	-	-	-	-	-	-	-	2	-	-	-	6	-	-	-	-	-	1	-	1	3	1	1
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Other circulatory	M	38	-	-	-	-	-	-	-	1	8	9	20	68	-	-	-	-	1	-	-	6	22	39	39
	F	52	-	-	-	-	-	-	-	1	2	17	32	72	-	-	-	-	-	-	3	7	14	48	48
Bronchitis	M	37	1	2	-	-	-	-	1	2	5	12	14	68	6	3	-	-	-	1	-	1	7	21	29
	F	44	1	1	-	-	-	-	-	-	5	6	31	63	3	3	-	-	-	-	1	1	11	44	44
Pneumonia	M	33	7	8	-	-	1	1	2	5	2	1	6	74	16	4	3	-	2	2	6	6	13	10	12
	F	39	5	1	2	-	1	1	1	7	2	5	14	52	12	4	4	3	3	-	3	2	2	7	12
Other respiratory	M	7	-	-	-	-	-	-	1	2	1	2	1	20	-	-	1	-	-	-	3	1	3	8	4
	F	6	-	-	-	-	1	-	-	-	2	1	2	10	-	-	-	-	-	-	2	2	-	3	3
Peptic ulcer	M	14	-	-	-	-	-	1	5	5	1	2	-	12	-	-	-	-	-	2	6	4	-	-	-
	F	3	-	-	-	-	-	-	-	1	1	-	1	4	-	-	-	-	-	-	3	-	1	-	-
Diarrhœa	M	3	-	1	1	-	-	-	-	-	-	1	-	7	5	1	-	-	-	-	-	-	1	-	-
	F	2	-	1	-	-	-	-	1	-	-	-	-	13	3	1	2	-	1	1	-	1	1	3	3
Appendicitis	M	5	-	-	-	1	-	1	-	-	1	2	-	6	-	-	-	-	1	-	1	2	1	1	1
	F	5	-	-	-	-	-	1	2	1	-	1	-	6	-	-	-	1	1	-	1	1	1	-	-
Cirrhosis of liver	M	4	-	-	-	-	-	-	-	1	1	1	1	8	-	-	-	-	1	-	1	5	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	2	-	1	1
Other liver diseases	M	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	1	-	-	2	6	6	-	-	-	-	-	1	-	1	3	1	1
Other digestive	M	15	-	-	1	-	-	2	1	1	3	3	4	34	3	1	-	1	-	1	2	3	8	7	8
	F	14	-	-	-	-	-	-	-	1	3	4	6	24	1	-	-	1	1	1	2	-	5	4	9
Nephritis	M	24	-	1	-	1	-	-	-	2	3	7	10	80	1	-	-	-	1	5	6	12	12	26	17
	F	31	-	-	-	-	-	2	1	3	8	9	8	59	-	-	-	-	1	1	4	5	11	18	19
Puerperal sepsis	F	4	-	-	-	-	2	2	-	-	-	-	-	7	-	-	-	-	2	2	3	-	-	-	-
Other puerperal	F	3	-	-	-	-	-	3	-	-	-	-	-	9	-	-	-	-	1	6	2				



TABLE 24—contd. Administrative County of Hereford.

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-			
All Causes	M	295	26	4	5	9	13	7	10	32	49	63	77	509	37	7	6	9	10	17	25	40	68	134			
	F	281	16	3	4	5	7	12	16	19	28	67	104	469	24	1	4	6	14	20	29	25	57	103			
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—				
	F	2	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—				
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
4 Whooping cough	M	1	—	—	1	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—				
	F	1	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—				
5 Diphtheria	M	2	—	1	—	1	—	—	—	—	—	—	—	4	1	—	1	2	—	—	—	—	—				
	F	2	—	—	1	1	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—				
6 Influenza	M	12	1	1	—	1	1	—	1	—	—	4	3	27	1	2	1	—	1	—	3	2	3	7			
	F	16	—	1	—	—	—	1	1	2	1	2	8	26	—	—	1	—	1	1	3	1	1	5			
7 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
9 Respiratory tuberculosis	M	16	—	—	—	—	4	3	1	6	1	1	—	17	—	—	1	—	3	4	3	2	3	1			
	F	17	—	—	—	1	5	4	3	2	1	1	—	27	—	—	—	1	5	7	7	2	1	3			
10 Other tuberculosis	M	2	1	—	—	—	1	—	—	—	—	—	—	4	—	—	1	2	—	1	—	—	—	—			
	F	4	—	—	—	—	2	1	—	—	—	1	—	8	—	—	—	2	2	3	1	—	—	—			
11 Syphilis	M	3	—	—	—	—	—	—	1	—	1	1	—	2	—	—	—	—	—	—	1	1	—	—			
	F	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—			
12 Gen. paralysis of insane, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—				
13 Cancer	M	30	—	—	—	—	1	—	1	4	12	8	4	56	1	—	—	—	—	—	3	4	13	23			
	F	38	—	—	—	—	—	—	4	5	7	9	13	58	—	—	—	—	1	3	3	15	20				
14 Diabetes	M	1	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	1	—				
	F	3	—	—	—	—	—	—	—	—	1	2	—	5	—	—	—	1	—	—	—	—	—				
15 Cerebral hæmorrhage	M	27	—	—	—	—	—	1	1	3	9	6	7	21	—	—	—	—	—	—	—	1	3	7			
	F	24	—	—	—	—	—	—	—	3	2	6	13	29	—	—	—	—	—	—	1	1	4	10			
16 Heart disease	M	69	—	—	—	1	1	1	—	5	13	18	30	130	—	—	—	—	—	3	4	5	16	41			
	F	66	—	—	—	—	—	2	1	1	8	22	32	126	—	—	—	—	—	1	2	6	16	34			
17 Aneurysm	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1				
18 Other circulatory	M	10	—	—	—	—	—	—	—	1	—	4	5	20	—	—	—	—	—	—	—	3	1	7			
	F	7	—	—	—	—	—	—	—	—	1	1	5	14	—	—	—	—	—	—	—	2	7				
19 Bronchitis	M	12	2	—	—	—	—	—	—	2	—	3	5	28	6	1	—	1	—	—	—	1	2	8			
	F	1	—	—	—	—	—	—	—	—	—	—	1	25	1	—	—	—	—	—	—	—	2				
20 Pneumonia	M	17	—	1	3	—	1	—	—	3	3	—	6	19	3	3	1	1	—	1	1	2	5				
	F	22	4	1	1	1	—	—	1	—	3	6	5	10	1	—	1	—	—	1	—	1	1				
21 Other respiratory	M	5	—	—	—	—	—	—	1	1	—	3	—	1	—	—	—	—	—	—	—	—	—				
	F	4	—	—	—	—	—	—	—	1	—	—	1	7	—	—	—	—	—	—	—	—	1				
22 Peptic ulcer	M	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	1	1	2	1				
	F	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—				
23 Diarrhoea	M	2	1	—	—	—	—	—	—	—	—	1	—	3	3	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—				
24 Appendicitis	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	1	—	—	2	—	—	—				
25 Cirrhosis of liver	M	1	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	—	—				
	F	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1				
26 Other liver diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	2	—				
	F	2	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—	—	—	—	—	1				
27 Other digestive	M	9	1	1	1	2	1	—	—	—	1	1	1	7	—	—	—	—	—	—	2	1	3				
	F	2	—	—	—	—	—	—	—	—	—	—	1	11	2	—	—	—	—	—	—	1	1				
28 Nephritis	M	17	—	—	—	—	—	2	—	3	4	4	4	29	—	—	—	—	1	—	2	3	4	13			
	F	8	—	—	—	—	—	—	1	—	1	3	3	14	—	—	—	—	—	2	3	4	3				
29 Puerperal sepsis	F	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—				
30 Other puerperal	F	2	—	—	—	—	—	1</																			

TABLE 24—*contd.* Administrative County of Hertford.

Causes of Death.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,432	112	15	21	30	68	70	82	126	237	325	346	622	39	6	7	16	17	21	39	44	94	136	203		
	F	1,505	97	8	13	22	40	65	78	127	224	324	507	614	26	9	12	21	8	23	21	53	64	141	236		
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	2	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough	M	5	2	—	2	1	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—		
	F	2	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
Diphtheria	M	5	—	2	2	1	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—		
	F	7	—	—	1	3	1	—	1	—	1	—	—	3	—	—	—	2	—	—	—	1	—	—	—		
Influenza	M	29	—	—	1	—	—	2	6	4	2	8	6	18	—	1	—	2	—	—	1	4	5	1	4		
	F	33	1	1	—	1	—	—	2	2	6	8	12	9	—	1	—	—	—	—	3	1	3	—	1		
Encephalitis lethargica	M	6	—	—	—	1	1	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—		
Cerebro-spinal fever	M	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
Respiratory tuberculosis	M	85	—	—	—	3	16	22	19	13	8	3	1	22	—	—	—	—	3	5	5	5	2	2	—		
	F	70	1	—	—	3	12	20	13	11	6	4	—	18	—	—	—	2	7	4	3	2	—	—	—		
Other tuberculosis	M	17	3	—	1	4	2	3	2	—	1	1	—	9	—	1	1	2	2	2	1	—	—	—	—		
	F	15	—	1	4	3	2	1	1	—	1	2	—	6	—	1	3	1	—	1	—	—	—	—	—		
Syphilis	M	6	—	—	—	—	—	—	1	—	3	1	1	2	—	—	—	—	1	—	—	1	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Gen. paralysis of insane, etc.	M	6	—	—	—	—	—	—	2	2	1	—	1	5	—	—	—	—	—	2	1	2	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Cancer	M	191	—	—	—	—	2	3	9	27	52	68	30	86	—	—	—	—	1	—	4	6	16	33	26		
	F	260	—	—	—	—	1	4	17	46	69	65	58	91	—	—	—	1	1	1	2	18	10	33	25		
Diabetes	M	11	—	—	—	—	—	1	—	2	2	3	3	2	—	—	—	—	—	1	—	—	—	—	1		
	F	24	—	—	—	—	2	—	1	3	1	10	7	5	—	—	—	—	—	—	—	2	2	—	—		
Cerebral hæmorrhage	M	60	—	—	—	—	—	1	—	3	11	24	21	27	—	—	—	—	—	—	1	1	4	6	15		
	F	81	—	—	—	—	—	1	—	2	9	25	44	28	—	—	—	—	—	—	3	3	6	16	—		
Heart disease	M	305	—	—	—	4	1	1	8	20	61	89	121	133	—	—	—	1	—	3	5	5	19	38	62		
	F	347	—	—	—	—	7	4	14	19	39	89	175	172	—	—	1	1	1	3	3	7	24	46	86		
Aneurysm	M	3	—	—	—	—	—	—	—	1	2	—	—	3	—	—	—	—	—	—	1	1	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other circulatory	M	73	—	—	—	—	—	—	1	4	10	23	35	26	—	—	—	—	—	—	—	4	9	13	—		
	F	77	—	—	—	—	—	—	—	3	9	19	46	28	—	—	—	—	—	—	—	2	9	17	—		
Bronchitis	M	55	2	—	—	—	—	1	1	1	5	12	33	30	—	—	—	—	—	1	1	1	6	21	—		
	F	60	2	—	—	—	1	1	—	—	4	14	38	32	1	—	1	—	—	—	1	—	6	23	—		
Pneumonia	M	105	15	5	4	3	3	5	12	18	14	16	10	37	5	2	4	1	1	—	2	—	7	10	5		
	F	68	14	4	2	1	—	2	4	4	9	10	18	29	3	3	1	5	—	1	3	3	4	6	—		
Other respiratory	M	11	—	—	—	1	1	—	—	—	4	2	3	9	—	—	—	—	—	—	—	2	2	5	—		
	F	22	—	—	—	—	1	1	3	2	4	8	3	7	—	—	1	—	—	—	—	1	4	1	—		
Peptic ulcer	M	18	—	—	—	—	1	1	4	5	3	2	2	9	1	—	—	—	2	1	2	1	2	—	—		
	F	10	—	—	—	—	—	—	—	2	2	4	2	1	—	—	—	—	—	—	1	—	—	—	—		
Diarrhœa	M	12	5	1	2	—	—	1	—	—	—	2	1	2	2	—	—	—	—	—	—	—	—	—	—		
	F	8	3	—	1	1	—	—	—	—	2	1	—	7	—	—	—	1	—	2	—	—	1	2	—		
Appendicitis	M	12	—	—	1	2	4	1	—	—	4	—	—	4	—	—	—	—	1	—	—	2	—	1	—		
	F	8	—	—	1	1	—	2	1	1	2	—	—	8	—	—	—	2	—	—	1	2	1	—	—		
Cirrhosis of liver	M	7	—	—	—	—	—	—	—	2	2	3	—	2	—	—	—	—	—	—	—	1	1	—	—		
	F	4	—	—	—	—	—	—	1	1	1	1	—	2	—	—	—	—	—	—	1	1	—	—	—		
Other liver diseases	M	6	—	—	—	—	1	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	13	—	—	—	—	—	2	1	1	1	3	5	6	—	—	—	—	—	—	1	1	1	3	—		
Other digestive	M	33	—	2	1	1	3	4	1	2	7	6	6	10	1	—	1	—	—	2	—	1	1	4	—		
	F	36	2	—	2	—	2	2	1																		



Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	142	8	1	1	1	3	6	3	12	21	43	43	218	19	1	-	1	11	6	8	16	25	56	
	F	149	6	-	1	3	3	4	7	18	17	35	55	189	10	2	-	3	7	7	6	9	29	44	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-		
2 Measles	M	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	1	-	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Influenza	M	1	-	-	-	-	-	-	-	-	-	-	1	6	1	-	-	-	-	1	-	1	1		
	F	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-		
9 Respiratory tuberculosis	M	14	-	-	-	-	1	4	3	1	2	3	-	10	-	-	-	-	4	1	3	1	1	-	
	F	6	-	-	-	-	1	3	-	2	-	-	-	9	-	-	-	-	5	2	1	-	-		
10 Other tuberculosis	M	2	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-		
	F	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	19	-	-	-	1	-	-	-	4	5	5	4	37	-	-	-	-	1	-	1	2	6	17	
	F	23	-	-	-	-	-	-	1	3	6	7	6	33	-	-	-	-	-	2	5	6	13		
14 Diabetes	M	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	2		
	F	3	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	1	-	-	-	1		
15 Cerebral hæmorrhage	M	9	-	-	-	-	-	-	-	-	2	5	2	15	-	-	-	-	-	-	-	1	5		
	F	14	-	-	-	-	-	-	-	1	1	7	5	11	-	-	-	-	-	-	-	4	1		
16 Heart disease	M	22	-	-	-	-	-	-	-	1	4	4	13	33	-	-	-	-	-	-	3	4	7		
	F	36	-	-	-	-	-	-	-	7	3	7	19	44	-	-	-	1	-	-	3	5	12		
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	4	-	-	-	-	-	-	-	-	-	1	3	12	-	-	-	-	-	-	-	2	6		
	F	5	-	-	-	-	-	-	-	1	-	1	3	15	-	-	-	-	-	-	-	2	5		
19 Bronchitis	M	11	-	-	-	-	-	-	-	-	-	6	5	11	-	-	-	-	-	-	-	-	4		
	F	11	1	-	-	-	-	-	-	-	1	5	4	9	-	-	-	-	-	-	-	-	2		
20 Pneumonia	M	7	1	-	-	-	-	-	-	1	1	3	1	7	2	-	-	-	1	1	-	-	2		
	F	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	1	-	1	1		
21 Other respiratory	M	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1		
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-		
22 Peptic ulcer	M	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
23 Diarrhoea	M	1	1	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	1	1	-	-		
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
24 Appendicitis	M	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1			
27 Other digestive	M	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	1	-	-	-	1		
	F	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	1	1			
28 Nephritis	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	1		
	F	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	1	1	2		
29 Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-		
30 Other puerperal	F	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
31 Congenital causes, etc.	M	5	5	-	-	-	-	-	-	-	-	-	-	11	10	-	-	-	1	-	-	-	-		
	F	2	2	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-		
32 Senility	M	11	-	-	-	-	-	-	-	-	-	-	3	14	-	-	-	-	-	-	-	-	2		
	F	8	-	-	-	-	-	-	-	-	-	-	8	10	-	-	-	-	-	-	-	-	-		
33 Suicide	M	3	-	-	-	-	-	-	-	1	-	2	-	5	-	-	-	-	1	-	1	2	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-		
34 Other violence	M	8	-	-	-	-	2	-	-	-	3	3	-	13	-	-	-	1	3	3	1	3	1		
	F	2	-	-	-	-	1	-	-	-	1	-	-	8	-	-	-	1	1	1	-	2	-		
35 Other defined causes	M	12	1	-	-	-	-	-	-	1	2	4	4	21	2	1	-	-	1	-	3	3	4		
	F	19	2	-	-	2	-	-	3	2	1	3	6	15	-	-	-	1	-	2	-	5	5		
36 Ill-defined causes	M	3	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	1	1		
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		

TABLE 24—contd. Administrative County of Kent.

287

Causes of Death. First page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	4772	344	54	71	119	170	176	255	456	827	1100	1200	1935	136	11	15	50	81	70	101	136	292	476	567
	F	4980	245	57	56	76	145	196	221	421	709	1065	1789	1843	105	12	21	29	50	78	90	157	249	439	613
Typhoid fever, etc.	M	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
	F	4	-	-	-	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	
Measles	M	25	5	6	4	9	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	
	F	22	5	5	9	3	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	
Scarlet fever	M	6	1	-	3	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
	F	7	-	2	1	1	2	1	-	-	-	-	-	3	-	-	-	1	-	-	-	1	-	-	
Whooping cough	M	5	3	1	-	1	-	-	-	-	-	-	-	5	3	1	1	-	-	-	-	-	-	-	
	F	13	3	6	3	1	-	-	-	-	-	-	-	5	3	-	2	-	-	-	-	-	-	-	
Diphtheria	M	22	1	-	9	11	1	-	-	-	-	-	-	6	-	-	2	4	-	-	-	-	-	-	
	F	18	-	1	6	9	1	-	-	-	1	-	-	5	-	-	3	2	-	-	-	-	-	-	
Influenza	M	107	2	2	-	4	1	5	10	11	22	16	34	58	-	-	-	2	1	1	3	10	9	16	
	F	123	5	4	1	3	-	6	6	10	21	26	41	61	1	-	2	1	-	3	3	8	8	14	
Encephalitis lethargica	M	10	-	1	-	1	-	1	1	2	2	2	-	2	-	-	-	-	1	-	-	-	1	-	
	F	9	-	-	1	-	-	1	-	3	3	-	1	1	-	-	-	1	-	-	-	-	-	-	
Cerebro-spinal fever	M	7	1	-	1	2	-	1	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	2	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
Respiratory tuberculosis	M	314	-	-	-	5	46	52	70	74	52	12	3	102	-	-	-	-	18	25	29	11	7	12	
	F	231	2	-	1	7	54	72	39	29	14	9	4	96	-	-	-	1	18	33	20	9	5	9	
Other tuberculosis	M	55	2	6	12	13	9	4	1	3	3	1	1	21	6	1	1	1	4	1	1	3	3	-	
	F	53	6	1	5	11	13	6	2	1	3	4	1	27	2	1	5	3	4	3	4	2	3	-	
Syphilis	M	17	3	-	-	-	-	-	1	3	5	4	1	3	1	-	-	-	-	-	-	-	-	1	
	F	4	2	-	-	-	-	-	1	-	1	-	-	3	1	1	-	-	-	-	-	-	-	1	
Gen. paralysis of insane, etc.	M	28	-	-	-	-	-	1	2	9	6	8	2	5	-	-	-	-	-	2	-	-	3	-	
	F	10	-	-	-	1	1	-	-	3	2	3	-	2	-	-	-	-	-	-	-	-	1	1	
Cancer	M	571	-	-	-	3	2	7	19	57	159	209	115	248	-	-	-	-	-	2	5	25	67	92	
	F	753	1	-	1	1	3	11	40	128	170	207	191	255	-	-	-	-	-	3	22	53	64	70	
Diabetes	M	42	-	-	-	1	1	1	-	6	6	15	12	20	-	-	-	-	-	-	1	1	8	6	
	F	64	-	-	-	-	4	2	2	2	10	28	16	23	-	-	-	1	1	1	1	5	9	4	
Cerebral hæmorrhage	M	192	-	-	-	-	-	-	3	12	33	72	72	100	-	-	-	-	-	-	2	4	13	30	
	F	306	-	-	-	-	1	1	5	20	50	89	140	130	-	-	-	-	1	-	1	7	25	38	
Heart disease	M	1101	-	-	1	5	13	15	36	82	189	340	420	386	-	-	2	4	2	3	8	21	56	137	
	F	1252	-	-	-	1	8	18	30	55	168	341	631	432	-	-	-	2	2	6	6	16	73	137	
Aneurysm	M	25	-	-	-	-	-	-	4	3	8	7	3	8	-	-	-	-	-	-	-	-	3	4	
	F	5	-	-	-	-	-	-	-	-	1	3	1	3	-	-	-	-	-	-	-	1	1	1	
Other circulatory	M	221	1	-	-	-	-	-	2	8	36	72	102	93	-	-	-	-	-	-	-	1	13	35	
	F	249	1	-	-	1	-	2	-	5	28	65	147	82	-	-	-	-	-	-	-	4	9	26	
Bronchitis	M	247	23	4	3	1	1	-	4	15	33	48	115	73	5	-	-	-	-	2	2	1	7	16	
	F	234	2	3	-	-	-	-	4	7	15	54	149	90	3	1	1	-	-	2	2	2	5	23	
Pneumonia	M	260	60	21	17	4	7	14	11	32	39	24	31	114	14	5	4	1	3	2	8	17	21		
	F	237	46	21	6	5	8	12	9	23	21	32	54	76	15	2	3	1	3	4	5	4	5	10	
Other respiratory	M	48	1	-	-	-	2	4	4	3	14	12	8	29	1	1	1	1	-	3	1	-	7		
	F	38	2	-	1	-	4	1	3	4	3	5	15	21	1	-	1	-	2	-	4	-	2		
Peptic ulcer	M	86	-	-	-	-	-	5	15	21	25	11	9	17	-	-	-	-	-	1	4	2	5		
	F	23	-	-	-	-	-	-	5	4	5	5	4	8	-	-	-	-	-	-	-	3	1		
Diarrhoea	M	33	17	2	1	1	-	1	1	2	1	4	3	18	9	1	-	1	2	-	-	-	1		
	F	43	17	2	2	-	1	3	1	2	2	6	7	8	2	1	-	-	-	-	2	1	-		
Appendicitis	M	35	-	-	3	4	2	5	2	5	8	4	2	14	-	-	1	2	5	1	2	-	1		
	F	27	-	-	-	5	4	1	2	4	8	3	-	10	-	-	-	-	-	3	-	1	-		
Cirrhosis of liver	M	32	-	-	-	-	-	1	-	10	7	14	-	10	-	-	-	-	-	-	-	1			
	F	12	-	-	1	-	-	-	-	3	2	4	2	7	-	-	-	-	-	-	-	3			
Other liver diseases	M	9	-	-	-	-	-	-	1	1	4	1	2	3	-	-	-	-	-	-	1	-			
	F	27	-	-	-	-	-	-	1	2	4	11	9	13	-	-	-	-	-	-	1	1			
Other digestive	M	103	7	2	2	7	7	2	5	13	25	17	16	45	-	-	1	3	3	2	1	5			
	F	109	5	3	2	1	3	5	9	14	20	24	23	22	1	-	-	1	3	-	1	2			
Nephritis	M	174	-	1	1	2	6	1	7	21	38	56	41	71	-	-	-	1	-	-	3	5			
	F	175	-	1	-	1	2	2	12	17	48	40	52	58	-	-	-	-	-	-	4	7			
Puerperal sepsis	F	14	-	-	-	-	5	7	2	-	-	-	-	9	-	-	-	-	3	4	2	-			
Other puerperal	F	22	-	-	-	-	2	11	9	-	-	-	-	8	-	-	-	-	2	4	2	-			
Congenital causes, etc.	M	199	190	1	3	1	2	-	1	-	-	1	-	88	85	-	1	2	-	-	-				



TABLE 24—*contd.* Administrative County of Lancaster.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes		M 9914 F 10187	879 665	164 144	161 150	225 211	366 346	426 453	609 584	1189 1050	1824 1731	2408 2517	1663 2336	1591 1520	129 100	24 12	24 16	25 28	63 36	65 65	81 94	163 139	277 224	395 400	
1 Typhoid fever, etc.	M	5	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	7	-	-	-	-	3	-	1	-	2	1	-	1	-	-	-	-	-	-	1	-	-	-	
2 Measles	M	33	8	13	6	5	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
	F	25	3	11	8	3	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	7	-	-	3	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
	F	17	-	1	8	7	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
4 Whooping cough	M	35	13	12	8	2	-	-	-	-	-	-	-	5	4	-	1	-	-	-	-	-	-	-	
	F	50	23	16	10	1	-	-	-	-	-	-	-	4	2	-	2	-	-	-	-	-	-	-	
5 Diphtheria	M	44	1	6	15	20	-	1	-	1	-	-	-	4	-	1	1	2	-	-	-	-	-	-	
	F	53	-	3	17	25	1	2	-	3	2	-	-	7	1	-	1	4	1	-	-	-	-	-	
6 Influenza	M	385	17	5	7	3	27	26	46	64	60	72	58	59	1	5	1	-	4	1	9	10	8	7	
	F	408	9	7	11	9	16	21	35	55	62	96	87	70	1	2	-	1	3	3	7	4	7	20	
7 Encephalitis lethargica	M	40	-	-	1	2	6	8	6	6	8	2	1	7	-	-	-	1	-	3	1	-	2	-	
	F	36	-	-	-	3	9	7	5	4	5	2	1	5	-	-	-	-	1	-	1	1	2	-	
8 Cerebro-spinal fever	M	22	5	3	2	3	4	3	1	-	-	1	-	2	-	-	-	1	-	-	-	1	-	-	
	F	14	4	1	-	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	550	-	3	2	10	88	108	110	130	71	24	4	63	1	-	-	1	11	18	10	12	9	1	
	F	368	-	1	1	9	120	84	63	45	29	12	4	40	-	-	-	1	9	11	12	4	2	-	
10 Other tuberculosis	M	117	13	9	12	22	23	12	8	5	7	4	2	19	1	4	2	3	4	2	-	2	1	-	
	F	114	6	6	14	22	24	18	10	5	6	3	-	16	1	-	1	2	1	5	4	1	1	-	
11 Syphilis	M	31	6	1	-	1	1	1	3	8	7	2	1	6	2	-	-	-	-	-	-	2	2	-	
	F	14	4	1	1	-	1	-	-	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
12 Gen. paralysis of insane, etc.	M	50	-	-	-	-	-	-	11	21	13	4	1	6	-	-	-	-	-	-	-	2	1	2	
	F	6	-	-	-	-	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 Cancer	M	1062	-	-	1	1	6	9	33	164	349	385	114	168	-	-	-	-	1	2	7	25	48	53	
	F	1291	-	-	-	-	1	28	91	230	374	385	182	184	-	-	-	-	-	1	20	26	42	56	
14 Diabetes	M	112	-	-	-	3	6	6	9	7	25	40	16	22	-	-	-	-	-	3	1	1	5	10	
	F	160	-	-	1	2	4	6	7	14	49	54	23	23	-	-	-	-	-	-	2	4	10	4	
15 Cerebral hæmorrhage	M	493	-	-	-	-	-	1	16	49	108	190	129	78	-	-	-	-	-	-	1	6	17	33	
	F	675	-	-	-	-	-	2	17	72	146	252	186	107	-	-	-	-	-	-	3	9	25	38	
16 Heart disease	M	1883	-	-	1	14	26	36	78	183	419	656	470	334	1	-	-	1	2	4	9	23	67	130	
	F	2240	-	-	2	15	31	51	99	216	417	739	670	367	-	-	-	5	-	6	11	31	68	131	
17 Aneurysm	M	16	-	-	-	-	-	2	-	4	8	2	-	3	-	-	-	-	-	-	1	1	1	-	
	F	4	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	1	-	-	-	-	
18 Other circulatory	M	497	-	-	1	-	-	-	3	26	76	206	185	90	-	-	-	-	-	-	-	3	10	43	
	F	467	-	-	1	1	-	1	6	21	75	180	182	69	1	-	-	-	-	1	-	5	6	29	
19 Bronchitis	M	568	57	9	4	3	5	8	18	52	82	169	161	54	7	-	-	-	2	-	1	5	12	8	
	F	665	53	9	3	1	2	9	8	26	91	198	265	78	5	1	-	1	-	1	1	6	17	17	
20 Pneumonia	M	770	143	64	41	34	27	49	60	114	119	84	35	99	15	8	7	1	5	7	8	15	10	13	
	F	611	117	56	33	21	21	29	44	56	70	95	69	70	12	4	5	2	3	7	3	4	7	10	
21 Other respiratory	M	96	4	-	3	4	5	7	10	17	19	18	9	9	2	-	-	-	-	-	1	2	2	-	
	F	90	2	2	1	1	3	4	4	10	19	20	24	18	-	1	-	1	1	-	-	2	1	6	
22 Peptic ulcer	M	113	-	-	-	-	1	10	25	26	29	14	8	22	-	-	-	-	2	2	3	12	3	-	
	F	34	-	-	-	-	1	2	-	9	14	7	1	9	-	-	-	-	-	-	1	5	1	2	
23 Diarrhœa	M	89	58	4	5	1	-	1	1	2	8	6	3	13	7	-	1	-	-	-	-	-	-	3	
	F	72	28	11	4	2	-	5	7	4	6	2	3	16	5	-	-	1	-	2	1	1	2	3	
24 Appendicitis	M	59	-	-	2	11	12	5	5	7	11	6	-	8	-	-	-	2	1	1	1	1	2	-	
	F	52	-	-	2	9	4	3	8	12	9	4	1	4	-	-	1	-	-	-	-	-	2	1	
25 Cirrhosis of liver	M	36	-	-	-	-	1	-	3	3	13	12	4	5	-	-	-	-	-	-	2	1	-	1	
	F	14	-	-	-	-	-	-	-	5	6	3	-	4	-	-	-	-	-	-	-	1	-	2	
26 Other liver diseases	M	36	-	-	-	-	-	2	1	6	10	9	8	9	-	-	-	-	-	-	-	2	2	2	
	F	105	-	-	-	1	4	1	9	11	33	26	20	12	-	-	-	-	-	-	1	1	5	4	
27 Other digestive	M	185	18	5	4	12	4	10	12	20	38	46	16	33	4	1	1	1	-	-	-	5	5	7	
	F	221	10	-	6	7	4	13	14	31	52	43	41	36	3	-	1	1	3	1	3	3	5	7	
28 Nephritis	M	361	-	-	-	2	4	12	12	72	107	97	55	55	-	-	-	-	4	1	1	7	13	18	
	F	375	1	1	2	5	11	20	32	60	82	102	59	50	-	-	-	3	1	4	2	8	8	19	
29 Puerperal sepsis	F	31	-	-	-	-	7	17	7	-	-	-	-	9	-	-	-	-	-	6	3	-	-	-	
30 Other puerperal	F	68	-	-	-	-	11	37	19	1	-	-	-	13	-	-	-	-	2	5	6	-	-	-	
31 Congenital causes, etc.	M	465	453	3	1	5	2	1	-	-	-	-	-	70	69	1	-	-	-	-	-	-	-	-	
	F	361	355	4	1	1	-	-	-	-	-	-	-	54	52	2	-	-	-	-	-	-	-	-	
32 Senility	M	346	-	-	-	-	-	-	-	-	-	8	100	238	71	-	-	-	-	-	-	-	2	18	
	F	513	-	-	-	-	-	-	-	-	-	5	101												

TABLE 24—*contd.* **Administrative County of Leicester.**

Causes of Death first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	680	71	11	12	11	28	21	37	77	116	148	148	1029	83	18	19	27	55	55	62	98	146	217	249
	F	635	51	7	9	16	21	20	41	56	88	170	156	990	90	14	17	15	34	54	65	77	129	187	308
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	7	2	2	2	1	-	-	-	-	-	-	-	9	2	4	2	1	-	-	-	-	-	-	
	F	7	-	2	2	2	-	-	-	1	-	-	-	8	2	4	2	-	-	-	-	-	-	-	
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	
	F	4	4	-	-	-	-	-	-	-	-	-	-	6	5	1	-	-	-	-	-	-	-	-	
Diphtheria	M	2	-	-	1	1	-	-	-	-	-	-	-	5	-	1	-	3	-	-	1	-	-	-	
	F	4	-	-	1	2	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
Influenza	M	16	2	-	1	-	3	1	4	2	2	1	1	28	2	1	-	1	1	4	5	3	5	6	
	F	14	1	-	-	-	1	-	1	3	5	3	3	28	3	2	-	1	1	2	1	3	8	6	
Encephalitis lethargica	M	1	-	-	-	-	1	-	-	-	-	-	-	6	-	1	1	2	-	1	-	-	1	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	
Cerebro-spinal fever	M	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-	1	-	-	-	-	-	
Respiratory tuberculosis	M	39	-	-	1	-	9	7	8	9	3	2	-	68	-	-	1	1	14	15	15	7	13	2	
	F	36	-	-	-	-	12	5	8	7	2	2	-	67	-	-	2	1	15	18	19	6	5	1	
Other tuberculosis	M	10	1	3	3	1	1	1	-	1	-	-	-	17	1	1	4	3	4	1	2	-	-	-	
	F	6	1	1	2	1	1	-	-	-	-	-	-	13	2	-	3	3	1	1	2	1	-	-	
Syphilis	M	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	1	-	1	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	1	-	-	-	1	-	-	
Men. paralysis of insane, etc.	M	5	-	-	-	-	-	-	1	1	2	1	-	2	-	-	-	-	-	1	-	1	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	M	83	-	-	-	-	1	-	4	14	23	26	15	118	-	-	-	1	-	6	17	27			

cluding 2 deaths from Smallpox (a Male—aged 65 years, in the Urban Districts and a Male—aged 1 month, in the Rural Districts).



TABLE 24—*contd.* **Administrative County of Lincoln.** (Parts of Holland.)

[illegible]

Causes of Death.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	250	19	3	4	4	10	9	13	27	43	50	68	434	34	5	6	6	17	19	18	33	51	114	131
	F	247	20	4	4	6	9	10	13	23	29	48	81	436	30	5	2	7	17	22	21	35	44	87	166
typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	3	-	2	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	F	7	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	1	-	-	-	-	-	-
Influenza	M	7	-	-	-	-	1	-	1	1	1	1	2	15	-	-	-	-	-	2	2	1	3	6	1
	F	2	-	-	-	-	-	-	-	1	-	-	1	14	1	-	-	-	1	-	1	1	3	5	2
Cerebral meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Respiratory tuberculosis	M	18	-	-	-	-	5	4	2	4	3	-	-	17	-	-	-	-	3	2	5	3	2	2	-
	F	13	-	-	-	-	8	2	1	2	-	-	-	17	-	-	-	1	5	7	3	-	-	1	
Other tuberculosis	M	3	-	-	1	-	1	-	-	-	-	1	-	2	-	-	-	-	1	-	1	-	-	-	-
	F	3	-	-	-	-	1	-	-	2	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
General paralysis of insane, etc.	M	4	-	-	-	-	-	1	-	2	1	-	-	3	-	-	-	-	-	-	-	2	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	26	-	-	-	-	1	-	-	2	8	9	6	49	-	-	-	-	-	2	-	7	8	19	13
	F	39	-	-	-	-	-	1	-	5	9	11	13	49	-	-	-	-	-	1	5	11	13	12	7
Diabetes	M	5	-	-	-	-	-	-	1	1	-	-	2	5	-	-	-	1	-	1	-	1	2	-	-
	F	6	-	-	-	-	-	1	1	-	-	1	3	9	-	-	-	-	1	1	1	-	4	2	-
Cerebral hemorrhage	M	17	-	-	-	-	-	-	-	2	3	6	6	23	-	-	-	-	-	-	1	-	4	8	10
	F	22	-	-	-	-	-	-	-	2	8	3	9	29	-	-	-	-	-	-	-	3	6	10	10
Heart disease	M	50	-	-	-	-	-	5	5	9	16	15	15	85	-	-	-	-	2	-	1	3	9	34	36
	F	52	-	-	-	1	-	1	1	3	4	19	23	110	-	-	-	-	-	1	2	4	9	38	56
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	12	-	-	-	-	-	-	-	-	-	4	8	17	-	-	-	-	-	-	-	-	2	5	10
	F	11	-	-	-	-	-	-	1	-	2	-	8	22	-	-	-	-	-	-	-	-	3	3	19
Bronchitis	M	13	1	-	-	-	-	-	-	2	1	2	7	30	3	1	-	-	-	-	1	1	3	8	13
	F	6	-	-	-	1	-	-	-	-	-	1	4	23	3	-	-	-	-	-	1	1	4	1	14
Pneumonia	M	11	2	1	-	1	1	1	1	1	2	1	-	23	4	1	1	1	-	1	1	3	1	6	4
	F	13	2	-	2	-	-	1	1	1	1	2	3	16	4	2	-	1	1	-	-	-	-	2	6
Other respiratory	M	4	-	-	-	-	1	-	-	2	-	-	1	5	1	-	-	-	-	-	-	-	-	1	3
	F	4	-	-	-	-	-	-	-	1	2	-	1	7	-	-	-	1	-	-	-	-	2	-	4
Optic ulcer	M	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	2	1	1	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	1	-	-	1
Dysarrhoea	M	2	1	-	-	-	-	-	-	-	1	-	-	5	2	1	-	-	-	-	-	-	-	-	2
	F	2	1	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	1
Appendicitis	M	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	1	-	1	2	-	-
	F	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrombosis of liver	M	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other liver diseases	M	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	2	-	-	1	2	-
Other digestive	M	4	2	-	-	-	-	-	-	-	1	1	1	10	1	-	-	-	1	1	-	1	3	1	2
	F	8	-	-	1	-	-	1	-	1	1	-	4	11	1	-	1	-	-	1	-	1	2	5	5
Gonorrhoea	M	11	-	-	-	-	-	1	1	2	3	1	4	23	-	-	-	-	1	2	-	2	3	10	5
	F	5	-	-	-	1	-	1	-	1	-	1	1	7	-	-	-	-	-	-	1	-	1	-	5
Periperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other puerperal	F	2	-	-	-	-	1	1	-	-	-	-	-	6	-	-	-	-	4	2	-	-	-	-	-
Congenital causes, etc.	M	10	10	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
	F	13	13	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Idiocy	M	11	-	-	-	-	-	-	-	-	-	1	10	17	-	-	-	-	-	-	-	-	2	15	19
	F	10	-	-	-	-	-	-	-	-	-	1	9	19	-	-	-	-	-	-	-	-	-	-	-
Accident	M	4	-	-	-	-	1	-	2	1	-	-	-	3	-	-	-	-	-	-	1	-	2	-	-
	F	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Other violence	M	7	-	-	-	-	1	1	2	1	-	-	2	23	1	1	3	1	6	2	1	2	3	1	2
	F	1	-	-	-	-	1	-	-	-	-	-	-	12	-	-	-	-	2	1	2	-	2	3	3
Other defined causes	M	20	3	-	2	3	-	-	-	1	5	3	3	36	3	-	2	2	1	3	2	2	3	7	11
	F	19	1	1	-	1	-	1	5	4	1	4	1	44	1	-	-	3	5	7	2	6	6	5	9
Other defined causes	M	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	2	1	1	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-



Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	839	104	14	14	23	45	23	45	85	146	169	171	834	69	7	9	18	24	25	33	51	127	207	
	F	720	46	8	14	17	33	33	47	61	96	135	230	798	47	2	6	10	24	36	30	79	108	163	
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	
2 Measles	M	3	2	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
	F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Whooping cough	M	5	3	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
	F	5	1	-	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
5 Diphtheria	M	8	-	-	3	4	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	
6 Influenza	M	55	6	1	1	2	1	3	6	8	7	8	12	30	2	2	-	-	2	1	1	4	6	7	
	F	29	-	1	1	2	-	2	2	1	1	11	8	34	1	-	-	1	-	3	3	2	7	10	
7 Encephalitis lethargica	M	4	-	-	-	1	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	-	
	F	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	
8 Cerebro-spinal fever	M	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	1	1	-	1	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	53	-	-	1	2	14	10	10	7	8	1	-	21	-	-	-	2	5	2	4	2	4	2	
	F	48	-	-	-	3	16	13	7	6	3	-	-	29	-	-	-	1	9	9	5	-	3	2	
10 Other tuberculosis	M	14	1	3	-	2	4	3	1	-	-	-	-	9	2	-	1	2	-	2	1	1	-	-	
	F	19	-	2	2	4	5	1	2	2	1	-	-	5	1	-	-	1	2	-	1	-	-	-	
11 Syphilis	M	3	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	1	-	-	-	-	-	-	1	2	1	-	-	-	-	-	1	-	-	-	
12 Gen. paralysis of insane, etc.	M	8	-	-	-	-	-	-	2	5	1	-	-	6	-	-	-	-	2	-	-	1	1	2	
	F	3	-	-	-	-	-	-	1	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	
13 Cancer	M	75	-	-	-	-	-	-	3	12	23	28	9	75	-	-	1	-	1	-	1	8	20	22	
	F	92	-</																						

TABLE 24—contd. Administrative County of Middlesex.

293

Causes of Death. first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	7,705	724	101	108	159	307	403	459	931	1319	1668	1526	184	24	2	5	5	10	8	13	14	39	37	27		
	F	7,919	507	81	110	197	291	379	487	749	1125	1581	2412	200	12	2	1	6	9	13	12	18	29	38	60		
Typhoid fever, etc.	M	3	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-			
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Measles	M	10	2	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	6	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Scarlet fever	M	10	-	1	2	4	1	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
	F	22	-	3	4	10	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Whooping cough	M	26	15	6	4	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-			
	F	25	15	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Diphtheria	M	42	3	2	18	17	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-			
	F	48	3	1	12	27	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Influenza	M	180	8	2	3	2	7	11	17	29	28	43	30	6	-	1	-	-	-	2	-	1	-	2			
	F	210	3	4	1	5	5	7	16	22	33	40	74	7	-	-	-	-	1	-	1	-	3	2			
Encephalitis lethargica	M	19	-	-	-	2	1	4	-	4	5	2	1	1	-	-	-	-	-	-	1	-	-	-			
	F	16	-	-	1	-	4	1	4	3	2	1	-	1	-	-	-	-	-	1	-	-	-	-			
Cerebro-spinal fever	M	16	3	2	2	4	4	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
	F	16	5	-	1	5	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Respiratory tuberculosis	M	548	-	-	1	2	94	123	100	123	79	22	4	13	-	-	-	1	1	2	1	5	2	-			
	F	416	-	-	1	6	106	128	71	49	37	15	3	12	-	-	-	3	4	3	-	1	1	-			
Other tuberculosis	M	78	13	8	12	8	17	6	3	6	3	1	1	5	1	-	-	1	1	-	1	1	-	-			
	F	88	8	6	14	13	20	12	6	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-			
Syphilis	M	29	4	-	-	-	1	3	3	8	4	5	1	-	-	-	-	-	-	-	-	-	-	-			
	F	10	3	-	-	-	-	1	3	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-			
Gen. paralysis of insane, etc.	M	53	-	-	-	1	1	5	7	15	12	11	1	-	-	-	-	-	-	-	-	-	-	-			
	F	12	-	-	-	-	2	-	2	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-			
Cancer	M	953	2	-	3	1	9	17	47	148	269	314	143	20	-	-	-	-	-	-	-	11	6	3			
	F	1,221	-	1	3	1	3	24	87	228	328	294	252	31	-	-	-	-	1	2	7	6	6	9			
Diabetes	M	65	-	1	-	1	6	-	-	10	14	26	7	1	-	-	-	-	-	-	-	-	1	-			
	F	109	-	-	-	2	2	4	7	12	14	43	25	1	-	-	-	-	-	-	-	1	-	-			
Cerebral hæmorrhage	M	283	-	-	-	-	1	1	6	24	58	92	101	4	-	-	-	-	-	-	-	-	3	1			
	F	466	-	-	-	-	-	2	9	37	80	119	219	9	-	-	-	-	-	-	-	3	2	4			
Heart disease	M	1,614	-	-	-	6	22	33	60	159	317	493	524	37	-	-	-	-	-	-	3	8	12	14			
	F	1,846	-	-	-	13	26	40	57	108	237	493	872	44	-	-	-	-	-	2	3	6	11	22			
Aneurysm	M	43	-	-	-	1	2	3	2	7	11	13	4	1	-	-	-	-	-	-	-	1	-	-			
	F	15	-	-	-	1	-	1	2	3	3	5	-	-	-	-	-	-	-	-	-	-	-	-			
Other circulatory	M	328	-	-	-	-	-	-	3	14	61	122	128	5	-	-	-	-	-	1	-	1	2	1			
	F	352	-	1	-	-	-	-	5	17	43	97	189	11	-	-	-	-	-	1	-	5	2	3			
Bronchitis	M	276	24	-	1	2	-	2	10	21	29	70	117	3	1	-	-	-	-	-	-	-	2	-			
	F	306	15	3	2	2	2	1	3	8	22	75	173	5	-	1	-	-	-	-	-	-	1	3			
Pneumonia	M	602	103	44	26	7	23	26	35	85	99	67	87	14	3	-	-	-	1	2	1	2	3	2			
	F	489	95	31	22	12	8	18	28	35	46	76	118	15	2	1	-	2	2	-	1	2	4	1			
Other respiratory	M	85	4	-	-	2	2	2	8	19	17	14	17	-	-	-	-	-	-	-	-	-	-	-			
	F	76	3	1	1	2	4	4	7	7	13	12	22	2	-	-	-	-	-	-	-	-	1	1			
Peptic ulcer	M	125	-	-	-	-	-	13	10	31	41	22	8	3	-	-	-	-	-	1	1	-	1	-			
	F	39	-	-	-	-	-	2	3	7	14	6	7	-	-	-	-	-	-	-	-	-	-	-			
Diarrhoea	M	80	65	2	3	1	-	-	-	2	3	2	2	3	2	-	-	-	-	-	-	-	1	-			
	F	66	40	2	3	5	4	4	4	1	-	1	2	1	-	-	-	-	-	-	-	-	1	-			
Appendicitis	M	58	-	-	3	9	6	9	5	8	6	9	3	1	-	-	-	-	-	-	-	1	-	-			
	F	61	-	-	4	11	7	5	4	6	13	8	3	3	-	-	-	1	-	-	1	1	-	-			
Cirrhosis of liver	M	31	-	-	-	-	-	1	1	11	10	6	2	1	-	-	-	-	-	-	-	-	-	1			
	F	24	-	-	-	-	-	1	-	7	8	5	3	1	-	-	-	-	-	-	-	1	-	-			
Other liver diseases	M	29	-	-	-	1	-	2	1	1	8	10	6	1	-	-	-	-	-	-	-	-	1	-			
	F	51	-	-	-	-	-	2	5	6	11	14	13	3	-	-	-	-	-	-	-	-	-	3			
Other digestive	M	160	13	1	5	9	8	11	15	20	29	22	27	5	1	-	-	1	-	-	1	2	-	-			
	F	176	7	6	6	13	3	6	13	25	23	33	41	3	-	-	1	-	-	-	-	-	1	1			
Nephritis	M	275	2	-	-	2	6	15	13	46	61	81	49	2	-	-	-	-	-	1	1	-	-	-			
	F	206	1	-	-	4	5	6	15	33	45	47	50	8	-	-	-	1	1	-	2	-	3	1			
Puerperal sepsis	F	37	-	-	-	-	4	20	13	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-			
Other puerperal	F	45	-	-	-	-	7	26	12	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
Congenital causes, etc.	M	406	399																								



Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	85-	95-
All Causes	M	351	20	5	3	10	10	10	19	25	49	96	104	1654	133	19	13	28	50	52	64	102	201	409	35	10	
	F	419	23	—	5	5	11	11	20	24	56	92	172	1619	89	12	14	29	45	56	64	99	187	351	10	10	
1 Typhoid fever, etc.	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	1	—	1	—	—	—	—	2	—	—	—	—	—	—	—	1	1	—	—	—	
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	1	1	1	—	—	—	—	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
4 Whooping cough	M	3	2	1	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	
	F	2	1	—	1	—	—	—	—	—	—	—	—	9	7	—	1	1	—	—	—	—	—	—	—	—	
5 Diphtheria	M	3	—	1	—	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
6 Influenza	M	3	—	—	—	1	—	—	—	—	—	—	1	35	2	—	—	1	—	1	1	2	5	13	10	10	
	F	10	—	—	1	—	—	—	1	1	2	3	2	41	3	—	—	1	—	—	2	1	3	10	10	10	
7 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8 Cerebro-spinal fever	M	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	3	—	1	1	—	—	—	1	—	—	—	—	—	
9 Respiratory tuberculosis	M	12	—	—	—	—	1	4	2	3	1	—	1	66	—	—	1	—	9	19	10	10	8	—	—	—	
	F	14	—	—	—	—	2	3	4	1	3	—	1	70	1	—	—	1	21	19	7	8	7	—	—	—	
10 Other tuberculosis	M	3	1	—	—	—	—	1	—	1	—	—	—	16	2	5	1	1	5	—	1	—	—	—	—	—	
	F	4	—	—	—	—	—	1	2	—	1	—	—	25	3	4	4	4	4	—	1	3	—	—	—	—	
11 Syphilis	M	2	—	—	—	—	1	—	1	—	—	—	—	4	3	—	—	—	—	—	—	1	—	—	—	—	
	F	2	—	—	—	—	—	1	—	—	1	—	—	4	2	—	—	—	—	—	—	—	2	—	—	—	
12 Gen. paralysis of insane, etc.	M	2	—	—	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	1	1	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	1	—	—	—	
13 Cancer	M	49	—	—	—	—	—	1	2	5	6	22	13	205	—	—	—	—	—	1	6	21	43	8	—	—	
	F	49	—	—	—	—	—	—	1	8	11	18	11	212	—	—	—	—	1	2	10	33	50	6	—	—	
14 Diabetes	M	2	—	—	—	—	—	—	—	—	1	1	—	23	—	—	—	—	—	1	2	1	5	—	—	—	
	F	3	—	—	—	—	—	—	—	1	2	—	—	28	—	—	—	—	—	1	2	2	4	1	—	—	
15 Cerebral hæmorrhage	M	17	—	—	—	—	—	—	—	—	4	5	8	80	—	—	—	—	—	—	—	2	8	2	—	—	
	F	30	—	—	—	—	—	—	1	—	5	8	16	104	—	—	—	—	1	—	2	3	13	2	—	—	
16 Heart disease	M	63	—	—	—	—	2	—	—	2	8	28	23	360	—	—	—	2	2	4	4	16	53	12	—	—	
	F	101	—	—	—	—	—	3	5	17	31	45	394	—	—	—	1	2	1	9	12	40	11	—	—	—	
17 Aneurysm	M	2	—	—	—	—	—	—	—	—	1	1	—	5	—	—	—	—	—	—	2	2	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	1	4	1	—	—	—	—	—	1	—	—	—	—	—	
18 Other circulatory	M	22	—	—	—	—	—	—	1	1	2	7	11	118	—	—	—	—	—	—	—	1	6	3	—	—	
	F	43	—	—	—	—	—	—	—	—	1	9	33	118	—	—	—	—	—	—	5	16	2	—	—	—	
19 Bronchitis	M	19	2	1	—	—	—	—	—	—	1	3	12	80	7	1	1	—	—	—	—	1	3	1	—	—	
	F	24	1	—	1	—	—	—	—	—	—	5	17	72	1	—	—	1	—	—	—	1	1	1	—	—	
20 Pneumonia	M	28	2	—	1	—	—	—	5	3	3	7	7	63	12	2	3	2	3	4	4	2	11	1	—	—	
	F	15	1	—	—	1	—	1	1	—	2	2	7	46	4	3	3	2	—	2	3	2	7	1	—	—	
21 Other respiratory	M	3	—	—	—	—	—	—	—	1	1	—	1	18	1	—	—	—	—	1	1	3	1	—	—	—	
	F	3	—	—	—	—	—	—	—	—	1	—	2	24	1	—	1	—	2	—	1	3	—	—	—	—	
22 Peptic ulcer	M	5	—	—	—	—	—	—	1	2	—	—	—	16	—	—	—	1	—	1	2	4	3	—	—	—	
	F	1	—	—	—	—	—	—	—	1	—	—	—	8	—	—	—	—	—	1	1	3	2	—	—	—	
23 Diarrhœa	M	2	—	—	—	1	—	—	—	—	—	—	1	10	5	—	1	—	—	—	—	—	—	—	—	—	
	F	3	2	—	—	—	1	—	—	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	
24 Appendicitis	M	5	—	—	—	1	2	—	—	—	1	1	—	8	—	—	—	2	2	—	1	—	1	—	—	—	
	F	2	—	—	—	—	1	—	1	—	—	—	—	4	—	—	—	1	—	1	—	—	—	—	—	—	
25 Cirrhosis of liver	M	2	—	—	—	—	—	—	1	—	1	—	—	8	—	—	—	—	—	—	—	2	3	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
26 Other liver diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	1	—	—	—	—	
	F	2	—	—	—	—	—	—	—	1	—	—	1	5	—	—	—	—	—	1	—	2	1	—	—	—	
27 Other digestive	M	10	—	1	—	—	—	—	—	1	3	3	2	39	1	—	1	4	—	2	2	5	5	5	—	—	
	F	7	1	—	—	1	—	—	—	1	1	2	1	29	3	—	—	5	1	3	3	2	2	—	—	—	
28 Nephritis	M	13	—	—	—	—	—	1	1	—	3	4	4	42	—	—	—	1	1	1	2	4	7	—	—	—	
	F	13	—	—	—	—	—	1	—	1	1	4	6	38	—	—	—	—	1	2	1	3	9	—	—	—	
29 Puerperal sepsis	F	1	—	—	—	—	—	—	1	—	—	—	—	6	—	—	—	—	1	1	4	—	—	—	—	—	
30 Other puerperal	F	3	—	—	—	—	1	1	1	—	—	—	—	10	—	—	—	—	3	6	—	1	—	—	—	—	
31 Congenital causes, etc.	M	8	8	—	—	—	—	—	—	—	—	—	—	82	80	2	—	—	—	—	—	—	—	—	—	—	
	F	14	14	—	—	—	—	—	—	—	—	—	—	49	49	—	—	—	—	—	—	—	—	—	—	—	
32 Senility	M	9	—	—	—	—	—	—	—	—	—	—	—	9	84	—	—	—	—	—	—	—	—	—	—	—	
	F	18	—	—	—	—	—	—	—	—	—	1	17	122	—	—	—	—	—	—	—	—	—	—	—	—	
33 Suicide	M	4	—	—	—	—	1	—	1	1	—	1	—	32	—	—	—	—	2	2	5	5	5	—	—	—	
	F	3	—	—	—	—	—	1	—	—	2	—	—	6	—	—	—	—	1	1	—	—	2	—	—	—	
34 Other violence	M	17	2	—	—	3	3	2	1	1	3	1	1	83	6	2	2	3	13	8	14	8	8	—	—	—	
	F	7	—	—	—	—	—	—	1	1	—	—	5	35	3	1	3	2	2	2	—	1	4	—	—	—	
35 Other defined causes	M	39	3	1	1	2	—	1	2	3	5	11	10	155	12	6	2	10	11	7	7	10	28	—	—	—	
	F	36	3	—	1	3	4	2	2	2	5	8	6	131	10	3	—	8	6	11	14	14	16</				

TABLE 24—contd. Administrative County of Northampton.

Causes of Death. first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.																							
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes	M	590	46	2	12	10	27	26	33	45	95	127	167	674	37	10	7	11	25	28	19	47	101	192	197	674	37	10	7	11	25	28	19	47	101	192	197	
	F	561	29	3	4	6	23	32	36	44	94	124	166	647	23	5	6	7	20	17	35	46	88	146	254	647	23	5	6	7	20	17	35	46	88	146	254	
Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Scarlet fever	M	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	M	2	1	-	1	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-
Diphtheria	M	3	-	-	1	1	-	1	-	-	-	-	-	4	-	-	1	2	1	-	-	-	-	-	-	4	-	-	1	2	1	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-	-	-	-	-
Influenza	M	31	-	1	-	-	3	-	2	5	7	9	4	17	-	-	-	-	-	1	1	-	3	5	6	17	-	-	-	-	-	-	-	1	3	5	6	17
	F	20	-	-	-	-	3	2	1	2	2	3	7	22	1	-	-	-	1	2	1	1	4	6	7	22	1	-	-	-	1	2	1	4	6	7	22	
Encephalitis lethargica	M	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	1	-	-	1	1	-	3	-	-	-	-	-	-	-	1	1	-	-	
	F	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Respiratory tuberculosis	M	33	1	-	-	-	7	9	9	6	-	1	-	28	-	1	-	-	7	11	3	1	3	1	1	28	-	1	-	-	7	11	3	1	3	1	1	
	F	38	-	-	-	1	12	8	8	5	3	1	-	31	-	-	-	-	9	7	7	6	1	1	-	31	-	-	-	-	9	7	7	6	1	1	-	
Other tuberculosis	M	4	-	-	1	-	2	-	-	1	-	-	-	7	-	1	-	1	2	-	2	1	-	-	-	7	-	1	-	1	2	1	-	-	-	-	-	
	F	10	-	1	1	2	1	1	1	2	1	-	-	4	-	-	-	1	2	1	-	-	-	-	-	4	-	-	-	1	2	1	-	-	-	-	-	
Syphilis	M	4	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Cancer	M	76	-	-	-	-	1	2	3	7	21	24	18	84	-	-	-	-	2	1	-	7	19	39	16	84	-	-	-	-	2	1	-	7	19	39	16	
	F	78	-	-	1	-	-	1	10	13	21	20	12	80	-	-	-	-	-	1	3	16	19	20	21	80	-	-	-	-	-	1	3	16	19	20	21	
Diabetes	M	6	-	-	-	-	-	-	-	1	1	4	-	6	-	-	-	-	-	-	-	1	1	2	2	6	-	-	-	-	-	-	-	1	1	2	2	
	F	10	-	-	-	-	-	-	-	-	5	4	1	11	-	-	-	-	-	-	-	1	5	3	2	11	-	-	-	-	-	-	-	5	3	2	2	
Cerebral haemorrhage	M	25	-	-	-	-	-	-	-	1	6	7	11	39	-	-	-	-	-	-	-	1	9	15	14	39	-	-	-	-	-	-	-	1	9	15	14	
	F	35	-	-	-	-	-	-	-	3	4	13	15	61	-	-	-	-	-	-	1	8	21	30	61	-	-	-	-	-	-	-	1	8	21	30	61	
Heart disease	M	112	-	-	1	1	3	3	4	2	19	34	45	139	-	-	-	-	1	3	1	7	25	55	47	139	-	-	-	-	1	3	1	7	25	55	47	
	F	138	-	-	-	1	1	7	8	4	24	39	54	149	-	-	-	-	1	1	8	6	27	43	63	149	-	-	-	-	1	1	8	6	27	43	63	
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other circulatory	M	36	-	-	-	-	-	-	1	1	4	10	20	46	-	-	-	-	-	-	-	-	5	13	28	46	-	-	-	-	-	-	-	5	13	28	46	
	F	21	-	-	-	-	-	-	-	-	1	8	12	29	-	-	-	-	-	-	-	1	1	8	19	29	-	-	-	-	-	-	-	1	1	8	19	
Bronchitis	M	29	8	-	-	-	-	-	-	1	3	2	15	34	2	-	-	-	-	-	-	1	1	11	19	34	2	-	-	-	-	-	-	1	1	11	19	
	F	33	1	-	1	-	-	-	-	1	2	7	21	26	-	-	1	-	-	-	-	-	2	6	17	26	-	-	1	-	-	-	-	-	2	6	17	
Pneumonia	M	28	5	-	1	1	2	1	2	1	6	7	2	32	-	3	1	-	4	-	2	4	5	7	6	32	-	3	1	-	4	-	2	4	5	7	6	
	F	19	6	-	-	-	1	-	1	3	2	2	4	18	1	2	-	1	1	1	-	-	3	4	5	18	1	2	-	1	1	1	-	-	3	4	5	
Other respiratory	M	11	-	-	-	1	1	-	1	3	1	2	2	11	-	-	-	-	1	-	-	1	2	5	11	11	-	-	-	-	-	-	-	1	2	5	11	
	F	7	-	-	-	1	-	-	1	1	3	-	1	6	-	-	-	1	-	-	-	2	-	3	-	6	-	-	-	-	-	-	-	2	-	3	-	
Peptic ulcer	M	7	-	-	-	-	-	-	1	1	2	2	1	9	-	-	-	-	-	-	1	2	3	2	1	9	-	-	-	-	-	-	1	2	3	2	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	1	-	1	-	4	-	-	-	-	-	-	1	1	-	1	-	
Diarrhoea	M	3	-	-	-	-	-	1	-	-	-	1	1	6	4	1	-	-	-	-	-	-	-	-	1	6	4	1	-	-	-	-	-	-	-	-	1	
	F	4	1	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	
Appendicitis	M	4	-	-	1	-	-	-	-	1	1	1	-	5	-	-	1	2	-	-	-	1	1	-	-	5	-	-	-	-	-	-	-	1	1	-	-	
	F	5	-	-	-	-	-	-	-	1	2	2	-	2	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Cirrhosis of liver	M	3	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other liver diseases	M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	11	-	-	-	-	-	-	-	2	2	3	4	11	-	-	-	-	-	-	2	2	3	4		
Other digestive	M	10	-	-	2	-	1	1	1	1	3	-	1	7	-	-	-	-	-	-	-	1																



TABLE 24—*contd.* Administrative County of Northumberland.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M F	1986 1773	246 166	58 47	62 52	69 50	102 92	97 88	114 106	185 181	318 235	363 357	372 399	635 599	63 48	4 6	4 9	9 9	19 19	24 30	28 26	57 41	102 81	168 128	
1 Typhoid fever, etc.	M F	3 2	- -	- -	- -	- -	2 1	- -	- -	1 -	- 1	- -	- -	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	
2 Measles	M F	42 34	10 9	17 10	11 13	4 1	- -	- -	- 1	- -	- -	- -	- -	4 2	1 -	1 1	1 1	1 -	- -	- -	- -	- -	- -	- -	
3 Scarlet fever	M F	1 2	- -	- -	- 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
4 Whooping cough	M F	15 14	11 3	2 6	1 5	1 -	- -	- -	- -	- -	- -	- -	- -	3 2	3 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	
5 Diphtheria	M F	9 4	- -	1 -	5 2	3 2	- -	- -	- -	- -	- -	- -	- -	1 1	- 1	- -	- -	1 -	- -	- -	- -	- -	- -	- -	
6 Influenza	M F	61 54	5 -	2 2	2 -	4 -	4 1	5 3	3 6	7 9	7 5	15 10	7 18	13 12	1 -	- -	- -	- -	- -	- 2	1 1	2 -	2 -	3 1	
7 Encephalitis lethargica	M F	5 5	- -	- -	- 1	- 1	- 1	1 1	- 2	1 -	1 -	2 -	- -	- 1	- 4	- 1	- -	- 1	- -	- 1	1 1	- -	- -	- -	
8 Cerebro-spinal fever	M F	11 9	- 1	- 1	3 1	2 3	3 1	2 -	- -	1 1	- -	- 1	- -	- -	- -	- -	1 -	- -	1 -	1 -	- -	- -	- -	- -	
9 Respiratory tuberculosis	M F	132 112	1 -	1 -	2 1	4 4	36 41	26 29	24 17	20 11	12 4	5 5	1 -	33 32	1 -	- 1	- -	- -	3 8	9 5	5 6	10 5	3 4	1 1	
10 Other tuberculosis	M F	43 42	3 5	5 -	5 5	6 9	11 12	3 3	5 2	1 2	4 2	- 1	- 1	5 10	1 1	1 -	- -	2 1	- 2	1 3	1 1	- -	1 1	1 1	
11 Syphilis	M F	8 1	2 -	- -	- -	- -	- -	- -	1 -	2 1	1 -	1 -	1 -	1 -	- -	- -	- -	- -	- -	- 1	- -	- -	- 2	- -	
12 Gen. paralysis of insane, etc.	M F	14 8	- -	- -	- -	- -	- -	1 -	4 2	6 4	3 2	- -	- -	2 1	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	
13 Cancer	M F	195 203	- -	1 -	- -	1 1	- 2	2 4	15 20	32 34	54 58	61 49	29 35	69 73	1 -	- -	- -	- -	1 -	1 -	2 3	8 10	13 18	24 21	
14 Diabetes	M F	15 27	- -	- -	- -	- -	- 2	1 -	2 2	4 2	2 8	2 9	4 4	9 11	- -	- -	- -	- -	1 1	- -	- 1	1 1	3 2	3 5	
15 Cerebral hæmorrhage	M F	114 120	- -	- -	- -	- 1	- -	- 3	1 -	6 9	25 26	29 42	53 39	19 37	- -	- -	- -	- -	- 1	- 1	- 5	2 1	1 7	9 9	
16 Heart disease	M F	349 279	- -	- -	3 -	3 3	5 2	10 9	15 10	30 31	87 47	111 86	85 91	137 120	- -	- -	- -	1 1	2 4	1 2	5 2	9 6	29 18	53 36	
17 Aneurysm	M F	4 6	- -	- -	- 1	- -	- -	- -	- -	1 2	3 -	- 2	- 1	2 -	- -	- -	- -	- -	- -	- -	- -	1 4	1 2	1 14	
18 Other circulatory	M F	111 91	1 -	- -	- -	- -	- -	- -	- -	2 7	18 10	34 29	56 45	35 34	- -	- -	- -	- -	- -	- 1	- 2	4 6	2 15	14 15	
19 Bronchitis	M F	88 89	24 15	3 3	1 -	1 -	- -	- -	3 1	8 4	6 6	17 19	25 41	22 22	2 5	- -	- -	- -	1 -	- -	2 -	3 4	2 1	2 1	
20 Pneumonia	M F	146 117	38 29	19 15	8 10	4 7	5 4	9 6	8 8	10 8	24 7	10 12	11 11	38 29	14 9	1 3	1 2	- 1	- -	2 2	1 -	5 3	7 3	3 7	
21 Other respiratory	M F	17 18	2 1	1 1	2 -	1 1	3 -	- 3	- 2	2 2	2 2	2 6	2 2	9 9	- -	- -	- -	1 1	- 1	1 1	- 1	2 4	1 4	1 1	
22 Peptic ulcer	M F	23 2	- -	- -	- -	- -	1 -	5 1	4 1	5 -	3 -	3 -	2 -	12 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
23 Diarrhœa	M F	12 22	10 9	1 3	1 4	- 1	- -	- 1	- -	- 1	- 1	- 1	- 1	9 6	5 1	- -	- -	- -	- -	- 1	- 1	- -	1 1	1 1	
24 Appendicitis	M F	14 5	- -	- -	1 -	1 -	2 -	1 1	4 -	3 3	1 1	- -	1 -	7 3	- -	- -	- 1	3 -	1 -	1 1	1 -	- 1	- 1	- -	
25 Cirrhosis of liver	M F	2 1	- -	- -	- -	- -	- -	- -	- -	1 1	1 -	- -	- -	2 2	- -	- -	- -	- -	- -	- -	1 1	- 1	1 -	1 -	
26 Other liver diseases	M F	7 7	- -	- -	- -	- -	- -	- -	- 1	1 2	2 1	4 2	- 1	5 8	- -	- -	- -	- -	- 3	- -	- 2	1 1	3 2	3 2	
27 Other digestive	M F	31 36	3 3	2 -	1 4	5 2	- 3	3 2	4 2	1 5	7 6	4 5	1 4	11 7	2 1	- -	- -	- 1	- -	1 1	- -	2 4	1 10	3 13	
28 Nephritis	M F	55 81	- -	1 -	1 -	1 1	3 2	2 2	3 7	6 15	15 13	14 29	9 12	35 24	- -	- -	- -	- -	- -	1 1	4 2	10 3	13 8	13 8	
29 Puerperal sepsis	F	7	-	-	-	-	1	3	3	-	-	-	-	4	-	-	-	-	-	2	2	-	-	-	
30 Other puerperal	F	17	-	-	-	-	5	11	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
31 Congenital causes, etc.	M F	114 74	110 73	- -	1 -	2 1	1 -	- -	- -	- -	- -	- -	- -	25 25	24 25	- -	- -	- -	- -	1 -	- -	- -	- -	- -	
32 Senility	M F	56 77	- -	- -	- -	- -	- -	- -	- -	- -	1 -	9 14	46 63	22 47	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
33 Suicide	M F	22 12	- -	- -	- -	- -	2 2	2 2	2 2	4 4	7 2	2 3	3 -	6 1	- -	- -	- -	- -	1 -	- 1	1 1	1 3	2 5	1 4	
34 Other violence	M F	88 51	2 2	2 4	7 4	14 5	14 2	9 1	11 1	12 4	12 5	3 10	2 13	31 14	1 -	1 -	1 3	2 3	6 2	1 2	6 1	3 -	5 1	4 -	
35 Other defined causes	M F	172 131	24 16	- 2	7 1	11 8	9 9	15 10	7 10	18 16	17 26	32 20	32 14	52 50	6 4	- -	- 3	2 1	1 3	4 4	2 2	2 7	9 6	1 1	
36 Ill-defined causes	M F	7 13	- -	- -	- -	- -	1 1	- -	- 1	- 3	3 2	1 3	2 3	11 10	- -	- -	- -	- -	- -	- -	- -	1 -	3 2	1 -	

TABLE 24—contd. Administrative County of Nottingham.

Causes of Death. first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.																						
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1665	205	42	24	42	71	86	93	184	266	352	300	979	122	26	18	38	56	49	47	73	115	206	229												
	F	1457	141	29	28	48	78	84	93	127	206	308	315	977	84	16	30	25	37	51	64	65	134	193	278												
Typhoid fever, etc.	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	5	2	1	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	8	2	3	-	3	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet fever	M	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	5	-	-	1	2	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	M	10	6	2	1	1	-	-	-	-	-	-	-	6	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	6	1	4	1	-	-	-	-	-	-	-	-	4	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	M	4	-	1	-	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	4	-	1	1	2	-	-	-	-	-	-	-	6	3	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	M	60	2	1	2	-	4	4	9	9	12	10	7	52	5	2	3	2	2	4	4	4	3	11	12												
	F	59	5	2	1	1	2	5	8	4	6	8	17	36	3	1	1	2	1	1	3	2	6	5	11												
Encephalitis lethargica	M	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cerebro-spinal fever	M	25	1	4	2	4	4	4	3	2	1	-	-	18	3	2	-	6	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	12	1	-	4	4	1	1	-	1	-	-	-	10	1	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Respiratory tuberculosis	M	97	-	-	-	-	18	29	20	12	15	3	-	45	-	-	-	2	12	12	12	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
	F	87	-	-	-	-	30	28	19	7	2	1	-	46	-	-	-	-	14	10	6	9	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Other tuberculosis	M	23	3	5	2	6	2	1	-	1	1	2	-	12	-	1	2	4	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	25	5	2	4	3	8	-	1	1	1	-	-	11	3	1	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis	M	7	1	-	-	-	-	-	1	4	-	1	-	5	1	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gen. paralysis of insane, etc.	M	15	-	-	-	-	-	-	3	7	4	1	-	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	3	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	M	171	-	-	-	-	-	4	8	30	48	55	26	95	-	-	3	-	-	2	2	12	21	40	15												
	F	177	-	-	1	1	-	3	17	32	47	51	25	131	-	-	-	-	-	3	11	17	40	33	27												
Diabetes	M	16	-	-	-	-	-	1	-	1	8	5	1	8	-	-	-	-	-	-	-	1	2	3	2												
	F	28	-	-	-	1	-	1	1	1	8	12	4	20	-	-	-	-	-	2	2	1	9	4	2												
Cerebral hæmorrhage	M	106	-	-	-	-	1	2	3	6	19	40	35	43	-	-	-	-	-	-	-	3	4	11	25												
	F	118	-	-	-	-	-	2	15	18	49	34	76	-	-	-	-	-	-	-	1	4	14	27	30												
Heart disease	M	239	-	-	-	3	6	3	4	27	54	77	65	144	-	-	-	3	3	1	3	12	31	51	40												
	F	232	-	-	-	5	9	5	11	22	42	74	64	148	-	-	-	3	2	5	4	7	20	51	56												
Aneurysm	M	4	-	-	-	-	1	-	-	2	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-												
	F	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1												
Other circulatory	M	55	-	-	-	-	-	-	1	3	7	27	17	49	-	-	-	-	-	-	-	1	2	19	27												
	F	49	-	-	-	-	-	-	-	-	6	15	28	45	-	-	-	-	-	-	1	3	5	12	24												
Bronchitis	M	93	8	3	-	1	-	-	2	5	15	30	29	56	6	4	1	-	-	1	1	1	4	10	28												
	F	86	8	-	1	2	1	1	2	2	13	20	36	51	3	2	-	-	1	2	-	-	15	28													
Pneumonia	M	145	37	16	6	1	6	12	7	15	19	17	9	72	21	8	2	3	4	7	2	5	9	6	5												
	F	99	24	10	6	6	3	3	7	7	8	9	16	63	16	5	5	5	1	3	5	-	3	8	12												
Other respiratory	M	14	-	-	-	-	2	1	2	5	-	2	2	10	1	-	-	-	1	-	2	-	2	3	1												
	F	6	-	-	-	1	-	-	-	-	2	2	1	4	-	-	-	-	-	1	-	1	-	2													
Peptic ulcer	M	22	-	-	-	-	-	1	4	4	7	4	2	13	-	-	-	-	1	-	4	1	3	3	1												
	F	5	-	-	-	-	-	-	1	2	-	2	-	8	-	-	-	-	1	2	3	-	-	1	1												
Diarrhoea	M	17	13	1	-	-	-	-	-	1	-	1	1	8	4	2	1	-	-	1	-	-	-	-	-												
	F	15	7	3	-	1	-	1	-	1	1	1	-	14	4	1	3	1	2	1	1	1	-	-	2												
Appendicitis	M	10	-	-	-	-	2	2	-	5	-	1	-	6	-	-	-	2	1	1	1	1	-	-	-												
	F	4	-	-	-	-	2	-	1	-	-	-	-	8	-	-	2	1	-	1	1	1	1	1	-												
Cirrhosis of liver	M	7	-	-	-	-	-	-	-	-	3	1	3	1	-	-	-	-	-	-	-	1	-	-	-												
	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-												
Other liver diseases	M	3	-	-	-	-	-	-	-	-	2	1	-	4	-	-	-	-	-	-	-	1	1	2	-												
	F	7	-	-	-	-	-	-	-	1	1	5	-	9	-	-	-	-	2	1	-	-	2	4	-												
Other digestive	M	26	2	-	1	2	1	1	3	2	6	4	4	22	1	-	2	2	2	1	1	3	4	1	5												
	F	29	-	-	-	2	-	3	2	5	12	4	1	21	1	-	-	1	1	1	2	4	6	2	3												
Nephritis	M	35	-	1	-	1	1	1	-	9	8	10	4	24	-	-	-	-	1	-	1	3	8	6	5												
	F	30	-	-	-	1	2	3	1	4																											



TABLE 24—*contd.* Administrative County of Oxford.

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	237	11	1	3	3	9	9	8	19	45	63	66	574	26	4	7	8	18	18	16	43	78	158	1		
	F	217	7	3	4	6	5	8	9	14	28	54	79	558	15	6	6	12	21	10	21	37	76	127	2		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
6 Influenza	M	8	-	-	-	-	-	-	-	2	2	1	3	18	1	1	-	-	1	-	-	1	3	4	-		
	F	7	-	-	-	-	-	-	-	-	-	1	6	25	3	-	-	-	-	-	4	1	4	6	-		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	15	-	-	-	-	4	4	2	3	2	-	-	22	-	-	-	-	2	7	6	2	4	-	-		
	F	6	-	-	-	-	2	1	-	2	-	1	-	18	-	-	-	2	5	3	5	2	-	1	-		
10 Other tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	3	-	-	1	-	1	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	7	-	1	1	1	2	-	-	1	1	-	-		
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	39	-	-	-	-	-	-	1	3	12	17	6	75	-	-	-	-	-	1	1	6	16	31	-		
	F	30	-	-	-	-	-	2	1	2	8	11	6	65	-	-	-	-	-	-	5	6	16	19	-		
14 Diabetes	M	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	-	2	1	3	-		
	F	3	-	-	-	-	-	-	-	1	-	1	1	9	-	-	-	-	1	-	-	2	4	2	-		
15 Cerebral hæmorrhage	M	13	-	-	-	-	-	-	-	1	4	3	5	30	-	-	-	-	-	-	-	-	3	10	-		
	F	21	-	-	-	-	-	-	2	1	-	8	10	48	-	-	-	-	-	-	-	4	5	16	-		
16 Heart disease	M	57	-	-	-	-	1	2	1	1	11	21	20	140	-	-	-	-	1	-	2	10	19	47	-		
	F	45	-	-	-	-	-	-	-	2	4	18	21	132	-	-	-	-	-	1	2	7	17	37	-		
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	11	-	-	-	-	-	-	1	-	1	4	5	32	-	-	-	-	-	-	-	-	4	12	-		
	F	12	-	-	-	-	-	-	-	-	1	3	8	41	-	-	-	-	-	-	-	1	1	8	-		
19 Bronchitis	M	15	1	-	-	-	-	-	-	1	1	5	7	28	1	-	-	-	-	-	1	-	1	8	-		
	F	9	-	-	-	1	1	-	-	-	3	2	2	35	-	2	-	-	-	-	-	-	-	6	-		
20 Pneumonia	M	16	3	1	1	2	2	-	1	1	2	1	2	23	6	2	1	1	1	1	-	1	4	4	-		
	F	10	1	1	2	-	-	-	-	1	1	-	4	17	2	-	-	2	2	-	1	2	3	4	-		
21 Other respiratory	M	5	1	-	-	-	1	-	-	1	-	2	-	8	-	-	-	-	2	-	-	-	3	1	-		
	F	6	-	-	1	-	-	-	-	-	3	1	1	10	-	-	2	-	1	-	-	-	4	1	-		
22 Peptic ulcer	M	4	-	-	-	-	-	-	-	1	2	-	1	8	-	-	-	-	-	-	-	2	3	3	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-		
23 Diarrhœa	M	2	1	-	-	-	-	-	-	-	-	-	1	5	1	-	-	-	-	-	1	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	2	-	1	-		
24 Appendicitis	M	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	1	-	-	-	-	2	-		
	F	3	-	-	-	2	-	1	-	-	-	-	-	3	-	-	-	-	-	-	2	1	-	-	-		
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-		
	F	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-		
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-		
27 Other digestive	M	2	-	-	-	-	-	-	-	-	1	1	-	11	-	-	-	-	2	-	-	2	1	3	-		
	F	4	1	-	-	-	2	-	-	-	-	-	1	16	1	-	-	1	-	1	2	2	1	1	-		
28 Nephritis	M	8	-	-	-	-	-	1	-	2	1	2	2	28	-	-	-	2	-	1	1	2	3	6	-		
	F	5	-	-	-	-	-	-	-	1	2	-	2	24	-	-	-	2	-	1	1	3	3	9	-		
29 Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-		
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
31 Congenital causes, etc.	M	4	3	-	-	-	1	-	-	-	-	-	-	15	14	-	-	-	1	-	-	-	-	-	-		
	F	2	2	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-		
32 Senility	M	11	-	-	-	-	-	-	-	-	-	3	8	19	-	-	-	-	-	-	-	-	-	3	-		
	F	11	-	-	-	-	-	-	-	-	-	-	11	21	-	-	-	-	-	-	-	-	-	1	-		
33 Suicide	M	3	-	-	-	-	-	1	1	1	-	-	1	7	-	-	-	-	1	1	3	2	-	-	-		
	F	4	-	-	-	-	1	1	1	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-		
34 Other violence	M	4	1	-	1	-	-	-	-	-	-	1	1	29	2	-	2	3	4	5	1	4	1	6	-		
	F	5	-	-	-	-	1	2	-	-	-	2	-	15	1	1	-	3	1	-	-	2	4	-	-		
35 Other defined causes	M	15	-	-	1	1	1	1	1	2	2	2	4	49	1	1	-	4	3	-	2	4	7	12	-		
	F	25	3	1	-	2	-	1	2	2	5	4	5	40	-	1	-	1	8	2	1	3	8	6	-		
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-		

TABLE 24—*contd.* **Administrative County of Peterborough, Soke of.**

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	280	24	3	3	2	12	13	14	30	51	71	57	49	7	1	1	1	-	2	1	6	5	10	15
	F	241	21	-	3	3	8	13	13	15	32	45	88	46	3	1	1	1	2	-	3	6	8	9	12
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	
	F	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	M	6	1	-	-	-	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
	F	9	1	-	-	-	-	-	1	-	1	3	3	1	-	-	-	-	-	-	1	-	-	-	
Encephalitis lethargica	M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cerebro-spinal fever	M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Respiratory tuberculosis	M	10	-	-	-	-	3	4	2	1	-	-	-	2	-	-	-	-	2	-	-	-	-	-	
	F	10	-	-	-	-	3	4	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	
Other tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	M	31	-	-	-	-	-	-	1	5	7	14	4	5	-	-	-	-	-	-	3	-	2	-	
	F	45	-	-	-	-	-	2	2	6	13	9	13	11	-	-	-	-	-	-	2	-	3	4	
Diabetes	M	9	-	-	-	-	-	-	1																



TABLE 24—*contd.* Administrative County of Rutland.

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-			
All Causes	M	17	1	-	-	-	1	-	2	2	2	4	5	91	2	-	1	2	4	1	4	8	15	29			
	F	25	-	-	-	-	-	-	1	6	4	7	7	101	4	1	-	3	2	3	6	5	13	21			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
6 Influenza	M	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1				
	F	2	-	-	-	-	-	-	-	1	-	-	1	5	-	-	-	-	-	1	-	-	1				
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
9 Respiratory tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-				
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	1	-	-	-				
10 Other tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	1	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-				
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
13 Cancer	M	4	-	-	-	-	1	-	-	2	1	-	-	12	-	-	-	-	-	-	1	2	3				
	F	2	-	-	-	-	-	-	-	-	1	-	-	11	-	-	-	-	-	-	1	-	3				
14 Diabetes	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1				
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	1	-				
15 Cerebral hæmorrhage	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	1	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	1	-	1	3				
16 Heart disease	M	3	-	-	-	-	-	-	-	-	-	2	1	16	-	-	-	-	-	-	1	3	8				
	F	9	-	-	-	-	-	-	-	2	2	4	1	21	-	-	-	-	-	-	-	2	4				
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
18 Other circulatory	M	3	-	-	-	-	-	-	-	-	-	1	2	9	-	-	-	-	-	-	-	1	3				
	F	3	-	-	-	-	-	-	-	-	1	1	1	10	-	-	-	-	-	-	-	2	5				
19 Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	1	2				
	F	1	-	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-	-	-	-	-	-				
20 Pneumonia	M	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-				
	F	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1				
21 Other respiratory	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	2	-	-				
22 Peptic ulcer	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1				
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
23 Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
24 Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-				
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-				
27 Other digestive	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	3				
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1				
28 Nephritis	M	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	1	-				
	F	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	2	-				
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-				
31 Congenital causes, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-				
32 Senility	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1				
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-				
33 Suicide	M	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
34 Other violence	M	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	1	-	1	3	-	1				
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-				
35 Other defined causes	M	3	-	-	-	-	-	-	1	-	-	-	2	9	-	-	-	1	1	-	1	2	4				
	F	2	-	-	-	-	-	-	1	1	-	-	-	10	-	1	-	1	-	1	-	2	2				
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-				

TABLE 24—*contd.*    **Administrative County of Salop.**

Causes of Death first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	747	56	8	8	15	25	33	35	59	127	202	179	779	61	8	12	10	25	29	35	49	144	180	226
	F	787	35	12	11	14	26	39	41	62	109	171	267	781	51	13	9	16	17	39	34	53	111	158	280
Typhoid fever, etc.	M	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Measles	M	1	-	-	-	1	-	-	-	-	-	-	-	4	-	-	1	1	2	-	-	-	-	-	-
	F	3	-	2	1	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-
	F	4	1	2	1	-	-	-	-	-	-	-	-	6	2	3	1	-	-	-	-	-	-	-	-
Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
	F	9	-	-	2	6	-	-	-	1	-	-	-	9	-	1	2	5	-	-	-	1	-	-	-
Influenza	M	18	-	-	-	-	-	4	2	2	4	6	23	-	2	-	-	1	4	2	4	3	3	4	4
	F	18	1	-	-	-	-	1	1	2	1	3	9	25	-	-	-	-	2	1	-	2	10	10	10
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	2	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	45	1	-	-	-	7	12	11	5	7	2	-	35	-	-	-	1	4	10	4	6	9	1	-
	F	41	-	-	-	-	8	14	9	4	5	1	-	34	-	1	-	-	5	13	8	3	3	-	1
Other tuberculosis	M	8	-	1	1	3	2	-	-	-	-	1	-	7	1	-	-	1	1	1	1	1	-	-	-
	F	10	-	1	1	1	2	1	2	1	1	-	-	12	3	1	1	1	3	2	-	1	-	-	-
Syphilis	M	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	F	2	1	-	-	-	-	-	-	1	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Cancer	M	74	-	-	-																				



Causes of Death. <i>See first page of Table.</i>			Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5	15-	25-	35-	45-	55-	65-	
All Causes	M	1,012	67	11	12	18	35	35	65	92	165	230	282	1562	108	12	14	33	47	44	67	122	271	402		
	F	1,181	47	9	8	21	34	37	70	83	170	224	478	1514	73	15	18	27	43	61	61	110	184	344		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	8	2	-	3	2	-	-	-	-	-	1	-	9	1	1	4	3	-	-	-	-	-			
	F	5	-	-	4	1	-	-	-	-	-	-	-	5	1	3	-	1	-	-	-	-	-			
3 Scarlet fever	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	1	-			
4 Whooping cough	M	3	1	1	1	-	-	-	-	-	-	-	-	7	4	-	2	1	-	-	-	-	-			
	F	6	3	3	-	-	-	-	-	-	-	-	-	7	3	1	3	-	-	-	-	-	-			
5 Diphtheria	M	3	-	-	1	2	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-			
	F	4	-	-	2	1	-	-	1	-	-	-	-	5	-	-	1	4	-	-	-	-	-			
6 Influenza	M	26	-	-	2	-	-	1	2	4	7	3	7	59	2	-	2	-	2	1	1	6	8			
	F	31	1	-	-	-	-	1	6	2	5	7	9	76	-	1	-	-	2	4	4	4	14			
7 Encephalitis lethargica	M	3	-	-	-	-	-	1	-	1	1	-	-	2	-	1	-	-	-	-	-	1	-			
	F	2	-	-	-	-	-	1	-	-	-	1	-	4	-	1	-	-	2	-	-	1	-			
8 Cerebro-spinal fever	M	2	-	-	1	1	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-			
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	51	-	-	-	1	9	8	16	8	4	5	-	48	-	-	-	1	6	7	9	13	10			
	F	61	-	1	-	-	16	20	13	6	2	3	-	55	-	-	1	1	17	20	7	5	2			
10 Other tuberculosis	M	10	-	2	1	1	1	3	1	1	-	-	-	14	1	-	-	5	-	3	-	2	3			
	F	10	-	1	-	-	1	5	2	-	1	-	-	19	1	-	3	4	3	2	2	2	1			
11 Syphilis	M	3	1	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	2			
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-			
12 Gen. paralysis of insane,etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	-	-	3			
	F	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	1			
13 Cancer	M	121	-	-	-	-	2	-	7	17	36	38	21	183	-	-	1	-	-	2	10	13	47			
	F	198	-	-	-	-	-	1	6	24	59	52	56	213	-	-	1	1	1	4	11	43	34			
14 Diabetes	M	4	-	-	-	-	-	-	-	-	-	2	2	11	-	-	-	-	-	-	-	3	5			
	F	13	-	-	-	-	-	1	-	-	4	3	5	18	-	-	-	1	-	-	1	7	5			
15 Cerebral hæmorrhage	M	52	-	-	-	-	-	1	2	2	10	14	23	76	-	-	-	-	-	1	-	5	13			
	F	66	-	-	-	-	1	-	1	8	10	16	30	97	-	-	-	-	-	2	-	8	34			
16 Heart disease	M	195	-	-	-	1	3	1	9	9	34	55	83	314	-	-	-	1	3	5	10	11	59			
	F	244	-	-	-	2	5	2	8	11	25	69	122	324	-	-	-	1	5	4	5	14	46			
17 Aneurysm	M	4	-	-	-	-	-	-	-	-	2	2	-	10	-	-	-	-	-	2	1	5	-			
	F	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	1	1			
18 Other circulatory	M	49	-	-	-	-	-	-	1	2	3	20	23	96	-	-	-	-	-	1	-	2	14			
	F	59	-	1	-	-	-	-	-	3	7	14	34	69	-	-	-	-	-	1	3	9	21			
19 Bronchitis	M	56	4	-	-	-	1	-	3	5	4	12	27	72	6	3	1	-	2	-	1	7	9			
	F	54	-	-	-	-	-	-	-	1	3	10	40	64	4	1	-	-	-	-	2	4	13			
20 Pneumonia	M	44	7	3	-	1	1	-	5	10	6	5	6	68	13	1	1	1	3	3	1	5	12			
	F	45	6	1	-	5	3	-	4	3	6	7	10	54	4	3	2	2	1	-	2	5	4			
21 Other respiratory	M	10	3	-	-	1	1	-	1	1	1	2	-	22	1	1	-	-	1	-	2	4	3			
	F	15	-	-	-	-	-	-	-	3	5	7	-	7	-	1	-	-	-	-	1	1	2			
22 Peptic ulcer	M	11	-	-	-	-	-	1	1	3	3	3	-	18	-	-	-	-	1	2	3	5	6			
	F	9	-	-	-	-	-	-	-	2	2	2	3	4	-	-	-	-	-	-	-	1	-			
23 Diarrhœa	M	6	2	1	-	-	-	2	-	-	-	-	1	10	6	-	-	2	-	1	-	-	1			
	F	5	2	-	-	-	-	1	-	-	-	-	2	10	2	1	-	-	-	1	-	1	-			
24 Appendicitis	M	12	-	-	-	3	1	3	2	-	-	2	1	15	-	-	-	2	1	-	3	2	5			
	F	8	-	-	-	3	-	1	1	-	2	1	-	8	-	-	2	1	-	2	1	-	1			
25 Cirrhosis of liver	M	3	-	-	-	-	-	-	-	-	2	1	-	6	-	-	-	-	-	-	1	2	2			
	F	5	-	-	-	-	-	-	1	1	3	-	-	7	-	-	-	-	-	1	3	3	-			
26 Other liver diseases	M	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	-	1	2			
	F	10	-	-	-	-	-	-	1	1	2	3	3	11	-	-	-	-	-	1	2	2	3			
27 Other digestive	M	18	-	-	-	-	-	-	1	5	6	5	5	27	-	-	1	1	-	1	-	3	4			
	F	20	1	1	-	2	1	-	5	-	3	1	6	36	1	1	1	3	2	3	-	2	7			
28 Nephritis	M	50	-	-	-	2	-	1	3	5	12	18	9	81	-	-	-	-	1	4	11	26	28			
	F	41	-	-	-	1	-	-	1	6	14	4	15	54	-	-	-	-	1	1	6	7	4			
29 Puerperal sepsis	F	5	-	-	-	-	2	1	2	-	-	-	-	6	-	-	-	-	4	2	-	-	-			
30 Other puerperal	F	7	-	-	-	-	3	1	3	-	-	-	-	7	-	-	-	-	4	3	-	-	-			
31 Congenital causes, etc.	M	41	41	-	-	-	-	-	-	-	-	-	-	70	67	1	-	1	-	1	-	-	-			
	F	28	25	-	1	-	-	1	-	1	-	-	-	51	50	-	-	-	-	-	1	-	-			
32 Senility	M	44	-	-	-	-	-	-	-	-	-	-	5	39	-	-	-	-	-	-	-	-	14			
	F	110	-	-	-	-	-	-	-	-	1	6	103	128	-	-	-	-	-	-	-	1	11			
33 Suicide	M	22	-	-	-	-	2	3	1	6	5	2	3	19	-	-	-	-	1	1	3	4	5			
	F	8	-	-	-	-	-	4	1	3	-	-	-	5	-	-	-	1	-	2	1	1	1			
34 Other violence	M	42	-	1	2	1	9	8	3	4	5	4	5	92	3	2	1	5	17	10	11	16	14			
	F	20	4	-	-	1	-	-	1	1	2	11	42	42	1	1	3	1	3	4	-	3	6			
35 Other defined causes	M	114	6	2	1	2	4	2	6	11	25	30	25	137	4	2	-	8	10	7	5	13	21			
	F	84	4	1	1	5	1	4	8	10	13	16	21	118	6	1	1	5	3	9	13	10	25			
36 Ill-defined causes	M	2	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1			
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-	-	1			

TABLE 24—*contd.* Administrative County of Southampton.

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1185	103	18	16	34	39	43	51	132	191	261	297	1421	90	12	21	29	40	48	66	124	207	378	406
	F	1086	58	10	19	25	34	46	55	84	137	243	375	1375	63	20	14	34	44	45	53	114	197	312	479
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	2	—	1	—	1	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	3	—	1	1	—	1	—	—	—	—	—	—
Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	4	—	—	2	1	1	—	—	—	—	—	—
Whooping cough	M	4	3	—	1	—	—	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—	—	—
	F	6	3	1	2	—	—	—	—	—	—	—	—	9	3	5	1	—	—	—	—	—	—	—	—
Diphtheria	M	5	—	1	—	3	1	—	—	—	—	—	—	4	—	1	—	2	—	—	—	1	—	—	—
	F	5	—	—	2	3	—	—	—	—	—	—	—	5	—	—	1	2	1	—	—	1	—	—	—
Influenza	M	23	—	—	—	—	—	—	1	4	4	6	8	47	3	—	—	—	—	2	4	3	10	12	13
	F	26	—	—	1	—	—	1	2	3	3	7	9	37	3	1	—	1	—	1	3	1	7	6	14
Encephalitis lethargica	M	3	—	1	1	—	—	—	—	—	1	—	—	3	—	1	—	—	1	1	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	1	—	—
Cerebro-spinal fever	M	4	—	1	1	—	1	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Respiratory tuberculosis	M	70	—	—	—	2	7	16	15	15	10	5	—	70	—	—	—	—	15	16	15	11	9	4	—
	F	51	—	—	—	1	12	13	9	6	6	4	—	51	—	—	—	3	12	13	10	8	3	2	—
Other tuberculosis	M	19	1	3	1	5	4	2	2	—	—	1	—	13	2	1	4	1	—	1	—	2	1	1	—
	F	10	1	—	1	1	2	—	3	1	1	—	—	21	1	2	4	3	5	2	1	—	—	3	—
Syphilis	M	3	—	—	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—	—	2	1	—	—
	F	3	1	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Gen. paralysis of insane, etc.	M	7	—	—	—	—	—	—	—	1	6	—	—	6	—	—	—	—	—	3	1	2	—	—	—
	F	2	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1	—	—	—
Cancer	M	126	—	—	—	—	—	2	4	21	33	40	26	181	—	—	—	—	—	1	6	17	46	67	43
	F	175	—	—	—	—	2	4	7	32	37	56	37	192	—	—	—	—	—	1	8	35	42	64	42
Diabetes	M	14	—	—	—	1	—	1	—	2	4	5	1	11	—	—	—	—	—	—	—	3	1	3	4
	F	10	—	—	—	—	—	1	—	1	4	4	—	10	—	—	—	—	—	—	—	1	1	5	3
Cerebral hæmorrhage	M	67	—	—	—	—	—	—	—	3	14	24	26	56	—	—	—	—	—	—	1	3	10	17	25
	F	73	—	—	—	—	—	2	2	4	8	22	35	72	—	—	—	—	—	—	—	4	11	21	36
Heart disease	M	254	—	—	—	2	4	4	3	26	46	86	83	315	—	—	—	—	1	6	5	14	42	108	139
	F	218	—	—	—	3	1	5	7	7	24	62	109	350	—	1	—	2	3	1	4	16	48	94	181
Aneurysm	M	9	—	—	—	—	—	—	1	1	4	1	2	13	—	—	—	1	—	1	—	4	2	5	—
	F	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1
Other circulatory	M	31	—	—	—	—	—	—	—	—	5	9	17	83	—	—	—	—	—	—	—	4	12	22	45
	F	43	—	—	—	—	—	—	1	—	3	15	24	80	—	—	—	—	—	—	—	4	12	26	38
Bronchitis	M	53	8	—	—	—	2	1	1	4	6	12	19	51	4	1	1	—	1	—	2	5	2	16	19
	F	56	2	2	1	1	1	—	1	—	3	11	34	49	2	3	—	—	1	1	—	—	3	6	33
Pneumonia	M	69	13	5	7	2	—	1	4	8	10	10	9	68	7	3	8	4	2	—	2	7	14	13	8
	F	35	7	3	6	2	1	1	2	2	3	4	4	64	7	3	1	6	3	5	1	3	9	12	14
Other respiratory	M	15	—	—	—	—	2	—	1	4	2	1	5	21	—	—	1	2	—	—	1	4	2	6	5
	F	20	—	1	—	—	—	1	—	1	4	7	6	16	—	—	—	—	—	—	—	1	4	3	8
Peptic ulcer	M	13	—	—	—	—	1	1	3	3	3	2	—	18	—	—	—	—	1	—	3	3	3	3	5
	F	4	—	—	—	—	—	—	—	2	1	—	1	9	—	—	—	1	—	1	2	3	1	—	1
Diarrhoea	M	10	6	1	1	—	—	—	—	—	1	—	1	4	1	—	—	—	—	—	—	1	1	—	1
	F	11	4	2	—	—	—	1	—	—	2	1	1	8	4	1	—	—	—	—	—	2	1	—	—
Appendicitis	M	7	—	—	—	—	—	1	1	4	1	—	—	11	—	—	—	3	1	—	—	3	2	2	—
	F	14	—	—	—	—	2	1	—	1	5	4	1	5	—	—	—	2	—	—	—	1	1	1	—
Cirrhosis of liver	M	7	—	—	—	—	—	—	2	3	—	2	—	4	—	—	—	—	—	—	1	—	2	1	—
	F	5	—	—	—	—	—	—	—	1	2	1	1	7	—	—	—	—	—	—	1	2	1	—	2
Other liver diseases	M	3	—	—	—	—	—	1	—	—	—	—	—	10	—	—	—	—	—	—	2	1	4	3	—
	F	8	—	—	1	—	—	—	—	—	3	3	1	9	—	—	—	—	—	—	2	1	4	2	—
Other digestive	M	25	2	—	2	3	—	—	2	4	5	6	1	39	4	2	1	1	—</						





TABLE 24—contd. Administrative County of Suffolk East.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	510	39	6	6	12	23	18	19	45	58	134	150	820	74	10	13	19	26	21	30	57	109	200	261
	F	508	22	4	9	12	12	13	22	31	77	108	198	740	36	3	8	15	25	23	34	57	81	142	316
Typhoid fever, etc.	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	1	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria	M	3	-	-	1	2	-	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-
	F	2	-	-	1	1	-	-	-	-	-	-	-	5	-	-	-	2	1	-	-	1	1	-	-
Influenza	M	5	-	-	-	-	-	1	-	3	-	1	-	17	1	2	-	2	-	-	1	3	5	5	5
	F	10	-	-	-	-	1	-	-	-	3	1	5	15	1	-	2	1	1	1	-	1	3	2	3
Encephalitis lethargica	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	28	-	-	1	-	8	7	3	8	1	-	-	31	-	-	-	-	4	7	7	8	2	1	2
	F	18	-	1	-	1	3	4	2	1	5	1	-	27	-	-	-	2	8	9	2	3	3	2	1
Other tuberculosis	M	6	1	1	-	2	1	-	-	-	-	1	-	9	-	1	2	2	-	2	-	1	-	1	-
	F	5	-	1	1	1	1	-	-	-	-	1	-	8	1	-	-	-	2	2	1	2	-	-	-
Syphilis	M	3	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	2	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Cancer	M	84	-	-	-	1	-	2	1	10	10	42	18	114	-	-	-	-	1	-	4	9	25	40	35
	F	80	-	-	-	1	-	2	6	10	23	22	16	109	-	-	-	-	-	1	7	17	22	32	30
Diabetes	M	9	-	-	-	-	1	-	-	-	1	5	2	6	-	-	-	1	-	1	1	3	-	-	-
	F	7	-	-	-	-	-	-	-	1	3	2	1	8	-	-	-	-	3	-	-	3	2	-	-
Cerebral hæmorrhage	M	20	-	-	-	-	-	-	1	1	3	6	9	70	-	-	-	-	-	-	1	-	7	26	36
	F	48	-	-	-	-	-	-	-	2	8	14	24	68	-	-	-	-	-	-	1	4	5	14	44
Heart disease	M	93	-	-	-	1	-	-	3	9	14	33	33	154	-	-	-	1	1	-	4	10	28	53	57
	F	107	1	-	-	-	-	-	2	3	15	23	63	167	-	-	1	1	1	-	2	8	17	50	87
Aneurysm	M	2	-	-	-	-	-	-	1	-	1	-	-	5	-	-	-	-	-	-	1	-	2	1	1
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Other circulatory	M	24	-	-	-	-	-	-	-	1	4	8	11	30	-	-	-	-	-	-	-	1	5	7	17
	F	17	-	-	-	-	-	-	-	-	2	6	9	32	-	-	-	-	-	-	-	2	3	8	19
Bronchitis	M	23	3	-	-	-	-	-	-	1	5	4	10	56	2	1	1	-	-	-	1	-	2	14	35
	F	28	3	-	-	-	-	-	-	1	1	4	19	44	1	-	-	-	-	-	-	1	1	5	36
Pneumonia	M	30	7	2	1	2	-	1	2	1	3	3	8	33	4	2	1	2	2	1	-	7	1	6	7
	F	23	2	-	5	-	-	2	2	2	1	6	3	27	5	1	1	-	-	1	4	2	4	4	5
Other respiratory	M	3	-	1	-	-	-	-	-	-	-	-	2	9	-	-	-	-	-	-	-	1	2	3	3
	F	8	-	-	-	-	-	-	-	1	1	1	5	6	1	-	-	1	-	-	1	2	-	-	1
Peptic ulcer	M	5	-	-	-	-	-	-	1	2	2	-	-	7	-	-	-	-	-	1	1	2	1	2	-
	F	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea	M	6	4	1	-	-	1	-	-	-	-	-	-	6	4	-	-	-	-	-	-	-	-	1	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Appendicitis	M	3	-	-	-	-	2	-	-	1	-	-	-	7	-	1	-	1	2	1	-	-	1	1	-
	F	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Other liver diseases	M	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	2	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	1	-	-	2	1	-	-	2
Other digestive	M	13	1	1	-	2	1	-	-	2	1	1	4	19	4	-	1	1	-	2	3	1	2	2	3
	F	11	-	-	2	-	-	2	-	2	1	3	-	17	2	-	-	2	1	3	2	1	4	2	2
Nephritis	M	19	-	-	-	-	-	-	2	-	1	9	7	23	-	-	-	-	2	1	1	2	6	8	3
	F	13	-	-	-	1	-	-	1	1	2	2	6	19	1	-	-	-	2	1	-	1	5	5	9
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	2	1	2	-	-	-	-
Other puerperal	F	3	-	-	-	-	1	1	1	-	-	-	-	6	-	-	-	-	1	-	5	-	-	-	-
Congenital causes, etc.	M	18	18	-	-	-	-	-	-	-	-	-	-	54	53	-	1	-	-	-	-	-	-	-	-
	F	13	12	-	-	1	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Senility	M	33	-	-	-	-	-	-	-	-	-	3	30	41	-	-	-	-	-	-	-	-	-	2	39
	F	35	-	-	-	-	-	-	-	-	-	3	32	65	-	-	-	-	-	-	-	-	-	1	64
Suicide	M	8	-	-	-	-	-	3	-	1	3	1	-	9	-	-	-	-	1	1	1	4	-	1	1
	F	4	-	-	-	-	-	-	1	2	-	1	-	4	-	-	-	-	1	-	-	2	1	-	-
Other violence	M	9	1	-	1	-	-	1	1	1	1	1	2	25	1	-	2	3	6	2	1	4	5	1	-
	F	14	2	-	-	2	1	-	1	2	-	1	5	13	1	1	1	1	1	2	-	1	2	1	2
Other defined causes	M	49	3	-	1	1	6	3	3	3	4	14	11	77	4	1	5	3	7	2	3	7	12	20	13
	F	43	2	-	-	3	4	2	4	1	10	9	8	48	2	-	3	4	-	4	5	6	8	11	5
Ill-defined causes	M	3	-	-	-	-	1	-	-	-	1	-	-	5	-	-	-	-	-	-	-	-	-	2	3
	F	5	-	-	-	-	-	-	-	-	-	3	2	4	-	-	-	-	-	-	-	1	1	-	2



Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	274	14	2	4	6	7	7	14	24	50	57	89	437	30	5	4	7	15	8	14	35	59	115	14		
	F	280	11	1	3	2	6	7	16	19	35	67	113	439	21	3	1	5	7	15	16	27	53	97	15		
1 Typhoid fever, etc.	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	2	1	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
6 Influenza	M	13	-	-	-	-	-	-	1	-	4	2	6	23	1	-	-	-	2	-	2	3	4	6	7		
	F	16	-	-	-	-	1	-	2	2	2	3	6	17	-	-	-	-	-	1	2	-	-	-	-		
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	10	-	-	-	-	1	2	1	1	3	1	1	18	-	-	-	-	6	1	3	6	1	1	-		
	F	15	-	-	-	-	2	3	3	3	3	1	-	21	-	-	-	-	1	6	5	2	5	-	-		
10 Other tuberculosis	M	2	-	-	-	1	-	-	1	-	-	-	-	4	2	-	-	1	-	-	-	-	-	1	-		
	F	3	-	-	1	-	1	1	-	-	-	-	-	7	-	-	-	2	1	2	-	-	-	1	-		
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	1	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	32	-	-	-	-	-	1	-	3	8	14	6	63	-	1	-	-	1	2	-	6	14	22	-		
	F	43	-	-	-	-	-	-	3	8	6	16	10	67	-	-	-	-	2	-	3	8	12	24	-		
14 Diabetes	M	5	-	-	-	-	-	-	-	1	1	2	1	3	-	-	-	-	-	1	-	-	-	1	-		
	F	2	-	-	-	-	-	-	-	-	1	-	1	5	-	-	-	-	-	-	-	1	-	2	-		
15 Cerebral hæmorrhage	M	8	-	-	-	-	-	-	1	-	3	1	3	27	-	-	-	-	-	-	1	2	11	-	-		
	F	17	-	-	-	-	-	-	1	-	2	6	8	23	-	-	-	-	-	-	1	3	10	-	-		
16 Heart disease	M	66	-	-	-	-	1	-	2	9	19	35	114	-	-	-	-	-	-	1	8	12	39	-	-		
	F	70	-	-	-	-	1	3	2	10	20	34	108	-	-	-	-	-	-	1	3	7	31	-	-		
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	18	-	-	-	-	-	-	1	1	3	5	8	20	-	-	-	-	-	-	1	1	9	-	-		
	F	20	-	-	-	-	-	-	-	-	-	7	13	22	-	-	-	-	-	-	-	3	3	-	-		
19 Bronchitis	M	12	1	1	-	-	-	-	-	-	1	1	8	14	1	-	-	-	-	-	-	1	2	-	-		
	F	7	1	-	-	-	-	-	-	-	-	-	6	30	1	-	-	-	-	-	-	2	2	-	-		
20 Pneumonia	M	15	4	1	1	-	1	-	2	3	-	2	1	16	5	-	1	-	1	-	3	-	-	-	-		
	F	8	2	-	-	-	-	1	1	-	1	2	1	12	3	1	-	-	1	-	1	1	3	-	-		
21 Other respiratory	M	2	-	-	-	-	-	-	-	-	1	-	1	3	-	1	-	-	1	-	-	1	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	1	-	-	1	1	-	-		
22 Peptic ulcer	M	4	-	-	-	-	1	1	-	1	-	1	-	5	-	-	-	-	-	-	1	2	1	-	-		
	F	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-		
23 Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	1	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	2	-	-	-		
24 Appendicitis	M	2	-	-	-	1	-	-	-	-	-	1	-	5	-	-	-	-	-	-	1	2	2	-	-		
	F	4	-	1	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	1	-	-	-		
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	1	-	-	2	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	1	-	-		
27 Other digestive	M	5	-	-	-	-	-	-	1	1	1	-	2	8	1	-	-	-	-	2	-	2	1	-	-		
	F	3	-	-	-	-	-	-	1	1	-	1	1	7	-	-	1	-	-	-	2	2	-	-	-		
28 Nephritis	M	16	-	-	-	1	-	-	-	4	4	4	3	22	-	-	-	1	-	1	-	7	9	-	-		
	F	6	-	-	-	-	-	-	1	1	1	3	1	12	-	-	-	-	-	1	3	4	1	-	-		
29 Puerperal sepsis	F	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-		
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-	-		
31 Congenital causes, etc.	M	8	8	-	-	-	-	-	-	-	-	-	-	18	17	-	1	-	-	-	-	-	-	-	-		
	F	7	7	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-		
32 Senility	M	8	-	-	-	-	-	-	-	-	-	-	8	16	-	-	-	-	-	-	-	-	-	2	-		
	F	17	-	-	-	-	-	-	-	-	-	-	17	22	-	-	-	-	-	-	-	-	-	-	-		
33 Suicide	M	5	-	-	-	-	-	-	2	1	2	-	-	3	-	-	-	1	-	-	-	1	1	-	-		
	F	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
34 Other violence	M	7	-	-	1	1	1	1	1	-	1	1	-	11	-	-	-	2	2	2	1	1	2	-	-		
	F	5	-	-	1	1	-	-	-	-	-	-	3	4	-	-	-	1	-	-	-	-	-	-	-		
35 Other defined causes	M	24	-	-	1	1	2	-	3	4	6	1	6	30	3	2	1	3	1	-	3	3	5	4	-		
	F	24	-	-	-	2	1	2	1	1	5	7	6	43	2	1	-	1	-	3	3	4	8	9	-		
36 Ill-defined causes	M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	3752	284	23	43	81	132	181	196	417	628	892	875	947	60	5	7	22	37	34	39	91	157	252	243
	F	3982	187	35	32	74	128	176	195	341	566	898	1350	881	35	3	4	16	26	34	47	70	118	223	305
1 Typhoid fever, etc.	M	2	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	7	—	—	—	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	4	2	—	1	1	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—
4 Whooping cough	M	14	9	1	4	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—
	F	23	7	8	5	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	17	—	—	6	10	—	1	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—	—	—
	F	16	1	—	4	11	—	—	—	—	—	—	—	5	—	1	1	2	—	—	—	—	1	—	—
6 Influenza	M	87	5	2	1	1	4	4	4	14	16	25	11	21	—	—	—	1	1	2	—	3	2	6	6
	F	99	1	1	1	2	1	3	7	9	22	24	28	54	—	1	1	—	1	2	2	5	8	14	20
7 Encephalitis lethargica	M	6	—	—	—	—	—	—	—	4	2	—	—	1	—	—	—	—	—	—	—	1	—	—	—
	F	7	—	—	—	—	2	—	1	—	3	1	—	1	—	—	—	—	—	—	1	—	—	—	—
8 Cerebro-spinal fever	M	5	1	—	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Respiratory tuberculosis	M	262	—	1	1	—	39	61	60	49	36	12	3	56	—	—	—	1	10	11	9	13	9	1	2
	F	171	—	—	1	6	45	52	25	20	11	5	6	35	1	—	—	—	11	7	6	3	5	1	1
0 Other tuberculosis	M	31	2	2	5	5	7	6	—	—	2	2	—	6	1	—	—	2	—	1	2	—	—	—	—
	F	36	3	2	3	5	6	5	3	5	3	1	—	8	1	—	—	2	—	1	2	—	2	—	—
1 Syphilis	M	14	3	—	—	—	—	2	—	3	5	1	—	3	1	—	—	—	—	1	—	—	—	1	—
	F	2	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	—	—	—
2 Gen. paralysis of insane, etc.	M	25	—	—	—	—	—	2	6	7	6	3	1	5	—	—	—	—	—	—	2	3	—	—	—
	F	6	—	—	—	—	1	1	2	—	1	—	1	1	—	—	—	—	—	—	—	1	—	—	—
3 Cancer	M	489	—	1	—	1	2	13	13	57	138	163	101	114	—	—	—	—	—	2	3	9	37	42	21
	F	629	—	—	—	—	2	8	35	98	161	173	152	146	—	—	—	1	—	3	10	19	29	49	35
4 Diabetes	M	36	—	—	—	—	2	2	3	6	6	10	7	12	—	—	—	1	—	—	—	1	—	7	3
	F	57	—	—	—	1	2	2	2	2	13	25	10	12	—	—	—	—	1	—	—	—	5	3	3
5 Cerebral hæmorrhage	M	149	—	—	—	—	—	1	2	6	32	55	53	30	—	—	—	—	—	—	—	2	5	10	13
	F	235	—	—	—	—	—	1	1	21	31	75	106	53	—	—	—	—	—	—	—	3	10	20	20
6 Heart disease	M	762	—	—	1	1	7	5	19	67	135	256	271	216	—	—	—	1	1	—	3	17	33	84	77
	F	884	—	—	—	2	9	11	20	37	122	268	415	201	—	—	—	1	1	3	4	7	16	68	101
7 Aneurysm	M	29	—	—	—	1	—	—	1	6	12	8	1	3	—	—	—	—	—	—	—	—	1	—	2
	F	13	—	—	—	—	—	—	—	1	2	6	4	2	—	—	—	—	—	—	—	—	—	2	—
8 Other circulatory	M	175	—	—	—	—	—	—	1	16	26	58	74	55	—	—	—	—	—	—	—	3	5	19	28
	F	249	—	—	—	—	1	1	2	8	29	65	143	50	—	—	—	—	—	—	1	—	2	14	33
9 Bronchitis	M	164	12	1	—	—	—	—	4	10	16	39	82	25	—	—	—	—	—	—	1	2	4	6	12
	F	169	3	1	—	1	1	—	1	6	9	36	111	24	—	—	—	—	—	—	—	—	1	6	17
0 Pneumonia	M	244	50	5	9	6	7	5	20	26	36	49	31	56	5	2	1	2	4	—	5	7	5	15	10
	F	204	22	17	4	1	9	14	14	19	22	37	45	35	2	—	1	3	1	2	3	6	3	7	7
1 Other respiratory	M	45	4	—	1	1	2	2	3	8	5	13	6	7	—	—	—	—	—	1	—	2	1	2	1
	F	40	—	—	1	2	—	2	1	4	4	9	17	5	—	—	—	—	—	—	1	1	1	—	2
2 Peptic ulcer	M	73	—	—	—	—	1	6	12	27	11	14	2	14	—	—	—	—	1	—	1	4	5	2	1
	F	18	—	—	—	—	1	1	—	3	2	7	4	4	—	—	—	—	—	—	1	2	—	1	—
3 Diarrhoea	M	28	20	2	—	—	—	—	—	—	—	2	4	9	5	1	1	—	—	—	—	1	1	—	—
	F	21	8	1	—	—	—	1	3	—	1	3	4	6	2	—	—	—	—	—	1	2	—	—	1
4 Appendicitis	M	29	—	—	1	4	6	2	2	5	4	4	1	8	—	—	—	1	—	2	—	2	1	2	—
	F	43	—	—	1	7	5	2	6	6	12	4	—	4	—	—	—	1	1	—	—	—	2	—	—
5 Cirrhosis of liver	M	19	—	—	—	—	—	1	1	3	6	4	4	10	—	—	—	—	—	—	—	1	4	3	2
	F	12	—	—	—	—	—	1	1	1	4	5	—	2	—	—	—	—	—	—	—	1	1	—	—
6 Other liver diseases	M	9	—	—	—	—	—	2	1	1	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	30	—	—	1	—	—	—	3	—	10	8	8	4	—	—	—	—	—	—	—	1	1	2	—
7 Other digestive	M	80	1																						



Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	873	43	3	10	20	22	21	35	65	170	227	257	743	46	4	5	17	23	29	31	63	105	171	200
	F	1052	29	3	4	6	23	32	43	82	160	246	424	838	28	3	7	14	19	29	31	72	139	199	242
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Scarlet fever	M	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
4 Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
5 Diphtheria	M	3	-	-	1	2	-	-	-	-	-	-	-	3	-	-	1	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	3	1	-	-	-	-	-	-	-
6 Influenza	M	23	1	-	-	-	4	1	1	2	3	5	6	20	1	-	1	1	1	1	1	3	2	4	-
	F	37	1	-	-	-	1	1	3	3	11	7	10	24	-	-	1	1	2	2	-	4	3	6	-
7 Encephalitis lethargica	M	3	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	1	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
8 Cerebro-spinal fever	M	2	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	40	-	-	-	-	2	8	9	10	8	3	-	35	-	-	-	-	3	8	4	11	7	2	-
	F	46	1	-	-	-	7	11	9	6	9	3	-	24	-	-	-	1	2	8	4	3	5	1	-
10 Other tuberculosis	M	10	2	-	3	1	1	1	1	-	1	-	-	5	2	1	1	-	-	-	-	-	-	-	-
	F	5	-	-	1	-	3	-	1	-	-	-	-	7	-	-	-	1	1	3	1	-	1	-	-
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
13 Cancer	M	120	-	-	-	-	1	-	4	11	33	43	28	112	-	-	-	-	-	2	4	6	22	47	-
	F	172	-	-	-	-	-	2	5	24	47	51	43	144	-	-	-	-	1	1	5	21	42	42	-
14 Diabetes	M	6	-	-	-	-	-	-	-	-	1	2	3	7	-	-	-	-	1	-	2	2	-	1	-
	F	23	-	-	-	1	-	-	-	5	2	7	8	7	-	-	-	-	1	-	2	-	1	1	-
15 Cerebral hæmorrhage	M	50	-	-	-	-	-	-	-	2	12	10	26	37	-	-	-	-	-	-	2	3	7	-	-
	F	79	-	-	-	-	-	-	1	2	8	17	51	57	-	-	-	-	-	-	4	8	14	-	-
16 Heart disease	M	206	-	-	-	2	-	-	5	12	49	64	74	170	-	-	-	-	1	1	2	9	30	54	-
	F	262	-	-	-	1	2	3	4	12	28	75	137	208	-	-	-	2	-	2	2	7	31	62	1
17 Aneurysm	M	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	1	-	-	1	1	-	-
	F	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Other circulatory	M	44	-	-	-	-	-	-	-	1	7	11	25	43	-	-	-	-	-	-	1	1	4	14	-
	F	47	-	-	-	-	-	-	-	1	-	17	29	46	-	-	-	-	-	-	3	5	14	-	-
19 Bronchitis	M	28	1	-	-	-	-	-	-	3	1	10	13	17	-	1	-	-	-	-	-	1	2	-	-
	F	32	1	-	-	-	-	-	-	1	2	9	19	33	1	1	-	-	-	-	-	3	7	-	-
20 Pneumonia	M	50	7	2	1	-	-	6	2	4	7	11	10	40	7	-	-	1	-	1	9	4	8	-	-
	F	46	1	-	2	-	1	-	6	7	4	9	16	37	2	2	1	1	-	3	2	7	7	-	-
21 Other respiratory	M	9	-	-	-	-	-	-	-	1	2	3	3	8	-	-	-	-	-	1	-	1	3	-	-
	F	12	-	-	-	-	1	-	-	1	1	4	5	7	-	-	-	-	-	-	1	1	4	-	-
22 Peptic ulcer	M	16	-	-	-	-	-	2	-	2	6	4	2	7	-	-	-	-	-	-	1	2	2	-	-
	F	5	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Diarrhœa	M	5	2	1	-	-	1	-	-	-	1	-	-	4	4	-	-	-	-	-	-	-	-	-	-
	F	7	3	-	-	-	-	-	1	-	1	-	2	7	2	-	-	1	1	-	1	-	-	-	-
24 Appendicitis	M	8	-	-	-	1	1	-	-	-	3	2	1	5	-	-	-	-	2	1	1	-	1	-	-
	F	10	-	-	-	-	1	-	1	4	2	-	2	9	-	-	-	2	1	-	2	2	1	-	-
25 Cirrhosis of liver	M	8	-	-	-	-	-	-	-	1	2	3	2	4	-	-	-	-	-	1	1	1	-	-	-
	F	3	-	-	-	-	1	-	1	-	-	1	-	2	-	-	-	-	-	1	-	-	1	-	-
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	1	2	1	5	-	-	-	-	-	-	-	-	-	1	-
27 Other digestive	M	17	-	-	1	1	-	-	2	1	5	4	3	23	1	-	-	2	-	2	1	3	1	3	-
	F	30	1	1	-	-	2	-	2	1	6	8	9	8	-	-	-	-	1	-	1	1	4	-	-
28 Nephritis	M	38	-	-	1	1	-	1	2	4	8	14	7	18	-	-	-	1	2	-	1	1	5	4	-
	F	35	-	-	-	-	5	1	1	7	9	12	31	-	-	-	-	-	1	1	7	4	7	-	-
29 Puerperal sepsis	F	2	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	1	2	-	-	-	-	-	-
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	1	2	-	-	-	-	-
31 Congenital causes, etc.	M	21	21	-	-	-	-	-	-	-	-	-	-	24	23	-	-	-	1	-	-	-	-	-	-
	F	18	17	-	-	-	-	1	-	-	-	-	-	21	20	-	-	-	-	-	-	-	-	1	-
32 Senility	M	24	-	-	-	-	-	-	-	-	1	6	17	28	-	-	-	-	-	-	-	1	1	-	-
	F	58	-	-	-	-	-	-	-	-	1	6	51	43	-	-	-	-	-	-	-	1	4	-	-
33 Suicide	M	11	-	-	-	-	-	1	-	-	4	3	3	16	-	-	-	-	2	3	3	1	3	3	-
	F	8	-	-	-	-	2	1	1	2	2	-	-	7	-	-	-	1	-	2	2	2	-	-	-
34 Other violence	M	39	1	-	1	5	7	2	5	4	4	5	5	41	3	1	1	6	7	4	3	8	5	2	-
	F	16	1	-	1	-	2	-	-	2	2	4	4	22	-	-	1	2	-	2	1	4	6	-	-
35 Other defined causes	M	79	7	-	1	4	4	1	1	4	11	20	26	61	3	-	1	5	2	2	3	4	10	12	-
	F	84	1	-	4	-	5	6	10	22	22	11	25	71	1	-	-	2	5	2	7	12	17	16	-
36 Ill-defined causes	M	2	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-

TABLE 24—*contd.* Administrative County of Sussex West.

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	672	35	3	5	9	13	22	30	63	99	179	214	645	41	9	4	13	25	24	26	54	89	142	218
	F	836	29	5	9	7	16	22	40	63	129	204	312	655	34	4	9	11	17	32	21	51	93	134	249
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	4	2	1	1	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-
Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	M	17	-	-	1	-	-	-	-	3	3	3	7	17	-	1	-	1	-	-	-	1	3	6	5
	F	17	-	-	-	1	1	-	-	1	2	8	4	16	-	-	-	-	1	-	2	1	2	3	7
Encephalitis lethargica	M	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Cerebro-spinal fever	M	4	-	-	-	-	2	2	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Respiratory tuberculosis	M	38	1	1	-	-	11	10	8	4	3	-	-	23	-	-	-	-	2	11	2	8	-	-	-
	F	34	-	-	-	-	6	9	7	1	8	2	1	16	-	-	-	-	4	4	1	1	4	2	-
Other tuberculosis	M	5	-	1	-	-	2	2	-	-	-	-	-	10	-	2	1	2	1	1	-	1	1	2	-
	F	7	-	2	2	2	1	-	-	-	-	-	-	3	-	-	1	-	1	-	1	-	-	-	-
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	2	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Cancer	M	92	-	-	-	-	1	2	7	20	36	26	76	-	-	-	-	1	-	2	8	19	20	26	
	F	135	-	-	1	-	-	1	3	20	33	42	35	99	-	-	-	-	3	4	11	27	32	22	-
Diabetes	M	5	-	-	-	1	-	-	-	-	2	1	1	11	-	-	-	-	-	1	2	2	1	5	-
	F	11	-	-	-	-	1	2	1	-	2	1	4	14	-	-	-	-	-	1	1	2	4	6	-
Cerebral hæmorrhage	M	37	-	-	-	-	-	1	2	5	10	19	43	-	-	-	-	-	-	-	3	6	15	19	-
	F	62	-	-	-	-	-	3	5	10	16	28	55	-	-	-	-	-	-	-	4	8	16	27	-
Heart disease	M	143	-	-	-	-	-	2	11	13	50	67	155	-	-	-	-	2	4	10	18	39	82	-	
	F	233	-	-	-	-	2	1	6	13	29	62	120	148	-	-	-	1	1	3	9	13	38	81	-
Aneurysm	M	4	-	-	-	-	-	-	2	-	2	-	3	-	-	-	-	-	-	1	-	-	2	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	35	-	-	-	-	-	-	-	7	13	15	27	-	-	-	-	-	-	-	-	2	10	15	-
	F	41	-	-	-	-	-	-	1	1	16	23	31	-	-	-	-	-	-	-	1	6	4	20	-
Bronchitis	M	39	1	-	-	-	1	1	3	8	8	17	16	3	1	-	-	-	1	-	-	1	2	8	-
	F	42	-	-	-	-	1	-	3	5	7	26	16	1	-	1	-	-	-	-	1	2	1	9	-
Pneumonia	M	41	7	1	-	-	2	3	9	6	6	7	22	4	2	-	2	-	1	2	3	-	5	3	-
	F	31	6	1	1	1	-	2	4	6	2	8	21	2	2	1	1	1	-	1	1	2	3	7	-
Other respiratory	M	11	-	-	-	-	1	-	2	2	3	2	5	-	-	-	-	-	1	1	2	-	1	-	-
	F	18	-	-	-	-	1	-	2	3	3	6	13	-	-	-	1	-	1	2	2	4	-	3	-
Peptic ulcer	M	6	-	-	-	-	1	1	1	1	1	1	11	-	-	-	-	-	2	2	2	3	2	2	-
	F	3	-	-	-	-	-	-	-	2	1	-	4	-	-	-	-	-	1	1	1	-	-	1	-
Diarrhœa	M	6	2	-	-	-	1	-	-	-	2	1	4	1	1	1	-	1	-	-	-	-	-	-	-
	F	8	3	1	-	-	1	-	1	-	1	-	6	3	-	-	-	1	-	-	-	1	1	-	-
Appendicitis	M	5	-	-	-	1	-	-	-	1	2	1	7	-	-	-	-	3	-	3	-	-	1	-	-
	F	6	-	-	1	-	-	1	-	-	3	1	3	-	-	-	-	-	2	-	-	-	1	-	-
Cirrhosis of liver	M	1	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	1	-	2	1	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	2	-	-	-
Other liver diseases	M	3	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	1	-	-	-
	F	6	-	-	-	-	1	1	-	1	1	2	4	-	-	-	-	-	-	-	1	1	2	-	-
Other digestive	M	17	2	-	1	-	2	1	2	1	5	2	18	-	-	-	2	1	-	-	3	2	4	5	-
	F	15	-	-	-	-	-	1	1	1	7	5	15	1	-	-	-	2	2	-	2	1	3	4	-
Nephritis	M	22	-	-	-	-	-	1	1	3	11	6	14	-	-	-	-	-	-	1	2	3	4	4	-
	F	16	-	-	-	-	-	-	1	5	5	5	17	-	-	-	-	1	1	1	2	1	7	4	-
Puerperal sepsis	F	2	-	-	-	-	1	-	1	-	-	-	3	-	-	-	-	-	3	-	-	-	-	-	-
Other puerperal	F	6	-	-	-	-	-	4	2	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-
Congenital causes, etc.	M	20	17	-	1	1	-	-	-	1	-	-	26	26	-	-	-	-	-	-	-	-	-	-	-
	F	15	14	-	-	-	-	-	-	-	-	1	25	25	-	-	-	-	-	-	-	-	-	-	-
Senility	M	26	-	-	-	-	-	-	-	-	-	3	23	34	-	-	-	-	-	-	-	1	5	28	-
	F	31	-	-	-	-	-	-	-	-	-	5	26	48	-	-	-	-	-	-	-	-	4	44	-
Suicide	M	10	-	-	-	-	1	1	1	3	3	1	-	9	-	-	-	-	-	2	1	6	-	-	-
	F	4	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	1	1	-	-	-	-	-
Other violence	M	20	2	-	-	1	3	-	3	4	4	3	1	34	1	-	1	2	6	5	1	2	6	7	3
	F	25	3	-	-	-	2	2	3	4	4	4	7	29	-	1	4	1	2	2	2	3	7	1	6
Other defined causes	M	62	3	-	1	4	2	1	1	5	14	15	16	64	5	2	1	4	4	1	3	7	11	14	12
	F	51	1	-	1	1	1	1	7	5	9	16	10	57	1	-	-	5	3	6	3	8	10	12	8
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-



Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
	All Causes	M F	1,063 1,051	92 58	28 13	15 25	21 16	36 31	60 46	46 67	113 71	172 160	246 210	234 354	1014 936	108 63	20 11	21 19	23 26	35 41	39 30	52 58	89 79	163 120	228 186	234 306
1	Typhoid fever, etc.	M F	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	1 2	- -	- -	- -	- -	- -	- -	1 1	- -	- 1	- 1	- 3
2	Measles	M F	4 5	1 -	2 1	1 2	- 2	- -	- -	- -	- -	- -	- -	- -	5 5	- 1	3 1	1 1	1 2	- -	- -	- -	- -	- -	- -	- -
3	Scarlet fever	M F	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
4	Whooping cough	M F	2 6	1 3	- 1	1 2	- -	- -	- -	- -	- -	- -	- -	- -	7 -	3 -	2 -	2 -	- -	- -	- -	- -	- -	- -	- -	- -
5	Diphtheria	M F	5 3	- 1	1 -	1 1	2 1	1 -	- -	- -	- -	- -	- -	- -	7 5	1 -	- -	3 2	2 2	- 1	1 -	- -	- -	- -	- -	- -
6	Influenza	M F	24 31	3 1	1 -	- -	- 1	1 2	1 -	3 2	3 1	4 2	7 8	4 16	31 29	2 -	1 1	- -	2 -	1 1	- -	2 -	5 4	7 1	6 9	1 1
7	Encephalitis lethargica	M F	7 4	- -	- -	- 1	2 -	1 -	1 -	- 3	- -	3 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8	Cerebro-spinal fever	M F	3 2	- -	1 -	- -	- 1	1 1	- -	- -	- -	- -	- -	- -	- 2	- -	- -	- 1	- 1	- -	- -	- -	- -	- -	- -	- -
9	Respiratory tuberculosis	M F	57 50	- -	- -	1 -	- 3	3 12	15 15	15 7	8 7	11 5	4 1	- -	42 41	- -	1 -	1 2	- 1	8 15	9 9	10 6	6 4	4 2	2 1	- -
10	Other tuberculosis	M F	12 13	1 -	3 2	- 2	1 3	2 -	2 2	- 1	2 1	1 2	- -	- -	15 9	4 -	- 1	2 -	1 4	2 1	2 1	2 1	1 -	1 -	- 1	- -
11	Syphilis	M F	6 4	1 1	- -	- 1	- -	- 1	- -	- -	3 -	1 1	1 -	- -	3 4	- 2	- -	- -	- 1	- 1	- -	- -	1 -	2 1	- 1	- -
12	Gen. paralysis of insane, etc.	M F	5 -	- -	- -	- -	- -	- -	- -	2 -	1 -	2 -	- -	- -	4 1	4 -	- -	- -	- -	- -	- -	- 1	2 -	1 -	1 -	- -
13	Cancer	M F	130 144	- -	- -	- -	1 -	- 2	2 5	- 16	19 16	35 47	50 38	23 36	128 123	- -	- -	- 1	1 -	- -	2 -	5 12	10 20	37 28	49 34	2 2
14	Diabetes	M F	13 14	- -	- -	- -	- -	- 1	- 1	- 2	3 2	1 5	5 3	4 2	6 8	- -	- -	- -	- 1	- 1	- -	- 1	1 1	1 1	3 3	2 3
15	Cerebral hæmorrhage	M F	72 82	- -	- -	- -	- -	- -	- -	- 3	8 7	16 13	31 24	17 35	63 56	- -	- -	- -	- -	- 1	- 1	2 3	9 10	29 14	4 2	2 2
16	Heart disease	M F	192 235	- -	- -	- 2	4 1	2 5	2 9	2 -	16 8	40 38	58 74	68 100	169 186	- -	- -	- -	- 3	- 2	2 3	4 9	11 21	36 56	66 88	2 2
17	Aneurysm	M F	3 1	- -	- -	- -	- -	1 -	- -	1 -	- -	- 1	1 1	- -	2 -	- -	- -	- -	- -	- 1	- -	1 -	- 1	- -	- -	- -
18	Other circulatory	M F	54 45	- -	- -	- -	- -	- -	- -	- 2	2 3	9 4	22 7	21 31	40 47	- -	- -	- -	- 1	- -	1 -	4 3	2 5	18 10	2 2	
19	Bronchitis	M F	36 31	2 -	- -	- -	2 1	2 -	1 -	6 -	1 -	6 1	15 6	47 23	8 38	8 3	- -	- -	- -	- -	- -	- 1	- -	5 2	8 8	2 2
20	Pneumonia	M F	79 63	15 12	12 8	4 5	2 2	5 3	6 7	10 3	8 3	12 6	3 13	80 52	16 7	9 4	3 4	- 3	5 1	4 1	8 4	8 4	9 10	6 7	2 2	
21	Other respiratory	M F	10 10	1 -	- 1	- -	- 1	1 1	1 -	- 4	1 2	3 2	1 2	3 1	10 12	1 -	- -	- -	- 1	2 1	1 1	- 1	- 5	- 2	5 4	2 2
22	Peptic ulcer	M F	13 5	- -	- -	- -	- -	1 1	3 1	4 1	2 1	2 -	2 1	1 8	11 8	- -	- -	- -	- 1	1 -	1 1	5 1	2 4	- -	- -	- -
23	Diarrhœa	M F	8 5	2 3	3 -	- 1	- -	1 -	- -	- -	1 -	- 1	- 1	- -	10 9	3 3	- 1	- -	2 -	- 1	- -	2 -	- -	- -	- -	- -
24	Appendicitis	M F	10 5	- -	- -	- -	1 1	1 -	1 2	- 1	- 1	3 1	2 -	2 -	3 9	- -	- -	1 2	- -	1 -	- 2	1 -	- 1	5 3	2 2	
25	Cirrhosis of liver	M F	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	1 -	3 6	- -	- -	- -	- -	- -	- -	- 1	- 2	2 1	1 1	2 2	
26	Other liver diseases	M F	7 11	- -	- -	- -	- -	- 1	- -	1 3	2 4	2 5	2 3	10 10	3 -	- -	- -	- -	- 1	- 1	- 3	3 3	3 2	2 2	2 2	
27	Other digestive	M F	17 22	4 1	1 -	- 1	1 1	1 2	1 2	3 2	1 9	3 1	2 4	25 14	3 -	- -	2 2	- 1	1 -	2 1	3 1	3 2	3 4	6 5	2 2	
28	Nephritis	M F	38 43	1 -	- 1	- 1	2 2	2 3	- 5	6 10	5 8	11 12	10 8	29 27	- -	- -	- -	2 -	- 2	- -	3 2	4 4	11 9	5 5	2 2	
29	Puerperal sepsis	F	4	-	-	-	-	2	2	-	-	-	-	4	-	-	-	-	2	2	-	-	-	-	-	
30	Other puerperal	F	12	-	-	-	3	2	6	1	-	-	-	5	-	-	-	2	3	-	-	-	-	-	-	
31	Congenital causes, etc.	M F	58 38	56 35	2 -	- 2	- 1	- -	- -	- -	- -	- -	- -	61 44	59 43	- -	1 1	1 -	- -	- -	- -	- -	- -	- -	- -	- -
32	Senility	M F	38 61	- -	- -	- -	- -	- -	- -	- -	- -	- 4	34 53	49 58	- -	- -	- -	- -	- -	- -	- -	- -	- -	4 7	- -	
33	Suicide	M F	19 7	- -	- -	- -	1 1	2 2	4 3	6 1	4 -	2 -	- -	18 7	- -	- -	- -	- 1	3 2	3 1	3 1	3 1	4 1	2 1	- -	
34	Other violence	M F	51 19	2 -	2 -	3 2	2 1	11 3	11 1	4 1	6 1	5 1	2 3	3 7	59 31	1 2	- 1	4 2	4 5	8 4	3 1	13 5	9 1	2 1	- -	
35	Other defined causes	M F	85 73	2 1	- -	3 3	6 2	5 3	9 6	4 7	4 11	14 12	18 15	20 13	81 82	7 2	4 2	1 2	6 6	4 4	5 5	5 11	7 6	15 15	13 15	- -
36	Ill-defined causes	M F	2 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 2	2 2	- -	- -	1 -	- -	- -	- -	- -	- -	- -	2 2	

Causes of Death. first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	203	18	4	3	1	7	5	7	14	30	63	51	240	22	3	2	2	11	9	10	19	29	69	64		
	F	217	13	2	3	1	8	5	11	20	24	52	78	218	10	-	4	2	9	9	9	18	30	53	74		
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-		
Measles	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza	M	8	-	-	-	-	-	-	2	-	1	3	2	3	1	-	-	-	-	-	-	1	1	-	-		
	F	6	-	-	-	-	-	-	1	1	1	1	2	5	-	-	1	-	-	-	-	1	2	1	1		
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Respiratory tuberculosis	M	8	-	-	-	-	3	2	-	1	1	1	-	10	-	-	-	-	4	3	3	-	-	-	-		
	F	6	-	-	-	-	2	2	-	-	1	1	-	7	-	-	-	-	4	1	1	-	1	-	-		
Other tuberculosis	M	3	1	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	-	-	-	-	-	1		
	F	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Gen paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer	M	20	-	-	-	-	-	-	-	1	6	8	5	33	-	-	-	-	-	-	-	2	10	15	6		
	F	27	-	-	-	-	-	-	-	4	7	7	7	33	-	-	-	-	-	-	3	5	6	12	7		
Diabetes	M	3	-	-	-	-	-	-	1	-	1	1	-	5	-	-	-	-	1	-	-	1	-	2	1		
	F	4	-	-	-	-	1	-	-	-	1	-	2	3	-	-	-	-	-	-	-	1	1	1	1		
Cerebral hæmorrhage	M	16	-	-	-	-	-	-	-	1	4	4	7	13	-	-	-	-	-	-	-	2	1	5	5		
	F	19	-	-	-	-	-	-	-	3	2	7	6	15	-	-	-	-	-	-	1	2	1	5	6		
Heart disease	M	41	-	-	1	-	-	-	-	1	1	4	24	10	47	-	-	-	-	-	3	2	19	23	23		
	F	55	-	-	-	-	-	-	-	4	4	4	14	29	67	-	-	-	1	-	1	3	8	19	35		
Aneurysm	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other circulatory	M	11	-	-	-	-	-	-	-	-	3	3	5	9	-	-	-	-	-	-	-	-	-	4	5		
	F	18	-	-	-	-	-	-	-	-	3	6	9	9	-	-	-	-	-	-	-	-	-	3	6		
Bronchitis	M	8	1	-	-	-	-	-	-	1	-	1	5	13	-	2	-	-	-	-	1	2	2	6	6		
	F	7	-	2	-	-	-	-	-	1	-	1	3	11	1	-	1	-	-	-	-	-	3	6	6		
Pneumonia	M	9	4	1	-	-	2	-	1	-	-	-	1	8	-	-	-	-	2	1	1	3	2	-	-		
	F	7	-	-	1	-	-	-	1	2	-	2	1	4	-	-	1	-	1	1	1	-	-	-	-		
Other respiratory	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
	F	3	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	1	1	1		
Peptic ulcer	M	4	-	-	-	-	-	-	-	1	-	3	-	2	-	-	-	-	-	-	1	1	-	-	-		
	F	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1		
Diarrhoea	M	1	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-		
	F	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-		
Appendicitis	M	5	-	-	-	1	1	-	-	1	-	1	1	3	-	-	-	-	-	1	-	2	-	-	-		
	F	2	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	2	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other liver diseases	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-		
Other digestive	M	5	1	1	-	-	-	-	-	-	1	2	-	5	-	-	1	-	1	-	1	-	-	1	1		
	F	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	1	-	-	-	1	-	-	-		
Nephritis	M	9	-	-	-	-	-	-	-	-	1	4	4	8	-	-	-	-	1	-	1	2	4	-	-		
	F	8	-	-	-	-	-	-	-	-	1	4	3	3	-	-	-	-	-	-	1	1	1	-	-		
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-		
Other puerperal	F	2	-	-	-	-	2	-	-	-	-	-	-	4	-	-	-	-	1	2	1	-	-	-	-		
Congenital causes, etc.	M	8	8	-	-	-	-	-	-	-	-	-	-	20	19	-	-	-	-	1	-	-	-	-	-		
	F	9	9	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-		
Senility	M	6	-	-	-	-	-	-	-	-	-	1	5	11	-	-	-	-									



Causes of Death. See first page of Table.			Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	356	17	3	1	5	9	12	12	27	67	88	115	188	1	2	1	3	6	6	11	17	29	48		
	F	426	12	2	6	6	9	13	13	26	54	116	169	177	1	1	2	2	4	3	4	19	19	47		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
4 Whooping cough	M	3	1	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	3	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
6 Influenza	M	3	-	-	-	-	-	1	-	-	-	2	-	3	-	-	-	-	-	2	-	-	1			
	F	20	-	-	-	-	-	1	-	-	3	9	7	2	-	-	-	-	-	-	1	-	1			
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-			
9 Respiratory tuberculosis	M	20	-	-	-	2	8	5	2	3	-	-	-	8	-	-	-	-	1	2	3	2	-			
	F	15	-	-	1	3	5	1	1	2	2	2	-	6	-	-	-	1	2	1	2	-	-			
10 Other tuberculosis	M	4	-	-	1	2	-	-	-	-	1	-	-	1	-	-	-	1	2	1	-	-	-			
	F	5	-	-	-	-	2	1	-	-	-	1	1	1	-	-	-	-	1	-	-	1	-			
11 Syphilis	M	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	1	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	-	1	2	2	-	-	1	-	-	-	-	-	1	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-			
13 Cancer	M	52	-	-	-	-	-	-	-	7	14	14	17	22	-	-	-	-	-	2	1	4	10			
	F	62	-	-	-	-	-	-	2	9	13	23	15	28	-	-	-	-	-	-	5	6	8			
14 Diabetes	M	11	-	-	-	1	-	1	-	-	2	2	5	4	-	-	-	-	-	-	2	1	1			
	F	9	-	-	-	-	1	-	-	-	4	4	-	4	-	-	-	-	-	-	1	1	2			
15 Cerebral hæmorrhage	M	24	-	-	-	-	-	-	-	3	7	7	7	15	-	-	-	-	-	-	1	1	4			
	F	27	-	-	-	-	-	-	-	-	6	10	11	11	-	-	-	-	-	-	1	2	2			
16 Heart disease	M	84	-	-	-	-	1	-	4	19	25	35	50	-	-	-	1	2	2	-	2	10	10			
	F	115	-	-	-	-	-	-	5	13	38	59	48	-	-	-	-	1	-	-	2	3	19			
17 Aneurysm	M	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
18 Other circulatory	M	11	-	-	-	-	-	-	-	-	1	4	6	10	-	-	-	-	-	-	1	1	5			
	F	15	-	-	-	-	-	-	-	2	6	7	7	7	-	-	-	-	-	-	-	2	3			
19 Bronchitis	M	13	1	-	-	-	-	-	1	1	2	8	10	-	-	-	-	-	-	-	-	-	3			
	F	15	-	-	-	-	-	-	-	-	3	12	7	-	-	-	-	-	-	-	1	-	1			
20 Pneumonia	M	5	1	-	-	-	-	-	2	-	2	-	4	-	-	-	-	-	-	1	1	1	1			
	F	9	2	1	1	-	-	-	-	2	3	-	3	-	-	1	-	-	-	-	-	-	1			
21 Other respiratory	M	3	-	-	-	-	-	-	-	-	-	-	3	4	-	-	-	-	-	-	1	1	1			
	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1			
22 Peptic ulcer	M	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-			
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
23 Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
24 Appendicitis	M	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	1	-	-	-	1	2			
	F	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-			
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
26 Other liver diseases	M	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-			
	F	3	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	1			
27 Other digestive	M	9	1	-	-	-	1	-	1	-	3	3	1	4	-	-	-	-	-	-	-	1	-			
	F	8	-	-	-	2	1	1	-	2	1	1	4	-	-	-	-	-	-	1	2	-	-			
28 Nephritis	M	13	-	-	-	1	-	-	1	2	2	7	2	10	-	1	-	1	-	-	-	1	5			
	F	17	-	-	-	1	1	1	2	1	-	4	7	8	-	-	-	1	-	-	-	2	-			
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30 Other puerperal	F	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-			
31 Congenital causes, etc.	M	14	13	1	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	1	1	-			
	F	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
32 Senility	M	17	-	-	-	-	-	-	-	-	-	-	17	7	-	-	-	-	-	-	-	-	-			
	F	31	-	-	-	-	-	-	-	-	-	-	31	20	-	-	-	-	-	-	-	-	3			
33 Suicide	M	9	-	-	-	1	1	1	-	4	1	1	1	-	-	-	-	-	-	-	-	-	1			
	F	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-			
34 Other violence	M	8	-	-	-	4	-	-	-	1	1	2	8	-	-	1	2	2	2	-	-	-	-			
	F	10	1	-	1	-	-	-	1	-	1	6	4	1	-	1	-	-	-	-	-	-	1			
35 Other defined causes	M	38	-	-	-	2	1	-	3	2	9	14	7	16	-	-	-	-	1	2	3	2	4			
	F	41	1	-	1	3	1	2	4	6	5	8	10	17	-	1	-	-	1	2	5	-	4			
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

TABLE 24—*contd.*      **Administrative County of Wilts.**

Causes of Death. First page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	842	62	10	10	20	26	29	48	77	149	205	206	986	79	14	15	19	26	40	41	62	152	246	292
	F	865	46	10	11	16	30	28	42	65	119	197	301	958	45	10	14	15	23	33	45	68	115	204	386
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	6	-	-	4	2	-	-	-	-	-	-	-	6	-	4	1	-	-	-	1	-	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	M	3	-	3	-	-	-	-	-	-	-	-	-	6	5	-	1	-	-	-	-	-	-	-	-
	F	3	2	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Diphtheria	M	5	-	1	1	3	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
	F	6	-	-	2	3	1	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
Influenza	M	33	2	1	1	3	-	2	4	4	6	4	6	42	3	-	1	1	1	2	4	3	7	7	13
	F	39	2	2	-	-	1	-	3	5	5	7	14	45	1	-	-	-	3	1	2	4	13	7	21
Encephalitis lethargica	M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1
Cerebro-spinal fever	M	3	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	41	-	-	-	11	5	9	5	9	2	-	-	40	-	-	-	-	5	16	8	2	4	5	-
	F	40	-	1	-	1	16	7	6	4	1	-	-	43	-	-	-	1	12	12	6	4	6	2	-
Other tuberculosis	M	7	-	-	1	1	-	1	2	2	-	-	-	11	2	3	2	-	2	-	1	1	-	-	-
	F	10	1	1	2	1	1	3	-	-	1	-	-	7	-	1	1	2	1	1	-	-	-	-	1
Syphilis	M	3	-	1	-	-	-	-	-	1	-	-	1	3	1	-	-	-	-	-	-	1	1	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	2	2	-	-	-	5	-	-	-	-	-	1	2	1	-	-	1
	F	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Cancer	M	119	-	-	-	1	1	2	16	35	41	23	135	-	-	1	-	-	-	4	13	30	54	33	
	F	132	-	-	-	1	2	1	23	33	40	27	118	-	-	-	-	-	2	10	16	26	37	27	
Diabetes	M	13	-	-	-	-	-	1	2	2	3	5	5	-	-	-	-	-	-	-	-	2	2	1	
	F	22	-	-	-	1	-	-	1	2	5	9	4	13	-	-	-	-	-	-	1	4	2	6	
Cerebral hæmorrhage	M	45	-	-	-	-	-	-	2	13	20	10	46	-	-	-	-	-	-	-	2	7	16	21	
	F	48	-	-	-	-	-	-	2	2	6	16	22	81	-	-	-	-	-	1	1	8	27	44	
Heart disease	M	175	-	-	1	2	1	2	16	31	59	61	229	-	-	-	2	1	2	3	12	38	80	91	
	F	209	-	-	-	1	2	3	6	25	66	103	238	-	-	-	2	-	1	3	12	32	64	124	
Aneurysm	M	2	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	-	-	1	-	2	2	-	
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other circulatory	M	49	-	-	-	-	-	-	2	8	15	24	42	-	-	-	-	-	-	-	1	9	17	15	
	F	43	-	-	-	-	-	-	-	7	12	24	50	-	-	-	-	-	-	1	4	7	15	23	
Bronchitis	M	31	1	-	-	1	-	1	2	2	6	18	34	-	1	-	-	1	-	-	-	3	7	22	
	F	48	3	-	-	-	-	-	-	6	10	29	34	3	-	-	-	-	-	-	-	2	4	25	
Pneumonia	M	32	5	2	-	2	1	1	3	5	5	3	36	2	4	3	3	1	1	1	4	7	7	3	
	F	29	5	1	1	2	1	-	2	2	2	8	5	36	6	6	3	-	2	1	1	5	4	1	7
Other respiratory	M	13	2	-	-	-	-	2	-	6	3	-	10	1	-	-	2	-	1	-	3	2	-	1	
	F	8	-	-	-	-	-	1	-	1	2	4	5	-	-	-	-	-	1	2	-	1	-	1	
Septic ulcer	M	10	-	-	-	-	-	1	1	4	4	-	10	-	-	-	-	1	2	2	1	2	2	-	
	F	5	-	-	-	-	-	-	2	1	1	1	7	-	-	-	-	-	1	2	-	3	1	-	
Diarrhoea	M	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
	F	3	-	-	-	-	-	-	-	-	-	-	3	7	1	-	1	-	-	1	-	1	1	-	
Appendicitis	M	6	-	-	-	-	-	-	3	-	2	1	9	-	-	-	1	2	-	2	1	-	3	-	
	F	3	-	-	-	-	-	1	2	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	
Cirrhosis of liver	M	4	-	-	-	-	-	-	2	1	1	-	7	-	-	-	-	-	-	-	1	1	5	-	
	F	4	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	1	1	1	-	
Other liver diseases	M	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	4	
	F	3	-	-	-	-	-	-	-	-	2	1	6	-	-	-	-	-	-	-	-	1	1	-	
Other digestive	M	19	-	-	-	3	1	-	3	5	5	2	27	4	-	-	1	-	1	3	2	3	6	7	
	F	17	-	1	1	1	-	-	2	4	5	3	23	-	1	-	2	-	1	2	3	2	5	7	
Nephritis	M	21	-	-	-	1	2	1	1	4	4	5	25	-	-	-	-	-	1	1	3	8	8	5	
	F	21	-	-	-	-	-	2	3	2	5	4	22	-	-	-	-	-	1	2	3	5	5	6	
Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	6	-	-	-	-	1	3	2	-	-	-	-	
Other puerperal	F	3	-	-	-	-	-	2	1	-	-	-	3	-	-	-	-	-	2	1	-	-	-	-	
Congenital causes, etc.	M	46	46	-	-	-	-	-	-	-	-	-	53	51	-	-	-	-	1	-	-	1	-	-	
	F	33	31	-	1	-	1	-	-	-	-	-	29	28	-	-	1	-	-	-	-	-	-	-	
Senility	M	30	-	-	-	-	-	-	-	-	-	2	28	54	-	-	-	-	-	-	-	-	7	47	
	F	39	-	-	-	-	-	-	-	-	-	3	36	74	-	-	-	-	-	-	-	6	6	68	
Suicide	M	9	-	-	-	-	-	4	2	-	2	1	16	-	-	-	-	1	2	-	5	5	2	1	
	F	7	-	-	-	-	-	-	3	1	2	-	3	-	-	-	-	-	-	1	-	-	-	1	
Other violence	M	36	2	2	2	4	1	8	4	2	3	4	38	-	-	2	2	7	5	5	3	6	3	5	
	F	16	1	1	-	1	-	1	1	1	-	2	15	2	1	2	1	2	-	-	2	-	2	3	
Other defined causes	M	71	3	-	-	2	4	-	8	5	10	23	16	85	10	2	3	6	4	7	4	3	11	24	
	F	66	1	2	2	4	4	7	8	9	10	7	12	76	2	1	2	4	5	5	9	12	13	14	
Undefined causes	M	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	



TABLE 24—*contd.* Administrative County of Worcester.

Causes of Death. <i>See first page of Table.</i>			Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
	All Causes	M F	1272 1212	126 91	34 21	24 31	27 24	51 36	46 62	87 59	108 99	186 172	282 259	301 358	753 642	53 35	10 4	8 8	21 11	21 16	30 20	37 34	60 48	116 92	180 157	
1	Typhoid fever, etc.	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	1 1	- -	- -	- -	- 1	- -	- -	- -	- -	- -	1 -	
2	Measles	M F	17 14	2 5	8 4	5 5	2 -	- -	- -	- -	- -	- -	- -	- -	4 2	1 -	1 1	1 1	1 -	- -	- -	- -	- -	- -	- -	
3	Scarlet fever	M F	1 2	- -	- -	- -	1 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
4	Whooping cough	M F	6 7	3 3	3 3	- 1	- -	- -	- -	- -	- -	- -	- -	- -	3 8	1 5	2 2	- -	- 1	- -	- -	- -	- -	- -	- -	
5	Diphtheria	M F	3 5	- -	- -	- 2	3 1	- 1	- 1	- 1	- -	- -	- -	- -	2 -	- -	- -	- -	1 -	- -	- -	- -	- -	1 -	- -	
6	Influenza	M F	49 42	3 4	1 1	4 1	- -	2 2	1 3	6 3	2 7	9 3	6 8	15 10	12 23	- -	- -	- 2	- -	- -	- 1	- -	2 7	3 6		
7	Encephalitis lethargica	M F	1 2	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
8	Cerebro-spinal fever	M F	1 1	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	1 2	- -	- -	1 -	- -	- 1	- -	- -	- -	- -		
9	Respiratory tuberculosis	M F	85 57	- -	1 -	- -	- 1	18 17	14 22	25 9	17 5	6 2	4 1	- -	45 25	- -	- -	- -	- 1	7 5	8 7	12 7	3 3	5 2	5 -	
10	Other tuberculosis	M F	18 23	3 1	1 1	1 7	3 3	4 2	2 2	1 2	2 2	1 2	- -	- -	9 10	- -	- 1	- 2	4 1	1 3	1 1	- -	- -	- 2		
11	Syphilis	M F	3 -	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -		
12	Gen. paralysis of insane, etc.	M F	6 1	- -	- -	- -	- 1	- -	- -	- 3	2 -	1 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -		
13	Cancer	M F	130 166	- -	- -	- -	- -	1 -	- 2	4 10	16 26	44 39	44 53	21 36	76 94	- -	- -	- -	1 -	- -	2 6	4 9	6 1	19 22	31 39	
14	Diabetes	M F	10 17	- -	- -	- -	- -	- -	- -	- -	- 1	- 6	- 8	- 2	8 19	- -	- -	- -	- -	- -	1 1	- -	1 3	3 11		
15	Cerebral hæmorrhage	M F	89 107	- -	- -	- -	- -	- -	- 2	- 2	1 4	18 14	30 41	38 44	55 42	- -	- -	- -	- -	- -	1 1	1 -	8 7	20 11		
16	Heart disease	M F	233 249	- -	- -	- -	3 3	4 2	1 4	9 10	14 13	31 38	75 71	96 108	146 150	- -	- -	- 1	3 -	- -	1 2	- 6	7 13	23 23	52 41	
17	Aneurysm	M F	2 1	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	2 1	- -	- -	- -	- -	- -	- -	- -	- -	1 1		
18	Other circulatory	M F	63 48	- -	- -	- -	- -	- -	- -	- -	3 1	6 5	18 15	36 21	50 35	- -	- -	- 1	- -	- -	- -	- -	1 5	6 7		
19	Bronchitis	M F	78 54	5 3	2 1	2 -	- -	1 1	- -	1 -	5 -	7 7	21 10	34 32	32 27	- 1	- -	1 -	- -	- -	- -	- -	3 1	6 6		
20	Pneumonia	M F	88 64	16 11	12 11	2 6	2 -	3 1	7 1	11 3	8 2	13 3	9 13	5 13	45 14	8 4	4 -	2 -	4 -	1 -	1 -	6 1	3 3	8 1	8 2	
21	Other respiratory	M F	16 3	1 -	- -	- -	1 -	1 -	- -	1 -	3 -	2 1	4 2	3 -	8 1	1 1	- -	- -	- -	- -	- -	- -	- -	4 -		
22	Peptic ulcer	M F	18 4	- -	- -	- -	- -	- 1	- 1	1 1	5 1	7 1	3 -	1 1	9 2	- -	- -	- -	- -	- -	1 -	2 2	5 -	- -		
23	Diarrhoea	M F	13 17	9 6	1 -	2 1	- -	- -	- 1	- 1	1 4	- -	- 2	- 2	6 7	3 4	- -	- 1	- -	1 -	- -	- -	- -	- -		
24	Appendicitis	M F	9 8	- -	- -	1 1	- 1	- 1	1 1	2 -	3 3	1 -	- 2	- -	7 6	- -	- -	- -	1 1	- 1	2 1	1 1	- 1	2 -		
25	Cirrhosis of liver	M F	- 3	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 2	- -	2 3	- -	- -	- -	- -	- -	1 -	1 1	- -	- 2		
26	Other liver diseases	M F	6 13	- -	- -	- -	- -	- 1	- 1	- 2	- 3	3 1	- 5	- 5	4 5	- -	- -	- -	- -	- -	- -	1 3	1 1	- -		
27	Other digestive	M F	24 25	4 2	1 -	- 1	2 -	1 1	3 1	1 -	2 4	2 7	3 5	5 4	17 7	1 -	- -	- -	1 1	- 1	1 -	6 -	4 1	1 3		
28	Nephritis	M F	41 28	- -	- -	- 1	- 1	1 1	1 -	2 2	6 1	9 7	15 8	7 7	26 24	- -	- -	- -	- -	1 -	1 1	4 2	8 5	7 11	10 6	
29	Puerperal sepsis	F	4	-	-	-	-	-	3	1	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	
30	Other puerperal	F	10	-	-	-	-	2	6	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
31	Congenital causes, etc.	M F	73 50	72 49	1 -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	36 19	35 18	- -	- -	- 1	1 -	- -	- -	- -	- -	- -	
32	Senility	M F	30 57	- -	- -	- -	- -	- -	- -	- -	- -	- 2	6 3	24 52	32 43	- -	- -	- -	- -	- -	- -	- -	- -	- -	3 4	
33	Suicide	M F	23 9	- -	- -	- -	- -	1 2	1 -	5 2	4 2	7 3	3 2	2 -	12 2	- -	- -	- -	- -	1 -	1 -	3 -	5 1	2 1		
34	Other violence	M F	49 33	3 5	1 -	3 2	5 5	9 1	6 4	6 -	5 2	3 3	7 4	1 7	35 12	1 1	- -	2 -	1 2	4 1	8 1	4 2	4 -	2 3		
35	Other defined causes	M F	87 85	4 2	2 -	4 3	5 6	4 3	8 6	7 9	10 15	10 23	21 7	12 11	63 56	2 1	3 -	1 -	4 2	6 5	5 4	3 7	6 9	11 11	7 1	
36	Ill-defined causes	M F	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	

Causes of Death. First page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	442	29	11	8	15	13	16	21	42	63	97	127	611	52	8	14	15	25	22	20	35	68	158	194
	F	557	30	10	10	10	12	19	21	42	85	119	199	569	48	7	4	13	15	19	23	53	56	130	201
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	6	1	3	1	1	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—	—	—
	F	7	3	2	2	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—
Scarlet fever	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	2	1	1	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Diphtheria	M	2	—	—	—	1	1	—	—	—	—	—	—	6	1	—	1	4	—	—	—	—	—	—	—
	F	3	—	—	—	3	—	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—	—	—
Influenza	M	10	—	—	1	—	1	1	—	2	—	1	4	27	2	—	2	1	1	1	2	1	1	8	8
	F	19	—	1	—	3	—	—	1	3	4	4	3	24	—	—	—	1	1	1	—	2	3	5	11
Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	24	—	—	—	1	2	6	5	6	3	1	—	24	—	—	—	—	8	7	3	2	3	1	—
	F	17	—	—	—	—	3	8	3	1	2	—	—	22	—	—	—	1	7	6	4	4	—	—	—
Other tuberculosis	M	7	1	2	—	1	1	—	—	1	—	1	—	5	1	—	—	1	2	—	1	—	—	—	—
	F	9	—	2	3	—	1	1	—	1	1	—	—	7	2	—	1	2	1	—	—	1	—	—	—
Syphilis	M	1	—	—	—	—	—	—	—	—	1	—	—	2	1	—	—	—	—	—	1	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gen. paralysis of insane, etc.	M	3	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	M	60	—	1	—	—	1	3	2	4	18	19	12	77	—	—	—	—	—	1	7	20	32	17	
	F	86	—	—	—	—	1	—	2	13	22	28	20	75	—	—	—	—	2	2	12	15	26	18	
Diabetes	M	4	—	—	—	—	—	—	1	1	—	—	—	7	—	—	—	—	—	—	—	1	2	4	
	F	10	—	—	—	—	1	—	—	3	2	3	1	9	—	—	—	—	1	—	1	2	5	—	
Cerebral haemorrhage	M	29	—	—	—	—	—	—	—	2	5	11	11	38	—	—	—	—	—	—	—	6	12	20	
	F	39	—	—	—	—	—	—	—	2	7	7	23	43	—	—	—	—	—	—	3	3	18	19	
Heart disease	M	83	—	—	—	—	1	1	3	7	13	21	37	123	—	—	—	1	—	—	6	4	11	40	61
	F	124	—	—	—	1	1	2	2	7	18	34	59	110	—	—	—	—	2	3	8	18	26	53	
Aneurysm	M	3	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other circulatory	M	27	—	—	—	—	—	—	—	1	3	8	15	45	—	—	—	—	—	—	—	2	12	31	
	F	23	—	—	—	—	—	—	—	—	—	4	19	48	—	—	—	—	—	—	1	—	13	34	
Bronchitis	M	15	3	—	—	—	—	—	—	1	—	4	7	26	4	—	—	—	—	—	3	2	7	10	
	F	34	3	1	1	—	—	—	—	—	3	7	19	28	1	2	1	—	—	—	—	—	8	16	
Pneumonia	M	21	6	2	2	—	1	—	—	1	3	4	2	34	5	6	3	1	—	—	2	2	5	6	4
	F	16	4	3	1	1	—	—	1	—	2	1	3	23	6	3	—	1	1	2	1	1	1	5	2
Other respiratory	M	8	—	—	—	—	—	—	1	2	1	—	4	4	—	—	—	1	—	—	—	—	2	1	
	F	3	—	—	—	—	—	—	—	—	1	—	2	4	—	—	—	—	—	1	—	1	1	1	
Septic ulcer	M	4	—	—	—	—	—	—	1	1	—	1	1	6	—	—	—	—	—	—	1	1	3	1	
	F	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
Gastrorrhœa	M	3	1	—	1	—	—	—	—	—	—	—	1	6	4	—	—	—	1	1	—	—	—	—	—
	F	7	3	—	—	1	—	—	—	1	—	1	1	3	2	—	—	—	—	—	—	—	—	—	—
Appendicitis	M	6	—	—	—	—	1	2	1	2	—	—	—	4	—	—	—	1	1	—	—	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	1	—	1	
Phlebotomy of liver	M	3	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	2	—	1	—	—	—
Other liver diseases	M	5	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	2	—	—
	F	7	—	—	—	—	1	—	—	—	2	3	1	4	—	—	—	—	—	1	3	—	—	—	—
Other digestive	M	8	—	—	—	1	—	—	1	—	2	2	2	14	2	—	—	1	—	—	2	—	3	6	
	F	11	—	—	—	—	—	—	—	1	6	2	2	6	1	—	—	—	—	1	1	1	1	1	
Nephritis	M	17	—	—	—	—	—	1	1	4	3</														



Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes		M F	1223 1227	139 83	45 37	40 34	50 33	43 35	44 51	62 70	115 97	172 189	283 274	230 324	914 884	75 55	8 8	12 10	18 17	25 30	33 24	31 46	65 84	157 131	217 203
1	Typhoid fever, etc.	M F	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
2	Measles	M F	22 11	6 3	5 3	7 4	4 —	— —	— —	— —	— 1	— —	— —	— —	3 2	1 —	1 —	— 1	1 —	— —	— —	— 1	— —	— —	— —
3	Scarlet fever	M F	5 3	— —	— 1	2 1	3 1	— —	— —	— —	— —	— —	— —	— —	1 2	— —	— —	1 1	— —	— 1	— —	— —	— —	— —	— —
4	Whooping cough	M F	1 9	— 1	1 4	— 3	— 1	— —	— —	— —	— —	— —	— —	— —	3 4	3 1	— 2	— —	— 1	— —	— —	— —	— —	— —	— —
5	Diphtheria	M F	4 2	— —	— —	2 1	2 1	— —	— —	— —	— —	— —	— —	— —	4 5	— 1	— —	— —	4 4	— —	— —	— —	— —	— —	— —
6	Influenza	M F	43 58	— 1	1 2	— 1	1 —	3 —	5 5	11 4	7 12	9 13	5 20	52 49	5 49	1 —	— —	— —	— —	3 2	3 1	6 4	3 8	8 8	17 15
7	Encephalitis lethargica	M F	4 2	— —	1 —	— 1	— —	1 —	— —	— —	2 1	— —	— —	— —	— 3	— —	— —	— 1	— —	— —	— —	— —	— —	— —	1 —
8	Cerebro-spinal fever	M F	4 1	— —	— 1	1 —	1 —	1 —	— —	— —	— —	— —	— —	— 2	2 2	— —	1 —	— —	1 2	— —	— —	— —	— —	— —	— —
9	Respiratory tuberculosis	M F	65 51	2 —	1 1	— 1	2 1	8 9	14 23	14 6	14 3	5 2	5 4	— 1	30 37	2 —	— —	— —	1 —	3 14	8 7	8 8	4 5	2 1	1 1
10	Other tuberculosis	M F	18 17	2 1	1 3	6 3	3 7	1 1	— —	2 —	1 —	1 —	1 —	— 9	10 9	— 1	— 1	2 1	3 —	3 —	1 2	— 1	3 —	— —	— —
11	Syphilis	M F	4 5	— 1	— —	— —	1 —	— —	2 —	— 2	1 —	— —	— —	— —	3 —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
12	Gen. paralysis of insane, etc.	M F	3 2	— —	— —	— —	— —	— —	— 2	— 2	1 —	1 —	1 —	— —	6 —	— —	— —	— —	— —	— —	— —	2 —	3 —	1 —	— —
13	Cancer	M F	117 146	— —	— —	— —	1 2	1 —	3 1	2 12	15 29	31 38	43 40	21 24	100 108	— —	— —	— —	— —	1 1	— 2	2 5	9 18	34 31	29 33
14	Diabetes	M F	7 12	— —	— —	— —	— —	— 1	— —	— 1	1 1	— 4	— 4	1 1	10 16	— —	— —	— —	— 1	1 1	— —	— 1	— 1	4 4	1 7
15	Cerebral hæmorrhage	M F	80 103	— —	— —	— —	— —	— —	— —	3 2	5 6	12 17	35 33	25 45	48 57	— —	— —	— —	— —	— —	— —	— —	1 5	5 9	15 16
16	Heart disease	M F	214 247	— —	— —	— —	5 3	2 4	1 3	4 8	19 12	45 45	79 77	59 95	199 198	— —	— —	— —	— —	2 —	— 1	2 4	11 13	34 31	74 64
17	Aneurysm	M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	2 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —
18	Other circulatory	M F	63 60	— —	— —	— —	— —	— —	— —	— —	3 1	3 7	21 19	36 33	57 45	— —	— —	— —	— —	— —	— —	1 —	1 1	6 1	13 14
19	Bronchitis	M F	58 60	9 5	4 3	1 1	— 1	1 —	— —	— —	3 3	6 8	16 16	18 22	22 30	— 3	— —	— —	— —	— —	1 1	— —	1 1	2 5	3 3
20	Pneumonia	M F	120 84	31 15	19 9	10 9	5 1	4 3	4 4	11 5	7 6	12 11	11 12	6 9	57 35	6 5	3 3	4 2	1 —	— —	3 1	3 5	7 5	12 3	10 6
21	Other respiratory	M F	15 13	— —	1 —	— —	1 1	— 1	— 1	— —	4 2	5 1	3 —	— 5	13 9	— —	1 —	— —	1 —	— —	— —	— 1	— —	4 —	5 2
22	Peptic ulcer	M F	11 5	— —	— —	— —	— 1	1 —	— 1	— —	5 1	1 —	3 1	— 1	13 2	— —	— —	— —	— —	— —	— —	— —	4 1	4 1	3 —
23	Diarrhoea	M F	15 18	10 8	1 4	1 —	— 3	— —	— —	— —	— —	— 1	— 1	2 1	9 7	4 3	— 1	— —	— —	— —	1 —	— —	1 —	1 —	1 2
24	Appendicitis	M F	10 7	— —	— —	— 2	3 —	3 —	— —	1 1	1 —	— 2	1 2	1 —	5 2	— —	— —	— —	2 1	1 —	— —	1 —	1 —	— —	— —
25	Cirrhosis of liver	M F	5 6	— —	— —	— —	— —	— —	— —	— —	— 2	2 3	— —	1 1	1 3	— —	— —	— —	— —	— —	— —	— —	— —	1 2	— —
26	Other liver diseases	M F	5 7	— —	— —	— —	— —	— —	— —	— —	1 2	2 3	1 1	1 1	3 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —
27	Other digestive	M F	23 15	3 —	2 —	2 —	2 2	1 —	1 2	4 1	3 2	— 3	4 4	1 1	14 12	1 —	— —	— —	1 —	1 1	— 1	— 1	1 2	3 4	4 10
28	Nephritis	M F	37 33	— —	— 1	— 1	— 2	1 3	2 3	— 3	4 3	12 3	11 11	7 6	30 42	— —	— —	— —	1 —	— 1	— 2	— 6	4 11	4 12	— —
29	Puerperal sepsis	F	7	—	—	—	—	3	3	1	—	—	—	—	4	—	—	—	—	1	—	3	—	—	—
30	Other puerperal	F	6	—	—	—	—	—	3	3	—	—	—	—	6	—	—	—	—	5	1	—	—	—	—
31	Congenital causes, etc.	M F	61 36	61 35	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	44 37	44 34	— —	— 3	— —	— —	— —	— —	— —	— —	— —
32	Senility	M F	36 58	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	8 13	28 45	28 46	— —	— —	— —	— —	— —	— —	— —	— —	— —
33	Suicide	M F	14 4	— —	— —	— —	— —	— 1	— 1	3 1	1 1	7 —	2 —	— —	7 6	— —	— —	— —	— —	— 2	— 1	1 1	1 1	3 1	2 3
34	Other violence	M F	57 24	— —	1 —	3 2	6 4	11 2	8 1	8 1	6 1	6 4	3 3	5 6	49 14	3 1	— 1	5 2	1 2	5 1	9 —	2 —	9 —	8 2	3 —
35	Other defined causes	M F	97 108	14 13	6 5	5 3	10 2	6 8	1 6	4 15	6 14	14 21	19 15	12 6	87 82	8 5	2 —	1 1	2 1	3 4	4 1	4 7	4 11	17 18	21 23
36	Ill-defined causes	M F	5 5	1 —	1 —	— —	— 1	— —	— —	— —	1 —	— 2	— 1	1 1	2 7	— 1	— —	— —	— —	— 1	— —	— —	— —	— 1	— —

Causes of Death. First page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	7065	688	139	155	212	275	293	410	739	1288	1681	1185	2677	377	87	101	136	133	108	150	249	379	476	481
	F	6863	514	133	142	207	268	313	352	648	1047	1622	1617	2460	256	87	79	117	118	116	166	221	320	446	534
Typhoid fever, etc.	M	3	-	-	-	-	-	-	1	-	1	1	-	4	-	-	-	-	2	-	-	1	1	-	-
	F	5	-	-	1	-	1	2	-	1	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Measles	M	63	11	29	18	5	-	-	-	-	-	-	-	21	7	7	3	4	-	-	-	-	-	-	-
	F	56	6	21	17	12	-	-	-	-	-	-	-	29	4	9	12	3	1	-	-	-	-	-	-
Scarlet fever	M	9	-	-	6	2	1	-	-	-	-	-	-	3	-	-	2	-	1	-	-	-	-	-	-
	F	21	-	5	5	8	3	-	-	-	-	-	-	3	-	-	1	-	1	-	1	-	-	-	-
Whooping cough	M	22	11	4	6	1	-	-	-	-	-	-	-	10	6	4	-	-	-	-	-	-	-	-	-
	F	35	16	10	8	1	-	-	-	-	-	-	-	17	5	8	2	1	-	-	-	-	1	-	-
Diphtheria	M	52	1	2	17	26	3	-	2	1	-	-	-	28	1	1	11	13	2	-	-	-	-	-	-
	F	42	-	4	13	21	1	-	1	1	1	-	-	31	-	2	6	21	2	-	-	-	-	-	-
Influenza	M	178	9	3	4	4	14	10	14	28	35	24	33	81	4	3	5	3	6	8	7	11	15	8	11
	F	191	2	3	3	6	14	14	13	26	21	47	42	81	3	5	3	2	4	3	8	13	9	13	18
Encephalitis lethargica	M	9	-	-	-	1	-	1	3	2	-	2	-	5	-	-	-	1	2	-	1	-	1	-	-
	F	9	-	-	-	-	1	1	3	1	2	1	-	4	1	-	2	-	1	-	-	-	-	-	-
Cerebro-spinal fever	M	95	13	3	16	24	19	4	9	4	2	1	-	96	9	8	17	29	13	10	8	2	-	-	-
	F	71	10	3	13	23	8	6	4	3	1	-	-	50	4	4	12	14	4	5	5	1	1	-	-
Respiratory tuberculosis	M	348	2	2	3	7	55	72	72	67	52	14	2	133	1	2	1	5	23	20	32	28	17	4	-
	F	284	1	1	1	12	88	68	40	36	21	11	5	117	1	-	1	3	42	26	25	12	5	1	1
Other tuberculosis	M	92	12	5	11	15	16	10	8	5	6	4	-	46	7	7	7	6	9	4	-	5	1	-	-
	F	72	8	12	9	8	17	5	4	3	3	3	-	43	5	9	5	8	6	4	-	3	-	2	1
Syphilis	M	24	9	-	-	-	1	1	1	3	7	2	-	10	5	-	-	-	-	2	1	1	1	1	-
	F	10	3	1	-	-	1	1	1	2	1	-	-	4	1	-	-	-	-	-	1	1	-	1	-
Gen. paralysis of insane, etc.	M	46	-	-	-	-	1	1	10	13	13	8	-	5	-	-	-	-	1	-	1	1	2	-	-
	F	6	-	-	-	-	-	-	1	2	1	2	-	5	-	-	-	-	1	2	2	-	-	-	-
Cancer	M	706	-	-	3	2	2	9	27	104	248	225	86	212	-	-	1	1	3	1	11	31	67	66	31
	F	832	-	-	-	1	3	7	59	139	230	258	135	284	-	-	1	-	-	3	19	57	78	79	47
Diabetes	M	72	-	-	-	2	1	1	2	4	24	28	10	31	-	-	-	1	1	2	2	3	6	12	4
	F	136	-	-	-	2	3	3	7	15	40	40	26	32	-	-	-	1	3	1	4	3	9	9	2
Cerebral hæmorrhage	M	401	-	-	-	-	1	3	6	25	78	165	123	109	-	-	-	-	-	3	5	22	34	45	-
	F	464	-	-	-	1	-	4	4	43	79	161	172	174	-	-	-	-	1	6	15	33	54	65	-
Heart disease	M	1344	-	-	-	7	20	17	41	134	304	491	330	437	-	-	3	7	2	4	9	37	98	145	132
	F	1497	1	-	-	11	38	36	56	133	251	484	487	439	-	1	-	5	6	13	16	35	71	130	162
Aneurysm	M	14	-	-	-	-	-	1	4	3	3	3	-	6	-	-	-	-	-	1	2	2	1	-	-
	F	6	-	-	-	-	-	1	1	-	-	3	1	4	-	-	-	-	-	1	1	2	-	-	-
Other circulatory	M	451	-	-	-	1	1	-	3	11	81	175	179	127	-	-	-	-	-	-	6	18	40	63	-
	F	317	-	-	-	-	2	3	12	39	109	152	104	-	-	1	-	-	-	3	5	16	30	49	-
Bronchitis	M	367	47	9	2	-	1	7	10	25	45	125	96	122	18	2	4	1	-	-	2	7	14	33	41
	F	401	34	7	3	3	2	3	4	15	44	107	179	97	20	3	-	3	2	-	1	7	5	13	43
Pneumonia	M	554	129	54	34	26	21	24	52	53	73	62	26	236	64	32	25	12	5	13	14	15	14	24	18
	F	394	96	43	37	25	7	18	10	30	37	49	42	163	40	26	15	15	5	7	10	6	11	14	14
Other respiratory	M	76	2	1	3	1	4	6	8	15	17	10	9	34	1	1	4	5	2	1	3	4	4	5	4
	F	59	3	1	3	1	2	1	5	7	14	9	13	25	1	1	1	4	-	1	-	4	4	9	-
Peptic ulcer	M	73	-	-	-	-	2	8	14	21	17	8	3	26	-	-	-	-	-	2	7	7	9	-	1
	F	28	-	-	-	-	1	2	1	8	9	5	2	7	-	-	-	-	-	1	1	1	2	1	1
Diarrhoea	M	77	48	6	3	2	1	1	1	4	2	5	4	38	22	6	-	2	-	1	-	2	2	1	2
	F	51	31	4	1	1	-	1	3	1	1	4	4	20	9	1	2	-	1	2	-	2	1	1	1
Appendicitis	M	46	-	-	-	11	8	6	4	8	6	2	1	13	-	-	1	6	2	1	-	1	2	-	-
	F	29	-	-	2	6	1	4	3	7	4	1	1	12	-	1	1	1	5	2	2	-	-	-	-
Cirrhosis of liver	M	28	-	-	-	1	-	-	1	5	8	11	2	13	-	-	-	-	-	1	3	6	3	-	-
	F	10	-	-	1	1	-	1	1	1	2	3	-	3	-	-	-	-	-	1	1	1	-	-	-
Other liver diseases	M	29	-	-	-	-	1	1	-	3	13	7	4	15	-	-	-	-	-	-	3	4	4	4	4
	F	71	1	-	-	-	-	2	3	3	17	26	19	30	-	-	-	-	-	1	3	6	8	7	5
Other digestive	M	114	12	-	2	3	3	5	6	20	27	28	8	41	1	3	2	4	3	3	-	4	8	7	6
	F	138	9	-	4	11	3	9	9	16	24	33	20	54	6	2	1	8	3	1	4	5	5	12	7
Nephritis	M	263	-	1	1	4	6	8	20	51	56	78	38	68	-	-	-	3	5	3	1	8	13	21	14
	F	300	-	-	5	8	13	22	36	74	90	52	80	80	-	-	2	3	2	3	7	11	17	23	12
Puerperal sepsis	F	42	-	-	-	-	9	25	8	-	-	-	-	15	-	-	-	-	3	9	3	-	-	-	-
Other puerperal	F	58	-	-	-	-	8	30	20	-	-	-	-	30	-	-	-	-	6	11	12	1	-	-	-
Congenital causes, etc.	M	317	315	-	-	1	-	-	1	-	-	-	-	194	188	4	1	1	-	-	-	-	-	-	-
	F	255	251	1	2	1	-	-	-	-	-	-	-	131	126	2	-	1	2	-	-	-	-	-	-
Senility	M	153	-	-	-	-	-	-	-	-	1	31	121	60	-	-	-	-	-	-	-	-	-	6	54
	F	218	-	-	-	-	-	-	-	-	4	28	186	80	-	-	-	-	-	-	-	-	-	9	71
Suicide	M	100	-	-	-	-	4	10	6	24	34	18	4	34	-	-	-	-	5	2	3	12	8	3	1
	F	40	-	-	-	-	3	6	8	12	6	4	1	6	-	-	-	-	2	1	-	1	2	-	-
Other violence	M	358	14	5	16	31	53	49	44	51	45	28	22	169	3	1	4	15	29	21	30	26	14	14	12
	F	152	8	7	8	17	11	6	8	15	15	28	29	56	6	1	7	6	3	5	3	7	6	8	4
Other defined causes	M	572	53	15	10	34	36	38	40	55	90	122	79	245	40	6	10	17	18	11	13	24	30	40	36
	F	556	34	10	11	30	35	42	49	80	106	115	44	225	24	9	6	18	12	16	28	25	32	34	21
Ill-defined causes	M	9	-	-	-	1	-	-	-	-	-	3	5	5	-	-	-	-	-	-	-	-	1	2	2
	F	7	-	-	-	-	-	-	1	-	-	1	5	3	-	1	-	-	1	-	-	-	-	1	-





TABLE 24—*contd.* Administrative County of Brecknock.

319

Causes of Death.	First page of Table.	Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	115	16	1	2	2	4	3	6	7	15	32	27	288	27	10	5	7	13	14	10	24	42	54	82
	F	135	6	2	2	2	11	7	5	13	22	31	34	237	16	2	6	6	15	11	19	17	31	40	74
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	2	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	2	1	-	1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Influenza	M	4	-	1	-	-	-	-	-	1	-	1	1	5	1	1	-	-	-	-	-	1	1	-	1
	F	6	-	-	-	-	1	-	-	-	-	3	2	8	-	2	1	-	-	-	-	1	1	1	2
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	9	-	-	-	-	2	1	1	-	4	1	-	17	-	-	-	-	6	3	2	4	2	-	-
	F	12	-	-	-	-	5	2	2	2	-	1	-	23	-	-	-	-	8	7	5	1	1	1	-
Other tuberculosis	M	1	-	-	-	-	-	-	1	-	-	-	-	7	-	2	-	2	1	1	-	-	-	-	-
	F	2	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Syphilis	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	10	-	-	-	-	-	-	-	2	3	2	3	27	-	-	-	-	1	-	-	2	5	12	7
	F	12	-	-	-	-	1	-	-	3	4	1	3	18	-	-	-	-	-	-	1	3	3	7	4
Diabetes	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	2	-	1	2	-
Cerebral hæmorrhage	M	5	-	-	-	-	-	-	-	-	-	2	3	17	-	-	-	-	-	-	-	2	3	6	6
	F	12	-	-	-	-	-	-	-	-	3	5	4	15	-	-	-	-	-	1	-	-	3	2	9
Heart disease	M	22	-	-	-	-	1	-	-	-	1	12	8	38	-	-	-	-	1	-	1	3	8	11	14
	F	36	-	-	-	-	1	-	-	3	5	12	15	58	-	-	-	1	-	2	4	4	12	17	18
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	4	-	-	-	-	-	-	-	-	-	3	1	13	-	-	-	-	-	-	-	-	3	1	9
	F	4	-	-	-	-	-	-	-	-	2	1	1	6	-	-	-	-	-	-	-	-	1	-	5
Bronchitis	M	9	3	-	-	-	-	-	1	2	-	1	2	20	-	1	-	-	-	1	-	2	2	6	8
	F	7	-	-	-	-	-	-	-	-	1	2	4	14	1	-	-	-	-	-	-	-	3	10	-
Pneumonia	M	4	3	-	-	1	-	-	-	-	-	-	-	12	-	2	1	-	-	-	1	1	4	1	2
	F	7	-	1	1	-	-	-	2	-	-	2	1	8	3	-	-	-	3	-	1	-	-	1	-
Other respiratory	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	1	1
	F	2	-	-	1	-	-	-	-	-	1	-	-	4	1	-	-	1	-	-	1	-	-	1	-
Septic ulcer	M	4	-	-	-	-	-	-	1	-	-	2	1	3	-	-	-	-	-	1	-	-	1	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea	M	1	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	1	-	-	1	-	1	2	-	-	-	-	1	-	-	-	-	-	1
Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of liver	M	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	2
Other digestive	M	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	-	-	-	1	1	2	-
	F	2	-	-	-	-	-	1	-	-	-	-	1	3	-	-	-	1	-	-	1	-	-	1	1
Nephritis	M	4	-	-	-	-	-	-	-	-	-	2	2	14	-	-	-	-	1	-	3	3	1	6	-
	F	11	-	-	-	-	-	1	3	2	4	1	1	7	-	-	-	-	1	-	-	2	3	1	-
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Congenital causes, etc.	M	9	9	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	10	9	-	1	-	-	-	-	-	-	-	-
Idiocy	M	4	-	-	-	-	-	-	-	-	-	-	4	21	-	-	-	-	-	-	-	-	2	19	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	19	-	-	-	-	-	-	-	-	1	18	-
Infanticide	M	3	-	-	-	-	1	-	-	-	-	2	-	5	-	-	-	-	1	1	-	2	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Other violence	M	4	-	-	1	1	-	1	-	1	-	-	-	21	1	-	1	3	2	5	1	4	2	2	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	1	-	2	-	1	-	-	-	-	-	2
Other defined causes	M	10	-	-	-	-	1	-	1	1	3	2	2	27	3	1	-	2	2	-	2	2	3	6	6
	F	8	-	-	-	-	1	2	-	2	3	-	-	15	-	-	1	1	-	-	3	5	4	-	1
Un-defined causes	M	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-





TABLE 24—contd. Administrative County of Cardigan.

321

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	114	8	—	1	1	1	4	7	5	26	42	19	303	26	2	1	3	13	5	13	21	43	70	106
	F	153	5	—	5	3	3	9	3	14	18	37	56	360	14	1	1	7	8	12	15	22	54	81	145
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Influenza	M	4	—	—	—	—	—	—	—	—	1	3	—	11	2	—	—	—	—	—	—	—	2	2	5
	F	5	—	—	—	—	—	—	—	1	2	1	1	15	1	—	—	—	—	1	—	3	6	—	4
Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	11	—	—	—	1	1	3	1	2	1	2	—	19	—	1	—	—	6	1	3	3	2	2	1
	F	15	—	—	—	—	3	4	2	3	2	1	—	16	—	—	—	5	5	4	1	1	—	—	—
Other tuberculosis	M	1	—	—	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gen. paralysis of insane, etc.	M	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	M	13	—	—	—	—	—	—	1	1	5	4	2	34	—	—	—	—	—	—	3	2	12	9	8
	F	16	—	—	—	—	—	1	—	2	2	6	5	41	—	—	—	—	—	1	2	7	12	12	7
Diabetes	M	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	2	2	—	—
Cerebral haemorrhage	M	7	—	—	—	—	—	—	—	—	2	3	2	15	—	—	—	—	—	—	—	2	1	6	6
	F	8	—	—	—	—	—	1	—	1	1	2	3	31	—	—	—	—	—	—	—	2	4	7	18
Heart disease	M	26	—	—	—	—	—	—	1	1	6	12	6	83	—	—	—	—	—	1	5	14	26	37	—
	F	37	—	—	—	—	—	—	—	1	4	11	21	102	—	—	—	1	—	2	2	11	24	62	—
Aneurysm	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other circulatory	M	1	—	—	—	—	—	—	—	—	—	1	—	11	—	—	—	—	—	—	—	—	1	2	8
	F	8	—	—	—	—	—	—	—	1	1	1	5	16	—	—	—	—	—	—	—	1	2	4	9
Brønchitis	M	3	1	—	—	—	—	—	—	—	—	—	2	10	2	—	—	—	—	—	—	1	1	—	6
	F	8	—	—	—	—	—	—	—	1	—	1	6	18	—	—	—	—	—	—	—	—	—	6	12
Pneumonia	M	5	2	—	—	—	—	—	1	—	—	2	—	10	2	—	—	—	—	—	1	3	2	2	—
	F	5	—	—	—	2	—	—	—	—	1	1	1	14	2	—	—	—	1	—	1	2	3	5	—
Other respiratory	M	2	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	1	1
	F	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Peptic ulcer	M	3	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	M	1	—	—	—	—	—	—	—	—	—	1	—	5	3	—	—	—	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
Appendicitis	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Hirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other liver diseases	M	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	—	—	1	—	5	—	—	—	—	1	—	1	1	1	1	—
Other digestive	M	2	—	—	—	—	—	—	—	1	—	—	1	8	—	—	—	—	1	1	1	2	—	1	2
	F	4	—	—	1	—	—	—	—	—	1	—	2	5	—	—	1	—	—	—	—	1	—	1	2
Nephritis	M	9	—	—	—	—	—	—	—	1	7	1	1	20	—	—	—	—	1	—	2	1	—	6	10
	F	12	—	—	—	—	—	—	1	1	3	4	3	25	—	—	—	1	—	1	—	3	6	8	6
Puerperal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—
Other puerperal	F	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Congenital causes, etc.	M	4	4	—	—	—	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—	—	—
Idiocy enility	M	1	—	—	—	—	—	—	—	—	—	—	1	6	—	—	—	—	—	—	—	—	—	—	6
	F	7	—	—	—	—	—	—	—	—	1	—	6	13	—	—	—	—	—	—	—	—	—	—	13
suicide	M	2	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	1	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	2	—	—	—
Other violence	M	1	—	—	—	—	—	—	—	—	1	—	—	8	—	—	1	—	1	—	—	2	1	1	—
	F	2	—	—	—	—	—	—	—	1	—	—	1	5	—	—	—	—	—	—	—	2	1	2	—
Other defined causes	M	12	1	—	1	—	—	1	—	—	2	4	3	39	7	1	—	1	2	2	1	2	3	9	11
	F	12	—	—	1	—	—	2	—	2	—	6	1	30	4	—	1	—	3	1	4	3	5	6	3
Un-defined causes	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—





TABLE 24—contd. Administrative County of Denbigh.

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	371	27	4	7	11	20	15	26	22	63	87	89	659	73	11	11	21	29	25	38	60	101	161	129
	F	408	31	6	5	7	10	22	21	35	56	99	116	608	53	3	17	23	27	36	36	59	81	114	159
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	2	1	1	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	5	1	1	3	-	-	-	-	-	-	-	-
Scarlet fever	M	2	-	-	1	-	1	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-
	F	2	-	-	1	1	-	-	-	-	-	-	-	3	-	-	1	1	1	-	-	-	-	-	-
Whooping cough	M	3	1	-	2	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-
	F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	7	-	1	2	4	-	-	-	-	-	-	-	13	-	-	3	10	-	-	-	-	-	-	-
	F	6	1	-	1	3	-	1	-	-	-	-	-	11	-	-	3	7	1	-	-	-	-	-	-
Influenza	M	15	1	-	1	-	1	-	-	2	3	3	4	19	-	1	-	-	2	2	1	3	-	6	4
	F	13	2	-	-	1	-	-	-	-	3	5	2	11	-	-	1	1	1	-	1	-	1	6	4
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	2	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	26	-	-	-	-	5	4	11	-	4	2	-	31	-	-	-	-	7	6	4	4	7	3	-
	F	25	-	-	-	-	2	7	8	4	1	3	-	33	-	-	-	1	10	10	3	4	2	3	-
Other tuberculosis	M	6	1	-	-	2	-	-	1	1	1	-	-	10	-	1	2	1	2	1	2	-	1	-	-
	F	4	-	-	-	-	-	2	-	2	-	-	-	9	2	-	-	1	3	2	-	1	-	-	-
Syphilis	M	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	39	-	-	-	-	-	1	2	2	14	10	10	78	-	-	-	-	2	1	3	8	22	28	14
	F	55	-	-	-	-	-	1	5	10	15	12	12	83	-	-	-	-	3	4	6	23	19	19	9
Diabetes	M	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	1	-	-	-	1	4	1	6	-	-	-	-	-	-	-	2	3	1	-
Cerebral haemorrhage	M	27	-	-	-	-	-	-	2	-	3	14	8	47	-	-	-	-	-	-	-	1	7	25	14
	F	29	-	-	-	-	-	-	-	1	2	10	16	51	-	-	-	-	-	-	-	4	8	16	23
Heart disease	M	73	-	-	-	-	1	-	2	6	16	23	25	146	-	-	-	1	-	1	4	12	28	57	43
	F	88	-	-	-	-	1	1	3	5	14	31	33	148	-	-	-	1	3	4	6	10	24	40	60
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	25	-	-	-	-	-	-	-	1	2	9	13	16	-	-	-	-	-	-	-	-	-	7	9
	F	28	-	-	-	-	-	-	-	-	3	9	16	25	-	-	-	-	-	-	-	1	2	7	15
Bronchitis	M	14	-	-	-	1	-	-	-	-	5	4	4	26	1	-	-	2	-	-	1	2	-	5	15
	F	16	2	-	-	-	-	-	-	-	1	5	8	28	4	-	1	-	-	-	1	-	2	9	11
Pneumonia	M	12	3	1	1	1	-	-	-	2	1	2	1	46	13	4	1	2	-	-	4	6	11	1	4
	F	20	7	4	-	-	-	1	-	1	-	4	3	29	6	2	4	-	-	2	-	3	5	4	3
Other respiratory	M	1	1	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	1	-	-	4	2	3	2
	F	3	-	-	-	-	1	1	-	-	1	-	-	5	-	-	-	-	1	-	-	1	1	1	1
Peptic ulcer	M	2	-	-	-	-	-	-	1	-	1	-	-	9	-	-	-	-	1	-	3	2	3	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diarrhoea	M	3	2	-	-	-	-	-	-	-	-	1	-	6	3	-	-	1	1	-	-	-	-	-	1
	F	3	3	-	-	-	-	-	-	-	-	-	-	9	6	-	-	-	-	-	-	1	1	-	1
Appendicitis	M	4	-	-	-	3	-	-	-	-	1	-	-	7	-	-	-	1	1	2	-	2	1	-	-
	F	3	-	-	1	-	1	-	-	-	1	-	-	2	-	-	-	1	-	-	1	-	-	-	-
Cirrhosis of liver	M	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	1	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	F	5	-	-	-	-	-	-	-	-	2	1	2	2	-	-	-	-	-	1	-	1	-	-	-
Other digestive	M	9	-	-	-	-	2	-	-	1	1	3	2	9	5	1	-	-	-	1	-	1	-	-	1
	F	7	-	-	-	1	-	1	-	1	2	1	1	15	2	-	1	3	1	1	2	1	2	1	1
Nephritis	M	6	-	-	-	-	1	-	-	-	1	2	2	21	-	-	1	-	2	1	-	3	4	5	5
	F	19	-	-	1	-	1	-	1	4	1	6	5	18	-	-	-	-	1	2	1	2	6	6	6
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	1	3	3	-	-	-	-
Other puerperal	F	3	-	-	-	-	-	3	-	-	-	-	-	9	-	-	-	-	1	5	3	-	-	-	-
Congenital causes, etc.	M	17	15	1	-	-	-	-	-	1	-	-	-	36	36	-	-	-	-	-	-	-	-	-	



Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes		M F	255 286	26 14	3 7	4 6	4 9	10 13	11 9	19 14	26 15	46 45	61 70	45 84	436 397	31 27	5 5	6 7	8 7	8 13	15 19	26 22	42 36	76 68	110 83
1	Typhoid fever, etc.	M F	- 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Measles	M F	- 3	-	-	2 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Scarlet fever	M F	- -	-	-	-	-	-	-	-	-	-	-	-	1 -	-	1 -	-	-	-	-	-	-	-	
4	Whooping cough	M F	1 2	-	1 2	-	-	-	-	-	-	-	-	-	1 1	-	1 1	-	-	-	-	-	-	-	
5	Diphtheria	M F	3 4	-	-	1 1	1 2	-	-	-	-	1 -	-	-	4 4	-	-	2 1	2 1	-	-	-	-	-	
6	Influenza	M F	4 9	-	-	-	-	-	-	-	1 -	-	-	3 4	13 18	1 -	-	-	-	1 2	-	2 3	2 2	2 4	
7	Encephalitis lethargica	M F	1 -	-	-	-	-	-	-	-	-	1 -	-	-	3 1	-	-	-	-	-	-	-	2 1		
8	Cerebro-spinal fever	M F	- -	-	-	-	-	-	-	-	-	-	-	-	2 -	-	-	-	1 1	-	-	-	-		
9	Respiratory tuberculosis	M F	16 13	1 -	-	-	-	3 5	4 3	3 -	2 2	3 1	-	-	20 28	-	1 -	-	1 8	2 9	6 2	3 4	4 2	1 2	
10	Other tuberculosis	M F	3 4	-	-	-	1 1	3 -	-	-	-	-	-	-	5 6	-	1 -	1 1	1 2	1 1	-	-	1 -	-	
11	Syphilis	M F	2 1	1 1	-	-	-	-	-	-	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	Gen. paralysis of insane, etc.	M F	2 -	-	-	-	-	-	-	-	1 -	1 -	-	-	-	-	-	-	-	-	-	-	-	-	
13	Cancer	M F	28 29	-	-	-	-	-	1 1	3 2	-	9 11	13 5	2 4	55 51	-	-	-	-	-	-	3 2	8 10	18 18	
14	Diabetes	M F	1 7	-	-	-	1 -	-	-	-	-	-	-	-	3 7	-	-	-	-	-	-	2 -	-	-	
15	Cerebral hæmorrhage	M F	19 22	-	-	-	-	-	-	-	2 1	6 5	7 8	4 8	32 36	-	-	-	-	-	1 1	2 3	7 6	14 13	
16	Heart disease	M F	50 47	-	-	-	-	-	-	1 3	5 2	14 7	21 19	9 14	82 67	-	-	-	-	-	5 3	6 6	15 16	26 22	
17	Aneurysm	M F	- -	-	-	-	-	-	-	-	-	-	-	-	1 -	-	-	-	-	-	-	-	1 -	-	
18	Other circulatory	M F	9 10	-	-	-	-	-	-	-	-	2 3	1 3	6 3	22 14	-	-	-	-	-	-	-	5 -	9 5	
19	Bronchitis	M F	19 13	1 -	-	1 -	-	-	-	2 -	1 -	3 2	7 3	4 8	20 17	-	-	-	-	-	-	2 -	3 1	6 6	
20	Pneumonia	M F	14 20	6 4	-	2 4	1 2	-	1 -	2 1	-	1 3	-	1 2	25 19	5 4	1 2	1 2	-	-	2 1	3 1	2 -	6 2	
21	Other respiratory	M F	3 5	-	-	-	1 1	-	1 1	2 -	1 2	-	-	-	5 4	-	-	-	-	-	-	2 -	2 -	-	
22	Peptic ulcer	M F	2 2	-	-	-	-	-	-	-	2 -	-	-	-	3 -	-	-	-	-	-	2 -	-	-	1 1	
23	Diarrhœa	M F	3 2	2 1	-	-	1 -	-	-	-	-	-	-	-	1 4	1 1	-	-	-	-	-	-	-	-	
24	Appendicitis	M F	3 1	-	-	-	-	-	-	-	2 -	1 1	-	-	2 -	-	-	1 -	-	-	1 -	-	-	-	
25	Cirrhosis of liver	M F	- 2	-	-	-	-	-	-	-	-	1 -	1 -	-	1 1	-	-	-	-	-	-	-	1 1	-	
26	Other liver diseases	M F	- 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
27	Other digestive	M F	6 10	1 -	-	-	-	-	1 -	1 -	-	-	2 2	1 1	7 6	2 -	-	-	-	1 1	-	1 -	2 -	-	
28	Nephritis	M F	11 8	-	-	-	-	2 1	-	3 1	2 1	-	4 3	-	19 19	-	-	-	-	-	1 1	2 3	4 5	6 4	
29	Puerperal sepsis	F	3	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	
30	Other puerperal	F	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	2	2	-	-	-	
31	Congenital causes, etc.	M F	13 4	13 4	-	-	-	-	-	-	-	-	-	-	19 16	19 16	-	-	-	-	-	-	-	-	
32	Senility	M F	14 34	-	-	-	-	-	-	-	-	-	2 8	12 26	17 24	-	-	-	-	-	-	-	-	3 -	
33	Suicide	M F	2 1	-	-	-	-	-	-	-	1 -	-	-	1 -	6 4	-	-	-	-	2 -	-	1 2	3 2	-	
34	Other violence	M F	9 8	-	1 1	-	-	1 -	3 -	-	2 -	-	1 1	1 4	25 10	-	-	-	4 1	1 1	4 -	7 1	3 -	1 1	
35	Other defined causes	M F	16 15	1 -	1 -	-	-	-	2 1	2 1	2 2	4 2	3 3	1 3	37 32	3 4	-	2 1	-	4 1	-	1 3	4 10	5 4	
36	Ill-defined causes	M F	1 4	-	-	-	-	-	-	-	1 -	-	-	-	5 2	-	-	-	-	-	-	1 1	-	-	

TABLE 24—*contd.* **Administrative County of Glamorgan.**

Causes of Death. First page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M F	3944 3287	483 324	119 102	98 96	117 137	211 196	188 211	253 228	439 334	719 489	816 599	501 571	1120 924	116 73	37 16	28 18	33 28	44 45	53 57	65 62	132 110	201 134	225 180	186 201
Typhoid fever, etc.	M F	3 -	- -	- -	- -	1 -	1 -	- -	- -	1 -	- -	- -	- -	- 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -
Measles	M F	50 45	11 7	26 18	10 17	3 3	- -	- -	- -	- -	- -	- -	- -	14 11	2 3	7 5	3 2	2 1	- -	- -	- -	- -	- -	- -	- -
Scarlet fever	M F	4 7	- 1	2 1	- 1	1 3	1 1	- -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	1 1	1 -	- -	- -	- -	- -	- -	- -
Whooping cough	M F	22 25	9 9	11 10	2 5	- 1	- -	- -	- -	- -	- -	- -	- -	- 4	- 2	- -	- 2	- -	- -	- -	- -	- -	- -	- -	- -
Diphtheria	M F	29 35	1 1	3 -	14 16	8 16	1 -	- -	1 1	- 1	- -	- -	- -	13 8	- 1	2 -	5 4	6 3	- -	- -	- -	- -	- -	- -	- -
Influenza	M F	126 95	7 -	5 3	3 -	4 5	4 9	7 5	8 11	26 12	23 19	24 17	15 14	42 29	- -	- -	- 1	2 -	1 4	5 1	4 3	9 3	9 4	8 7	4 6
Encephalitis lethargica	M F	4 5	- -	- -	- 2	- 1	3 1	- -	- -	1 -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -
Cerebro-spinal fever	M F	3 1	- -	- -	- -	1 -	- -	1 -	- -	1 -	- -	- -	- -	2 -	- -	- -	- 1	- -	1 -	- -	- -	- -	- -	- -	- -
Respiratory tuberculosis	M F	241 250	- 1	- 1	- 2	4 11	62 91	63 72	39 45	41 17	26 8	5 2	1 -	70 51	1 -	- -	- -	2 -	12 17	14 21	15 5	15 5	7 3	3 -	1 -
Other tuberculosis	M F	74 51	4 4	6 2	8 5	13 16	18 9	11 8	6 3	4 -	3 3	1 1	- -	12 11	1 -	2 -	1 -	2 3	1 1	1 2	1 2	2 2	1 1	- -	- -
Syphilis	M F	11 9	2 1	- -	1 -	- -	- -	- -	- 2	4 2	4 2	- 2	- -	8 1	1 -	- -	- -	2 -	- -	- -	2 -	1 1	1 -	1 -	- -
Gen. paralysis of insane, etc.	M F	29 13	- -	- -	- -	- -	- -	- 10	- 4	9 5	8 3	1 1	1 -	4 1	- -	- -	- 1	- -	2 -	1 1	1 -	1 -	- -	- -	- -
Cancer	M F	334 322	- -	- -	- -	1 1	2 4	8 28	18 64	61 110	108 88	101 88	35 27	103 103	1 -	- -	- 1	- -	1 2	3 10	13 26	38 25	38 26	9 12	
Diabetes	M F	26 48	- -	- -	2 -	1 -	1 3	1 -	1 -	5 4	4 21	8 15	3 5	8 19	- -	- -	- -	- -	- -	- 2	1 2	4 8	2 6	1 1	
Cerebral hemorrhage	M F	221 191	- -	- -	- -	- -	- -	1 2	3 4	18 30	54 41	106 64	39 50	51 54	- -	- -	- -	- -	- -	1 -	5 7	12 12	21 13	12 22	
Heart disease	M F	759 640	- -	- -	2 -	9 17	21 19	15 26	31 39	87 73	183 127	260 176	151 163	195 182	- -	- -	- -	3 3	7 6	2 10	7 9	19 25	57 29	55 53	45 47
Aneurysm	M F	7 -	- -	- -	- -	- -	- -	1 -	1 -	3 -	2 -	- -	3 1	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	1 1	
Other circulatory	M F	100 82	1 -	- -	- -	- -	- 2	- 2	- 2	7 6	31 9	28 32	33 31	55 32	- -	- -	- -	- -	- -	- -	2 1	10 5	13 9	30 17	
Chronic bronchitis	M F	255 158	40 20	9 5	3 2	- -	2 2	- 5	6 3	20 9	53 22	69 35	53 55	73 61	6 6	3 -	- -	1 2	- -	- 2	- 4	6 4	11 4	28 16	18 23
Pneumonia	M F	287 206	86 53	31 43	22 23	6 8	12 5	17 11	17 7	25 6	31 11	25 19	15 20	54 42	11 14	11 5	1 1	- 2	1 -	- 2	3 2	10 2	5 3	11 8	1 3
Other respiratory	M F	81 40	5 2	2 2	2 -	3 3	6 1	9 4	17 3	18 11	12 8	4 6	20 12	2 -	2 1	- -	- -	- -	- -	2 -	6 1	2 2	5 1	3 7	
Septic ulcer	M F	38 13	- -	- -	- -	- 2	1 4	4 4	13 4	6 4	9 1	4 2	1 -	14 6	- -	- -	- -	- -	1 -	3 1	5 3	3 2	2 -	- -	- -
Diarrhoea	M F	50 36	29 18	6 6	3 4	1 -	- 1	- 2	1 1	3 -	2 -	5 1	- 3	10 6	3 3	2 1	2 -	- -	- 2	- -	2 -	- -	1 -	- -	- -
Appendicitis	M F	17 23	- -	- -	- -	5 5	6 3	2 4	2 2	1 5	- 2	- 1	1 1	6 6	- -	- -	- -	1 2	1 -	1 -	2 -	1 2	1 1	- -	- -
Carcinoma of liver	M F	15 2	- -	- -	- -	- -	- -	- 1	- -	3 1	9 -	2 -	- 1	5 -	- -	- -	- -	- -	- -	- -	1 3	4 -	- -	- 1	- 3
Other liver diseases	M F	12 18	- -	- -	1 -	- -	- 1	- 2	1 -	1 5	4 8	2 4	1 4	4 7	- -	- -	- -	- -	- -	- 1	3 1	- 2	- -	- 1	- 3
Other digestive	M F	73 62	10 9	3 1	2 1	6 4	1 2	7 1	12 5	7 8	7 9	12 11	6 11	22 25	3 3	1 1	3 -	- 1	1 1	1 1	1 1	4 3	4 6	1 5	3 3
Nephritis	M F	128 134	2 -	- -	1 3	2 9	5 8	4 9	5 15	17 18	41 29	38 32	13 11	36 48	- -	- -	1 -	1 1	1 3	3 7	1 8	13 9	9 12	6 5	
Puerperal sepsis	F	18	-	-	-	-	6	8	4	-	-	-	-	5	-	-	-	-	2	2	1	-	-	-	-
Other puerperal	F	29	-	-	-	-	7	17	5	-	-	-	-	5	-	-	-	-	1	1	3	-	-	-	-
Congenital causes, etc.	M F	224 161	218 156	2 2	3 1	- 2	1 -	- -	- -	- -	- -	- -	- -	64 34	60 33	2 -	- -	2 1	- -	- -	- -	- -	- -	- -	- -
Infant mortality	M F	133 180	- -	- -	- -	- -	- -	- -	- -	- 1	1 3	27 34	105 142	34 47	- -	- -	- -	- -	- -	- -	- -	- -	- 3	31 42	
Infanticide	M F	37 14	- -	- -	- -	4 2	4 3	11 3	5 3	5 1	4 9	4 -	- 1	5 3	- -	- -	- -	- -	- 1	2 -	- -	- 1	- -	1 4	- 2
Other violence	M F	198 64	1 5	2 -	9 8	22 15	39 7	22 2	27 3	33 4	30 2	9 7	4 11	82 21	5 1	2 1	6 3	6 2	12 1	13 3	9 2	14 1	9 2	4 3	2 2
Other defined causes	M F	344 306	57 37	11 7	10 6	26 18	23 16	14 30	28 33	33 59	55 44	68 42	19 14	106 87	20 7	5 2	6 4	1 6	5 4	4 7	6 9	12 11	9 16	20 14	18 7
Undefined causes	M F	9 4	- -	- 1	- -	- -	- -	- -	1 -	2 1	2 1	3 1	1 1	2 -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	- -	- -



Causes of Death. <i>See first page of Table.</i>			Aggregate of Urban Districts.												Aggregate of Rural Districts.												
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes			M F	145 162	10 10	1 1	1 3	4 2	1 5	6 9	6 12	16 10	33 28	35 37	32 45	149 197	7 7	2 1	2 1	4 3	4 3	8 9	3 11	9 16	25 33	37 46	4 6
1	Typhoid fever, etc.		M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
2	Measles		M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	
3	Scarlet fever		M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	
4	Whooping cough		M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
5	Diphtheria		M F	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	2 2	- 2	- 1	1 -	1 -	- 1	- -	- -	- -	- -	- -	- -	
6	Influenza		M F	4 10	- -	- 1	- -	- -	- 1	1 1	- 2	- 1	2 1	1 3	9 10	- -	- -	- -	2 -	- 2	- 1	- 1	1 1	- 1	- 1	4 2	
7	Encephalitis lethargica		M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
8	Cerebro-spinal fever		M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
9	Respiratory tuberculosis		M F	13 10	- -	- -	- -	- 1	2 4	1 3	6 -	3 1	1 1	- -	14 12	- -	- -	- -	- 1	3 1	4 2	- 2	3 5	2 1	2 -	- -	
10	Other tuberculosis		M F	5 2	- -	- -	2 -	1 1	1 1	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	
11	Syphilis		M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	
12	Gen. paralysis of insane, etc.		M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
13	Cancer		M F	17 24	- -	- -	- -	- -	- 1	- 3	2 2	8 7	7 4	- 7	9 28	- -	- -	- 1	- -	- -	- -	- 1	- 1	2 11	3 9	- -	
14	Diabetes		M F	1 3	- -	- -	- -	- -	- -	- -	1 -	- -	1 1	- 1	2 1	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	
15	Cerebral hæmorrhage		M F	11 14	- -	- -	- -	- -	- -	- -	1 -	7 3	2 6	1 5	5 17	- -	- -	- -	- -	- -	- -	- -	- 3	2 2	1 4	- -	
16	Heart disease		M F	29 31	- -	- -	1 -	- -	1 -	1 -	- 1	5 12	6 8	5 10	35 47	- -	- -	- -	- -	- 2	1 -	- -	1 2	6 9	11 17	1 1	
17	Aneurysm		M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
18	Other circulatory		M F	11 9	- -	- -	- -	- -	- -	- -	1 -	- 1	5 5	5 3	11 8	- -	- -	- -	- -	- -	- -	- -	- 1	2 -	2 2	- -	
19	Bronchitis		M F	2 9	1 -	- -	- -	- -	- -	- 1	- 1	1 1	2 3	4 1	8 9	- 1	- 2	1 -	- -	- -	- -	- -	- -	2 1	2 2	- -	
20	Pneumonia		M F	9 8	2 3	1 -	- 1	- 1	- -	1 -	- 1	- -	3 2	- -	9 9	- 1	2 -	- -	- -	- -	1 1	2 -	- -	1 -	2 2	- -	
21	Other respiratory		M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 1	- -	- -	- -	- -	- -	- -	- -	1 1	1 -	- -	- -	
22	Peptic ulcer		M F	2 1	- -	- -	- -	- -	- -	- -	2 -	- 1	- -	- -	3 -	- -	- -	- -	- -	- -	- 1	- 1	- -	- -	- -	- -	
23	Diarrhoea		M F	1 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	1 2	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
24	Appendicitis		M F	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- 1	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	
25	Cirrhosis of liver		M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	
26	Other liver diseases		M F	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
27	Other digestive		M F	1 4	- -	- -	- -	- -	- -	- 1	- -	1 1	- 2	- -	3 2	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	- -	
28	Nephritis		M F	4 4	- -	- -	- -	- 1	- -	- -	- 1	- -	- 1	4 1	4 17	- -	- -	- -	- -	- -	1 1	3 -	1 -	2 2	4 -	- -	
29	Puerperal sepsis		F	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-		
30	Other puerperal		F	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-		
31	Congenital causes, etc.		M F	5 4	5 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	5 3	5 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
32	Senility		M F	11 10	- -	- -	- -	- -	- -	- -	- -	- -	1 -	10 10	4 5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
33	Suicide		M F	- 1	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	1 2	- -	- -	- -	- -	- 1	- -	- -	- -	1 1	- -	- -	
34	Other violence		M F	3 1	- -	- 1	- -	- -	- -	- -	- -	2 -	- -	1 -	2 4	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 1	- -	
35	Other defined causes		M F	13 13	2 3	- 1	- -	- 1	2 1	2 2	1 2	3 1	1 3	2 1	14 15	- 2	- -	- -	- -	- 1	- 1	- 1	1 1	4 3	6 3	- -	
36	Ill-defined causes		M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	





TABLE 24—*contd.* Administrative County of Montgomery.

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—		
All Causes	M	131	7	1	—	5	5	10	2	10	20	31	40	235	25	1	3	10	7	8	9	14	37	56	6		
	F	126	8	—	2	2	5	6	8	13	16	24	42	180	12	—	1	1	9	11	9	11	20	43	6		
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—	—	—		
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Influenza	M	4	1	—	—	—	—	1	—	—	—	1	1	8	—	—	—	—	—	1	—	1	2	2	—		
	F	3	1	—	—	—	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—		
7 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Respiratory tuberculosis	M	6	—	—	—	—	2	2	—	—	1	1	—	17	—	—	—	—	3	3	4	2	3	2	—		
	F	9	—	—	—	—	2	4	2	1	—	—	—	12	—	—	—	—	5	5	2	—	—	—	—		
10 Other tuberculosis	M	1	—	—	—	—	—	1	—	—	—	—	—	5	—	—	1	1	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—		
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
12 Gen. paralysis of insane, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
13 Cancer	M	17	—	—	—	—	—	—	—	2	4	7	4	28	—	—	—	—	—	—	5	8	9	—	—		
	F	21	—	—	—	—	—	1	1	4	3	7	5	22	—	—	—	—	—	3	3	8	4	—	—		
14 Diabetes	M	4	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	—	1	—	—		
	F	2	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	1	—	—		
15 Cerebral hæmorrhage	M	9	—	—	—	—	—	—	—	1	2	3	3	9	—	—	—	—	—	—	—	1	5	—	—		
	F	10	—	—	—	—	—	—	—	—	3	2	5	19	—	—	—	—	—	—	—	1	1	10	—		
16 Heart disease	M	25	—	—	—	—	1	1	—	6	8	9	9	47	—	—	—	1	—	1	3	1	10	17	1		
	F	28	—	—	—	—	—	3	3	5	4	13	33	—	—	—	—	2	—	1	2	6	10	1	—		
17 Aneurysm	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
18 Other circulatory	M	3	—	—	—	—	—	—	—	1	1	—	1	4	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	—	—	—	1	2	3	11	—	—	—	—	—	—	—	—	4	—	—		
19 Bronchitis	M	8	—	—	—	—	—	1	—	—	1	2	4	10	1	—	—	—	—	—	—	—	1	—	—		
	F	4	—	—	—	—	—	—	—	—	—	—	4	10	1	—	—	—	—	—	—	2	2	—	—		
20 Pneumonia	M	3	—	—	—	—	—	—	1	1	—	—	—	6	1	—	1	—	—	—	—	1	—	2	—		
	F	3	—	—	—	—	—	—	—	1	—	1	1	5	1	—	—	—	—	—	—	—	—	1	—		
21 Other respiratory	M	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Peptic ulcer	M	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—		
23 Diarrhoea	M	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—		
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 Appendicitis	M	1	—	—	—	1	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	1	—	—	—		
	F	2	—	—	—	1	—	—	—	—	1	—	—	2	—	—	—	—	1	—	—	—	—	—	—		
25 Cirrhosis of liver	M	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
26 Other liver diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	2	—	—		
27 Other digestive	M	4	1	—	—	1	—	—	—	1	1	—	—	8	—	1	—	—	1	—	2	1	—	—	—		
	F	4	—	—	—	1	—	—	—	—	1	2	—	3	—	—	—	—	—	—	—	—	1	—	—		
28 Nephritis	M	6	—	—	—	—	—	—	—	—	1	3	2	12	—	—	—	—	—	—	—	2	5	—	—		

TABLE 24—contd. Administrative County of Pembroke.

329

Causes of Death.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	285	22	10	13	6	7	5	20	29	45	75	53	349	26	4	4	6	16	18	16	29	41	91	98		
	F	271	17	8	5	8	11	16	21	18	39	52	76	362	23	6	4	11	10	13	18	28	53	87	109		
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	14	5	5	4	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—	—	—		
	F	8	—	5	2	1	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—		
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
Diphtheria	M	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	2	—	—	—	—	—	—	—	—	4	—	—	—	2	2	—	—	—	—	—	—		
Influenza	M	6	—	—	—	—	—	—	—	2	1	1	2	13	—	—	—	—	2	2	2	1	4	2	2		
	F	5	—	—	—	—	—	1	—	—	2	2	—	9	—	—	—	—	1	1	1	—	2	4	4		
Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Cerebro-spinal fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Respiratory tuberculosis	M	19	—	—	—	—	4	—	11	3	1	—	—	13	—	—	—	1	—	4	3	3	2	—	—		
	F	21	—	—	—	—	6	6	3	—	4	2	—	14	—	—	—	2	5	4	1	—	1	1	1		
Other tuberculosis	M	3	1	—	—	—	—	1	1	—	—	—	—	8	2	—	—	1	4	1	—	—	—	—	—		
	F	5	—	—	—	2	1	—	2	—	—	—	—	8	—	—	—	2	1	2	—	1	1	1	—		
Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
Gen. paralysis of insane, etc.	M	3	—	—	—	—	—	1	—	1	—	1	—	2	—	—	—	—	1	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Cancer	M	39	—	—	—	—	1	—	1	3	10	20	4	33	—	—	—	—	1	4	4	6	11	7	7		
	F	35	—	—	—	1	—	—	—	5	9	14	6	34	—	—	—	—	—	2	7	9	12	4	4		
Diabetes	M	5	—	—	—	1	—	—	—	—	2	2	—	3	—	—	—	—	—	—	1	—	1	1	1		
	F	4	—	—	—	—	—	—	1	—	2	—	1	6	—	—	—	1	—	—	1	—	4	—	—		
Cerebral hæmorrhage	M	12	—	—	—	—	—	—	—	3	2	4	3	25	—	—	—	—	—	—	2	3	8	12	12		
	F	15	—	—	—	—	—	—	1	2	3	4	5	25	—	—	—	—	—	1	—	3	10	11	11		
Heart disease	M	50	—	—	—	1	—	1	1	4	11	19	13	69	—	—	—	1	2	2	5	10	19	30	30		
	F	41	—	—	—	—	—	2	—	3	10	13	13	92	—	—	—	1	1	—	5	20	34	30	30		
Aneurysm	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other circulatory	M	18	—	—	—	—	—	—	—	1	4	6	7	19	—	—	—	—	—	—	1	1	5	12	12		
	F	8	—	—	—	—	—	—	—	—	1	2	5	21	1	—	—	—	—	—	1	4	7	8	8		
Bronchitis	M	8	—	—	—	—	—	—	—	—	1	3	4	16	—	—	—	—	—	—	—	2	5	9	9		
	F	15	—	—	—	—	—	—	—	1	1	3	10	13	—	—	—	—	—	—	—	—	2	11	11		
Pneumonia	M	9	—	3	2	—	—	—	1	—	—	—	—	19	3	—	1	2	—	—	1	2	7	2	2		
	F	12	2	1	1	1	1	—	1	—	1	1	3	19	3	1	1	1	—	1	3	—	1	8	8		
Other respiratory	M	5	1	—	1	—	—	—	2	—	—	1	—	3	—	—	—	1	—	—	—	—	2	—	—		
	F	10	—	—	—	—	1	—	2	2	1	2	2	5	—	2	—	—	1	—	—	1	1	—	—		
Peptic ulcer	M	4	—	—	—	—	1	—	—	1	1	1	—	2	—	—	—	—	—	—	1	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—		
Diarrhœa	M	3	1	1	—	—	1	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—	—	—		
	F	3	1	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
Appendicitis	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other liver diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—		
	F	2	—	—	—	—	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	1	1	—	—		
Other digestive	M	2	—	—	—	—	—	—	—	—	—	2	—	7	—	—	—	1	1	1	—	—	3	1	1		
	F	6	1	—	—	1	—	—	1	—	—	3	—	5	—	—	1	1	—	1	1	—	—	—	—		
Nephritis	M	13	—	—	—	—	—	—	—	2	6	4	1	16	—	—	—	—	—	—	—	3	12	1	1		
	F	7	—	—	—	—	—	—	1	1	1	—</															



Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M F	35 48	3 4	- -	- -	1 -	1 2	3 1	3 2	4 4	1 4	13 13	6 18	96 106	7 8	2 2	2 1	2 1	1 4	3 6	6 7	9 9	13 7	19 21	32 40
1 Typhoid fever, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
2 Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	
3 Scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
4 Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
5 Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
6 Influenza	M F	2 1	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- 1	- -	5 5	- -	- -	- -	- -	1 -	2 1	1 -	- -	2 1	- -	
7 Encephalitis lethargica	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
8 Cerebro-spinal fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
9 Respiratory tuberculosis	M F	5 4	- -	- -	- -	- -	2 1	2 1	1 1	1 1	- -	- -	- -	2 6	- -	- -	- -	- -	1 2	1 1	1 -	2 2	1 -	- -	
10 Other tuberculosis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 2	- -	1 1	- 1	1 -	- -	- -	- -	- -	- -	- -	
11 Syphilis	M F	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
12 Gen. paralysis of insane, etc.	M F	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
13 Cancer	M F	3 3	- -	- -	- -	- -	- -	- -	- -	2 -	- -	1 2	- 1	10 16	- -	- -	- -	- -	1 1	1 -	2 3	2 4	3 4	- -	
14 Diabetes	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	1 2	- -	- -	- -	- -	- -	- -	- -	- -	1 2	- -	
15 Cerebral hæmorrhage	M F	2 5	- -	- -	- -	- -	- -	- -	- -	- -	1 1	1 2	1 2	8 3	- -	- -	- -	- -	- -	- -	- -	1 -	2 2	- -	
16 Heart disease	M F	9 14	- -	- -	- -	- -	- -	- -	- -	1 1	1 1	5 5	4 7	17 25	- -	- -	- -	- -	- -	- -	2 2	4 2	5 7	- -	
17 Aneurysm	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
18 Other circulatory	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	8 3	- -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	
19 Bronchitis	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	3 6	- 1	- -	1 1	- -	- -	1 -	- -	- -	1 1	- -	
20 Pneumonia	M F	2 1	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	1 1	1 5	- -	1 1	- -	- -	1 1	- -	- -	- -	- -	- -	
21 Other respiratory	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
22 Peptic ulcer	M F	1 1	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	
23 Diarrhoea	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 1	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
24 Appendicitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	
25 Cirrhosis of liver	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	
26 Other liver diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
27 Other digestive	M F	2 1	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	1 1	- 1	- -	- -	- -	- -	- -	1 -	- -	- -	- -	
28 Nephritis	M F	- 3	- -	- -	- -	1 -	- -	- -	- -	2 -	- -	- -	- -	4 3	- -	- -	- -	- -	- -	2 -	1 -	2 -	- -	- -	
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
31 Congenital causes, etc.	M F	1 4	1 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	5 4	5 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	
32 Senility	M F	- 5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	5 9	- 9	- -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	
33 Suicide	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	1 2	- -	- -	- -	- -	
34 Other violence	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	6 -	- -	- 1	1 -	- -	1 -	2 -	- -	- -	1 4	- -	
35 Other defined causes	M F	4 4	- -	- -	- -	- -	- -	1 1	- -	- 1	- 1	4 1	- 1	9 12	1 1	2 -	- -	- -	1 2	1 1	2 2	1 1	1 4	- -	
36 Ill-defined causes	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	

TABLE 25.—VIOLENT DEATHS, 1931.—ENGLAND AND WALES.

The deaths in this table have been classified to the several forms of violence, (e.g., suicide, accident, etc.,) in accordance with the information furnished by H.M. Coroners.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Total .. ..	<b>M. 14547</b> <b>F. 7031</b>	<b>391</b> <b>364</b>	<b>681</b> <b>454</b>	<b>633</b> <b>343</b>	<b>343</b> <b>123</b>	<b>808</b> <b>222</b>	<b>1282</b> <b>290</b>	<b>1795</b> <b>505</b>	<b>1593</b> <b>536</b>	<b>2158</b> <b>759</b>	<b>2256</b> <b>884</b>	<b>1567</b> <b>1058</b>	<b>1040</b> <b>1493</b>
163-171	Suicide .. ..	<b>M. 3624</b> <b>F. 1523</b>	—	—	—	1	51	167	362	525	908	955	507	148
			—	—	—	1	45	88	239	297	371	301	146	35
	Murder .. ..	<b>M. 34</b> <b>F. 72</b>	7	10	4	—	—	2	5	2	2	—	2	—
			5	7	8	3	4	7	12	9	5	7	4	1
	Manslaughter .. ..	<b>M. 35</b> <b>F. 33</b>	1	1	—	1	3	4	4	3	7	6	5	—
			—	2	3	1	—	7	11	3	4	1	—	1
172-175	Infanticide .. ..	<b>M. 7</b> <b>F. 9</b>	7	—	—	—	—	—	—	—	—	—	—	—
			9	—	—	—	—	—	—	—	—	—	—	—
	Justifiable homicide .. ..	<b>M. —</b> <b>F. —</b>	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—
196	Wounds of war .. ..	<b>M. 92</b>	—	—	—	—	—	—	14	46	30	2	—	—
198	Execution .. ..	<b>M. 10</b> <b>F. —</b>	—	—	—	—	—	3	1	3	1	2	—	—
			—	—	—	—	—	—	—	—	—	—	—	—
176-194	Accident .. ..	<b>M. 9943</b> <b>F. 5076</b>	336	659	618	335	730	1063	1322	913	1029	1101	966	871
			308	440	325	115	163	163	197	199	316	526	879	1445
195 pt.	"Open verdicts" .. ..	<b>M. 763</b> <b>F. 291</b>	35	9	10	6	23	39	82	91	178	184	86	20
			35	3	4	2	9	24	42	25	61	46	29	11
195 pt.	Others* .. ..	<b>M. 39</b> <b>F. 27</b>	5	2	1	—	1	4	5	10	3	6	1	1
			7	2	3	1	1	1	4	3	2	3	—	—
63-171	Suicide :—													
163	By Solid or liquid poisons and corrosive substances .. ..	<b>M. 368</b> <b>F. 308</b>	—	—	—	—	5	23	45	67	113	69	38	8
			—	—	—	—	8	26	57	65	72	51	24	5
	Hydrochloric acid .. ..	<b>M. 35</b> <b>F. 16</b>	—	—	—	—	—	1	3	4	12	9	5	1
			—	—	—	—	—	3	—	2	6	4	1	—
	Sulphuric acid .. ..	<b>M. 4</b> <b>F. 3</b>	—	—	—	—	—	—	—	—	3	1	—	—
			—	—	—	—	—	—	—	2	—	1	—	—
	Potassium cyanide .. ..	<b>M. 54</b> <b>F. 6</b>	—	—	—	—	1	1	9	9	21	10	2	1
			—	—	—	—	—	—	—	3	3	—	—	—
	Prussic acid, hydrocyanic acid .. ..	<b>M. 25</b> <b>F. 4</b>	—	—	—	—	—	3	3	3	7	8	1	—
			—	—	—	—	—	—	—	—	1	3	—	—
	Oxalic acid .. ..	<b>M. 9</b> <b>F. 18</b>	—	—	—	—	—	1	1	—	4	1	2	—
			—	—	—	—	2	4	2	4	2	3	1	—
	Carbolic acid .. ..	<b>M. 36</b> <b>F. 27</b>	—	—	—	—	1	3	4	10	9	6	2	1
			—	—	—	—	1	2	5	6	4	7	2	—
	Opium, laudanum, morphia	<b>M. 2</b> <b>F. 1</b>	—	—	—	—	—	—	1	—	—	1	—	—
			—	—	—	—	—	—	—	—	—	1	—	—
	Ammonia .. ..	<b>M. 11</b> <b>F. 17</b>	—	—	—	—	—	—	3	1	3	2	2	—
			—	—	—	—	—	2	1	3	4	4	3	—
	Lysol .. ..	<b>M. 129</b> <b>F. 155</b>	—	—	—	—	3	8	13	27	42	23	10	3
			—	—	—	—	3	10	34	40	36	18	10	4
	Aspirin .. ..	<b>M. 3</b> <b>F. 7</b>	—	—	—	—	—	—	—	1	1	—	1	—
			—	—	—	—	—	—	3	—	2	2	—	—
	Strychnine .. ..	<b>M. 4</b> <b>F. 1</b>	—	—	—	—	—	1	—	2	1	—	—	—
			—	—	—	—	—	—	—	1	—	—	—	—

\* Inquests adjourned and not resumed under Section 20 of the Coroners (Amendment) Act 1926 concerning which the available information is insufficient to admit of more definite classification of the deaths in this summary. These deaths are included under the heading No. 195 of the International List.



TABLE 25—continued.

Inter-national List. No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Suicide—cont.														
163	Other solid or liquid poisons {M. 56	53	—	—	—	—	—	5	8	10	10	8	13	2
—cont.	(or kind not stated)* .. {F. 53		—	—	—	—	2	5	12	4	14	8	7	1
164	By poisonous gas .. .. {M. 934	517	—	—	—	1	13	38	98	127	253	245	127	33
	.. .. {F. 517		—	—	—	—	14	24	65	103	133	114	54	9
	Coal gas .. .. {M. 922	517	—	—	—	1	12	38	96	125	249	243	126	33
	.. .. {F. 517		—	—	—	—	14	24	65	103	133	114	54	9
	Others† .. .. {M. 12	—	—	—	—	—	1	—	2	2	4	2	1	—
	.. .. {F. —		—	—	—	—	—	—	—	—	—	—	—	—
165	Hanging or strangulation .. {M. 614	122	—	—	—	1	8	25	53	82	144	183	87	31
	.. .. {F. 122		—	—	—	—	—	3	14	17	35	38	13	2
166	Drowning .. .. {M. 584	329	—	—	—	—	14	26	40	87	138	161	92	26
	.. .. {F. 329		—	—	—	—	17	18	47	63	81	55	34	14
167	Firearms .. .. {M. 254	13	—	—	—	—	7	21	28	39	58	68	28	5
	.. .. {F. 13		—	—	—	—	—	3	3	2	3	1	1	—
168	Cutting or piercing instruments {M. 524	87	—	—	—	—	—	2	44	73	130	149	93	33
	.. .. {F. 87		—	—	—	—	1	4	12	18	19	22	11	—
169	Jumping from high places .. {M. 111	56	—	—	—	—	2	4	14	17	19	34	17	4
	.. .. {F. 56		—	—	—	—	—	1	8	6	17	12	7	5
170	Crushing .. .. {M. 227	36	—	—	—	—	2	27	39	32	52	45	22	8
	.. .. {F. 36		—	—	—	—	2	4	13	7	5	4	1	—
	On railway .. .. {M. 208	35	—	—	—	—	2	27	38	27	44	43	20	7
	.. .. {F. 35		—	—	—	—	2	4	13	6	5	4	1	—
	Other motor vehicles .. {M. 19	1	—	—	—	—	—	—	1	5	8	2	2	1
	.. .. {F. 1		—	—	—	—	—	—	—	1	—	—	—	—
171	Suicide by other means .. {M. 8	55	—	—	—	—	—	1	1	1	1	1	3	—
	.. .. {F. 55		—	—	—	—	3	5	20	16	6	4	1	—
	Setting fire to clothing .. {M. —	9	—	—	—	—	—	—	—	—	—	—	—	—
	.. .. {F. 9		—	—	—	—	2	—	—	1	2	3	1	—
	Burns (not stated) .. .. {M. 1	6	—	—	—	—	—	—	—	—	—	1	—	—
	.. .. {F. 6		—	—	—	—	—	1	—	1	4	—	—	—
	Abortion .. .. F. 39		—	—	—	—	1	4	20	14	—	—	—	—
	Others (or not stated)† .. {M. 7	1	—	—	—	—	—	1	1	1	1	—	3	—
	.. .. {F. 1		—	—	—	—	—	—	—	—	—	1	—	—
173	Homicide by firearms .. .. {M. 6	12	—	—	1	1	—	1	2	—	1	—	—	—
	.. .. {F. 12		—	—	—	—	1	—	4	4	2	1	—	—
	Murder .. .. {M. 4	10	—	—	1	—	—	1	2	—	—	—	—	—
	.. .. {F. 10		—	—	—	—	1	—	2	4	2	1	—	—
	Manslaughter .. .. {M. 2	2	—	—	—	1	—	—	—	—	1	—	—	—
	.. .. {F. 2		—	—	—	—	—	—	2	—	—	—	—	—
	Justifiable homicide .. .. {M. —	—	—	—	—	—	—	—	—	—	—	—	—	—
	.. .. {F. —		—	—	—	—	—	—	—	—	—	—	—	—

\* Antimony chloride, 1 M.; arsenical weed killer, 1 M.; arsenical rat poison, 1 F.; liquid containing arsenic, 1 F. copper sulphate, 1 M.; lead acetate, 1 M.; mercury oxycyanide, 1 F.; mercuric iodide, 1 M., 1 F.; corrosive sublimate; 2 M., 3 F.; zinc salt, 1 F.; bicarbonate of potash, 1 M.; potassium bromide and chloral hydrate, 1 M.; potassium chromate, 1 M.; potassium binoxalate, 1 F.; potassium permanganate, 1 F.; caustic soda, 1 F.; phenate of soda, 1 F.; iodine, 2 M., 1 F.; phosphorus (rat poison), 3 M., 7 F.; acetic acid, 1 M.; salicylate preparation 1 F.; creosote, 2 M., 3 F.; cresol, 2 M., 1 F.; coal tar derivative, 1 F.; sodium cyanide, 1 M., 1 F.; cyanide (not stated), 3 M.; chloral, 1 M.; morphine, 1 M.; veronal, 2 M., 3 F.; medinal 1 M., 1 F.; "Somnipaine" 1 M.; dial tablets 1 F.; "Allonal," 1 M.; overdose of soneryl, 1 F.; chloretone, 1 M.; aspirin and medinal, 1 F.; aspirin and chloral hydrate, 1 F.; adalin, 1 M., 1 F.; overdose of heroin and eclodyne tablets, 1 F.; chlorodyne, 1 M.; cocaine, 1 M.; narcotic (not stated), 1 M.; petrol, 1 F.; liniment (belladonna), 1 M.; liniment (camphor), 1 M., 1 F.; liniment (methyl salicylic acid and chloroform), 1 M.; liniment (turpentine and camphor), 1 F.; liniment (not stated), 1 F.; belladonna 1 F.; eucalyptus, 1 M.; hemlock, 1 M.; vermin killer (strychnine), 1 M., 2 F.; "Izal," 2 M., 3 F.; Jeyes fluid 1 M., 2 F.; disinfectant (not stated), 2 M.; weed-killer (not stated), 1 M., 3 F.; "XL" insecticide, 1 M.; fumigator (nicotine), 1 M.; hair lotion (cantharidin), 1 M.; corrosive (not stated), 3 M.; poison (not stated) 2 M., 1 F.

† Including fumes from motor car, 10 M

‡ Including pushing head through glass, 3 M.; swallowing false teeth, 1 M.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
174	Homicide by cutting or piercing {M. instruments .. .. . F.	9 23	1 2	3 1	2 2	— 3	— —	1 5	1 3	1 3	— —	— 3	— 1	— —
	Murder .. .. . {M. F.	8 18	1 —	3 1	2 2	— 2	— —	— 3	1 3	1 3	— —	— 3	— 1	— —
	Manslaughter .. .. {M. F.	1 5	— 2	— —	— —	— 1	— —	1 2	— —	— —	— —	— —	— —	— —
	Justifiable homicide .. {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
175	Homicide by other means .. {M. F.	61 79	14 12	8 8	1 9	— 1	3 3	4 9	6 16	4 5	8 7	6 4	7 3	— 2
	Murder .. .. . {M. F.	22 44	6 5	7 6	1 6	— 1	— 3	1 4	2 7	1 2	2 3	— 3	2 3	— 1
	By drowning .. .. {M. F.	2 3	1 2	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
	By strangulation .. {M. F.	3 13	3 2	— 1	— 1	— —	— 1	— 2	— 3	— —	— 2	— 1	— —	— —
	Abortion .. .. . F.	5	—	—	—	—	—	1	3	1	—	—	—	—
	Others (or not stated how)* {M. F.	17 23	2 1	6 5	1 4	— 1	— 2	1 1	2 1	1 1	2 1	— 2	2 3	— 1
	Manslaughter .. .. {M. F.	39 35	8 7	1 2	— 3	— —	3 —	3 5	4 9	3 3	6 4	6 1	5 —	— 1
	By motor car .. .. {M. F.	13 5	— —	— —	— 1	— —	1 —	2 1	— —	1 1	3 1	3 1	3 —	— —
	By blow .. .. . {M. F.	7 1	— —	— —	— —	— —	— —	— —	2 —	1 —	1 1	3 —	— —	— —
	Abortion .. .. . F.	10	—	—	—	—	—	3	7	—	—	—	—	—
	Others (or not stated how)† {M. F.	19 19	8 7	1 2	— 2	— —	2 —	1 1	2 2	1 2	2 2	— —	2 —	— 1
	Justifiable homicide .. {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Accident :—													
176	Attack by venomous animals .. {M. F.	9 14	— —	— —	— —	— 3	1 2	— 3	1 —	2 1	1 —	4 3	— 2	— —
	“Insect” .. .. . {M. F.	8 8	— —	— —	— 1	— 1	1 3	— —	1 —	2 —	1 —	3 2	— 1	— —
	Others‡ .. .. . {M. F.	1 6	— —	— —	— 2	— 1	— —	— —	— —	— 1	— —	1 1	— 1	— —
177	Food poisoning .. .. {M. F.	8 7	— —	1 —	1 2	— 1	— —	— —	1 —	2 —	— 1	2 2	— —	1 1
	“Ptomaine poisoning” .. {M. F.	1 3	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— 2	— —	— 1
	“Food poisoning” .. {M. F.	4 2	— —	1 —	— —	— 1	— —	— —	— —	1 —	— 1	— —	— —	— —
	Others§ .. .. . {M. F.	3 2	— —	— —	1 2	— —	— —	— —	1 —	— —	— —	— —	— —	1 —
178	Accidental absorption of irrespirable or poisonous gas {M. F.	104 73	1 —	— 1	— 1	2 —	5 4	7 3	16 6	10 8	17 7	19 11	19 15	8 17
	Coal gas .. .. . {M. F.	57 67	1 —	— 1	— 1	— —	3 3	3 2	7 5	3 5	6 7	10 11	15 15	8 17

\* Including coal gas, 8 M., 8 F.; blow, 6 M., 5 F.; burned in motor car, 1 M.; carbon monoxide from motor car exhaust, 1 F.; suffocation, 1 F.; cyanide of potassium, 3 F.; phosphorus rat paste, 1 F.

† Including fight, 4 M.; motor cycle, 2 M.; motor lorry, van, 1 M., 6 F.; motor bus, 1 M., 2 F.; derailment of express train, 2 M., 1 F.; exposure, 1 M.; strangulation, 3 M., 4 F.; drowning, 1 M., 1 F.; neglect, 1 F.

‡ Wasp bite, 1 M.; gnat bite, 3 F.; midge bite, 1 F.; mosquito bite, 1 F.; bee sting, 1 F.

§ Including meat pie, 1 M.; fish, 2 F.; faggots, 1 M.



TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
178—cont.	Accidental absorption, etc.—cont.													
	Carbon monoxide* .. .. {M. F.	24 5	— —	— —	— —	1 —	— 1	1 1	3 1	4 2	7 —	6 —	2 —	— —
	Carbon dioxide .. .. {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
	Others (or not stated)† .. {M. F.	22 1	— —	— —	— —	— 2	3 —	6 —	3 1	4 —	2 —	2 —	— —	— —
179	Other acute accidental poisoning (not by gas) .. .. {M. F.	51 41	1 1	6 6	2 1	— 1	1 —	2 1	5 4	9 7	10 7	8 4	6 3	1 6
	Carbolic acid ... .. {M. F.	3 —	— —	— —	— —	— —	— —	— 1	1 —	— —	— —	1 —	— —	— —
	Lysol .. .. {M. F.	3 3	— —	1 —	— —	— —	— —	— 1	— 1	— —	2 —	— —	1 —	— —
	Hydrochloric acid .. .. {M. F.	3 2	— —	— —	— —	— —	— —	— —	— 2	— —	1 —	— —	— —	— 2
	Opium, laudanum, morphia .. {M. F.	1 2	— —	— —	— —	— —	— —	— 1	— —	1 —	— 1	— —	— —	— —
	Belladonna .. .. {M. F.	— 2	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Others (or kind not stated)‡ .. {M. F.	41 32	1 1	5 6	2 —	— —	1 —	2 1	4 2	5 6	7 6	7 4	6 2	1 4
180	Conflagration .. .. {M. F.	30 42	4 3	6 5	2 2	— 3	1 3	1 2	1 2	2 2	5 5	4 4	1 4	3 7
181	Accidental burns (conflagration excepted) .. .. {M. F.	597 800	44 28	261 208	29 51	12 24	17 43	18 25	42 32	36 33	30 49	30 68	35 94	43 145
	1. Burns .. .. {M. F.	244 575	16 13	55 59	14 41	8 24	10 41	11 22	15 29	15 29	14 47	19 56	30 83	37 131
	By molten metal .. .. {M. F.	3 —	— —	— —	— —	1 —	1 —	— —	— —	1 —	— —	— —	— —	— —
	„ playing with fire, etc. {M. F.	7 9	— —	7 7	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
	„ falling into fire .. {M. F.	24 41	2 3	1 2	1 1	— —	— —	— 2	2 —	— 1	3 5	— 3	7 11	8 13
	„ bedding .. .. {M. F.	6 7	2 —	— 1	— —	— —	— —	— —	— —	1 —	— —	1 1	1 1	1 4
	„ lamp accident .. {M. F.	2 6	— —	2 —	— —	— —	— —	— —	— —	— —	— 1	— 1	— 2	— 2
	Otherwise (or not stated how)§ .. {M. F.	202 512	12 10	45 49	13 38	7 24	9 41	11 20	13 29	13 28	11 41	18 51	22 69	28 112

\* Motor car, 8 M., 1 F.; motor engine (not stated), 1 M.; paraffin engine, 1 M.; blast furnace, 1 M.; bakehouse, 1 M.; anthracite stove, 2 M., 1 F.; coke stove, 2 M.; gas plant, 1 M.; tank (beet sugar factory), 1 M.; geyser, 3 M., 3 F.; at colliery, 2 M.; combustion of bitumen (electric short circuit), 1 M.

† Including fumes from motor car, 1 M.; petrol fumes, 2 M.; cyanide fumes, 2 M.; benzole fumes (washer), 1 M.; coke fumes, 1 M.; sulphuric acid fumes, 1 M.; prussic acid gas, 1 M.; nitrous oxide and oxygen (anæsthetic apparatus), 1 M.; arseniuretted hydrogen, 2 M.; poisonous gases (iron works), 1 M.

‡ Mercuric chloride tablets, 1 M.; blue vitriol, 1 M.; ammonia, 2 M., 1 F.; cyanide of potassium, 1 M.; bichromate of potash, 1 M.; caustic soda, 3 M.; iodine, 1 F.; phosphorus (rat poison), 2 F.; oxalic acid, 1 M., 1 F.; sulphuric acid, 2 M.; alcohol, 3 M.; methylated spirit, 1 M.; creosote, 1 F.; cresoline, 1 M.; paraldehyde, 1 F.; veronal, 3 M., 3 F.; medinal, 1 M., 1 F.; dial, 1 M., 2 F.; sulphonal, 1 M.; chloral hydrate, 3 M., 1 F.; cocaine, 1 M.; chlorodyne, 1 M., 1 F.; narcotic (not stated), 1 M.; aspirin, 2 M., 4 F.; atophan, 1 M., 1 F.; liniment (belladonna), 1 M.; liniment (methyl salicylate), 1 F.; liniment (aconite, belladonna and chloroform), 2 M.; liniment (camphor and aconite), 1 F.; Easton's syrup tablets, 1 M., 1 F.; poisonous berries, 1 M., 1 F.; nux vomica tablets, 1 F.; pills (nux vomica and belladonna), 1 F.; ergot, 1 F.; camphorated oil, 1 F.; water hemlock, 1 F.; Jeyes fluid, 1 F.; disinfectant (not stated), 1 M., 1 F.; weed killer, 1 M.; corrosive (not stated), 1 M., 1 F.; cleansing fluid (not stated) 1 M.

§ Including motor lorry, 3 M.; aeroplane, 2 F.; motor car, 4 M., 2 F.; motor cycle, 6 M.; railway train, 3 M., candle, 2 M., 17 F.; gas stove, ring, etc., 2 M., 21 F.; oil and spirit stoves, 4 F.; paraffin, 3 M., 3 F.; benzole, 3 M.; petrol, 2 M., 4 F.; hot water bottle, 3 M., 2 F.; ignition of films, 2 M.; hair ignited, 4 F.; blow lamp, 1 M.

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
181 —cont.	Accidental burns, etc.—cont.													
	2. Scalds .. .. . {M. F.	283 221	28 15	206 148	15 10	4 —	3 1	2 3	5 2	3 4	— 2	6 12	5 10	6 14
	By steam .. .. . {M. F.	2 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	— —
	„ drinking hot liquids .. {M. F.	2 3	— —	2 2	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —
	Otherwise (or not stated how) .. .. . {M. F.	279 218	28 15	204 146	15 10	4 —	2 1	2 3	5 2	3 3	— 2	5 12	5 10	6 14
	3. Explosions* .. .. . {M. F.	70 4	— —	— 1	— —	— —	4 1	5 —	22 1	18 —	16 —	5 —	— 1	— —
	Others (or not stated)† .. {M. F.	70 4	— —	— 1	— —	— —	4 1	5 —	22 1	18 —	16 —	5 —	— 1	— —
182	Accidental mechanical suffoca- tion .. .. . {M. F.	242 186	174 159	10 7	5 2	4 —	3 1	3 —	7 3	7 1	9 3	4 4	9 3	7 3
	In bed .. .. . {M. F.	128 114	123 110	4 —	— —	— —	— —	— —	— —	1 —	— —	— 1	— 2	— 1
	„ cot, cradle, etc. .. .. {M. F.	28 27	27 27	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Falling on face.. .. {M. F.	3 2	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	2 —	— 2
	Heavy substance on .. .. {M. F.	14 1	— —	— —	2 1	1 —	1 —	1 —	3 —	2 —	2 —	1 —	— —	1 —
	Food, etc. .. .. . {M. F.	55 36	19 18	3 7	3 1	2 —	1 1	2 —	3 3	3 1	5 3	1 2	7 —	6 —
	Others‡ .. .. . {M. F.	14 6	5 4	2 —	— —	1 —	1 —	— —	1 —	— —	2 —	2 1	— 1	— —
183	Accidental drowning .. .. {M. F.	583 102	2 3	67 27	109 19	52 1	84 6	71 9	58 8	31 3	36 7	42 5	23 10	8 4
	Bathing.. .. . {M. F.	84 6	— —	— —	2 —	14 1	35 2	20 3	10 —	1 —	2 —	— —	— —	— —
	Pleasure craft .. .. . {M. F.	23 3	— —	— —	2 —	— —	4 —	7 1	4 1	1 1	2 —	3 —	— —	— —
	Other ships and boats .. {M. F.	37 1	— —	1 —	1 —	— —	7 —	3 —	10 1	5 —	5 —	4 —	1 —	— —
	Docks, etc. .. .. . {M. F.	10 —	— —	— —	— —	— —	1 —	2 —	1 —	2 —	1 —	2 —	1 —	— —
	Whilst attempting rescue .. {M. F.	10 1	— —	— —	1 —	— —	2 —	2 —	3 —	1 —	— 1	1 —	— —	— —
	Otherwise (or not stated how) {M. F.	419 91	2 3	66 27	103 19	38 —	35 4	37 5	30 6	21 2	26 6	32 5	21 10	8 4
184	Accidental injury by firearms .. {M. F.	66 4	— —	1 —	— —	7 —	13 —	10 2	11 1	5 1	7 —	6 —	6 —	— —
185	Accidental injury by cutting or piercing instruments .. .. {M. F.	2 2	— —	1 1	— —	— —	— —	1 —	— —	— 1	— —	— —	— —	— —
186	Accidental injury by fall, crush- ing, etc.... .. {M. F.	7813 3637	16 10	296 177	450 240	243 80	571 101	911 115	1124 134	768 136	860 232	939 417	845 737	790 1258
	1. Accidental injury by fall .. {M. F.	1764 191	13 8	42 26	24 10	24 13	55 5	49 4	139 21	117 24	188 81	261 165	336 465	516 1097
	In ships, docks, etc. :— .. {M. F.	56 2	— —	— 1	— —	— —	5 —	3 —	8 1	17 —	8 —	11 —	4 —	— —
	Down hold .. .. . {M. F.	25 1	— —	— —	— —	— —	3 —	2 —	5 1	5 —	3 —	4 —	3 —	— —

\* For other deaths caused by explosions but not resulting from burns or scalds see No. 194.

† Including gas (colliery), 58 M.; boiler (colliery), 4 M.; petrol, 1 M., 3 F.; ignited celluloid, 2 M; ammonia cylinder, 1 M.

‡ Including at breast, 1 M., 2 F.; by cat, 1 M., 1 F.



TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
186—cont.	Accidental injury by fall, etc.—cont.													
	In ships, docks, etc.—cont.													
	Into dock .. .. {M. F.	6 —	— —	— —	— —	— —	1 —	— —	— —	3 —	1 —	1 —	— —	— —
	Others (or not stated how)* .. .. {M. F.	25 1	— —	— 1	— —	— —	1 —	1 —	3 —	9 —	4 —	6 —	1 —	— —
	In building operations .. {M. F.	192 —	— —	— —	— —	— —	11 —	14 —	51 —	25 —	42 —	35 —	13 —	1 —
	Downstairs .. .. {M. F.	297 365	3 1	4 2	2 3	1 1	2 —	— 2	6 7	11 8	42 22	49 53	73 112	104 154
	In house, room, etc. .. {M. F.	200 535	2 2	2 6	— 1	— —	1 2	— —	4 2	2 2	6 14	17 36	47 123	119 347
	Out of bed .. .. {M. F.	24 45	2 —	1 2	— 1	— —	— —	— —	— —	— —	1 1	3 4	4 11	13 26
	From window .. .. {M. F.	40 40	— —	9 8	1 —	— 2	— —	1 1	4 2	— 1	3 5	8 8	4 5	10 8
	Window cleaning .. {M. F.	38 5	— —	— —	— —	— —	2 —	3 —	9 —	8 —	10 —	4 3	2 2	— —
	From ladder .. .. {M. F.	46 6	— —	— —	— —	— —	2 —	2 1	3 —	3 —	10 3	13 2	11 —	2 —
	In street .. .. {M. F.	128 150	— —	2 1	5 2	1 2	2 —	2 —	5 2	4 2	4 9	20 18	40 53	43 61
	Down area .. .. {M. F.	1 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— 1	— —
	Down lift well .. .. {M. F.	14 2	— —	— —	— —	1 —	2 —	1 —	1 —	1 —	1 1	7 —	— —	— 1
	Diving .. .. {M. F.	8 —	— —	— —	— —	— —	1 —	1 —	6 —	— —	— —	— —	— —	— —
	From horse .. .. {M. F.	26 6	— —	— —	— —	2 —	3 2	2 —	2 —	2 3	4 —	4 1	6 —	1 —
	From cliff .. .. {M. F.	18 4	— —	1 —	— —	3 —	1 —	5 —	1 2	1 —	2 1	2 1	2 —	— —
	Otherwise (or not stated how)† .. .. {M. F.	676 758	6 5	23 6	16 3	16 8	22 1	15 —	39 5	43 8	55 25	88 39	130 158	223 500
	2. Mines and quarries .. M.	611	—	—	—	6	57	64	120	131	123	86	24	—
	3. Machinery .. .. {M. F.	218 5	— —	3 —	3 —	10 —	25 —	23 —	44 3	35 1	42 —	26 1	6 —	1 —
	4. Road and air transport .. {M. F.	5004 1701	2 2	241 149	417 228	196 66	423 96	757 111	784 108	454 110	469 149	522 250	469 271	270 161
	5. Other crushing .. .. {M. F.	216 12	1 —	10 2	6 2	7 1	11 —	18 —	37 2	31 1	38 2	44 1	10 1	3 —
	Fall of heavy substance:—													
	In ships, docks, etc. .. {M. F.	21 —	— —	— —	— —	— —	— —	2 —	3 —	2 —	6 —	7 —	1 —	— —
	In building operations {M. F.	28 —	— —	— —	— —	— —	— —	3 —	6 —	5 —	5 —	8 —	— —	1 —
	In excavations .. {M. F.	6 —	— —	— —	— —	— —	— —	1 —	2 —	2 —	— —	1 —	— —	— —
	Trees .. .. {M. F.	12 2	— —	1 —	— 1	1 —	— —	1 —	2 1	— —	1 —	3 —	3 —	— —
	Others (or not stated how) .. {M. F.	130 10	1 —	8 2	5 1	5 1	9 —	10 —	19 1	19 1	23 2	23 1	6 1	2 —

\* Including from staging, 5 M.

† Including 72 M., 164 F., age 65 years and upwards, from fracture of leg; from tree 14 M.; from bridge, 3 M., 1 F.; from hay-waggon, 18 M., 2 F.; from hay rick, 7 M.; in colliery, 18 M.; in quarry, 8 M.

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
186 —cont.	Accidental injury by fall, etc.—cont.													
	5. Other crushing—cont.													
	Other crushing (or not stated how) :—													
	In ships, docks, etc. .. {M. F.	8 —	— —	— —	— —	— —	1 —	1 —	3 —	2 —	1 —	— —	— —	— —
	Others .. .. {M. F.	11 —	— —	1 —	1 —	1 —	1 —	— —	2 —	1 —	2 —	2 —	— —	— —
187	Cataclysm .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—
188	Injury by animals (poisoning by venomous animals excepted) .. {M. F.	45 4	— —	2 1	4 1	1 —	4 —	2 —	8 —	6 —	5 1	6 —	5 1	2 —
	Horse .. .. {M. F.	34 4	— —	2 1	4 1	1 —	3 —	2 —	6 —	5 —	4 1	5 —	1 1	1 —
	Bull or cow, etc. .. {M. F.	11 —	— —	— —	— —	— —	1 —	— —	2 —	1 —	1 —	1 —	4 —	1 —
189	Hunger or thirst .. .. {M. F.	6 5	— —	— —	— —	— —	— —	— —	— 1	2 —	— —	4 —	— 2	— 2
190	Excessive cold .. .. {M. F.	19 5	— —	— —	— —	— —	— —	1 —	— 1	— —	4 —	6 1	7 2	1 1
191	Excessive heat .. .. {M. F.	11 1	— —	— —	— —	— —	— —	— —	2 —	1 —	— —	5 —	2 1	1 —
192	Lightning .. .. {M. F.	10 2	— —	— —	— —	— —	3 2	2 —	2 —	1 —	1 —	— —	1 —	— —
193	Electricity (lightning excepted) .. {M. F.	51 5	— —	2 —	3 —	4 2	7 —	6 1	14 —	7 1	5 1	3 —	— —	— —
	Railways .. .. {M. F.	5 —	— —	2 —	1 —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —
	Others .. .. {M. F.	46 5	— —	— —	2 —	3 2	7 —	6 1	13 —	7 1	5 1	3 —	— —	— —
194	Other and unstated forms of accidental violence .. .. {M. F.	296 146	94 104	6 7	13 6	10 —	20 1	28 2	30 5	24 5	39 3	19 7	7 5	6 1
	Inattention at birth .. .. {M. F.	82 100	82 100	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Swallowing foreign body .. {M. F.	30 23	6 1	3 4	7 2	— —	— —	1 1	2 1	2 3	6 3	2 5	1 2	— 1
	Blow :—													
	In ships, docks, etc. .. {M. F.	2 —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —
	Others .. .. {M. F.	43 7	— —	1 2	4 1	3 —	2 —	3 —	2 1	4 —	9 —	9 1	3 2	3 —
	Football, cricket, etc. .. {M. F.	21 —	— —	— —	1 —	3 —	5 —	7 —	5 —	— —	— —	— —	— —	— —
	Strangulation .. .. {M. F.	8 3	2 2	— —	— 1	2 —	2 —	1 —	— —	1 —	— —	— —	— —	— —
	Explosion† :—													
	In ships, docks, etc. .. {M. F.	5 —	— —	— —	— —	— —	— —	2 —	2 —	1 —	— —	— —	— —	— —
	Others‡ .. .. {M. F.	60 —	— —	1 —	— —	— —	5 —	9 —	11 —	12 —	16 —	5 —	1 —	— —

† For other deaths from explosions but resulting from burns or scalds, see No. 181.

‡ Including acetylene gas generator, 2 M.; nitro glycerine, 10 M.; carbon dioxide cylinder, 1 M.; dismantling gas meter, 1 M.; fireworks, 2 M.; shot firing, 4 M.



TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
194	Other and unstated forms of accidental violence— <i>cont.</i>													
	Abortion :—													
	Verdict of misadventure or accident .. .. . F.	3	—	—	—	—	—	—	2	1	—	—	—	—
	Other accidents (otherwise or not stated how) :—													
	In ships, docks, etc. .. {M. .. .. . F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
	Others* .. .. . {M. .. .. . F.	44 10	4 1	1 1	1 2	2 —	6 1	4 1	8 1	4 1	6 —	3 1	2 1	3 —
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.) {M. .. .. . F.	802 318	40 42	11 5	11 7	6 3	24 10	43 25	87 46	101 28	181 63	190 49	87 29	21 11
	Found drowned .. .. . {M. .. .. . F.	545 155	9 8	6 2	9 2	6 1	10 3	23 11	54 21	57 17	142 41	147 29	69 18	13 2
	Irrespirable or poisonous gas :—													
	Coal gas .. .. . {M. .. .. . F.	22 17	— —	— 1	— —	— —	— 1	1 1	2 2	3 —	6 6	4 2	4 2	2 2
	Carbon monoxide .. .. {M. .. .. . F.	2 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	— —
	Other acute poisonings† .. {M. .. .. . F.	30 24	1 —	— —	— —	— 1	1 2	2 3	4 3	9 2	5 5	3 5	5 2	— 1
	Crushing on railways and road vehicles .. .. . {M. .. .. . F.	77 17	— —	— 1	1 1	— 1	3 —	8 2	13 1	16 3	15 2	17 5	4 1	— —
	Falls .. .. . {M. .. .. . F.	32 23	— 1	— —	— —	— —	2 —	3 3	7 2	5 —	5 5	7 5	1 4	2 3
	Otherwise (or not stated how)† {M. .. .. . F.	94 82	30 33	5 1	1 4	— —	7 4	6 5	7 17	11 6	8 4	11 3	4 2	4 3
196	Wounds of war .. .. . {M. .. .. . F.	92 —	— —	— —	— —	— —	— —	— —	14 —	46 —	30 —	2 —	— —	— —
197	Execution of civilians by belli- gerent armies .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—
198	Execution .. .. . {M. .. .. . F.	10 —	— —	— —	— —	— —	— —	3 —	1 —	3 —	1 —	2 —	— —	— —

SUPPLEMENTARY TABULATION OF CERTAIN DEATHS FROM ACCIDENTS  
(including "OPEN VERDICTS.")

*Note.*—In this section the figures are in some cases duplicated—e.g. the number of deaths caused by machinery in mining, &c., appear both under "Machinery" and under "Mining and Quarrying."

I	Mining and quarrying .. .. M.	797	—	—	—	7	70	83	164	171	163	112	27	—
	(a) Coal mines .. .. M.	757	—	—	—	7	70	80	154	166	154	102	24	—
	Blow .. .. M.	5	—	—	—	—	1	—	—	1	1	2	—	—
	Crushing .. .. M.	14	—	—	—	—	—	2	1	3	3	3	2	—
	Electric shock .. .. M.	5	—	—	—	—	—	1	1	1	2	—	—	—
	Explosion of gas .. .. M.	86	—	—	—	—	2	12	26	18	21	7	—	—
	" " boiler .. .. M.	4	—	—	—	—	—	—	1	3	—	—	—	—
	" " (other or not stated). .. .. M.	5	—	—	—	—	1	—	1	1	1	1	—	—
	Fall of coal .. .. M.	407	—	—	—	2	28	40	83	105	87	51	11	—
	Fall down shaft .. .. M.	2	—	—	—	—	—	—	—	1	—	1	—	—
	Fall not otherwise des- cribed. .. .. M.	16	—	—	—	—	1	1	3	3	4	2	2	—
	Inrush of water .. .. M.	2	—	—	—	—	—	—	—	1	1	—	—	—
	Machinery .. .. M.	29	—	—	—	1	6	3	6	6	5	1	1	—
	Shot firing .. .. M.	4	—	—	—	—	—	—	1	2	—	1	—	—
	Trams, tubs .. .. M.	164	—	—	—	4	29	20	31	20	25	27	8	—
	Otherwise (or not stated how). .. .. M.	14	—	—	—	—	2	1	—	1	4	6	—	—

\* Including fracture (cause not specified), 5 M., 1 F.; exposure, 4 M., 1 F.; fight, 4 M.; boxing and wrestling, 4 M.; amusement machines, 2 M.; wounds on iron railings, 1 M., 2 F.; other wounds, 8 M., 2 F.; using syringe, 3 F.

† Including hydrochloric acid, 2 M.; cyanide of potassium, 2 M., 3 F.; hydrocyanic acid, 2 M.; carbolic acid, 4 M., 5 F.; lysol, 3 M., 1 F.; strychnine, 2 M.; mercury, 1 M.; phosphorus, 1 F.; ammonia, 1 M., 1 F.; oxalic acid, 1 M.; sulphuric acid, 1 M.; paraldehyde, 1 F.; dial, 2 M.; opium, 1 M.; aspirin, 4 F.; oil of wintergreen, 1 F.

‡ Including firearms, 9 M., 1 F.; cutting or piercing instruments, 4 M., 2 F.; suffocation, 16 M., 24 F.; hanging, strangulation, 8 M., 3 F.; blow, 6 M., 4 F.; abortion, 22 F.

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
I —cont.	Mining and Quarrying—cont.													
	(b) Other mines .. .. M.	7	—	—	—	—	—	—	1	2	1	3	—	—
	Blasting operations .. M.	1	—	—	—	—	—	—	—	—	—	1	—	—
	Fall of stone, etc. .. M.	5	—	—	—	—	—	—	1	2	1	1	—	—
	Machinery .. .. M.	1	—	—	—	—	—	—	—	—	—	1	—	—
	(c) Quarries .. .. M.	33	—	—	—	—	—	3	9	3	8	7	3	—
	Blasting operations .. M.	1	—	—	—	—	—	—	—	—	—	—	1	—
	Explosion .. .. M.	1	—	—	—	—	—	—	1	—	—	—	—	—
	Fall of stone, etc. .. M.	18	—	—	—	—	—	1	4	1	6	4	2	—
	Fall (not otherwise des- cribed). .. .. M.	8	—	—	—	—	—	1	2	2	1	2	—	—
	Machinery .. .. M.	5	—	—	—	—	—	1	2	—	1	1	—	—
II	Machinery .. .. {M. F.	221 5	— —	3 —	3 —	10 —	26 —	23 —	44 3	35 1	43 —	27 1	6 —	1 —
	Agricultural machinery {M. F.	11 —	— —	1 —	— —	1 —	2 —	— —	— —	2 —	2 —	— —	2 —	1 —
	Circular saw .. .. {M. F.	9 —	— —	— —	— —	— —	1 —	— —	1 —	1 —	4 —	2 —	— —	— —
	Crane .. .. {M. F.	29 —	— —	— —	— —	— —	1 —	3 —	6 —	6 —	7 —	6 —	— —	— —
	In building operations {M. F.	3 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	2 —	— —	— —
	„ metal works .. {M. F.	5 —	— —	— —	— —	— —	— —	1 —	1 —	— —	1 —	2 —	— —	— —
	„ quarries .. .. {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
	„ railways .. .. {M. F.	4 —	— —	— —	— —	— —	1 —	— —	— —	1 —	2 —	— —	— —	— —
	„ ships and docks .. {M. F.	7 —	— —	— —	— —	— —	— —	— —	2 —	1 —	3 —	1 —	— —	— —
	Others .. .. {M. F.	9 —	— —	— —	— —	— —	— —	1 —	3 —	4 —	1 —	— —	— —	— —
	Lift .. .. {M. F.	36 —	— —	— —	2 —	5 —	6 —	4 —	6 —	3 —	4 —	4 —	2 —	— —
	In collieries .. .. {M. F.	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
	„ dock .. .. {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
	„ metal works .. {M. F.	2 —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
	„ textile factories .. {M. F.	7 —	— —	— —	— —	— —	— —	— —	1 —	1 —	1 —	2 —	2 —	— —
	„ other factories .. {M. F.	3 —	— —	— —	— —	1 —	— —	1 —	— —	1 —	— —	— —	— —	— —
	Others .. .. {M. F.	22 —	— —	— —	2 —	3 —	6 —	3 —	4 —	— —	3 —	1 —	— —	— —
	Other machinery .. {M. F.	136 5	— —	2 —	1 —	4 —	16 —	16 —	31 3	23 1	26 —	15 1	2 —	— —
	Building operations .. {M. F.	3 —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	1 —	— —	— —
	In collieries and mines {M. F.	29 —	— —	— —	— —	1 —	6 —	3 —	5 —	6 —	5 —	2 —	1 —	— —
	„ metal works .. {M. F.	12 —	— —	— —	— —	1 —	2 —	1 —	3 —	2 —	2 —	1 —	— —	— —
	„ quarries .. .. {M. F.	4 —	— —	— —	— —	— —	— —	1 —	2 —	— —	1 —	— —	— —	— —
	„ ships, docks, etc. .. {M. F.	5 —	— —	— —	— —	— —	— —	1 —	1 —	1 —	2 —	— —	— —	— —



TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
II—cont.	Other machinery—cont.													
	In textile factories .. {M. F.	14 5	— —	— —	— —	— —	1 —	4 —	2 3	2 1	1 —	4 1	— —	— —
	„ other factories .. {M. F.	21 —	— —	— —	— —	— —	2 —	2 —	7 —	4 —	4 —	2 —	— —	— —
	Others .. {M. F.	48 —	— —	2 —	1 —	2 —	4 —	4 —	11 —	7 —	11 —	5 —	1 —	— —
III	Transport .. .. {M. F.	5230 1725	2 2	244 151	422 229	197 67	447 97	789 114	830 112	492 116	503 150	554 253	480 272	270 162
	1. On railways and tramways {M. F.	410 63	— —	6 2	11 5	4 1	19 3	27 4	54 3	64 1	79 4	94 13	43 14	9 13
	(a) Railways .. .. {M. F.	366 33	— —	3 1	9 5	4 1	17 3	27 2	54 3	59 —	72 1	87 6	31 8	3 3
	Blow .. .. {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
	Collision .. .. {M. F.	7 1	— —	— —	— —	— —	— —	— —	2 1	2 —	1 —	1 —	1 —	— —
	Crushing by carriage or engine. {M. F.	42 4	— —	— —	— —	1 —	1 1	6 —	9 —	7 —	9 —	8 1	1 2	— —
	Derailment of train.. {M. F.	6 1	— —	— —	— —	— —	— 1	— —	2 —	2 —	1 —	1 —	— —	— —
	Electrocution .. {M. F.	5 —	— —	2 —	1 —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —
	Fall from carriage or engine. {M. F.	32 4	— —	1 —	2 —	1 —	1 —	2 —	4 1	6 —	6 —	4 1	5 —	— 2
	Falls (not otherwise described). {M. F.	4 —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	2 —	— —
	Machinery .. .. {M. F.	4 —	— —	— —	— —	— —	2 —	— —	— —	1 —	1 —	— —	— —	— —
	Run over on line .. {M. F.	251 23	— —	— 1	6 5	1 1	12 1	18 2	32 1	35 —	50 1	72 4	22 6	3 1
	Striking bridge .. {M. F.	3 —	— —	— —	— —	— —	— —	1 —	— —	2 —	— —	— —	— —	— —
	Otherwise (or not stated how). {M. F.	11 —	— —	— —	— —	— —	1 —	— —	3 —	3 —	3 —	1 —	— —	— —
	(b) Tramways .. .. {M. F.	44 30	— —	3 1	2 —	— —	2 —	— 2	— —	5 1	7 3	7 7	12 6	6 10
	2. Other mechanical transport {M. F.	4274 1544	1 2	226 138	392 217	171 63	365 84	686 105	691 105	368 104	374 140	382 222	388 236	230 128
	Motor cab .. .. {M. F.	24 21	— —	— —	2 1	3 —	1 —	— —	1 4	4 1	2 3	5 4	4 4	2 4
	Motor car .. .. {M. F.	1084 604	— 2	76 45	144 85	39 20	44 21	77 26	95 31	92 37	126 60	126 111	154 110	111 56
	Motor char-a-banc .. {M. F.	73 38	— —	2 5	9 3	4 2	6 5	2 2	7 4	6 2	10 8	12 2	12 4	3 1
	Motor cycle .. .. {M. F.	851 232	1 —	17 11	15 9	3 3	81 18	232 31	223 27	72 18	36 21	54 33	75 36	42 25
	Motor omnibus .. .. {M. F.	328 201	— —	33 22	49 35	24 12	21 10	22 11	26 12	28 19	33 15	31 25	36 30	25 10
	Motor tractor .. .. {M. F.	6 —	— —	— —	— —	— —	1 —	1 —	2 —	1 —	— —	1 —	— —	— —
	Motor van, lorry .. {M. F.	881 328	— —	95 52	166 81	62 19	65 10	66 13	85 5	56 14	70 19	101 40	74 43	41 32
	Motor vehicles (others or undefined). {M. F.	8 7	— —	— 1	1 1	1 —	— —	1 1	1 —	1 1	1 —	1 1	1 2	— —

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
III —cont.	2. Other mechanical transport— <i>cont.</i>													
	Steam roller .. .. {M. F.	4 —	— —	1 —	— —	— —	1 —	— —	— —	1 —	1 —	— —	— —	— —
	Collisions* .. .. {M. F.	1015 113	— —	2 2	6 2	35 7	145 20	285 21	251 22	107 12	95 14	51 6	32 7	6 —
	3. Other or not stated land transport. {M. F.	356 107	1 —	11 10	16 7	22 3	42 10	25 3	32 1	38 6	33 6	62 18	43 22	31 21
	(a) Horse-drawn vehicles {M. F.	104 21	— —	8 9	9 4	6 1	6 2	2 —	6 —	11 1	11 —	25 2	15 1	5 1
	Dogcart, trap .. {M. F.	4 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 1	1 —	1 —
	Dray .. .. {M. F.	3 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —
	Van, waggon, cart .. {M. F.	94 20	— —	7 9	7 4	6 1	5 2	2 —	6 —	11 1	11 —	23 1	12 1	4 1
	Others .. .. {M. F.	3 —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —
	(b) Other or unspecified vehicles. {M. F.	252 86	1 —	3 1	7 3	16 2	36 8	23 3	26 1	27 5	22 6	37 16	28 21	26 20
	Pedal cycle .. .. {M. F.	235 84	— —	2 1	5 3	16 2	35 8	21 3	24 1	27 5	20 5	34 16	26 21	25 19
	Truck .. .. {M. F.	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1
	Van, waggon .. .. {M. F.	2 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —
	Others .. .. {M. F.	15 1	1 —	1 —	2 —	— —	1 —	2 —	2 —	— —	1 1	2 —	2 —	1 —
	4. Water transport .. {M. F.	120 7	— —	1 1	3 —	— —	16 —	19 1	28 3	16 2	16 —	15 —	6 —	— —
	Collision .. .. {M. F.	7 —	— —	— —	— —	— —	1 —	— —	3 —	1 —	1 —	1 —	— —	— —

\* The collisions in these cases are those in which the information recorded in the Death Register did not show which vehicle caused death. In the following analysis, these deaths are assigned to each type of vehicle involved and accordingly amount to twice the number of actual deaths:—

Collisions involving—														
Horse vehicle .. .. {M. F.	23 2	— —	1 —	— —	— —	2 2	8 —	2 —	3 —	— —	— —	2 —	4 —	1 —
Motor bus .. .. {M. F.	152 18	— —	— —	1 —	4 1	22 4	40 —	39 6	17 3	14 2	7 —	4 2	4 —	— —
Motor car .. .. {M. F.	495 74	— —	1 2	2 2	11 4	58 11	137 14	120 12	52 10	56 10	33 4	21 5	4 —	— —
Motor coach .. .. {M. F.	38 9	— —	— —	— —	1 1	8 1	7 1	10 2	5 1	4 1	3 2	1 —	— —	— —
Motor cycle .. .. {M. F.	659 55	— —	1 1	1 —	3 2	86 10	255 18	188 12	70 6	39 4	10 —	6 2	— —	— —
Motor van .. .. {M. F.	337 31	— —	1 1	2 2	20 1	53 4	85 4	86 7	37 2	30 4	12 3	9 3	2 —	— —
Pedal cycle .. .. {M. F.	309 35	— —	— —	6 —	32 5	60 8	33 5	52 5	29 1	45 7	33 2	18 2	1 —	— —
Taxicab.. .. {M. F.	4 —	— —	— —	— —	— —	1 —	1 —	— —	— —	1 —	1 —	— —	— —	— —
Train .. .. {M. F.	2 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
Tramcar .. .. {M. F.	11 2	— —	— —	— —	— —	— —	4 —	4 —	1 1	— —	1 —	1 —	— —	— —



TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
III —cont.	4. Water transport—cont.													
	Crushing .. .. {M. F.	10 —	— —	— —	— —	— —	1 —	2 —	1 —	1 —	1 —	3 —	1 —	— —
	Drowning .. .. {M. F.	50 4	— —	1 —	3 —	— —	10 —	10 1	10 2	5 1	5 —	5 —	1 —	— —
	Electrocution .. .. {M. F.	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
	Explosion of petroleum spirit. {M. F.	1 1	— —	— —	— —	— —	— —	— —	1 —	— 1	— —	— —	— —	— —
	Fall down hold .. .. {M. F.	25 1	— —	— —	— —	— —	3 —	2 —	5 1	5 —	3 —	4 —	3 —	— —
	Fall (otherwise or not defined). {M. F.	11 1	— —	— 1	— —	— —	1 —	1 —	2 —	3 —	2 —	1 —	1 —	— —
	Machinery .. .. {M. F.	10 —	— —	— —	— —	— —	— —	3 —	4 —	1 —	2 —	— —	— —	— —
	Shipwreck .. .. {M. F.	4 —	— —	— —	— —	— —	— —	— —	2 —	— —	1 —	1 —	— —	— —
	Others .. .. {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
IV	5. Aerial transport .. .. {M. F.	70 4	— —	— —	— —	— —	5 —	32 1	25 —	6 3	1 —	1 —	— —	— —
	Building operations .. .. {M. F.	230 —	— —	— —	— —	— —	13 —	18 —	57 —	32 —	49 —	46 —	13 —	2 —
	Burns from blow lamp {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
	Circular saw .. .. {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
	Crane .. .. {M. F.	3 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	2 —	— —	— —
	Drowning .. .. {M. F.	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —
	Fall .. .. {M. F.	193 —	— —	— —	— —	— —	11 —	14 —	51 —	25 —	43 —	35 —	13 —	1 —
	Fall of heavy substance {M. F.	28 —	— —	— —	— —	— —	— —	3 —	6 —	5 —	5 —	8 —	— —	1 —
	Machinery .. .. {M. F.	3 —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	1 —	— —	— —
	In docks, etc. .. .. {M. F.	60 —	— —	— —	— —	— —	3 —	4 —	7 —	15 —	16 —	14 —	1 —	— —
V	Drowning .. .. {M. F.	10 —	— —	— —	— —	— —	1 —	2 —	1 —	2 —	1 —	2 —	1 —	— —
	Fall .. .. {M. F.	20 —	— —	— —	— —	— —	1 —	— —	1 —	8 —	4 —	6 —	— —	— —
	Fall of heavy substance {M. F.	15 —	— —	— —	— —	— —	— —	1 —	2 —	2 —	6 —	4 —	— —	— —
	Machinery .. .. {M. F.	8 —	— —	— —	— —	— —	— —	— —	1 —	2 —	3 —	2 —	— —	— —
	Others or not stated how {M. F.	7 —	— —	— —	— —	— —	1 —	1 —	2 —	1 —	2 —	— —	— —	— —
VI	Criminal abortion* .. .. F.	79	—	—	—	—	4	10	45	20	—	—	—	—
	Murder .. .. F.	5	—	—	—	—	—	1	3	1	—	—	—	—
	Manslaughter .. .. F.	10	—	—	—	—	—	3	7	—	—	—	—	—
	Suicide .. .. F.	39	—	—	—	—	1	4	20	14	—	—	—	—
	Misadventure .. .. F.	3	—	—	—	—	—	—	2	1	—	—	—	—
	Open verdict .. .. F.	22	—	—	—	—	3	2	13	4	—	—	—	—

\* Of these deaths 2 were stated to have resulted from the taking of drugs, 67 from operation and in 10 the means was not stated.

TABLE 26.—NOTIFICATIONS OF CERTAIN INFECTIOUS DISEASES, CASE-RATES PER 1,000 POPULATION, 1921-1931 (EXCLUDING CASES AMONG NON-CIVILIANS). } ENGLAND AND WALES AND CERTAIN AGGREGATES.

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London. Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Smallpox ..	1921	0.01	0.01	—	0.00	0.01	—	0.01	—	0.01	—	0.00	—
	1922	0.03	0.03	0.00	0.01	0.03	0.00	0.03	0.00	0.04	0.00	0.02	0.00
	1923	0.06	0.07	0.01	0.00	0.08	0.01	0.07	0.01	0.08	0.01	0.08	0.00
	1924	0.10	0.10	—	0.00	0.15	—	0.06	—	0.18	—	0.11	—
	1925	0.14	0.15	0.00	0.00	0.17	0.00	0.18	0.00	0.21	—	0.09	—
	1926	0.26	0.28	0.00	0.00	0.42	0.00	0.16	—	0.45	0.00	0.37	0.00
	1927	0.38	0.34	0.88	0.00	0.46	1.11	0.27	0.03	0.47	1.80	0.45	0.01
	1928	0.32	0.28	0.83	0.07	0.28	0.99	0.35	0.24	0.34	1.62	0.18	0.02
	1929	0.28	0.27	0.40	0.43	0.21	0.36	0.30	0.55	0.24	0.58	0.16	0.03
	1930	0.29	0.29	0.31	1.15	0.14	0.32	0.23	0.27	0.18	0.52	0.09	0.01
	1931	0.14	0.15	0.10	0.33	0.07	0.13	0.19	0.00	0.07	0.21	0.08	0.01
Scarlet fever ..	1921	3.64	3.61	3.84	7.25	2.80	3.80	3.49	3.96	3.25	4.78	2.03	2.31
	1922	2.85	2.85	2.75	3.80	2.40	2.92	3.18	2.10	2.68	3.55	1.92	1.94
	1923	2.24	2.26	1.93	2.21	2.00	1.96	2.67	1.81	2.12	2.27	1.80	1.46
	1924	2.16	2.18	1.83	2.51	1.91	1.89	2.47	1.61	2.03	2.03	1.73	1.67
	1925	2.36	2.40	1.76	2.67	2.15	1.82	2.69	1.53	2.25	1.90	1.99	1.68
	1926	2.10	2.14	1.54	2.68	1.93	1.63	2.26	1.22	2.01	1.65	1.80	1.58
	1927	2.16	2.22	1.30	2.92	1.99	1.36	2.32	1.10	2.13	1.53	1.75	1.09
	1928	2.61	2.70	1.42	3.44	2.34	1.50	2.98	1.15	2.47	1.80	2.12	1.04
	1929	3.05	3.15	1.68	3.60	2.78	1.66	3.56	1.73	2.97	1.79	2.44	1.47
	1930	2.76	2.81	2.02	3.76	2.49	2.02	2.98	2.04	2.65	2.22	2.19	1.70
	1931	2.05	2.03	2.28	2.77	1.79	2.00	2.15	3.28	1.90	2.27	1.60	1.58
Diphtheria ..	1921	1.76	1.75	1.89	3.62	1.46	1.90	1.50	1.87	1.63	1.82	1.16	2.02
	1922	1.37	1.38	1.25	3.37	1.05	1.22	1.14	1.38	1.20	1.22	0.78	1.22
	1923	1.05	1.04	1.13	2.27	0.74	1.10	1.04	1.26	0.81	1.24	0.61	0.88
	1924	1.07	1.06	1.21	2.31	0.73	1.19	1.11	1.28	0.81	1.30	0.59	1.00
	1925	1.23	1.23	1.24	2.73	0.79	1.26	1.34	1.14	0.88	1.45	0.64	0.96
	1926	1.31	1.32	1.24	2.96	0.84	1.28	1.44	1.09	0.94	1.51	0.68	0.91
	1927	1.33	1.33	1.26	2.71	0.90	1.24	1.50	1.31	1.07	1.51	0.62	0.83
	1928	1.55	1.55	1.56	2.75	1.19	1.39	1.70	2.21	1.38	1.61	0.87	1.06
	1929	1.59	1.58	1.78	2.68	1.22	1.49	1.74	2.87	1.38	1.74	0.95	1.09
	1930	1.84	1.79	2.47	3.03	1.39	2.34	1.98	2.98	1.57	2.47	1.08	2.13
	1931	1.26	1.21	1.97	1.95	0.91	1.87	1.43	2.36	0.99	1.84	0.77	1.90



TABLE 26—*contd.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Mon-mouth).	London' Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Enteric fever	1921	0.10	0.10	0.10	0.07	0.12	0.11	0.08	0.07	0.14	0.12	0.09	0.09
	1922	0.06	0.06	0.05	0.06	0.07	0.05	0.05	0.03	0.08	0.05	0.06	0.05
	1923	0.08	0.08	0.07	0.07	0.10	0.08	0.07	0.02	0.09	0.08	0.10	0.08
	1924	0.11	0.10	0.09	0.09	0.12	0.10	0.09	0.04	0.13	0.10	0.10	0.11
	1925	0.07	0.07	0.08	0.09	0.07	0.08	0.06	0.08	0.07	0.08	0.07	0.08
	1926	0.07	0.07	0.05	0.07	0.08	0.05	0.06	0.04	0.08	0.06	0.07	0.03
	1927	0.09	0.09	0.04	0.07	0.12	0.05	0.06	0.02	0.12	0.05	0.11	0.04
	1928	0.09	0.09	0.05	0.13	0.10	0.05	0.06	0.03	0.10	0.05	0.10	0.05
	1929	0.07	0.07	0.04	0.08	0.08	0.04	0.06	0.05	0.08	0.03	0.08	0.05
	1930	0.07	0.07	0.05	0.07	0.08	0.05	0.07	0.05	0.08	0.05	0.08	0.04
	1931	0.06	0.06	0.04	0.04	0.07	0.04	0.04	0.02	0.08	0.04	0.06	0.05
Puerperal fever	1921	0.06	0.06	0.04	0.08	0.04	0.05	0.08	0.04	0.05	0.05	0.03	0.04
	1922	0.06	0.06	0.05	0.07	0.04	0.04	0.08	0.08	0.04	0.04	0.03	0.04
	1923	0.06	0.06	0.06	0.08	0.04	0.04	0.08	0.10	0.04	0.05	0.04	0.04
	1924	0.06	0.06	0.05	0.06	0.04	0.04	0.08	0.07	0.05	0.04	0.03	0.04
	1925	0.06	0.06	0.06	0.07	0.04	0.05	0.09	0.09	0.05	0.05	0.04	0.04
	1926	0.07	0.07	0.07	0.07	0.05	0.05	0.09	0.12	0.05	0.06	0.05	0.05
	1927	0.05	0.05	0.04	0.06	0.04	0.04	0.07	0.07	0.03	0.04	0.04	0.03
	1928	0.06	0.06	0.07	0.07	0.05	0.05	0.08	0.15	0.05	0.05	0.04	0.05
	1929	0.06	0.06	0.06	0.07	0.05	0.04	0.08	0.12	0.04	0.05	0.05	0.03
	1930	0.06	0.06	0.07	0.07	0.05	0.05	0.09	0.14	0.05	0.04	0.05	0.05
	1931	0.06	0.06	0.07	0.07	0.04	0.06	0.08	0.11	0.04	0.06	0.05	0.04
Erysipelas	1921	0.35	0.36	0.23	0.47	0.30	0.22	0.41	0.26	0.34	0.25	0.23	0.18
	1922	0.35	0.36	0.22	0.43	0.29	0.21	0.43	0.26	0.32	0.23	0.24	0.17
	1923	0.32	0.33	0.24	0.40	0.27	0.20	0.39	0.36	0.31	0.24	0.21	0.14
	1924	0.33	0.34	0.19	0.41	0.28	0.18	0.40	0.25	0.31	0.21	0.23	0.14
	1925	0.39	0.40	0.28	0.42	0.33	0.25	0.48	0.36	0.37	0.29	0.28	0.20
	1926	0.38	0.38	0.26	0.40	0.32	0.26	0.47	0.25	0.35	0.31	0.27	0.18
	1927	0.38	0.39	0.22	0.43	0.32	0.20	0.47	0.28	0.35	0.24	0.27	0.15
	1928	0.42	0.43	0.26	0.48	0.36	0.26	0.51	0.26	0.40	0.31	0.29	0.18
	1929	0.45	0.46	0.28	0.49	0.39	0.27	0.56	0.30	0.42	0.32	0.33	0.20
	1930	0.45	0.47	0.30	0.54	0.38	0.28	0.57	0.36	0.41	0.35	0.33	0.17
	1931	0.38	0.39	0.27	0.53	0.32	0.26	0.45	0.32	0.35	0.33	0.28	0.15





TABLE 27.—SEASONAL INCIDENCE OF CERTAIN INFECTIOUS } England and Wales.  
DISEASES, 1931 (EXCLUDING CASES AMONG NON-CIVILIANS).

*Note.*—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week, any seasonal excess of more than 30 per cent. over the weekly average being shown in heavy type.

Week ended				Scarlet fever.	Diphtheria.	Enteric fever.	Cerebro-spinal fever.	Polio-myelitis.	Encephalitis lethargica.
Jan.	10 (1931) ..	..	..	110	130	48	60	46	112
"	17 ..	..	..	113	<b>138</b>	46	70	46	<b>160</b>
"	24 ..	..	..	115	<b>159</b>	78	48	62	128
"	31 ..	..	..	107	<b>156</b>	64	94	77	104
Feb.	7 ..	..	..	108	<b>136</b>	98	111	123	128
"	14 ..	..	..	105	<b>131</b>	<b>374</b>	128	31	<b>152</b>
"	21 ..	..	..	103	127	<b>260</b>	<b>181</b>	15	104
"	28 ..	..	..	104	120	121	<b>178</b>	15	96
March	7 ..	..	..	95	108	73	<b>176</b>	31	128
"	14 ..	..	..	96	103	68	<b>135</b>	31	96
"	21 ..	..	..	108	108	53	<b>193</b>	46	<b>176</b>
"	28 ..	..	..	96	101	53	<b>159</b>	92	88
April	4 ..	..	..	86	85	53	<b>137</b>	31	56
"	11 ..	..	..	95	87	71	<b>181</b>	31	120
"	18 ..	..	..	88	89	73	<b>202</b>	62	<b>168</b>
"	25 ..	..	..	96	92	66	<b>178</b>	46	128
May	2 ..	..	..	100	93	62	<b>147</b>	77	120
"	9 ..	..	..	102	98	98	<b>152</b>	15	88
"	16 ..	..	..	94	93	59	<b>157</b>	77	128
"	23 ..	..	..	88	85	78	<b>135</b>	123	96
"	30 ..	..	..	83	74	84	106	108	88
June	6 ..	..	..	89	80	103	<b>137</b>	31	104
"	13 ..	..	..	88	86	80	96	92	112
"	20 ..	..	..	89	90	68	106	92	88
"	27 ..	..	..	91	91	68	101	62	88
July	4 ..	..	..	92	93	<b>148</b>	92	62	<b>192</b>
"	11 ..	..	..	88	92	<b>132</b>	104	92	80
"	18 ..	..	..	88	93	<b>158</b>	101	<b>169</b>	104
"	25 ..	..	..	97	87	<b>137</b>	65	<b>154</b>	72
Aug.	1 ..	..	..	90	86	<b>132</b>	84	<b>200</b>	104
"	8 ..	..	..	80	78	<b>139</b>	58	123	88
"	15 ..	..	..	73	74	<b>142</b>	84	<b>169</b>	80
"	22 ..	..	..	76	68	121	70	<b>138</b>	56
"	29 ..	..	..	93	78	<b>144</b>	63	<b>231</b>	96
Sept.	5 ..	..	..	90	85	116	70	<b>154</b>	72
"	12 ..	..	..	96	94	<b>148</b>	55	123	72
"	19 ..	..	..	112	98	100	63	123	120
"	26 ..	..	..	106	86	130	39	<b>154</b>	88
Oct.	3 ..	..	..	117	100	84	55	<b>200</b>	72
"	10 ..	..	..	118	94	82	60	<b>277</b>	64
"	17 ..	..	..	118	98	105	63	<b>215</b>	64
"	24 ..	..	..	113	116	98	60	<b>169</b>	96
"	31 ..	..	..	117	103	68	31	<b>169</b>	48
Nov.	7 ..	..	..	118	107	80	72	62	72
"	14 ..	..	..	121	107	75	65	108	112
"	21 ..	..	..	117	102	62	67	<b>138</b>	88
"	28 ..	..	..	128	114	78	48	77	96
Dec.	5 ..	..	..	109	111	80	77	108	96
"	12 ..	..	..	115	105	96	65	92	112
"	19 ..	..	..	95	103	66	63	46	72
"	26 ..	..	..	84	77	84	75	92	80
Jan.	2 (1932) ..	..	..	101	93	89	80	108	56
				100	100	100	100	100	100
Average weekly number of cases notified ..				1,569	966	44	41	7	13

TABLE 28.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, 1921–1931. } England and Wales.  
(a) Civilians (excluding cases in Port Sanitary Districts).

Diseases.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
Cerebro-spinal fever .. .. .	411	344	300	397	402	384	469	412	650	661	2,152
Cholera .. .. .	—	—	—	—	—	—	—	—	—	—	—
Continued fever .. .. .	37	15	21	36	22	21	17	24	18	21	16
Diphtheria (including Membranous croup)	66,452	52,072	39,953	41,948	47,684	51,034	51,973	61,109	62,739	73,928	50,208
Dysentery .. .. .	1,193	757	458	356	293	486	405	651	536	501	785
Encephalitis lethargica (acute) .. .. .	1,470	451	1,023	5,036	2,634	2,267	1,612	1,307	1,034	735	651
Enteric fever .. .. .	3,776	2,365	3,139	4,051	2,703	2,665	3,469	3,398	2,774	2,899	2,241
Erysipelas .. .. .	13,220	13,157	12,321	12,868	14,989	14,581	14,695	16,349	17,701	18,296	15,229
Malaria (contracted in England and Wales) .. .. .	10	6	3	4	3	—	2	4	—	1	1
Ophthalmia neonatorum .. .. .	8,312	7,106	6,592	6,267	5,748	5,896	5,891	5,609	5,448	5,481	5,158
Plague .. .. .	—	—	—	—	—	2	—	—	—	—	—
Pneumonia (acute primary and acute influenzal) .. .. .	33,744	52,435	44,543	60,723	55,876	50,926	67,670	60,206	86,137	50,818	60,716
Polio-encephalitis (acute) .. .. .	51	31	57	83	51	138	94	89	91	85	55
Poliomyelitis (acute) .. .. .	488	355	587	777	371	1,158	801	452	531	506	339
Puerperal fever .. .. .	2,211	2,134	2,190	2,183	2,396	2,611	1,989	2,380	2,359	2,582	2,341
*Puerperal pyrexia .. .. .	—	—	—	—	—	1,823	5,507	5,498	5,610	5,647	5,744
Relapsing fever .. .. .	1	—	2	—	1	—	—	—	—	—	1
Scarlet fever .. .. .	137,012	108,199	85,582	84,621	91,311	81,641	84,406	102,572	120,193	111,026	81,548
Small-pox .. .. .	311	967	2,477	3,757	5,359	10,141	14,764	12,418	10,957	11,837	5,664
†Trench fever .. .. .	15	6	3	3	4	2	2	†	†	†	†
Tuberculosis of respiratory system .. .. .	59,131	55,664	56,802	57,503	58,299	55,980	53,818	52,837	52,380	50,322	49,506
Tuberculosis (other forms) .. .. .	15,643	16,164	18,474	18,698	19,204	18,587	17,684	17,955	16,502	16,781	16,068
Typhus fever .. .. .	3	13	—	8	—	1	1	3	1	—	—

\* Notifiable since 1st October, 1926.

† Not notifiable after 31st December, 1927.



TABLE 28—*contd.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, 1921–1931. } England and Wales.  
 (b) Civilians in Port Sanitary Districts.

Diseases.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.
Cerebro-spinal fever .. .. .	—	—	1	—	—	1	1	—	—	3	5
Cholera .. .. .	—	—	—	—	—	—	—	—	—	—	—
Continued fever .. .. .	8	3	4	1	1	4	1	1	—	2	—
Diphtheria (including Membranous croup)	54	81	56	32	36	35	38	25	35	25	28
Dysentery .. .. .	30	32	26	32	52	44	35	32	37	37	24
Encephalitis lethargica (acute) .. .. .	—	3	2	3	1	—	3	1	2	—	—
Enteric fever .. .. .	59	49	72	70	76	74	64	97	61	53	35
Erysipelas .. .. .	11	14	14	11	14	16	13	10	6	11	7
Ophthalmia neonatorum .. .. .	1	1	—	—	—	—	—	—	—	—	—
Plague .. .. .	—	—	—	—	—	—	—	—	—	1	—
Pneumonia (acute primary and acute influenza) .. .. .	86	78	81	71	84	84	87	92	101	71	74
Polio-encephalitis (acute) .. .. .	—	—	—	—	—	—	1	—	—	—	—
Poliomyelitis (acute) .. .. .	—	—	—	—	—	1	—	—	1	—	—
Puerperal fever .. .. .	—	—	1	—	—	—	—	—	—	—	—
*Puerperal pyrexia .. .. .	—	—	—	—	—	—	1	1	—	—	—
Relapsing fever .. .. .	61	43	1	—	—	—	—	—	—	—	—
Scarlet fever .. .. .	4	6	21	33	51	31	44	39	39	51	21
Small-pox .. .. .	168	134	8	8	6	5	3	2	10	2	—
Tuberculosis of respiratory system	10	14	205	234	246	232	230	210	254	261	292
Tuberculosis (other forms) .. .. .	—	14	20	13	24	21	13	22	42	37	16
Typhus fever .. .. .	—	—	1	—	—	—	1	—	—	—	—

\* Notifiable since 1st October, 1926.

TABLE 28—*contd.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, 1926–1931. } England and Wales.  
 (c) Non-Civilians (including cases in Port Sanitary Districts)

Figures prior to 1926 are not available.

Diseases.		1926.	1927.	1928.	1929.	1930.	1931.
Cerebro-spinal fever	.. ..	9	2	1	17	10	59
Continued fever	.. ..	—	—	—	—	—	—
Diphtheria (including Membranous croup)	.. ..	52	183	88	66	90	54
Dysentery	.. ..	35	25	45	11	27	27
Encephalitis lethargica (acute)	.. ..	4	4	1	2	3	3
Enteric fever	.. ..	18	13	46	35	12	14
Erysipelas	.. ..	8	4	5	10	7	9
Malaria (contracted in England and Wales)	.. ..	—	—	—	1	—	—
Pneumonia (acute primary and acute influenzal)	.. ..	40	58	59	79	52	83
Poliomyelitis (acute)	.. ..	1	2	4	—	4	2
Relapsing fever	.. ..	—	1	—	—	—	—
Scarlet fever	.. ..	38	102	33	90	68	94
Small-pox	.. ..	—	—	—	1	—	—
Tuberculosis of respiratory system	.. ..	154	120	163	136	154	142
Tuberculosis (other forms)	.. ..						
Typhus fever	.. ..	—	—	—	—	—	—



TABLE 29. NUMBER OF CASES (CIVILIANS ONLY)  
OF INFECTIOUS DISEASES NOTIFIED DURING THE  
52 WEEKS ENDED 2ND JANUARY, 1932, WITH  
CERTAIN ATTACK-RATES.

England and Wales; Geographical Regions;  
Counties; County Boroughs; Other Urban  
Districts; Rural Districts.

*The populations of the several areas will be found in Table 17.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
ENGLAND AND WALES.†	81,569	2.05	50,236	1.26	2,341	5,744	12.3	5,664	2,276	15,236	60,790	2,157	339	651	5
Port Sanitary Districts.	21	—	28	—	—	—	—	—	35	7	74	5	—	—	—
REGIONAL SUMMARY‡															
South East ..	29,742	2.24	17,918	1.35	741	2,052	13.4	2,554	914	5,033	14,280	346	117	172	1
SUPPLEMENTARY SUB-DIVISION OF SOUTH-EAST REGION‡															
Midland Section	10,167	2.26	5,399	1.20	254	625	13.0	1,026	508	1,440	4,630	79	36	51	—
Southern Section	19,575	2.22	12,519	1.42	487	1,427	13.6	1,528	406	3,593	9,650	267	81	121	—
North ..	28,017	2.13	16,087	1.22	854	1,887	12.1	253	687	6,144	28,751	1,355	115	238	1
North I ..	5,224	2.32	1,445	0.64	116	376	10.9	3	214	1,326	5,800	258	7	23	—
North II ..	2,180	1.72	1,806	1.42	67	159	9.7	—	50	469	2,231	44	12	26	—
North III ..	7,478	2.16	4,133	1.19	298	500	14.2	248	152	1,618	7,137	859	66	38	—
North IV ..	13,135	2.13	8,703	1.41	373	852	12.1	2	271	2,731	13,583	194	30	151	—
Midland ..	12,162	1.75	7,656	1.10	400	954	11.3	2,397	336	2,421	11,327	357	48	110	—
Midland I ..	7,867	1.73	5,764	1.26	283	701	12.3	19	206	1,539	8,111	86	23	74	—
Midland II ..	4,295	1.80	1,892	0.79	117	253	9.2	2,378	130	882	3,216	271	25	36	—
East ..	3,095	1.71	1,556	0.86	91	229	10.8	194	108	469	1,436	31	25	43	—
South West ..	2,637	1.31	1,882	0.93	78	299	12.4	—	98	453	1,796	30	16	51	—
Wales ..	5,895	2.28	5,109	1.97	177	323	11.1	266	98	709	3,126	33	18	37	—
Wales I ..	4,843	2.54	3,534	1.86	142	251	11.5	266	56	555	2,590	22	16	27	—
Wales II ..	1,052	1.53	1,575	2.20	35	72	9.8	—	42	154	536	11	2	10	—
ENGLAND (excluding Monmouth).															
BEDFORDSHIRE :															
ADMINISTRATIVE COUNTY.	301	1.37	147	0.67	7	22	8.9	—	7	63	195	1	1	1	—
URBAN DISTRICTS..	172	1.21	107	0.76	2	14	7.4	—	3	37	94	1	1	1	—
Amphill ..	1	0.46	6	2.78	1	—	40.0	—	1	—	1	—	—	—	—
Bedford M.B. ..	46	1.15	1	0.02	1	6	10.0	—	—	8	48	—	1	—	—
Biggleswade ..	3	0.51	1	0.17	—	1	9.7	—	—	2	4	—	—	—	—
Dunstable M.B. ..	21	2.34	18	2.00	—	—	—	—	—	3	6	—	—	—	—
Kempston ..	3	0.58	—	—	—	—	—	—	—	1	2	—	—	—	—
Leighton Buzzard ..	11	1.57	13	1.85	—	1	9.4	—	1	2	2	—	—	—	—
Luton M.B. ..	82	1.18	68	0.98	—	6	6.0	—	1	20	30	1	—	—	—
Sandy ..	5	1.60	—	—	—	—	—	—	—	1	1	—	—	—	—
RURAL DISTRICTS..	129	1.67	40	0.52	5	8	11.8	—	4	26	101	—	—	—	—
Amphill ..	38	1.91	12	0.60	4	—	15.4	—	1	4	15	—	—	—	—
Bedford ..	33	1.57	6	0.29	—	3	10.8	—	2	6	12	—	—	—	—
Biggleswade ..	15	0.77	7	0.36	—	1	3.3	—	—	11	55	—	—	—	—
Eaton Bray ..	16	4.06	3	0.76	—	—	—	—	1	—	5	—	—	—	—
Eaton Socon ..	7	2.18	—	—	—	—	—	—	—	3	5	—	—	—	—
Luton ..	20	2.05	12	1.23	1	4	32.3	—	—	2	9	—	—	—	—
BERKSHIRE :	568	1.84	246	0.80	13	24	7.6	9	6	62	110	5	3	1	—
COUNTY BOROUGH															
Reading ..	134	1.38	48	0.49	2	6	4.8	9	1	16	22	2	—	—	—
ADMINISTRATIVE COUNTY.	434	2.05	198	0.93	11	18	9.1	—	5	46	88	3	3	1	—
URBAN DISTRICTS ..	163	2.30	89	1.26	6	7	10.3	—	4	12	18	3	—	—	—
Abingdon M.B. ..	16	2.19	8	1.09	—	1	9.2	—	—	4	—	—	—	—	—
Maidenhead M.B. ..	24	1.38	69	3.95	—	—	—	—	1	4	13	—	—	—	—
Newbury M.B. ..	37	2.81	1	0.08	—	3	14.2	—	—	1	2	—	—	—	—
New Windsor M.B. ..	50	2.61	8	0.42	2	2	9.9	—	3	3	3	3	—	—	—
Wallingford M.B. ..	1	0.36	2	0.71	—	1	28.6	—	—	—	—	—	—	—	—
Wantage ..	33	8.88	—	—	3	—	57.7	—	—	—	—	—	—	—	—
Wokingham M.B. ..	2	0.28	1	0.14	1	—	7.8	—	—	—	—	—	—	—	—

† Including Port Sanitary Districts.

‡ For constitution of the Geographical Regions see first page of Table 17.

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>BERKSHIRE—<i>cont.</i></b>															
RURAL DISTRICTS ..	271	1·92	109	0·77	5	11	8·3	—	1	34	70	—	3	1	13
Abingdon ..	29	2·35	4	0·32	—	1	5·3	—	—	8	6	—	—	—	—
Bradfield ..	25	1·70	1	0·07	1	—	5·4	—	—	7	5	—	—	—	—
Cookham ..	31	2·08	29	1·95	—	—	—	—	—	1	7	—	—	—	—
Easthampstead ..	54	3·06	18	1·02	—	—	—	—	1	6	11	—	1	—	1
Faringdon (part of)* ..	19	1·99	4	0·42	—	4	27·6	—	—	1	5	—	—	—	3
Hungerford ..	6	0·70	2	0·23	1	2	20·3	—	—	1	1	—	—	—	—
Newbury ..	33	2·72	2	0·16	—	1	7·5	—	—	3	13	—	—	—	—
Vallingford ..	12	1·27	5	0·53	1	1	14·6	—	—	3	3	—	—	—	5
Vantage ..	34	2·85	2	0·17	2	1	14·5	—	—	1	2	—	—	—	2
Windsor ..	16	1·64	9	0·92	—	1	8·1	—	—	3	9	—	2	1	1
Wokingham ..	12	0·60	33	1·65	—	—	—	—	—	—	8	—	—	—	1
<b>BUCKINGHAMSHIRE :</b>															
ADMINISTRATIVE COUNTY.	432	1·61	226	0·84	10	26	9·3	—	7	53	163	4	2	4	2
RURAL DISTRICTS ..	176	1·40	104	0·83	2	12	7·1	—	4	33	87	1	—	3	2
Aylesbury M.B.	10	0·75	6	0·45	—	3	12·5	—	1	4	2	—	—	—	—
Beaconsfield ..	4	0·86	2	0·43	—	—	—	—	—	2	—	—	—	—	—
Bletchley ..	6	0·97	2	0·32	—	—	—	—	—	—	3	—	—	—	—
Buckingham M.B.	10	3·31	—	—	—	1	24·4	—	1	1	4	—	—	—	—
Chesham ..	39	1·36	9	0·31	—	3	6·0	—	—	6	15	1	—	3	1
Chesham ..	5	0·57	2	0·23	—	—	—	—	—	2	10	—	—	—	—
Cotton ..	14	4·21	—	—	—	—	—	—	—	1	—	—	—	—	—
Finslade ..	2	0·83	—	—	—	1	32·3	—	—	2	—	—	—	—	—
Harlow ..	6	1·20	29	5·79	—	—	—	—	—	2	—	—	—	—	—
Newport Pagnell	3	0·76	1	0·25	1	—	18·9	—	1	1	4	—	—	—	—
Oxford ..	62	1·85	37	1·11	1	4	8·2	—	1	8	25	—	—	—	1
Wolverton ..	15	1·17	16	1·25	—	—	—	—	—	4	24	—	—	—	—
RURAL DISTRICTS ..	256	1·79	122	0·86	8	14	11·5	—	3	20	76	3	2	1	—
Amersham ..	35	1·22	18	0·63	1	4	14·5	—	1	2	27	—	—	—	—
Aylesbury ..	45	2·41	17	0·91	1	—	3·1	—	—	11	11	—	—	—	—
Buckingham ..	5	0·66	—	—	—	2	25·3	—	—	2	3	1	—	—	—
Cotton ..	116	3·96	38	1·30	—	1	2·5	—	1	3	11	2	—	—	—
Framledon ..	—	—	2	1·04	—	—	—	—	—	—	—	—	—	—	—
Long Crendon ..	—	—	—	—	1	—	21·7	—	—	—	—	—	—	—	—
Newport Pagnell	7	0·51	6	0·44	1	3	24·5	—	1	1	5	—	—	—	—
Wing ..	3	0·55	—	—	1	1	37·7	—	—	1	2	—	1	—	—
Winslow ..	12	1·96	—	—	—	—	—	—	—	—	—	—	—	—	—
Wycombe ..	33	1·20	41	1·49	3	3	14·5	—	—	—	17	—	1	1	—
<b>CAMBRIDGESHIRE :</b>															
ADMINISTRATIVE COUNTY.	307	2·20	156	1·12	5	15	10·4	—	7	27	61	—	1	3	8
RURAL DISTRICT ..	114	1·70	48	0·72	3	7	10·8	—	2	13	20	—	1	—	3
Cambridge M.B.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS :	193	2·65	108	1·48	2	8	10·1	—	5	14	41	—	—	3	5
Eaton and Arrington ..	13	1·79	5	0·69	—	4	47·6	—	—	—	14	—	—	—	—
Hesterton ..	118	4·40	38	1·42	—	1	2·7	—	4	8	9	—	—	1	2
Kington ..	23	2·39	2	0·21	1	1	15·0	—	1	1	—	—	—	—	—
Melbourn ..	15	1·94	5	0·65	—	—	—	—	—	1	4	—	—	—	1
Newmarket ..	17	0·90	56	2·96	1	2	9·9	—	—	4	14	—	—	2	2
Wavesey ..	7	2·91	2	0·83	—	—	—	—	—	—	—	—	—	—	—

\* The remainder of Faringdon Rural District is in Gloucestershire and the figures for the entire District are—

19 | 1·80 | 4 | 0·38 | — | 4 | 25·8 | — | — | 1 | 5 | — | — | — | 3



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>CHESHIRE:</b>	1,691	1·55	1,397	1·28	41	163	12·5	—	53	362	1,485	12	7	15	
<b>COUNTY BOROUGHs</b>	517	1·25	615	1·49	18	106	17·8	—	14	173	711	4	3	2	
BIRKENHEAD ..	156	1·05	226	1·52	4	26	10·3	—	2	81	460	—	1	—	
CHESTER ..	58	1·40	95	2·30	4	8	14·1	—	2	9	64	2	—	—	
STOCKPORT ..	157	1·24	187	1·48	9	64	39·5	—	3	48	138	2	2	1	
WALLASEY ..	146	1·50	107	1·10	1	8	6·7	—	7	35	49	—	—	1	
<b>ADMINISTRATIVE COUNTY.</b>	1,174	1·73	782	1·15	23	57	8·5	—	39	189	774	8	4	13	
<b>URBAN DISTRICTS ..</b>	761	1·62	440	0·93	13	38	7·8	—	25	138	570	5	3	8	
Alderley Edge ..	5	1·61	—	—	1	—	40·0	—	—	1	2	—	—	—	
Alsager ..	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
Altrincham ..	37	1·74	16	0·75	1	3	12·7	—	—	14	26	—	—	2	
Bebington and Bromborough..	86	3·19	53	1·97	1	2	6·7	—	1	10	34	—	—	—	
Bollington ..	1	0·20	2	0·40	—	1	18·2	—	3	5	7	—	—	—	
Bowdon ..	9	2·76	1	0·31	2	—	31·3	—	—	1	6	—	—	—	
Bredbury and Romiley ..	13	1·19	5	0·46	—	—	—	—	—	3	10	—	—	—	
Buglawton ..	1	0·60	—	—	—	—	—	—	—	—	9	—	—	—	
Cheadle and Gatley	28	1·51	7	0·38	—	2	9·5	—	1	6	17	1	—	—	
Compstall ..	1	1·16	1	1·16	—	—	—	—	—	—	—	—	—	—	
Congleton M.B. ..	18	1·38	8	0·61	—	2	9·3	—	—	4	18	—	—	—	
Crewe M.B. ..	71	1·54	52	1·12	1	2	4·0	—	—	11	13	—	—	—	
Dukinfield M.B. ..	79	4·04	5	0·26	1	—	4·1	—	—	7	66	1	—	—	
Ellesmere Port and Whitby ..	12	0·63	28	1·47	2	2	8·9	—	—	13	25	—	1	—	
Hale ..	16	1·51	1	0·09	—	—	—	—	—	1	5	—	—	—	
Handforth ..	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
Hazel Grove and Bramhall ..	16	1·20	6	0·45	—	—	—	—	—	1	11	2	—	—	1
Hollingworth ..	8	3·47	—	—	—	—	—	—	—	2	8	—	—	—	
Hoole ..	13	2·24	14	2·41	—	1	10·1	—	1	7	23	—	—	—	
Hoylake and West Kirby ..	8	0·50	32	1·99	—	1	5·4	—	1	4	17	—	—	—	
Hyde M.B. ..	108	3·34	16	0·49	1	5	18·0	—	—	9	65	—	—	—	
Knutsford ..	31	5·25	4	0·68	—	1	10·3	—	2	2	3	—	—	—	
Lymm ..	3	0·53	3	0·53	—	—	—	—	—	2	2	—	—	—	1
Macclesfield M.B. ..	30	0·85	9	0·25	—	3	6·0	—	5	10	39	—	—	—	3
Marple ..	9	1·24	3	0·41	—	1	13·7	—	—	—	8	1	1	—	
Middlewich ..	3	0·54	2	0·36	—	2	17·9	—	1	2	7	—	1	—	1
Mottram in Longdendale ..	2	0·76	—	—	—	—	—	—	—	1	2	—	—	—	
Nantwich ..	4	0·56	60	8·39	1	—	10·1	—	—	2	4	—	—	—	
Neston and Parkgate ..	1	0·17	—	—	—	—	—	—	—	—	3	—	—	—	
Northwich ..	16	0·85	6	0·32	—	3	10·1	—	2	3	15	—	—	—	
Runcorn ..	20	1·09	11	0·60	—	2	7·3	—	1	4	17	—	—	—	
Sale ..	35	1·24	71	2·52	1	—	2·9	—	—	5	3	—	—	—	
Sandbach ..	2	0·31	4	0·62	—	—	—	—	—	—	9	—	—	—	
Stalybridge M.B. ..	46	1·83	3	0·12	1	—	3·2	—	—	4	38	—	—	—	
Tarporeley ..	9	3·70	2	0·82	—	1	32·3	—	—	—	1	—	—	—	
Wilmslow ..	15	1·54	3	0·31	—	3	26·5	—	1	—	6	—	—	—	
Winsford ..	3	0·27	8	0·72	—	1	6·3	—	6	4	48	—	—	—	
Yeardsley cum Whaley ..	2	1·15	4	2·29	—	—	—	—	—	—	1	—	—	—	
<b>RURAL DISTRICTS ..</b>	413	1·99	342	1·65	10	19	10·2	—	14	51	204	3	1	5	
Bucklow ..	50	2·29	12	0·55	—	—	3·9	—	—	7	24	2	—	—	
Chester ..	17	1·07	23	1·45	—	1	6·0	—	—	3	8	—	—	—	2
Congleton ..	7	0·53	12	0·91	1	2	16·3	—	7	6	23	—	—	—	
Disley ..	4	1·26	1	0·31	1	—	33·3	—	—	1	3	—	—	—	
Macclesfield ..	15	0·78	7	0·36	—	2	9·6	—	3	—	11	—	—	—	

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever. Cases.	Pyrexia. Cases.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DEVONSHIRE— <i>cont.</i>															
RURAL DISTRICTS— <i>cont.</i>															
Malpas .. ..	18	4.20	9	2.10	—	1	13.3	—	—	1	5	—	—	—	—
Nantwich .. ..	86	3.22	33	1.24	2	—	5.5	—	1	7	14	—	—	1	2
Northwich .. ..	40	1.51	18	0.68	2	2	9.1	—	1	11	11	—	1	2	1
Runcorn .. ..	100	3.07	80	2.46	1	8	22.1	—	2	7	50	1	—	—	3
Tarvin .. ..	33	2.51	40	3.05	—	2	10.1	—	—	5	20	—	—	—	4
Wintwistle .. ..	1	0.49	—	—	—	—	—	—	—	—	3	—	—	—	—
Wirral .. ..	42	1.47	107	3.75	2	1	6.1	—	—	3	32	—	—	—	1
DEVON															
RURAL DISTRICTS :															
ADMINISTRATIVE COUNTY.	395	1.27	174	0.56	10	24	7.3	—	34	50	194	6	1	3	15
URBAN DISTRICTS ..	209	1.48	107	0.76	2	10	5.7	—	29	20	90	2	—	3	5
Bodmin M.B. ..	9	1.71	3	0.57	—	—	—	—	17	—	—	—	—	—	—
Callington .. ..	3	1.69	1	0.56	—	—	—	—	—	—	—	—	—	—	—
Camborne .. ..	13	0.92	21	1.49	—	1	5.5	—	—	3	—	1	—	—	1
Falmouth M.B. ..	8	0.62	9	0.70	1	1	10.1	—	—	2	6	1	—	1	1
Fowey M.B. .. ..	7	3.20	6	2.75	—	—	—	—	—	1	—	—	—	—	—
Hayle .. ..	3	3.45	—	—	1	—	76.9	—	—	—	—	—	—	—	—
Helston M.B. ..	1	0.39	—	—	—	—	—	—	—	—	—	—	—	1	—
Launceston M.B. ..	2	0.50	—	—	—	—	—	—	—	4	10	—	—	—	—
Liskeard M.B. ..	5	1.21	1	0.24	—	—	—	—	—	2	5	—	—	—	—
Looe .. ..	2	0.73	—	—	—	1	28.6	—	—	1	3	—	—	—	—
Lostwithiel M.B. ..	3	2.30	—	—	—	2	222.2	—	—	—	1	—	—	—	—
Ludgvan .. ..	14	7.49	—	—	—	—	—	—	—	—	—	—	—	—	—
Madron .. ..	4	1.24	4	1.24	—	—	—	—	1	—	—	—	—	—	—
Newquay .. ..	15	2.68	—	—	—	1	17.2	—	—	—	—	—	—	—	—
Padstow .. ..	6	3.65	—	—	—	—	—	—	—	—	—	—	—	—	—
Paul .. ..	—	—	4	0.73	—	—	—	—	—	—	—	—	—	—	—
Penryn M.B. ..	3	0.87	16	4.66	—	—	—	—	—	—	—	—	—	—	—
Penzance M.B. ..	8	0.72	6	0.54	—	—	—	—	—	—	—	—	—	—	—
Phillack .. ..	5	1.55	—	—	—	—	—	—	—	1	—	—	—	—	1
Redruth .. ..	8	0.81	4	0.41	—	1	4.5	—	—	2	7	—	—	—	1
St. Austell .. ..	8	0.97	9	1.09	—	—	—	—	—	—	6	—	—	—	—
St. Ives M.B. ..	13	2.03	—	—	—	2	21.3	—	4	2	6	—	—	—	—
St. Just .. ..	1	0.23	—	—	—	—	—	—	—	—	14	—	—	—	1
Saltash M.B. ..	1	0.28	1	0.28	—	—	—	—	—	2	14	—	—	—	—
Stratton and Bude	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Torpoint .. ..	17	4.27	1	0.25	—	1	15.9	—	—	—	12	—	—	—	—
Truro M.B. ..	50	4.44	21	1.87	—	—	—	—	7	—	2	—	—	1	—
Wadebridge .. ..	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—
RURAL DISTRICTS ..	186	1.09	67	0.39	8	14	8.7	—	5	30	104	4	1	—	10
Bodmin .. ..	4	0.39	3	0.29	—	1	6.3	—	—	1	1	—	—	—	2
Calstock .. ..	8	1.82	1	0.23	—	—	22.7	—	—	—	8	—	—	—	—
Camelford .. ..	4	0.54	2	0.27	—	—	—	—	—	—	5	—	—	—	—
East Kerrier .. ..	11	1.19	2	0.22	—	—	—	—	—	4	2	—	—	—	—
Helston .. ..	5	0.32	3	0.19	1	—	4.6	—	—	1	3	—	—	—	—
HOLSWORTHY (part of)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Launceston .. ..	11	1.59	—	—	2	1	36.6	—	—	2	4	1	—	—	—
Liskeard .. ..	40	2.80	24	1.68	—	—	—	—	1	4	16	1	—	—	1
Redruth .. ..	9	0.56	3	0.19	—	2	7.3	—	1	5	8	—	—	—	4
St. Austell .. ..	16	0.60	10	0.37	—	2	4.4	—	—	3	12	2	—	—	—
St. Columb Major	6	0.49	3	0.25	—	—	—	—	—	1	4	—	1	—	—
St. Germans .. ..	11	0.94	3	0.26	1	1	13.9	—	2	3	26	—	—	—	2
Scilly, Isles of ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stratton .. ..	1	0.20	—	—	1	—	10.9	—	—	—	1	—	—	—	—
Truro .. ..	47	2.46	11	0.58	3	6	31.6	—	1	5	6	—	—	—	—
West Penwith .. ..	13	1.27	2	0.20	—	—	—	—	—	—	8	—	—	—	1

The remainder of Holsworthy Rural District is in Devonshire.



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever. Cases.	Pyrexia. Cases.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CUMBERLAND ..	282	1·07	138	0·53	7	44	10·7	—	15	102	281	10	3	3	
COUNTY BOROUGH Carlisle .. ..	82	1·43	45	0·79	3	9	11·2	—	6	27	44	2	1	1	
ADMINISTRATIVE COUNTY.	200	0·97	93	0·45	4	35	10·5	—	9	75	237	8	2	2	
URBAN DISTRICTS ..	133	1·16	45	0·39	4	19	10·2	—	4	59	168	5	2	2	
Arlecdon and Frizington .. ..	1	0·23	8	1·84	—	—	—	—	—	4	—	—	—	—	
Aspatria .. ..	8	2·47	7	2·16	—	—	—	—	—	5	4	—	—	—	
Cleator Moor .. ..	—	—	6	0·91	1	—	8·7	—	—	3	4	—	—	—	
Cockermouth .. ..	14	2·92	—	—	—	—	—	—	—	4	—	—	—	—	
Egremont .. ..	1	0·17	5	0·83	—	—	—	—	—	4	7	—	—	—	
Harrington .. ..	1	0·24	—	—	—	1	12·5	—	—	—	7	—	—	—	
Holme Cultram .. ..	10	2·18	—	—	—	—	—	—	2	2	1	—	—	—	
Keswick .. ..	1	0·23	5	1·14	—	—	—	—	—	—	7	—	—	—	
Maryport .. ..	9	0·88	1	0·10	—	3	15·4	—	1	11	3	2	—	—	
Millom .. ..	9	1·22	1	0·14	—	1	6·9	—	—	5	53	—	1	—	
Penrith .. ..	45	5·01	3	0·33	—	2	13·1	—	—	3	17	—	—	—	2
Whitehaven M.B.	20	0·94	7	0·33	—	8	14·8	—	—	13	41	2	—	—	
Wigton .. ..	1	0·28	—	—	—	1	16·9	—	—	—	6	—	—	—	
Workington M.B.	13	0·52	2	0·08	3	3	11·9	—	1	5	18	1	1	—	
RURAL DISTRICTS ..	67	0·74	48	0·53	—	16	11·1	—	5	16	69	3	—	—	
Alston with Garrigill .. ..	5	1·89	—	—	—	—	—	—	—	—	3	—	—	—	
Bootle .. ..	7	1·36	1	0·19	—	1	12·2	—	—	1	3	—	—	—	
Brampton .. ..	4	0·51	—	—	—	—	—	—	—	—	5	—	—	—	
Carlisle .. ..	8	0·66	3	0·25	—	2	13·5	—	3	4	11	—	—	—	
Cockermouth .. ..	17	0·80	7	0·33	—	3	8·5	—	1	2	8	3	—	—	
Longtown .. ..	3	0·50	12	2·01	—	1	8·7	—	—	3	2	—	—	—	
Penrith .. ..	10	0·82	6	0·49	—	2	10·3	—	—	—	16	—	—	—	
Whitehaven .. ..	11	0·82	11	0·82	—	5	26·5	—	—	3	12	—	—	—	
Wigton .. ..	2	0·19	8	0·76	—	2	10·9	—	1	3	9	—	—	—	
DERBYSHIRE :	1,173	1·54	719	0·94	40	97	10·4	247	43	262	1,176	101	13	8	
COUNTY BOROUGH Derby .. ..	222	1·55	247	1·72	6	28	12·3	3	8	35	269	5	1	2	
ADMINISTRATIVE COUNTY.	951	1·54	472	0·76	34	69	9·9	244	35	227	907	96	12	6	
URBAN DISTRICTS ..	403	1·27	135	0·42	21	37	10·3	169	16	94	498	18	5	4	
Alfreton .. ..	28	1·31	8	0·37	4	4	21·4	51	—	5	54	2	—	—	
Alvaston and Boulton .. ..	8	2·41	1	0·30	1	2	76·9	—	—	1	11	—	—	—	
Ashbourne .. ..	1	0·22	2	0·45	—	1	5·4	—	—	1	16	—	—	—	
Bakewell .. ..	2	0·67	1	0·34	—	—	—	—	—	—	8	—	—	—	
Baslow and Bubenell .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Belper .. ..	3	0·23	1	0·08	—	—	—	—	—	5	2	1	—	—	
Bolsover .. ..	17	1·43	6	0·50	—	2	8·9	—	1	3	49	5	1	1	
Bonsall .. ..	—	—	1	0·85	1	1	133·3	—	—	2	1	—	—	—	
Brampton and Walton .. ..	2	0·86	—	—	—	—	—	—	—	—	3	—	—	—	
Buxton M.B. .. ..	22	1·47	2	0·13	1	2	12·2	—	—	2	5	1	—	1	
Chesterfield M.B.	105	1·63	39	0·60	3	2	3·5	118	5	28	89	5	1	—	
Clay Cross .. ..	10	1·17	7	0·82	—	—	—	—	—	1	13	1	—	—	
Dronfield .. ..	5	1·10	2	0·44	1	—	17·5	—	—	—	2	—	—	—	
Glossop M.B. .. ..	14	0·71	8	0·41	—	—	—	—	—	5	38	—	1	—	
Heage .. ..	—	—	—	—	—	—	—	—	—	2	5	—	—	—	
Heanor .. ..	32	1·42	12	0·53	1	1	4·6	—	2	6	49	1	—	—	
Ilkeston M.B. .. ..	17	0·51	1	0·03	2	4	9·6	—	—	4	13	—	1	—	
Long Eaton .. ..	74	3·26	3	0·13	—	3	10·3	—	—	5	17	—	1	—	
New Mills .. ..	7	0·81	6	0·70	1	2	37·5	—	—	6	13	—	—	1	
North Darley .. ..	3	0·69	5	1·16	1	3	54·1	—	—	—	10	—	—	—	

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DERBYSHIRE—cont.															
URBAN DISTRICTS..															
cont.															
Ripley .. ..	17	1·26	—	—	2	2	17·2	—	1	4	18	1	—	—	—
South Darley ..	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Swadlincote District ..	24	1·17	13	0·63	1	6	20·7	—	4	12	78	1	—	1	3
The Matlocks ..	7	0·70	15	1·50	2	—	17·4	—	3	—	1	—	—	—	2
Wirksworth ..	5	1·28	2	0·51	—	2	21·5	—	—	2	2	—	—	—	—
RURAL DISTRICTS:															
Ashbourne ..	548	1·82	337	1·12	13	32	9·5	75	19	133	409	78	7	2	29
Bakewell ..	4	0·39	16	1·55	—	1	9·5	—	—	3	14	1	—	—	—
Belper .. ..	16	0·88	36	1·97	—	—	—	—	—	8	19	1	—	—	—
Blackwell ..	20	0·80	3	0·12	—	5	16·4	2	—	8	13	—	1	—	2
Chapel-en-le-Frith ..	103	2·39	47	1·09	1	7	9·1	1	—	23	44	56	—	—	6
Chesterfield ..	34	1·91	14	0·79	1	1	8·9	—	1	8	8	—	—	—	2
Clowne .. ..	201	2·41	147	1·77	5	7	8·1	72	10	41	114	8	3	1	11
Glossop Dale ..	39	2·18	8	0·45	2	1	8·9	—	—	10	49	11	—	—	2
Hartshorn and Seals ..	3	0·76	2	0·50	—	—	—	—	—	2	5	—	—	—	—
Hayfield .. ..	4	0·46	6	0·69	—	—	—	—	—	1	29	—	1	—	—
Norton .. ..	15	3·54	2	0·47	—	2	21·1	—	—	3	7	—	—	—	—
Repton .. ..	16	2·44	1	0·15	—	1	20·8	—	2	5	18	—	—	—	—
Shardlow ..	36	1·94	19	1·02	—	2	8·5	—	4	3	34	—	—	1	—
Sudbury .. ..	53	1·38	35	0·91	3	5	14·8	—	1	18	44	1	2	—	6
Civil Parishes of Codnor Park & Shipley. Administered by R.D. Council of Basford (Notts).	3	1·18	—	—	1	—	34·5	—	—	—	—	—	—	—	—
	1	0·54	1	0·54	—	—	—	—	1	—	11	—	—	—	—
DEVONSHIRE:															
COUNTY BOROUGHS	1,112	1·58	908	1·29	31	100	12·1	—	43	141	660	10	5	11	61
Exeter .. ..	727	2·83	496	1·93	13	47	12·4	—	21	56	268	10	2	4	36
Plymouth ..	28	0·43	129	1·99	1	7	7·1	—	16	13	51	1	1	3	6
	699	3·64	367	1·91	12	40	14·1	—	5	43	217	9	1	1	30
ADMINISTRATIVE COUNTY.	385	0·86	412	0·92	18	53	11·9	—	22	85	392	—	3	7	25
URBAN DISTRICTS..															
Ashburton ..	131	0·59	266	1·19	6	29	11·4	—	14	42	208	—	1	6	8
Exminster ..	5	2·02	—	—	—	1	29·4	—	—	—	6	—	—	—	—
Sampton ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Barnstaple M.B. ..	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Bideford M.B. ..	19	1·31	85	5·87	—	5	17·6	—	1	5	25	—	—	1	—
	—	—	40	4·51	1	1	15·7	—	—	1	9	—	—	—	—
Brixham ..	2	0·25	—	—	1	1	15·3	—	1	3	28	—	—	—	—
Buckfastleigh ..	1	0·42	—	—	—	—	—	—	—	—	—	—	—	—	—
Budleigh Salterton ..	10	3·37	—	—	—	—	—	—	—	—	—	—	—	—	—
Crediton ..	1	0·28	14	3·96	—	1	20·4	—	—	1	1	—	—	—	—
Dartmouth M.B. ..	2	0·32	—	—	—	—	—	—	—	—	17	—	—	—	—
Dawlish ..	2	0·46	1	0·23	—	—	—	—	1	—	3	—	—	—	—
Exmouth ..	4	0·28	11	0·76	—	—	—	—	—	9	5	—	—	1	2
Great Torrington M.B. ..	2	0·70	—	—	1	—	31·3	—	1	—	—	—	—	—	—
Holsworthy ..	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Honiton M.B. ..	—	—	1	0·32	—	—	—	—	—	—	—	—	—	—	—
Ilfracombe ..	3	0·35	4	0·46	—	—	—	—	1	1	10	—	—	—	—
Lynton ..	8	5·03	—	—	—	1	38·5	—	—	1	—	—	—	—	—
Newton Abbot ..	4	1·35	—	—	—	—	—	—	—	—	2	—	—	—	—
	2	1·10	—	—	—	—	—	—	—	2	1	—	—	—	—
	17	1·14	2	0·13	—	5	21·0	—	1	1	—	—	—	1	1



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever. Cases.	Pyrexia. Cases.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>DEVONSHIRE—<i>cont.</i></b>															
<b>URBAN DISTRICTS—<i>cont.</i></b>															
Northam ..	2	0·36	13	2·37	—	—	—	—	—	—	6	—	—	—	—
Okehampton M.B. ..	1	0·30	1	0·30	—	—	—	—	—	1	2	—	—	—	—
Ottery St. Mary ..	—	—	1	0·27	—	—	—	—	1	—	—	—	—	—	—
Paignton ..	6	0·34	—	—	—	2	10·9	—	2	3	31	—	—	—	1
Salcombe ..	3	1·36	—	—	—	—	—	—	—	—	4	—	—	—	—
Seaton ..	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—
Sidmouth ..	1	0·18	8	1·46	—	—	—	—	—	—	7	—	—	—	—
South Molton M.B. ..	3	1·07	10	3·55	—	2	51·3	—	—	—	2	—	—	—	—
Tavistock ..	6	1·34	—	—	—	—	—	—	—	—	4	—	—	—	—
Teignmouth ..	7	0·72	16	1·65	—	3	25·2	—	3	5	13	—	—	—	—
Tiverton M.B. ..	7	0·71	—	—	1	1	14·0	—	—	—	16	—	1	—	—
Torquay M.B. ..	10	0·23	57	1·33	—	3	4·9	—	2	7	10	—	—	2	—
Totnes M.B. ..	3	0·67	2	0·45	2	3	70·4	—	—	—	2	—	—	—	—
RURAL DISTRICTS ..	254	1·14	146	0·65	12	24	12·4	—	8	43	184	—	2	1	—
Axminster ..	1	0·10	2	0·19	—	—	—	—	—	4	6	—	—	—	—
Barnstaple ..	23	1·27	29	1·60	—	2	8·8	—	1	7	36	—	—	—	—
Bideford ..	1	0·18	1	0·18	1	1	23·5	—	—	2	5	—	—	—	—
Broadwood Widger ..	7	3·24	—	—	—	1	30·3	—	—	—	2	—	—	—	—
Crediton ..	1	0·10	10	1·00	1	2	19·5	—	—	1	4	—	—	—	—
Culmstock ..	11	3·49	6	1·91	—	1	25·6	—	—	1	4	—	—	—	—
Holsworthy (part of)* ..	—	—	1	0·15	—	2	21·7	—	—	1	9	—	—	—	—
Honiton ..	1	0·11	7	0·74	1	—	8·0	—	1	—	3	—	—	—	—
Kingsbridge ..	15	1·39	1	0·09	1	—	7·2	—	1	2	8	—	—	—	—
Newton Abbot ..	16	0·75	2	0·09	—	4	12·7	—	1	2	10	—	1	1	—
Okehampton ..	13	1·05	3	0·24	2	1	16·5	—	—	3	7	—	—	—	—
Plympton St. Mary ..	89	3·46	32	1·24	2	2	13·6	—	3	5	15	—	—	—	—
St. Thomas ..	23	0·82	22	0·78	3	4	22·0	—	1	4	32	—	1	—	—
South Molton ..	2	0·21	5	0·51	1	1	14·3	—	—	3	6	—	—	—	—
Tavistock ..	19	1·24	9	0·59	—	1	5·7	—	—	2	6	—	—	—	—
Tiverton ..	17	1·15	13	0·88	—	—	—	—	—	5	14	—	—	—	—
Torrington ..	2	0·25	—	—	—	—	—	—	—	—	—	—	—	—	—
Totnes ..	13	1·08	3	0·25	—	2	12·4	—	—	1	17	—	—	—	—
<b>DORSETSHIRE :</b>															
<b>ADMINISTRATIVE COUNTY.</b>															
	236	1·01	176	0·75	9	14	6·4	—	7	52	144	6	1	13	—
<b>URBAN DISTRICTS ..</b>															
Blandford Forum M.B. ..	123	0·95	120	0·93	5	8	6·2	—	3	26	77	4	1	6	—
Bridport M.B. ..	1	0·30	1	0·30	1	1	38·5	—	—	—	5	—	—	—	—
Dorchester M.B. ..	—	—	1	0·17	—	—	—	—	—	—	3	—	—	—	—
Lyme Regis M.B. ..	16	1·65	—	—	—	—	—	—	—	4	13	—	—	—	—
Poole M.B. ..	—	—	—	—	1	—	27·0	—	—	1	—	—	—	1	—
	57	1·00	86	1·51	2	1	3·2	—	3	17	24	2	1	2	—
Portland ..	—	—	5	0·59	—	—	—	—	—	—	2	—	—	—	—
Shaftesbury M.B. ..	13	5·56	1	0·43	—	—	—	—	—	—	1	—	1	—	—
Sherborne ..	22	3·10	—	—	—	3	30·3	—	—	—	1	—	—	—	1
Swanage ..	4	0·68	2	0·34	1	—	14·3	—	—	2	1	—	—	—	1
Wareham M.B. ..	6	2·82	1	0·47	—	1	25·6	—	—	—	4	—	—	—	—
Weymouth and Melcombe Regis M.B. ..	3	0·14	20	0·93	—	2	6·2	—	—	2	21	1	—	—	1
Wimborne Minster ..	1	0·26	3	0·78	—	—	—	—	—	—	2	—	—	—	—
<b>RURAL DISTRICTS ..</b>															
Beaminster ..	113	1·08	56	0·53	4	6	6·6	—	4	26	67	2	—	—	7
Blandford ..	14	1·76	4	0·50	—	—	—	—	—	6	5	—	—	—	—
Bridport ..	5	0·66	3	0·40	2	—	20·0	—	—	1	7	—	—	—	1
Cerne ..	4	0·59	1	0·15	—	—	—	—	—	—	—	—	—	—	—
Dorchester ..	7	1·69	2	0·48	—	1	13·7	—	—	5	—	—	—	—	—
	8	0·90	1	0·11	—	—	—	—	1	3	3	—	—	—	1

\* The remainder of Holsworthy Rural District is in Cornwall. The figures for the entire District are:—

1 0·14 | — | 2 20·6 | — | 1 9 | — | — | — |

TABLE 29—contd.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Cases.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>ORSETSHIRE</b>															
—cont.															
<b>RURAL DISTRICTS—</b>															
—cont.															
Poole .. ..	2	0·26	1	0·13	—	1	7·3	—	2	—	—	—	—	—	—
Shaftesbury ..	10	1·11	5	0·56	—	2	16·8	—	—	—	8	—	—	—	2
Sherborne ..	3	0·60	—	—	—	—	—	—	—	1	2	—	—	2	—
Sturminster ..	—	—	3	0·38	—	—	—	—	—	—	3	—	—	—	—
Wareham and Purbeck ..	15	1·19	7	0·56	—	1	4·7	—	1	7	4	—	—	—	—
Weymouth ..	36	3·27	16	1·45	—	—	—	—	—	—	13	2	—	1	—
Wimborne and Cranborne ..	9	0·54	13	0·79	2	1	12·9	—	—	3	22	—	—	2	—
<b>URHAM :</b>	3,172	2·12	1,090	0·73	61	198	8·5	2	160	887	3,852	162	3	15	198
<b>COUNTY BOROUGHS</b>	1,440	2·54	371	0·65	24	60	7·1	—	47	321	2,052	94	1	8	66
Darlington ..	220	3·02	66	0·91	8	16	19·5	—	4	52	166	1	—	2	8
Gateshead ..	485	3·92	70	0·57	6	6	5·1	—	5	80	275	21	—	1	11
South Shields ..	124	1·09	19	0·17	1	8	3·6	—	—	41	557	31	—	1	7
Sunderland ..	447	2·38	168	0·90	8	23	7·1	—	21	120	837	39	1	3	26
West Hartlepool	164	2·39	48	0·70	1	7	5·4	—	17	28	217	2	—	1	14
<b>ADMINISTRATIVE COUNTY.</b>	1,732	1·86	719	0·77	37	138	9·4	2	113	566	1,800	68	2	7	132
<b>URBAN DISTRICTS ..</b>	1,084	2·07	428	0·82	19	86	9·6	1	83	360	1,091	50	2	2	87
Annfield Plain ..	47	2·92	63	3·92	—	2	7·3	—	4	13	27	3	—	—	5
Barnard Castle ..	1	0·25	—	—	—	1	18·9	—	—	1	—	—	—	—	—
Benfieldside ..	29	3·16	20	2·18	1	3	10·4	—	21	10	31	—	—	—	1
Billingham ..	26	1·42	10	0·55	—	2	4·5	—	—	5	57	—	—	—	1
Bishop Auckland	18	1·48	7	0·57	—	3	7·5	—	2	4	—	—	—	—	—
Blaydon ..	124	3·78	34	1·04	—	5	8·2	—	1	26	26	7	—	—	9
Brandon and Byshottles ..	10	0·58	14	0·81	5	6	30·0	—	—	8	6	—	—	—	2
Chester-le-Street	49	2·97	8	0·49	—	—	—	—	—	8	41	—	—	—	1
Consett ..	15	1·22	13	1·06	—	1	4·5	—	20	13	10	—	—	—	2
Crook ..	5	0·43	25	2·13	1	4	26·5	—	2	13	17	—	—	—	3
Durham M.B. ..	25	1·50	13	0·78	1	2	10·3	—	1	6	20	1	—	—	6
Felling ..	205	7·50	5	0·18	2	4	11·9	—	—	9	41	2	—	—	—
Hartlepool M.B.	7	0·34	9	0·44	—	—	—	—	1	3	6	—	—	—	1
Hebburn ..	86	3·54	11	0·45	—	7	13·2	—	2	27	91	6	—	—	8
Hetton ..	9	0·50	12	0·67	—	2	5·0	—	—	17	76	1	—	—	4
Houghton-le-Spring	5	0·47	1	0·09	—	3	13·0	—	2	3	18	—	—	—	4
Jarrow M.B. ..	20	0·62	9	0·28	2	5	9·7	—	1	46	263	6	—	1	5
Leadgate ..	5	0·77	6	0·93	—	1	7·5	—	10	3	9	2	—	—	—
Ryton ..	36	2·49	1	0·07	—	—	—	—	2	12	6	2	—	—	4
Seaham Harbour	13	0·67	2	0·10	—	6	11·2	—	—	16	82	2	—	—	—
Schildon ..	14	1·10	10	0·78	—	4	19·2	—	1	7	4	—	—	—	2
Spennymoor ..	17	1·03	2	0·12	1	2	8·8	—	3	12	8	—	—	—	6
Stanhope ..	—	—	1	0·59	1	2	142·9	—	—	1	19	—	—	—	—
Stanley ..	51	2·07	63	2·55	—	4	8·5	—	5	26	20	3	—	—	10
Stockton on Tees M.B. ..	116	1·70	13	0·19	1	11	8·1	—	3	30	113	6	—	1	7
Tanfield ..	24	2·59	38	4·10	2	2	27·6	—	1	14	14	2	—	—	2
Tow Law ..	—	—	1	0·28	—	—	—	—	—	9	15	—	1	—	1
Washington ..	22	1·28	10	0·58	1	1	5·3	—	1	8	8	—	—	—	—
Whickham ..	86	4·17	20	0·97	—	—	—	1	—	6	54	6	—	—	3
Willington ..	19	2·10	7	0·77	1	3	29·0	—	—	4	9	—	—	—	—
<b>RURAL DISTRICTS ..</b>	648	1·59	291	0·72	18	52	9·1	1	30	206	709	18	—	5	45
Auckland ..	73	1·37	53	1·00	—	5	5·7	1	1	29	13	—	—	1	3
Barnard Castle ..	5	0·49	1	0·10	1	2	18·3	—	1	3	8	—	—	—	1
Chester-le-Street	135	2·53	41	0·77	3	4	7·0	—	4	32	85	2	—	—	3
Darlington ..	8	0·91	2	0·23	1	2	25·2	—	—	4	3	—	—	—	—
Durham ..	42	1·33	10	0·32	—	—	—	—	—	12	20	—	—	—	1
Easington ..	98	1·10	104	1·17	9	21	14·4	—	4	43	265	6	—	—	5
Hartlepool ..	4	1·02	5	1·28	1	—	11·5	—	2	7	13	—	—	—	—
Houghton-le-Spring	80	2·89	5	0·18	—	2	3·6	—	2	10	90	2	—	—	8
Manchester ..	71	2·09	42	1·24	2	2	6·6	—	14	14	29	1	—	—	3
Redfield ..	24	0·65	5	0·14	—	5	8·0	—	—	13	16	1	—	2	2
South Shields ..	35	1·70	1	0·05	—	5	14·9	—	1	11	52	1	—	—	—
Stockton ..	10	1·53	2	0·31	—	1	8·6	—	—	—	5	—	—	—	—
Sunderland ..	55	2·48	16	0·72	—	—	—	—	—	22	97	5	—	1	19
Teardale ..	8	0·92	4	0·46	1	3	31·5	—	1	6	13	—	—	1	—



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever. Cases.	Pyrexia. Cases.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>ELY, ISLE OF:</b>															
<b>ADMINISTRATIVE COUNTY.</b>	107	1·38	113	1·46	1	2	2·1	—	11	19	62	1	—	1	—
<b>URBAN DISTRICTS ..</b>	63	1·40	98	2·18	1	2	3·3	—	3	15	37	1	—	—	—
Chatteris ..	4	0·80	7	1·40	—	—	—	—	—	—	—	—	—	—	—
Ely ..	12	1·43	—	—	—	2	15·7	—	—	1	10	—	—	—	—
March ..	2	0·18	—	—	—	—	—	—	—	3	—	—	—	—	—
Whittlesey ..	13	1·56	82	9·81	—	—	—	—	—	2	11	—	—	—	—
Wisbech M.B. ..	32	2·69	9	0·76	1	—	3·6	—	3	9	16	1	—	—	—
<b>RURAL DISTRICTS ..</b>	44	1·35	15	0·46	—	—	—	—	8	4	25	—	—	—	1
Ely ..	19	1·40	1	0·07	—	—	—	—	8	—	13	—	—	—	—
North Witchford ..	2	0·39	—	—	—	—	—	—	—	—	3	—	—	—	—
Thorney ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wisbech ..	23	1·95	14	1·19	—	—	—	—	—	4	9	—	—	1	—
<b>ESSEX:</b>	4,184	2·39	2,550	1·45	107	232	12·3	1,011	399	644	1,947	31	13	20	1
<b>COUNTY BOROUGHES</b>	1,125	2·02	645	1·16	29	78	11·6	823	24	266	795	11	6	2	—
East Ham ..	245	1·72	196	1·37	4	6	6·5	51	8	54	76	9	—	—	—
Southend-on-Sea ..	223	1·88	93	0·79	11	9	16·0	11	7	24	155	—	1	1	—
West Ham ..	657	2·21	356	1·20	14	63	11·9	761	9	188	564	2	4	1	—
<b>ADMINISTRATIVE COUNTY.</b>	3,059	2·56	1,905	1·59	78	154	12·6	188	375	378	1,152	20	7	18	—
<b>URBAN DISTRICTS ..</b>	2,471	2·69	1,721	1·88	62	116	12·8	177	335	320	963	17	7	11	—
Barking M.B. ..	163	3·14	242	4·67	3	7	10·6	5	3	26	116	—	1	—	—
Benfleet ..	24	1·99	22	1·82	—	2	11·6	—	1	2	1	—	—	—	—
Braintree ..	38	4·25	5	0·56	1	2	23·3	—	—	4	4	—	—	—	—
Brentwood ..	16	2·32	15	2·17	1	—	14·1	—	5	3	3	—	—	—	—
Brightlingsea ..	8	1·98	1	0·25	—	—	—	—	—	1	12	—	—	—	—
Buckhurst Hill ..	11	2·02	1	0·18	—	—	—	—	—	2	5	—	—	—	—
Burnham on Crouch ..	4	1·17	3	0·88	—	—	—	—	—	—	2	—	—	—	—
Canvey Island ..	9	2·76	9	2·76	—	—	—	—	—	2	17	—	—	—	—
Chelmsford M.B. ..	65	2·43	25	0·94	3	5	17·2	1	—	7	9	2	—	1	—
Chingford ..	113	5·09	22	0·99	3	2	16·6	2	4	5	12	—	—	—	—
Clacton ..	22	1·47	7	0·47	1	—	5·3	—	—	5	11	—	—	—	—
Colchester M.B. ..	141	3·13	31	0·69	7	3	12·6	—	4	11	74	1	1	1	—
Dagenham ..	424	4·67	207	2·28	4	8	6·3	66	—	18	125	—	1	1	—
Epping ..	20	4·11	6	1·23	—	2	22·7	—	234	1	15	—	—	—	—
Frinton on Sea ..	2	1·05	—	—	—	—	—	—	—	1	—	—	—	—	—
Grays Thurrock ..	31	1·69	40	2·19	—	3	10·8	4	1	5	24	—	—	—	1
Halstead ..	2	0·34	—	—	—	—	—	—	—	—	—	—	—	—	—
Harwich M.B. ..	13	1·10	52	4·41	—	—	—	—	—	1	7	—	—	—	—
Hornchurch ..	54	1·91	50	1·77	1	2	6·5	—	2	6	6	—	1	—	—
Ilford M.B. ..	218	1·65	199	1·51	13	14	14·4	3	8	55	105	10	1	1	—
Leyton M.B. ..	295	2·29	230	1·79	9	23	25·2	27	9	65	108	—	—	—	2
Loughton ..	3	0·41	1	0·14	—	—	—	1	14	—	3	—	—	—	1
Maldon M.B. ..	14	2·14	2	0·31	—	—	—	—	2	3	7	—	—	—	—
Purfleet ..	12	1·41	13	1·53	—	1	5·3	—	—	2	3	1	—	—	—
Rayleigh ..	4	0·64	8	1·28	—	—	—	—	—	2	1	—	—	—	—
Romford ..	82	2·30	63	1·77	2	2	4·1	—	—	3	7	1	1	1	—
Saffron Walden M.B. ..	4	0·65	2	0·33	—	1	15·2	—	—	3	—	—	—	—	—
Shoeburyness ..	19	3·17	3	0·50	—	—	—	—	—	1	5	—	—	—	—
Tilbury ..	23	1·37	71	4·24	—	1	2·4	—	2	6	9	—	—	—	—
Waltham Holy Cross ..	63	8·98	8	1·14	1	—	10·6	—	3	4	8	—	—	—	—
Walthamstow M.B. ..	448	3·33	322	2·40	11	30	24·4	67	38	60	208	1	1	—	2
Walton on the Naze ..	1	0·35	—	—	—	1	25·6	—	—	—	4	—	—	—	—
Wanstead ..	34	1·77	7	0·36	—	3	24·4	1	3	6	25	1	—	—	—
West Mersea ..	10	5·93	—	—	—	1	50·0	—	—	—	—	—	—	—	—
Witham ..	3	0·69	2	0·46	—	—	—	—	—	1	4	—	—	—	—
Wivenhoe ..	6	2·76	—	—	1	—	38·5	—	—	3	1	—	—	—	—
Woodford ..	72	2·98	52	2·15	1	3	10·4	—	2	6	22	—	—	—	—

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Cases.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SSEX—cont.															
URAL DISTRICTS ..	588	2·11	184	0·66	16	38	12·0	11	40	58	189	3	—	7	9
Belchamp ..	4	1·01	1	0·25	1	—	24·4	—	—	—	—	—	—	—	—
Billericay ..	133	3·35	37	0·93	3	8	18·5	3	3	6	28	1	—	2	—
Braintree ..	84	3·89	21	0·97	—	5	14·8	—	1	6	17	—	—	—	—
Bumpstead ..	1	0·44	—	—	—	—	—	—	—	1	1	—	—	—	—
Chelmsford ..	80	2·80	6	0·21	3	1	9·0	7	1	5	9	—	—	1	1
Dunmow ..	27	1·72	2	0·13	3	8	44·4	—	—	2	15	—	—	1	3
Epping ..	18	1·04	11	0·64	—	1	4·5	—	20	5	6	—	—	—	1
Halstead ..	4	0·41	—	—	1	—	7·5	—	—	1	3	—	—	—	—
Lexden and Winstree ..	45	2·38	12	0·64	1	4	18·4	—	2	6	13	—	—	—	—
Maldon ..	22	1·37	3	0·19	—	—	—	—	3	4	7	—	—	—	—
Ongar ..	22	1·91	3	0·26	1	2	15·3	—	—	2	6	—	—	—	—
Orsett ..	27	1·32	16	0·78	1	1	5·5	—	—	4	21	1	—	2	1
Rochford ..	36	2·14	35	2·08	1	1	3·8	1	5	7	11	—	—	1	—
Romford ..	18	1·20	12	0·80	—	1	4·8	—	2	2	4	—	—	—	1
Saffron Walden ..	6	0·62	—	—	—	—	—	—	—	4	3	—	—	—	—
Stansted ..	—	—	2	0·29	—	—	—	—	2	—	—	—	—	—	—
Tendring ..	61	2·56	23	0·96	1	6	17·3	—	1	3	45	1	—	—	2
GLOUCESTER-SHIRE:															
872	1·11	1,168	1·48	36	114	12·0	—	44	239	728	21	2	13	49	
COUNTY BOROUGHS	514	1·14	868	1·92	24	62	11·3	—	26	163	500	21	2	11	28
Bristol ..	453	1·13	828	2·07	23	39	9·4	—	26	146	410	20	2	9	22
Gloucester ..	61	1·15	40	0·76	1	23	24·0	—	—	17	90	1	—	2	6
ADMINISTRATIVE COUNTY.	358	1·07	300	0·89	12	52	13·0	—	18	76	228	—	—	2	21
URBAN DISTRICTS ..	165	1·45	139	1·22	7	12	11·8	—	4	29	66	—	—	2	1
Awre ..	—	—	3	2·98	—	—	—	—	—	1	2	—	—	—	—
Charlton Kings ..	—	—	4	0·85	—	—	—	—	—	—	—	—	—	—	—
Cheltenham M.B.	38	0·75	62	1·22	3	9	15·8	—	—	11	32	—	—	1	1
Cirencester ..	18	2·50	7	0·97	1	1	26·0	—	—	2	7	—	—	—	—
Coleford ..	3	1·08	2	0·72	—	—	—	—	—	—	5	—	—	—	—
Kingswood ..	11	0·82	17	1·26	2	2	21·2	—	—	4	—	—	—	—	—
Mangotsfield ..	24	2·11	10	0·88	—	—	—	—	1	3	7	—	—	1	—
Nailsworth ..	46	14·30	5	1·55	—	—	—	—	—	3	2	—	—	—	—
Newnham ..	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—
Stow-on-the-Wold ..	10	8·03	3	2·41	1	—	62·5	—	—	1	—	—	—	—	—
Stroud ..	6	0·72	24	2·88	—	—	—	—	3	2	1	—	—	—	—
Tetbury ..	—	—	1	0·45	—	—	—	—	—	—	1	—	—	—	—
Tewkesbury M.B.	8	1·86	1	0·23	—	—	—	—	—	2	5	—	—	—	—
Westbury-on-Severn ..	1	0·58	—	—	—	—	—	—	—	—	—	—	—	—	—
URAL DISTRICTS ..															
Campden ..	193	0·87	161	0·72	5	40	13·6	—	14	47	162	—	—	—	20
Cheltenham ..	3	0·40	—	—	—	—	—	—	—	—	2	—	—	—	1
Chipping Sodbury	4	0·71	2	0·35	—	1	16·9	—	—	—	1	—	—	—	—
Cirencester ..	19	0·77	16	0·65	—	5	14·1	—	—	6	8	—	—	—	2
Dursley ..	22	1·83	7	0·58	—	4	24·2	—	4	2	3	—	—	—	1
East Dean and United Parishes Faringdon(part of)*	3	0·23	2	0·15	—	1	5·2	—	2	1	4	—	—	—	—
Gloucester ..	18	0·90	14	0·70	—	6	15·7	—	1	2	16	—	—	—	3
Lydney ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Marston Sica† ..	8	0·54	4	0·27	1	2	21·0	—	4	4	5	—	—	—	3
—	2	0·21	3	0·32	—	3	15·4	—	—	1	21	—	—	—	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\* The remainder of Faringdon Rural District is in Berkshire.

† Abolished 1st April, 1931.



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Cases.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>GLOUCESTERSHIRE</b>															
<i>—cont.</i>															
<b>RURAL DISTRICTS—</b>															
<i>cont.</i>															
Newent .. ..	2	0·28	1	0·14	—	1	9·7	—	—	2	4	—	—	—	—
Northleach ..	3	0·42	15	2·11	—	—	—	—	—	2	2	—	—	—	—
Pebworth† ..	—	—	—	—	—	1	83·3	—	—	—	1	—	—	—	—
Stow-on-the-Wold (part of)*	4	0·65	8	1·31	—	1	10·9	—	—	6	4	—	—	—	—
Stroud .. ..	31	1·13	33	1·21	2	3	15·4	—	2	4	13	—	—	—	—
Tetbury .. ..	4	1·05	2	0·53	1	—	20·8	—	—	2	1	—	—	—	—
Tewkesbury (part of)* .. ..	13	3·03	5	1·17	—	1	17·5	—	—	1	1	—	—	—	—
Thornbury ..	7	0·36	5	0·26	1	6	23·1	—	—	8	22	—	—	—	—
Warmley .. ..	14	1·55	27	3·00	—	2	14·0	—	1	1	18	—	—	—	—
West Dean ..	17	1·19	13	0·91	—	2	8·1	—	—	4	29	—	—	—	—
Wheatenurst ..	11	1·73	2	0·31	—	—	—	—	—	1	7	—	—	—	—
Winchcomb (part of)* .. ..	8	0·97	2	0·24	—	1	8·3	—	—	—	—	—	—	—	—
<b>HEREFORDSHIRE :</b>															
<b>ADMINISTRATIVE COUNTY.</b>															
	185	1·67	139	1·25	4	17	11·9	—	6	7	141	1	—	—	1
<b>URBAN DISTRICTS ..</b>															
Bromyard .. ..	1	0·65	1	0·65	—	—	—	—	—	—	9	—	—	—	—
Hereford M.B. ..	34	1·42	43	1·80	1	4	11·4	—	1	3	38	—	—	—	—
Kington .. ..	—	—	—	—	—	1	30·3	—	—	—	—	—	—	—	—
Ledbury .. ..	2	0·58	1	0·29	—	—	—	—	—	—	1	—	—	—	—
Leominster M.B. ..	16	2·86	35	6·25	—	1	10·5	—	—	1	5	—	—	—	—
Ross-on-Wye ..	17	3·68	1	0·22	—	—	—	—	—	—	4	—	—	—	—
<b>RURAL DISTRICTS ..</b>															
Bredwardine ..	115	1·64	58	0·83	3	11	13·4	—	5	3	84	1	—	—	1
Bromyard .. ..	1	0·54	—	—	—	—	—	—	—	—	2	—	—	—	—
Bromyard .. ..	5	0·67	4	0·54	—	—	—	—	—	—	20	—	—	—	—
Dore .. ..	3	0·50	13	2·17	—	1	11·4	—	—	—	3	—	—	—	—
Hereford .. ..	40	2·99	8	0·60	1	4	29·6	—	3	1	30	—	—	—	—
Kington .. ..	16	3·45	—	—	—	—	—	—	—	—	1	—	—	—	—
Ledbury .. ..	18	2·06	4	0·46	—	—	—	—	—	—	9	—	—	—	—
Leominster and Wigmore ..	19	1·82	14	1·34	1	2	17·5	—	1	2	10	1	—	—	1
Ross† .. ..	—	—	6	2·46	—	1	29·4	—	—	—	4	—	—	—	—
Ross and Whitchurch† ..	5	0·58	2	0·23	1	—	7·6	—	—	—	1	—	—	—	—
Weobley .. ..	8	1·33	7	1·17	—	3	33·7	—	1	—	4	—	—	—	—
Whitchurch† ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>HERTFORDSHIRE :</b>															
<b>ADMINISTRATIVE COUNTY.</b>															
	553	1·38	293	0·73	25	70	15·7	1	28	108	266	7	—	—	6
<b>URBAN DISTRICTS ..</b>															
Baldock .. ..	411	1·46	237	0·84	19	60	17·5	1	21	76	222	5	—	—	6
Barnet .. ..	1	0·32	1	0·32	—	—	—	—	—	—	3	—	—	—	—
Barnet .. ..	41	2·83	18	1·24	7	28	80·8	—	3	18	38	—	—	—	—
Bishop's Stortford	2	0·21	4	0·41	1	2	18·8	—	1	4	4	—	—	—	—
Bushey .. ..	8	0·70	7	0·61	—	—	—	—	—	2	—	—	—	—	—
Cheshunt .. ..	23	1·56	18	1·22	—	2	11·1	—	3	4	19	—	—	—	—
Chorleywood ..	1	0·31	2	0·63	—	—	—	—	—	—	—	—	—	—	—
East Barnet Valley	24	1·29	15	0·81	3	—	14·9	—	1	3	12	—	—	—	—
Great Berkhamstead .. ..	30	3·56	5	0·59	1	—	13·3	—	1	—	2	—	—	—	—

\* The remaining parts of Tewkesbury and Winchcomb Rural Districts are in Worcestershire, and prior to 1st April, 1931 remainder of Stow-on-the-Wold Rural District was in Worcestershire. The figures for the entire areas, with rates adjusted to a for changes in boundary, are as follows :—

Stow-on-the-Wold R.D. ....	4	0·65	8	1·29	—	1	10·6	—	—	6	4	—	—	—	1
Tewkesbury R.D. ....	18	2·82	6	0·94	—	1	12·0	—	—	3	3	—	—	—	—
Winchcomb R.D. ....	8	0·93	2	0·23	—	1	8·1	—	—	—	—	—	—	—	—

† Abolished 1st April, 1931.

‡ On the 1st April, 1931, the Rural Districts of Ross and Whitchurch were united and called Ross and Whitchurch R.D.

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>HERTFORDSHIRE</b>															
<i>—cont.</i>															
<b>URBAN DISTRICTS—</b>															
<i>cont.</i>															
Harpenden ..	11	1.32	3	0.36	—	1	9.7	—	—	—	1	—	—	—	—
Hemel Hempstead															
M.B. ..	20	1.32	5	0.33	4	3	20.2	—	2	4	1	—	—	1	—
Hertford M.B. ..	17	1.46	4	0.34	1	2	12.6	—	—	—	—	—	—	—	—
Hitchin ..	32	2.23	22	1.53	1	1	6.6	—	—	1	—	1	—	1	—
Hoddesdon ..	34	5.03	6	0.89	—	—	—	—	3	1	—	—	—	—	1
Letchworth ..	23	1.59	6	0.42	1	7	42.8	—	—	11	33	1	—	—	—
Rickmansworth	10	0.93	3	0.28	—	—	—	—	—	1	1	—	—	—	—
Royston ..	2	0.53	2	0.53	—	—	—	—	—	—	6	—	—	—	—
St. Albans M.B. ...	19	0.67	11	0.39	—	5	11.5	—	2	9	28	—	—	1	—
Sawbridgeworth	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Stevenage ..	18	3.26	2	0.36	—	2	26.0	1	2	—	—	—	—	—	—
Tring ..	7	1.62	—	—	—	—	—	—	1	—	7	—	—	—	—
Ware ..	9	1.48	—	—	—	—	—	—	—	—	2	—	—	—	—
Watford M.B. ..	64	1.13	94	1.66	—	6	6.6	—	2	14	61	3	—	3	—
Welwyn Garden City ..	15	1.74	9	1.05	—	1	5.5	—	—	2	1	—	—	—	—
<b>RURAL DISTRICTS ..</b>	<b>142</b>	<b>1.17</b>	<b>56</b>	<b>0.46</b>	<b>6</b>	<b>10</b>	<b>10.4</b>	<b>—</b>	<b>7</b>	<b>32</b>	<b>44</b>	<b>2</b>	<b>—</b>	<b>—</b>	<b>2</b>
Ashwell ..	4	1.15	—	—	—	1	21.7	—	—	1	4	—	—	—	—
Barnet ..	2	0.32	2	0.32	1	1	21.7	—	—	5	3	—	—	—	—
Berkhampstead	16	3.05	1	0.19	—	—	—	—	—	—	4	—	—	—	—
Buntingford ..	6	1.31	3	0.65	1	—	17.9	—	—	—	1	—	—	—	—
Hadham ..	2	0.37	1	0.18	1	1	35.7	—	—	1	5	—	—	—	1
Hatfield ..	12	1.07	9	0.80	—	1	5.2	—	—	2	—	—	—	—	—
Hemel Hempstead	4	0.48	10	1.21	—	1	10.2	—	—	1	1	—	—	—	—
Hertford ..	6	0.79	—	—	—	—	—	—	—	—	1	—	—	—	—
Hitchin ..	24	1.64	9	0.62	1	2	16.2	—	1	1	3	—	—	—	—
St. Albans ..	7	0.36	6	0.31	1	—	3.7	—	1	4	10	—	—	—	—
Ware ..	21	1.71	2	0.16	1	1	15.9	—	3	1	9	—	—	—	1
Watford ..	37	2.00	11	0.59	—	2	10.0	—	2	15	3	2	—	—	—
Welwyn ..	1	0.27	2	0.54	—	—	—	—	—	1	—	—	—	—	—
<b>HUNTINGDONSHIRE:</b>															
<b>ADMINISTRATIVE COUNTY.</b>	<b>110</b>	<b>1.96</b>	<b>18</b>	<b>0.32</b>	<b>4</b>	<b>7</b>	<b>12.2</b>	<b>9</b>	<b>5</b>	<b>14</b>	<b>51</b>	<b>3</b>	<b>—</b>	<b>2</b>	<b>2</b>
<b>URBAN DISTRICTS ..</b>	<b>76</b>	<b>2.96</b>	<b>11</b>	<b>0.43</b>	<b>1</b>	<b>5</b>	<b>13.4</b>	<b>9</b>	<b>2</b>	<b>9</b>	<b>19</b>	<b>2</b>	<b>—</b>	<b>—</b>	<b>1</b>
Godmanchester															
M.B. ..	2	1.02	—	—	—	1	34.5	—	1	2	4	—	—	—	—
Huntingdon M.B.	10	2.47	4	0.99	—	—	—	—	1	2	1	2	—	—	—
Old Fletton ..	39	5.16	2	0.26	—	1	5.9	9	—	2	4	—	—	—	—
Ramsey ..	7	1.35	—	—	—	2	20.2	—	—	1	5	—	—	—	—
St. Ives M.B. ..	1	0.37	—	—	—	1	27.0	—	—	—	—	—	—	—	1
St. Neots ..	17	3.97	5	1.17	1	—	18.5	—	—	2	5	—	—	—	—
<b>RURAL DISTRICTS ..</b>	<b>34</b>	<b>1.12</b>	<b>7</b>	<b>0.23</b>	<b>3</b>	<b>2</b>	<b>11.1</b>	<b>—</b>	<b>3</b>	<b>5</b>	<b>32</b>	<b>1</b>	<b>—</b>	<b>2</b>	<b>1</b>
Huntingdon ..	5	0.77	1	0.15	—	—	—	—	—	3	5	—	—	2	—
Norman Cross ..	7	1.19	3	0.51	—	—	—	—	—	—	20	1	—	—	—
Oundle (part of)*	—	—	1	1.02	—	—	—	—	—	—	—	—	—	—	—
St. Ives ..	12	1.29	1	0.11	—	—	—	—	1	—	2	—	—	—	1
St. Neots ..	10	1.52	1	0.15	3	1	51.3	—	2	1	5	—	—	—	—
Thrapston(part of)*	—	—	—	—	—	1	100.0	—	—	1	—	—	—	—	—
Civil Parishes of Sibson cum Stibington administered by R.D.C. of Barnack (Soke of Peterborough).	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\* The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire.



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Cases.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>KENT:</b>	2,195	1·85	1,064	0·90	48	118	9·0	6	60	378	923	18	7	18	8
COUNTY BOROUGH															
Canterbury ..	23	0·96	5	0·21	—	1	2·6	—	1	14	17	1	—	2	—
ADMINISTRATIVE															
COUNTY.	2,172	1·87	1,059	0·91	48	117	9·2	6	59	364	906	17	7	16	7
URBAN DISTRICTS ..	1,572	1·90	692	0·84	29	85	8·7	3	44	225	643	11	4	15	5
Ashford ..	39	2·55	11	0·72	—	1	4·7	—	—	5	19	1	—	—	—
Beckenham ..	38	0·87	14	0·32	1	15	24·7	2	4	10	71	—	1	1	—
Bexley ..	90	2·71	37	1·12	2	3	10·7	—	2	6	13	—	—	1	—
Broadstairs and															
St. Peter's ..	38	3·05	18	1·44	—	2	21·5	—	2	3	22	1	—	1	—
Bromley M.B. ..	200	4·40	61	1·34	1	1	3·0	—	1	14	47	1	—	—	—
Chatham M.B. ..	58	1·40	26	0·63	2	6	11·1	—	2	12	20	—	1	—	—
Cheriton ..	7	1·18	8	1·35	—	—	—	—	—	—	6	—	—	—	—
Chislehurst ..	14	1·49	15	1·60	1	—	13·0	—	1	6	6	—	—	1	—
Crayford ..	38	2·38	13	0·81	1	1	5·4	—	—	4	3	—	—	—	—
Dartford ..	59	2·01	21	0·72	4	2	12·2	—	—	20	8	1	—	—	—
Deal M.B. ..	49	3·68	12	0·90	—	3	11·8	—	—	6	2	—	—	—	—
Dover M.B. ..	31	0·80	49	1·26	1	5	8·6	—	1	18	17	—	—	1	—
Erith ..	41	1·25	35	1·06	—	6	13·4	—	1	15	64	—	1	1	—
Faversham M.B.	6	0·60	1	0·10	2	—	12·5	—	—	—	8	1	—	—	—
Folkestone M.B.	34	1·00	49	1·44	1	5	12·0	—	4	7	22	—	—	1	—
Gillingham M.B.	101	1·99	20	0·39	2	2	3·5	—	1	13	44	3	—	1	—
Gravesend M.B...	53	1·52	9	0·26	1	1	3·1	—	—	3	15	1	—	1	—
Herne Bay ..	45	4·28	9	0·86	—	—	—	—	—	14	1	—	—	1	—
Hythe M.B. ..	10	1·24	—	—	—	1	10·1	—	4	—	2	—	—	—	—
Lydd M.B. ..	—	—	—	—	—	1	28·6	—	—	1	2	—	—	—	—
Maidstone M.B.	78	1·85	57	1·35	2	6	11·4	—	5	12	27	—	—	—	—
Margate M.B. ..	53	1·72	64	2·08	—	1	2·8	—	2	9	10	—	—	—	—
New Romney M.B.	3	1·92	—	—	—	—	—	—	—	—	4	—	—	—	—
Northfleet ..	33	2·00	25	1·51	—	—	—	—	—	6	4	—	—	—	—
Penge ..	50	1·80	13	0·47	2	2	12·1	1	—	3	11	—	—	—	—
Queenborough M.B.	1	0·34	1	0·34	—	1	20·4	—	1	—	—	—	—	—	—
Ramsgate M.B. ..	65	1·94	4	0·12	1	1	3·8	—	—	4	31	—	—	4	—
Rochester M.B. ..	80	2·65	29	0·96	—	—	—	—	1	4	10	1	—	—	—
Royal Tunbridge															
Wells M.B. ..	22	0·63	19	0·55	3	8	22·0	—	6	13	39	—	—	—	—
Sandgate ..	1	0·47	1	0·47	—	—	—	—	—	—	—	—	—	—	—
Sandwich M.B. ..	19	5·81	4	1·22	—	—	—	—	—	2	7	—	—	—	—
Sevenoaks ..	32	3·12	1	0·10	—	—	—	—	1	1	4	—	—	—	—
Sheerness ..	35	2·14	8	0·49	1	2	11·9	—	—	3	17	—	—	—	—
Sidcup ..	21	1·71	9	0·73	—	1	7·1	—	2	8	12	—	1	—	—
Sittingbourne and															
Milton ..	54	2·69	17	0·85	—	1	2·9	—	1	7	9	—	—	—	—
Southborough ..	—	—	2	0·27	—	1	11·2	—	—	1	1	—	—	1	—
Swanscombe ..	10	1·17	12	1·40	—	1	7·4	—	—	—	—	—	—	—	—
Tenterden M.B.	10	2·93	—	—	—	1	20·0	—	—	—	—	—	—	—	—
Tonbridge ..	22	1·32	4	0·24	—	2	8·8	—	1	4	25	—	—	—	—
Walmer ..	24	6·01	4	1·00	—	—	—	—	—	—	—	—	—	—	—
Whitstable ..	2	0·18	9	0·83	1	—	7·7	—	1	4	25	—	—	—	—
Wrotham ..	6	1·35	1	0·22	—	2	26·3	—	—	1	2	—	—	—	—
RURAL DISTRICTS ..	600	1·79	367	1·10	19	32	10·4	3	15	139	263	6	3	1	2
Blean ..	10	0·92	3	0·28	—	2	13·6	—	—	2	14	—	—	—	—
Bridge ..	6	0·49	1	0·08	—	1	7·2	—	3	5	5	—	—	—	—
Bromley ..	62	1·59	64	1·64	3	4	10·4	—	2	40	19	2	1	—	—
Cranbrook ..	12	0·90	4	0·30	—	1	6·7	—	—	4	17	—	—	—	—
Dartford ..	86	2·75	45	1·44	1	4	13·0	2	—	26	12	—	—	—	—
Dover ..	12	1·41	9	1·05	1	1	20·2	—	—	—	3	1	—	—	—
East Ashford ..	12	0·77	12	0·77	2	—	9·2	—	2	1	3	—	—	—	—
Eastry ..	41	2·22	70	3·80	—	1	2·7	—	3	3	24	—	—	—	—
Elham ..	13	1·50	16	1·85	—	4	29·4	—	—	2	1	—	—	—	—
Faversham ..	24	1·80	11	0·82	—	1	4·8	—	1	5	17	—	1	—	—

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>NT—cont.</b>															
<b>RURAL DISTRICTS—cont.</b>															
Hollingbourne ..	23	1·62	9	0·63	2	—	10·4	—	—	7	19	—	—	—	1
Isle of Thanet ..	9	2·01	8	1·79	—	—	—	—	—	—	—	—	—	—	—
Maidstone ..	36	2·83	13	1·02	1	2	17·5	—	—	4	31	—	—	—	1
Malling ..	16	0·93	14	0·81	2	4	24·0	1	—	8	14	1	—	1	1
Milton ..	55	2·18	12	0·48	1	2	8·2	—	—	5	13	—	1	—	—
Romney Marsh ..	16	2·30	12	1·73	—	1	10·1	—	—	—	3	1	—	—	—
Sevenoaks ..	7	2·43	1	0·35	1	—	27·0	—	—	1	3	—	—	—	1
Sheppey ..	71	2·69	17	0·65	3	—	7·9	—	2	12	29	—	—	—	5
Strood ..	3	0·57	3	0·57	—	—	—	—	—	—	—	1	—	—	—
West Ashford ..	36	2·43	28	1·89	1	—	4·5	—	—	1	10	—	—	—	1
Canterbury ..	14	2·24	2	0·32	—	—	—	—	—	1	2	—	—	—	—
Canterbury ..	25	1·34	13	0·69	—	4	14·5	—	2	9	14	—	—	—	1
Canterbury ..	11	1·34	—	—	1	—	7·9	—	—	3	10	—	—	—	—
<b>CHESHIRE:</b>															
CHESHIRE:	11,444	2·26	7,306	1·44	332	689	12·0	2	218	2,369	12,098	182	23	136	1,096
CORPORATE BOROUGH OF	7,947	2·43	5,741	1·76	273	464	12·4	1	119	1,630	8,938	124	15	99	961
Barrow-in-Furness ..	58	0·87	22	0·33	—	1	1·0	—	3	21	125	1	—	—	2
Blackburn ..	80	0·65	57	0·46	7	21	15·7	—	2	36	289	—	—	6	7
Blackpool ..	129	1·31	66	0·67	9	12	18·4	—	5	31	60	1	—	—	8
Bolton ..	365	2·04	44	0·25	5	9	6·0	—	1	61	135	3	—	4	16
Bootle ..	287	3·72	203	2·63	2	24	14·7	—	—	43	247	—	—	—	4
Burnley ..	194	1·96	85	0·86	7	17	17·1	—	3	55	319	1	1	5	15
Bury ..	55	0·98	20	0·36	4	5	10·1	—	—	26	113	—	—	1	6
Liverpool ..	1,399	1·62	3,240	3·75	54	156	10·7	—	37	510	2,958	58	4	35	716
Manchester ..	2,973	3·85	735	0·95	131	94	16·0	—	27	428	2,629	45	6	32	126
Oldham ..	269	1·90	85	0·60	8	20	13·0	—	8	52	216	1	1	6	11
Preston ..	173	1·44	64	0·53	10	39	25·1	—	8	49	216	7	—	—	7
Rochdale ..	279	3·06	128	1·40	5	4	10·8	—	6	20	103	—	—	—	9
St. Helens ..	148	1·37	121	1·12	7	8	6·5	—	1	52	226	—	—	1	3
Salford ..	475	2·10	580	2·57	18	25	11·9	—	7	112	600	4	—	3	13
Southport ..	145	1·88	175	2·26	1	11	13·1	—	4	32	166	—	1	—	6
Warrington ..	819	10·23	73	0·91	5	15	12·0	—	6	64	274	—	1	5	3
Wigan ..	99	1·15	43	0·50	—	3	1·8	1	1	38	262	3	1	1	9
<b>ADMINISTRATIVE COUNTY.</b>															
ADMINISTRATIVE COUNTY.	3,497	1·94	1,565	0·87	59	225	11·0	1	99	739	3,160	58	8	37	135
URBAN DISTRICTS ..	3,019	1·96	1,377	0·89	48	203	11·3	1	87	642	2,822	54	7	30	124
Abram ..	6	0·89	8	1·18	—	—	—	—	1	1	27	—	—	—	—
Accrington M.B. ..	64	1·48	16	0·37	—	2	4·4	—	—	13	31	2	—	—	—
Adlington ..	3	0·71	4	0·95	—	—	—	—	—	—	6	—	—	—	—
Ashton-in-Makerfield ..	28	1·35	5	0·24	1	1	5·5	—	1	10	83	6	1	—	—
Ashton-under-Lyne M.B. ..	201	3·88	13	0·25	1	4	5·0	1	—	16	88	3	—	1	3
Aspull ..	12	1·65	1	0·14	—	—	—	—	1	12	50	—	—	—	—
Atherton ..	13	0·65	11	0·55	—	7	22·7	—	—	11	51	1	—	—	2
Audenshaw ..	21	2·46	2	0·23	—	—	—	—	—	3	19	—	—	—	—
Bacup M.B. ..	25	1·20	14	0·67	2	1	12·8	—	—	5	45	1	—	—	5
Barrowford ..	9	1·70	—	—	—	1	16·4	—	—	2	5	—	—	—	—
Billinge and Winstanley ..	2	0·39	1	0·19	—	1	10·2	—	—	3	8	—	—	—	—
Blackrod ..	6	1·65	1	0·27	—	—	—	—	—	—	6	—	—	—	—
Brierfield ..	25	3·22	11	1·42	—	—	—	—	—	2	12	1	—	2	—
Carnforth ..	1	0·31	—	—	—	—	—	—	—	—	—	—	—	—	—
Chadderton ..	33	1·19	4	0·14	—	3	10·3	—	3	10	32	—	—	1	4



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Cases.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>LANCASHIRE—<i>cont.</i></b>															
<b>URBAN DISTRICTS—<i>cont.</i></b>															
Chorley M.B. ..	137	4·39	21	0·67	—	—	—	—	—	20	52	—	—	1	—
Church ..	8	1·28	13	2·08	—	1	16·9	—	—	3	13	—	—	—	—
Clayton le Moors	2	0·25	3	0·38	—	—	—	—	—	—	4	—	—	1	—
Clitheroe M.B. ..	8	0·66	4	0·33	—	3	21·9	—	—	6	18	—	—	1	—
Colne M.B. ..	25	1·04	19	0·79	—	9	25·3	—	7	14	41	—	—	2	—
Crompton ..	19	1·27	8	0·54	—	—	—	—	—	11	35	—	—	—	—
Croston ..	4	2·04	—	—	1	—	45·5	—	—	—	—	—	—	—	—
Dalton in Furness	4	0·39	3	0·29	—	—	—	—	1	—	—	—	—	1	—
Darwen M.B. ..	54	1·48	54	1·48	1	4	12·1	—	1	8	36	—	—	1	—
Denton ..	62	3·53	20	1·14	—	2	11·7	—	1	11	32	—	—	—	—
Droylsden ..	65	4·85	5	0·37	—	1	5·7	—	—	6	21	—	—	2	—
Eccles M.B. ..	62	1·38	59	1·32	2	6	16·5	—	—	16	73	—	—	—	—
Failssworth ..	35	2·20	10	0·63	1	3	25·5	—	1	6	40	—	—	1	—
Farnworth ..	19	0·66	10	0·35	5	41	60·4	—	1	26	97	9	—	—	—
Fleetwood ..	17	0·73	8	0·34	1	4	10·9	—	—	9	35	—	—	—	—
Formby ..	7	0·88	5	0·63	—	—	—	—	1	2	6	—	—	—	—
Fulwood ..	8	1·17	3	0·44	3	12	38·6	—	2	4	7	—	—	—	—
Golborne ..	15	2·02	9	1·21	—	1	5·9	—	—	2	17	—	—	—	—
Grange ..	4	1·85	—	—	—	—	—	—	—	—	1	1	—	—	—
Great Crosby ..	72	3·94	46	2·52	1	—	5·6	—	3	3	17	—	—	—	—
Great Harwood ..	6	0·46	1	0·08	—	—	—	—	—	1	17	—	—	—	—
Haslingden M.B.	31	1·84	11	0·65	—	—	—	—	—	5	31	—	—	—	—
Haydock ..	9	0·86	4	0·38	—	2	8·6	—	1	8	45	—	—	—	—
Heywood M.B. ..	37	1·41	11	0·42	1	1	6·1	—	—	8	36	—	—	—	—
Hindley ..	10	0·46	9	0·41	—	—	—	—	1	13	107	2	—	—	—
Horwich ..	45	2·84	12	0·76	1	4	26·9	—	—	6	51	1	—	1	—
Huyton with Roby	12	2·24	7	1·30	—	—	—	—	2	—	1	—	—	—	—
Ince in Makerfield	20	0·91	24	1·09	—	6	11·7	—	1	10	70	1	—	—	—
Irlam ..	27	2·07	14	1·07	—	—	—	—	—	6	9	—	—	—	—
Kearsley ..	3	0·30	3	0·30	—	—	—	—	—	1	10	1	—	—	—
Kirkham ..	5	1·22	1	0·24	—	—	—	—	—	1	—	—	—	—	—
Lancaster M.B. ..	123	2·82	19	0·44	1	8	12·7	—	11	22	76	1	1	—	—
Lathom and Burscough† ..	7	3·59	—	—	—	—	—	—	—	—	—	—	—	—	—
Lees ..	1	0·21	—	—	—	2	36·4	—	1	—	10	—	—	1	—
Leigh M.B. ..	27	0·59	54	1·18	—	6	7·7	—	2	19	91	3	—	1	—
Leyland ..	22	2·05	12	1·12	—	—	—	—	—	1	1	—	—	—	—
Litherland ..	60	3·72	51	3·17	1	2	11·8	—	1	3	31	1	—	—	—
Littleborough ..	8	0·66	2	0·16	—	—	—	—	—	1	5	—	—	1	—
Little Crosby ..	1	0·93	1	0·93	—	—	—	—	—	—	—	—	—	—	—
Little Hulton ..	2	0·25	1	0·13	—	1	10·9	—	—	3	—	1	—	—	—
Little Lever ..	4	0·80	—	—	—	—	—	—	—	—	7	—	—	—	—
Longridge ..	8	1·91	2	0·48	—	—	—	—	—	—	3	—	—	—	—
Lytham St. Anne's M.B. ..	40	1·61	28	1·13	1	7	33·8	—	3	4	17	—	—	—	—
Middleton M.B. ..	119	4·03	43	1·46	1	1	5·1	—	1	5	109	1	—	2	—
Milnrow ..	18	2·06	7	0·80	—	—	13·2	—	—	3	14	—	—	—	—
Morecambe and Heysham M.B.	46	1·94	12	0·51	—	7	24·6	—	4	18	39	—	—	1	—
Mossley M.B. ..	16	1·31	3	0·25	—	—	—	—	—	5	18	—	—	—	—
Nelson M.B. ..	125	3·23	7	0·18	—	4	9·1	—	2	13	28	—	1	—	—
Newton in Makerfield ..	119	5·84	28	1·37	4	6	26·7	—	1	19	83	2	—	—	—
Norden ..	7	1·63	2	0·47	—	1	25·6	—	—	2	2	—	—	—	—
Ormskirk ..	15	1·02	25	1·70	1	3	19·5	—	3	7	23	—	—	1	—
Orrell ..	5	0·71	3	0·43	—	—	—	—	—	2	17	—	—	—	—
Oswaldtwistle ..	17	1·18	6	0·42	—	—	—	—	1	6	31	—	—	1	—
Padiham ..	7	0·60	—	—	—	1	6·6	—	—	3	22	1	—	—	—
Poulton le Fylde	1	0·30	1	0·30	—	1	35·7	—	—	—	5	—	—	—	—

† Abolished 1st April, 1931.

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>LANCASHIRE—<i>cont.</i></b>															
<b>URBAN DISTRICTS—<i>cont.</i></b>															
Preesall .. ..	3	1·49	2	0·99	—	—	—	—	—	—	—	—	—	—	—
Prescot .. ..	15	1·57	11	1·15	—	1	7·3	—	—	4	—	—	—	—	—
Prestwich .. ..	37	1·54	17	0·71	1	1	8·4	—	9	14	34	—	1	—	—
Radcliffe .. ..	31	1·24	19	0·76	1	1	5·8	—	—	4	22	—	—	—	1
Rainford .. ..	6	1·71	1	0·29	—	—	—	—	—	4	6	—	—	—	—
Ramsbottom ..	9	0·60	19	1·26	—	—	—	—	—	8	31	—	—	—	2
Rawtenstall M.B.	67	2·32	38	1·32	1	2	5·7	—	—	18	36	—	—	—	5
Rishton .. ..	5	0·75	2	0·30	—	1	15·4	—	1	2	14	—	—	—	—
Royton .. ..	29	1·72	6	0·36	—	2	12·8	—	—	9	56	1	—	—	—
Skelmersdale ..	4	0·64	9	1·44	1	1	18·5	—	—	—	8	—	—	—	—
Standish with															
Langtree .. ..	10	1·36	2	0·27	—	—	—	—	—	4	11	—	—	—	—
Stretford .. ..	149	2·62	143	2·51	3	8	14·6	—	1	18	69	1	—	1	7
Swinton and Pendlebury ..	86	2·61	32	0·97	—	—	—	—	1	19	85	11	2	—	4
Thornton Cleveleys	12	1·19	2	0·20	1	—	6·5	—	—	2	5	—	—	—	1
Tottington .. ..	23	3·49	34	5·16	2	—	22·7	—	1	3	22	—	—	—	1
Trawden .. ..	2	0·78	4	1·56	—	—	—	—	—	—	3	—	—	—	—
Turton .. ..	22	1·84	—	—	—	1	11·1	—	3	5	5	1	—	—	1
Tyldesley with															
Shakerley .. ..	21	1·40	6	0·40	—	1	4·6	—	1	7	47	—	—	—	2
Ulverston .. ..	25	2·75	5	0·55	—	—	—	—	4	1	—	—	—	—	—
Upholland .. ..	9	1·63	—	—	—	—	—	—	—	3	16	—	—	1	1
Urmston .. ..	27	2·89	18	1·93	1	—	9·0	—	1	3	9	—	—	—	—
Walton le Dale ..	31	2·42	2	0·16	—	—	—	—	—	4	8	—	—	—	—
Wardle .. ..	10	2·25	12	2·69	5	2	11·2	—	—	18	1	—	1	—	5
Waterloo with															
Seaforth .. ..	129	4·18	121	3·92	—	2	4·3	—	1	16	41	—	—	—	3
Westhoughton ..	11	0·68	6	0·37	—	3	13·9	—	—	13	27	1	—	2	5
Whitefield .. ..	17	1·84	6	0·65	—	—	—	—	1	6	17	—	—	—	1
Whitworth .. ..	15	1·78	3	0·36	—	1	9·3	—	—	3	7	—	—	—	—
Widnes M.B. ..	117	2·86	57	1·39	2	1	3·5	—	4	19	214	—	—	3	4
Withnell .. ..	1	0·33	—	—	—	2	57·1	—	—	1	—	—	—	—	2
Worsley .. ..	17	1·16	5	0·34	—	2	14·1	—	—	4	11	—	—	—	2
<b>RURAL DISTRICTS—</b>															
	478	1·80	188	0·71	11	22	9·0	—	12	97	338	4	1	7	11
Barton upon Irwell	38	2·44	31	1·99	1	1	3·0	—	—	5	21	—	—	1	2
Blackburn .. ..	18	1·60	1	0·09	2	—	20·2	—	1	4	28	—	—	1	—
Burnley .. ..	64	3·63	6	0·34	—	4	17·7	—	1	8	21	—	—	—	2
Bury .. ..	9	1·01	3	0·34	—	—	—	—	1	4	8	—	—	1	—
Chorley .. ..	38	1·71	7	0·31	2	—	7·5	—	1	4	16	2	—	1	—
Clitheroe .. ..	11	1·21	—	—	—	2	32·8	—	—	4	40	—	—	—	—
Fylde .. ..	15	0·95	7	0·44	—	1	4·7	—	—	7	1	1	—	—	—
Garstang .. ..	52	4·49	33	2·85	1	1	13·2	—	1	—	13	—	1	—	—
Lancaster .. ..	5	0·52	1	0·10	—	—	—	—	—	1	3	—	—	—	—
Leigh .. ..	15	1·30	14	1·21	—	6	39·7	—	1	7	15	—	—	—	—
Limehurst .. ..	12	1·40	4	0·47	—	2	25·6	—	—	1	13	—	—	—	3
Lunesdale .. ..	4	0·61	—	—	—	—	—	—	—	—	—	—	—	—	—
Preston .. ..	37	1·23	8	0·27	2	—	6·4	—	1	20	48	—	—	1	2
Sefton .. ..	1	0·40	9	3·59	1	—	17·9	—	—	—	—	—	—	—	—
Ulverston .. ..	16	0·98	1	0·06	—	—	—	—	1	8	6	—	—	—	1
Warrington .. ..	79	4·85	13	0·80	1	2	18·4	—	4	12	30	1	—	—	—
West Lancashire	35	1·55	25	1·11	1	2	12·0	—	—	2	48	—	—	1	—
Whiston .. ..	28	1·23	23	1·01	—	1	2·9	—	—	7	5	—	—	—	—
Wigan .. ..	1	0·16	2	0·32	—	—	—	—	—	3	22	—	—	1	1



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever. Cases.	Pyrexia. Cases.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>LEICESTERSHIRE:</b>	1,019	1·87	279	0·51	19	43	6·9	2,091	12	198	516	20	2	18	
COUNTY BOROUGH Leicester ..	401	1·66	113	0·47	8	32	9·7	1,337	5	114	220	14	—	7	
ADMINISTRATIVE COUNTY.	618	2·03	166	0·55	11	11	4·5	754	7	84	296	6	2	11	
URBAN DISTRICTS ..	269	2·21	84	0·69	4	6	4·9	354	4	34	121	—	—	4	
Ashby de la Zouch	5	0·97	—	—	—	—	—	3	1	—	2	—	—	—	
Ashby Woulds ..	2	0·59	6	1·77	—	—	—	—	—	—	26	—	—	—	
Coalville ..	47	2·12	19	0·86	—	2	4·9	92	—	16	17	—	—	—	
Hinckley ..	12	0·74	3	0·19	—	1	3·6	17	—	2	20	—	—	—	
Loughborough M.B.	95	3·51	—	—	2	1	6·4	92	1	2	8	—	—	2	
Market Harborough	20	2·16	29	3·13	—	—	—	1	1	2	8	—	—	—	
Melton Mowbray	2	0·19	4	0·38	—	1	5·2	—	1	6	24	—	—	2	
Oadby ..	4	0·85	3	0·64	—	—	—	3	—	2	—	—	—	—	
Quorndon ..	50	19·19	1	0·38	1	—	26·3	—	—	—	1	—	—	—	
Shepshed ..	6	1·03	1	0·17	1	1	22·0	43	—	3	9	—	—	—	
Thurmaston ..	4	1·05	—	—	—	—	—	52	—	—	5	—	—	—	
Wigston Magna	22	1·94	18	1·59	—	—	—	51	—	1	1	—	—	—	
RURAL DISTRICTS ..	349	1·92	82	0·45	7	5	4·2	400	3	50	175	6	2	7	
Ashby de la Zouch	21	1·20	12	0·68	3	—	10·5	10	1	5	38	—	—	4	
Barrow upon Soar	87	2·83	26	0·85	—	—	—	37	—	14	43	—	1	1	
Belvoir ..	6	2·00	—	—	—	—	—	—	—	—	—	—	—	—	
Billesdon ..	14	1·30	—	—	—	—	—	17	—	1	3	—	—	—	
Blaby ..	83	2·50	9	0·27	—	1	1·8	58	—	9	11	1	1	2	
Castle Donington	23	3·51	5	0·76	2	1	34·1	4	—	3	14	—	—	—	
Hallaton ..	2	1·24	—	—	—	—	—	—	—	—	—	—	—	—	
Hinckley ..	10	0·58	12	0·70	—	2	8·3	63	1	9	23	1	—	—	
Loughborough ..	13	2·69	—	—	—	—	—	25	—	—	2	—	—	—	
Lutterworth ..	12	1·12	5	0·47	1	—	6·3	3	—	—	4	1	—	—	
Market Bosworth	59	2·48	6	0·25	1	1	5·2	179	1	6	18	3	—	—	
Market Harborough	4	0·53	—	—	—	—	—	—	—	—	4	—	—	—	
Melton Mowbray	15	1·02	7	0·48	—	—	—	4	—	3	15	—	—	—	
<b>LINCOLNSHIRE— PARTS OF HOLLAND:</b>															
ADMINISTRATIVE COUNTY.	253	2·75	57	0·62	3	11	7·7	6	2	21	46	3	—	6	
URBAN DISTRICTS ..	101	2·49	38	0·94	1	6	8·7	—	1	8	17	1	—	3	
Boston M.B. ..	79	4·77	7	0·42	1	5	17·4	—	1	3	13	—	—	2	
Holbeach ..	9	1·50	1	0·17	—	1	7·3	—	—	2	4	—	—	—	
Long Sutton ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spalding ..	13	1·03	30	2·38	—	—	—	—	—	3	—	1	—	1	
Sutton Bridge ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
RURAL DISTRICTS ..	152	2·96	19	0·37	2	5	6·9	6	1	13	29	2	—	3	
Boston ..	97	4·05	15	0·63	—	3	6·5	—	1	9	25	2	—	3	
Crowland ..	2	0·71	1	0·36	—	1	16·7	—	—	—	—	—	—	—	
East Elloe ..	19	1·88	—	—	1	1	9·7	—	—	1	1	—	—	—	
Spalding ..	34	2·34	3	0·21	1	—	3·5	6	—	3	3	—	—	—	

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Cases.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>COLNSHIRE—PARTS OF KESTEVEN:</b>															
ADMINISTRATIVE COUNTY.	113	1·06	43	0·40	4	8	6·7	3	5	20	67	1	2	3	7
URBAN DISTRICTS ..	44	1·06	20	0·48	2	5	10·1	3	2	8	28	—	—	—	5
Bourne .. ..	1	0·20	3	0·61	—	—	—	—	—	1	1	—	—	—	—
Grantham M.B. ..	39	1·99	12	0·61	1	4	15·0	2	—	4	10	—	—	—	5
Sleaford .. ..	3	0·43	5	0·71	—	1	10·1	—	1	2	10	—	—	—	—
Stamford M.B. ..	1	0·10	—	—	1	—	5·7	1	1	1	7	—	—	—	—
RURAL DISTRICTS ..	69	1·05	23	0·35	2	3	4·6	—	3	12	39	1	2	3	2
East Kesteven ..	8	0·48	4	0·24	1	—	3·0	—	—	1	11	1	—	2	—
North Kesteven..	18	0·94	5	0·26	—	1	3·6	—	1	6	13	—	—	—	1
South Kesteven..	26	1·84	1	0·07	1	1	8·4	—	—	1	3	—	2	1	—
West Kesteven ..	17	1·09	13	0·84	—	1	4·1	—	2	4	12	—	—	—	1
<b>COLNSHIRE—PARTS OF LINDSEY:</b>															
ADMINISTRATIVE COUNTY.	592	1·41	247	0·59	25	44	9·6	152	23	134	572	6	5	12	55
URBAN BOROUGH	264	1·67	117	0·74	8	25	11·9	99	9	49	201	4	—	3	22
Grimsby .. ..	139	1·51	60	0·65	6	18	14·1	99	7	31	90	3	—	1	13
Lincoln .. ..	125	1·90	57	0·87	2	7	8·5	—	2	18	111	1	—	2	9
ADMINISTRATIVE COUNTY.	328	1·25	130	0·50	17	19	8·1	53	14	85	371	2	5	9	33
URBAN DISTRICTS ..	190	1·49	76	0·60	13	8	9·0	23	5	45	246	1	5	7	24
Alford .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Barton upon Humber ..	5	0·79	4	0·63	—	1	9·9	—	—	1	18	—	—	—	—
Brigg .. ..	—	—	1	0·25	—	—	—	—	—	3	12	—	2	—	1
Cleethorpes ..	57	1·98	15	0·52	3	—	5·3	11	2	11	28	—	—	1	6
Crowle .. ..	1	0·35	5	1·76	—	—	—	—	—	—	2	—	—	—	—
Gainsborough ..	52	2·78	10	0·53	1	1	7·3	6	—	8	74	—	1	1	8
Horncastle ..	10	2·91	2	0·58	1	—	16·7	2	—	2	9	—	—	—	—
Louth M.B. ..	19	1·98	8	0·83	1	1	8·9	—	1	6	9	—	—	—	—
Mablethorpe and Sutton ..	4	1·12	1	0·28	—	—	—	—	—	—	1	—	—	—	—
Market Rasen ..	1	0·48	—	—	—	—	—	—	—	1	2	—	—	—	—
Roxby cum Risby	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scunthorpe and Frodingham ..	28	0·82	26	0·76	5	4	13·0	3	1	12	80	1	—	5	7
Skegness .. ..	8	1·01	—	—	1	—	8·8	1	1	—	3	—	—	—	2
Winterton ..	5	2·53	4	2·03	1	—	26·3	—	—	—	2	—	2	—	—
Woodhall Spa ..	—	—	—	—	—	1	111·1	—	—	1	6	—	—	—	—
RURAL DISTRICTS ..	138	1·03	54	0·40	4	11	7·1	30	9	40	125	1	—	2	9
Caistor .. ..	4	0·32	3	0·24	1	3	19·8	27	1	5	5	—	—	—	—
Gainsborough ..	23	1·66	3	0·22	—	—	—	2	1	5	27	—	—	—	2
Glanford Brigg ..	30	1·06	16	0·57	1	—	2·0	—	5	9	36	—	—	1	—
Grimsby .. ..	13	1·22	2	0·19	—	1	6·9	1	—	7	7	—	—	—	—
Horncastle ..	18	1·55	—	—	1	2	17·2	—	—	1	11	—	—	—	2
Isle of Axholme..	1	0·16	23	3·57	—	2	18·3	—	—	2	14	—	—	—	—
Louth .. ..	20	1·20	3	0·18	—	1	5·1	—	1	7	13	—	—	1	2
Sibsey .. ..	1	0·33	—	—	—	—	—	—	—	—	—	—	—	—	1
Spilsby .. ..	18	0·90	2	0·10	—	2	6·0	—	—	3	11	—	—	—	1
Welton .. ..	10	0·89	2	0·18	1	—	6·1	—	1	1	1	1	—	—	1



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Cases.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
<b>LONDON:</b>	12,106	2.77	8,490	1.95	293	828	15.4	1,452	189	2,310	6,888	178	53	40	
<b>CITY OF LONDON ..</b>	17	1.81	15	1.60	—	—	—	1	—	6	15	—	—	—	
Inner and Middle Temples ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<b>METROPOLITAN BOROUGHs:</b>															
Battersea ..	499	3.12	354	2.22	7	24	10.7	3	5	74	358	3	6	3	
Bermondsey ..	303	2.70	257	2.29	12	36	26.3	3	1	48	163	9	1	1	
Bethnal Green ..	428	3.92	322	2.95	7	15	16.7	144	3	97	184	6	1	1	
Camberwell ..	750	2.98	453	1.80	8	30	11.6	116	5	118	231	13	1	2	
Chelsea ..	94	1.64	79	1.38	—	7	6.8	—	2	22	129	—	1	—	
Deptford ..	418	3.90	261	2.43	5	16	15.2	37	2	57	109	1	1	—	
Finsbury ..	171	2.44	190	2.71	3	20	9.0	89	3	41	122	4	—	—	
Fulham ..	328	2.17	224	1.48	10	50	27.6	1	4	85	270	9	4	1	
Greenwich ..	256	2.57	282	2.83	6	15	11.2	9	12	64	134	1	2	1	
Hackney ..	497	2.29	404	1.86	6	67	17.9	43	7	99	187	8	—	2	
Hammersmith ..	279	2.07	227	1.68	5	31	18.0	49	1	49	140	9	—	2	
Hampstead ..	185	2.11	74	0.84	3	15	11.8	—	5	36	82	3	3	2	
Holborn ..	85	2.47	104	3.02	3	3	27.3	3	5	24	38	5	2	—	
Islington ..	1,093	3.37	714	2.20	45	67	26.2	66	16	177	485	10	4	1	
Kensington ..	415	2.38	256	1.47	8	62	33.1	2	20	62	252	8	—	1	
Lambeth ..	603	2.04	464	1.57	15	47	9.2	256	6	152	466	7	—	1	
Lewisham ..	654	2.96	376	1.70	21	30	16.5	7	10	71	284	6	2	2	
Paddington ..	377	2.69	271	1.93	12	31	20.0	—	10	70	344	4	2	—	
Poplar ..	583	3.73	387	2.48	17	23	17.8	101	5	99	603	8	5	4	
St. Marylebone ..	258	2.76	154	1.65	11	22	9.9	2	12	55	79	5	1	—	
St. Pancras ..	434	2.22	331	1.70	24	38	13.2	4	13	96	271	12	1	2	
Shoreditch ..	298	3.03	273	2.78	9	15	16.7	122	6	51	66	5	—	3	
Southwark ..	514	2.97	426	2.46	12	36	18.2	31	5	129	411	12	2	—	
Stepney ..	1,260	5.58	664	2.94	8	36	7.7	352	5	239	449	6	4	3	
Stoke Newington	104	2.02	58	1.13	5	14	36.8	1	2	30	41	2	—	—	
Wandsworth ..	669	1.89	434	1.23	18	22	11.7	5	9	134	563	8	4	6	
Westminster ..	176	1.52	156	1.35	4	15	11.4	2	10	44	48	4	—	1	
Woolwich ..	358	2.51	280	1.96	9	41	20.8	3	5	81	364	10	6	1	
<b>MIDDLESEX:</b>															
<b>ADMINISTRATIVE COUNTY.</b>	4,436	2.71	2,050	1.25	93	216	13.1	14	63	519	1,937	34	20	18	
<b>URBAN DISTRICTS ..</b>	4,348	2.74	1,991	1.25	88	207	12.9	14	62	509	1,891	33	19	16	
Acton M.B. ..	94	1.33	63	0.89	3	5	10.1	2	—	16	23	1	2	4	
Brentford and Chiswick ..	99	1.58	55	0.88	1	7	13.5	—	2	15	71	—	1	—	
Ealing M.B. ..	153	1.30	82	0.70	6	19	12.7	—	2	20	113	—	2	1	
Edmonton ..	455	5.85	127	1.63	5	12	7.3	4	2	31	99	1	—	1	
Enfield ..	308	4.51	266	3.90	3	2	5.8	—	7	18	93	—	1	—	
Feltham ..	22	1.39	27	1.71	—	2	6.8	—	—	—	6	1	—	—	
Finchley ..	241	4.10	42	0.71	—	1	1.8	—	3	15	35	1	—	1	
Friern Barnet ..	76	3.27	20	0.86	—	—	—	—	1	11	19	—	—	—	
Hampton ..	22	1.71	8	0.62	1	—	6.3	—	—	2	8	—	—	—	
Hampton Wick ..	6	2.03	4	1.36	—	—	—	—	—	—	6	—	—	—	
Harrow on the Hill	52	1.93	13	0.48	3	4	14.3	—	—	4	32	—	—	—	
Hayes and Harlington ..	98	4.09	13	0.54	1	3	8.9	—	—	3	19	—	1	—	
Hendon ..	265	2.32	193	1.69	9	28	21.3	1	4	25	77	4	—	2	
Heston and Isleworth ..	203	2.69	61	0.81	5	14	12.6	—	4	39	149	5	—	—	
Hornsey M.B. ..	246	2.57	116	1.21	7	10	17.9	—	1	29	84	—	1	2	

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever. Cases.	Pyrexia. Cases.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>MIDDLESEX—cont.</b>															
<b>URBAN DISTRICTS—cont.</b>															
Kingsbury ..	23	1·38	25	1·50	2	14	24·8	—	3	1	4	2	—	—	9
Ruislip Northwood	31	2·04	21	1·38	—	4	18·8	—	3	8	11	—	—	—	—
Southall Norwood	87	2·21	25	0·64	2	3	9·5	—	—	32	50	—	1	—	4
Southgate ..	98	1·77	28	0·50	1	7	16·4	—	4	12	67	—	—	—	—
Staines .. ..	52	2·45	21	0·99	2	1	8·8	—	—	5	6	1	1	—	1
<b>Sunbury-on-Thames</b>															
Teddington ..	42	3·15	47	3·53	—	1	4·3	—	—	2	15	—	—	—	1
Tottenham ..	69	2·95	10	0·43	—	2	6·2	—	—	3	25	1	—	—	1
Twickenham M.B.	570	3·58	220	1·38	7	12	11·1	5	6	71	259	4	4	—	24
Uxbridge ..	102	2·55	64	1·60	6	6	19·6	—	1	7	25	—	—	—	7
Weybridge ..	144	4·87	29	0·98	4	3	10·0	—	1	19	50	2	—	—	2
Wealdstone ..	77	2·84	21	0·78	4	6	22·4	—	—	13	33	—	1	—	1
Wembley ..	98	2·02	28	0·58	2	4	8·9	—	2	12	68	1	—	1	—
Willesden ..	467	2·52	310	1·67	14	30	20·5	2	15	77	392	8	4	2	41
Wood Green ..	97	1·78	39	0·72	—	7	11·6	—	1	18	42	1	—	1	3
Yiewsley and West Drayton ..	51	3·91	13	1·00	—	—	—	—	—	1	10	—	—	—	2
<b>RURAL DISTRICTS ..</b>															
Hendon ..	88	1·75	59	1·17	5	9	20·6	—	1	10	46	1	1	2	1
South Mimms ..	71	1·59	49	1·10	2	9	18·5	—	1	7	42	1	1	1	1
..	17	3·04	10	1·79	3	—	35·3	—	—	3	4	—	—	1	—
<b>NORFOLK:</b>															
..	637	1·27	312	0·62	13	82	11·6	24	41	136	346	14	16	7	37
<b>COUNTY BOROUGHS</b>															
Great Yarmouth	190	1·04	193	1·06	7	40	14·9	24	19	61	148	13	5	1	19
Norwich .. ..	30	0·53	78	1·38	1	3	4·5	—	4	11	47	—	1	—	1
..	160	1·27	115	0·91	6	37	18·9	24	15	50	101	13	4	1	18
<b>ADMINISTRATIVE COUNTY.</b>															
..	447	1·40	119	0·37	6	42	9·6	—	22	75	198	1	11	6	18
<b>URBAN DISTRICTS ..</b>															
Cromer .. ..	119	1·97	40	0·66	—	6	6·5	—	6	14	41	—	2	—	1
Diss .. ..	23	5·83	1	0·25	—	2	47·6	—	—	1	2	—	—	—	—
Downham Market	—	—	—	—	—	1	23·3	—	—	—	—	—	—	—	—
East Dereham ..	2	0·36	1	0·18	—	1	11·8	—	1	1	6	—	1	—	—
King's Lynn M.B.	60	2·93	28	1·37	—	1	2·7	—	2	5	23	—	—	—	1
New Hunstanton	—	—	2	0·67	—	—	—	—	—	2	—	—	—	—	—
North Walsham..	3	0·73	—	—	—	—	—	—	2	—	2	—	—	—	—
Sheringham ..	5	1·26	—	—	—	1	26·3	—	—	—	4	—	—	—	—
Swaffham ..	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Thetford M.B. ..	1	0·24	2	0·49	—	—	—	—	—	—	—	—	—	—	—
Walsoken ..	23	5·65	5	1·23	—	—	—	—	1	1	1	—	—	—	—
Wells .. ..	2	0·81	1	0·40	—	—	—	—	—	1	1	—	—	—	—
<b>RURAL DISTRICTS ..</b>															
Aylsham .. ..	328	1·27	79	0·30	6	36	10·3	—	16	61	157	1	9	6	17
Blofield .. ..	49	3·03	3	0·19	1	1	8·5	—	4	2	1	—	1	—	2
Depwade .. ..	56	3·85	3	0·21	2	1	14·7	—	3	4	11	—	—	—	3
Docking .. ..	39	2·21	5	0·28	—	2	8·0	—	—	5	13	—	—	—	1
Downham .. ..	14	0·89	2	0·13	—	2	7·2	—	1	1	19	—	1	1	2
East and West Flegg .. ..	2	0·13	10	0·64	—	—	—	—	—	3	13	—	—	—	—
Erpingham ..	10	1·00	4	0·40	—	4	21·7	—	—	2	—	—	—	—	—
Forehoe .. ..	6	0·36	5	0·30	—	3	12·3	—	1	3	4	—	—	—	1
Freebridge Lynn	18	1·40	6	0·47	1	2	13·6	—	—	2	5	1	—	—	—
Henstead ..	12	0·97	12	0·97	—	—	—	—	—	6	2	—	1	1	—
..	6	0·56	4	0·37	—	2	13·2	—	3	3	3	—	1	—	—



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>NORFOLK—<i>cont.</i></b>															
<b>RURAL DISTRICTS—<i>cont.</i></b>															
King's Lynn ..	3	3·20	-	-	-	-	-	-	-	-	3	-	-	-	-
Loddon and Claver-	2	0·17	3	0·25	-	2	10·8	-	2	3	21	-	-	-	-
ing ..	24	1·69	-	-	1	-	3·6	-	-	1	7	-	1	-	-
Marshland ..	9	0·53	-	-	-	8	30·8	-	1	8	11	-	-	-	1
Mitford and Laun-	19	1·34	1	0·07	1	2	14·1	-	1	6	5	-	1	-	-
ditch ..	7	0·51	-	-	-	1	5·6	-	-	3	3	-	-	-	2
St. Faith's ..	9	1·33	4	0·59	-	-	-	-	-	1	3	-	-	-	-
Smallburgh ..	5	0·54	1	0·11	-	1	5·3	-	-	1	-	-	-	-	-
Swaffham ..	2	0·13	5	0·32	-	5	20·5	-	-	5	18	-	2	-	1
Thetford ..	36	2·75	11	0·84	-	-	-	-	-	2	15	-	1	-	-
Walsingham ..															
Wayland ..															
<b>NORTHAMPTON-</b>															
<b>SHIRE :</b>															
652	2·10	238	0·77	22	26	11·2	13	24	118	343	1	5	4		
<b>COUNTY BOROUGH</b>															
Northampton ..	165	1·78	83	0·89	10	9	14·0	8	9	42	143	-	1	2	
<b>ADMINISTRATIVE</b>															
<b>COUNTY.</b>															
487	2·23	155	0·71	12	17	9·9	5	15	76	200	1	4	2		
<b>URBAN DISTRICTS ..</b>															
352	3·39	90	0·87	3	6	6·4	5	8	42	121	1	2	2		
Brackley M.B. ..	-	-	1	0·43	-	-	-	-	-	5	-	-	-	-	-
Burton Latimer ..	19	5·30	5	1·39	-	1	25·6	-	3	2	12	-	-	-	-
Daventry M.B. ..	-	-	1	0·28	-	1	20·4	-	-	1	-	1	-	-	1
Desborough ..	42	9·44	7	1·57	-	-	-	3	-	3	1	-	-	-	-
Finedon ..	2	0·48	19	4·59	1	2	42·3	-	-	3	10	-	-	-	-
<b>Higham Ferrers</b>															
M.B. ..	6	2·03	1	0·34	-	-	-	-	-	-	2	-	-	-	-
Irthlingborough	9	1·89	2	0·42	-	-	-	-	1	2	1	-	-	-	-
Kettering ..	125	3·99	21	0·67	2	-	3·9	-	2	12	31	-	1	-	1
Oundle ..	7	2·62	-	-	-	-	-	-	-	-	1	-	-	-	-
Raunds ..	6	1·63	-	-	-	-	-	-	-	2	1	-	-	-	-
<b>Rothwell</b>															
42	9·29	8	1·77	-	-	-	-	2	-	1	2	-	-	-	-
<b>Rushden</b>															
54	3·78	6	0·42	-	1	5·4	-	-	1	6	46	-	1	-	-
<b>Wellingborough..</b>															
40	1·85	19	0·88	-	1	3·8	-	-	1	10	9	-	-	-	-
<b>RURAL DISTRICTS ..</b>															
135	1·18	65	0·57	9	11	13·0	-	7	34	79	-	-	2	-	-
Brackley ..	1	0·16	1	0·16	2	1	37·0	-	-	1	1	-	-	-	-
Brixworth ..	10	0·85	3	0·25	1	2	19·4	-	-	2	7	-	1	-	-
Crick ..	1	0·42	-	-	-	-	-	-	-	1	-	-	-	-	-
Daventry ..	11	0·81	7	0·52	1	1	11·0	-	-	3	14	-	-	-	-
Easton-on-the-Hill	1	0·69	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Gretton ..</b>															
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Hardingstone ..</b>															
8	1·10	7	0·96	1	-	11·9	-	-	-	1	3	-	-	-	-
<b>Kettering ..</b>															
36	3·74	2	0·21	2	2	32·0	-	-	-	3	5	-	-	-	-
<b>Middleton Cheney</b>															
-	-	1	0·43	-	1	34·5	-	-	-	-	1	-	-	-	-
<b>Northampton ..</b>															
11	0·96	16	1·40	-	-	-	-	4	2	10	-	-	-	-	-
<b>Oundle (part of)</b>															
3	0·49	-	-	-	-	-	-	-	2	2	2	-	1	-	-
<b>Oxendon ..</b>															
6	1·45	4	0·97	-	-	-	-	-	1	1	1	-	-	-	-
<b>Potterspury ..</b>															
1	0·22	1	0·22	-	1	15·9	-	-	-	-	8	-	-	-	-
<b>Thrapston (part of)</b>															
8	0·80	6	0·60	1	1	14·0	-	-	-	4	9	-	-	-	-
<b>Towcester ..</b>															
9	0·97	9	0·97	1	1	16·4	-	-	-	5	16	-	-	-	-
<b>Wellingborough</b>															
29	2·27	8	0·63	-	1	5·6	-	-	-	9	2	-	-	-	-

\* The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire. The figures for the entire Districts are as follows :—

Oundle R.D. ..	3	0·42	1	0·14	-	-	-	-	2	2	2	-	1	-	-
Thrapston R.D. ..	8	0·75	6	0·56	1	2	19·6	-	-	5	9	-	-	-	-

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Cases.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
THURBER- AND .. ..	2,052	2.71	355	0.47	55	178	16.1	1	54	439	1,948	96	4	8	98
NTY BOROUGH	1,162	3.34	164	0.47	42	147	24.2	1	23	274	1,220	67	1	3	73
ewcastle upon															
Tyne .. ..	1,108	3.91	118	0.42	38	135	27.0	—	20	236	1,105	59	1	3	65
ynemouth ..	54	0.83	46	0.71	4	12	11.5	1	3	38	115	8	—	—	8
MINISTRATIVE COUNTY.	890	2.18	191	0.47	13	31	6.6	—	31	165	728	29	3	5	25
AN DISTRICTS ..	549	1.79	152	0.50	13	25	7.2	—	15	138	647	26	3	5	22
lnwick .. ..	2	0.29	1	0.15	—	—	—	—	—	2	1	—	—	—	—
ble .. ..	—	—	—	—	1	—	11.4	—	—	4	—	—	—	—	—
hington .. ..	40	1.35	11	0.37	1	6	12.1	—	4	23	32	4	—	1	3
edlingtonshire	34	1.23	5	0.18	2	1	5.8	—	1	15	146	2	—	—	—
erwick upon															
Tweed M.B. ..	10	0.83	9	0.75	—	2	9.3	—	—	4	6	1	—	—	—
lyth M.B. ..	57	1.79	20	0.63	—	1	1.7	—	2	16	114	—	—	—	3
ramlington ..	22	2.65	2	0.24	—	1	6.5	—	—	2	12	2	—	—	—
arson .. ..	54	4.07	4	0.30	1	1	7.7	—	—	2	7	1	—	1	2
osforth .. ..	53	2.94	4	0.22	3	—	15.2	—	3	5	6	—	—	—	1
lexham .. ..	12	1.36	5	0.57	—	—	—	—	—	2	13	1	—	—	—
ongbenton ..	12	0.85	2	0.14	—	2	10.6	—	—	2	30	2	—	—	—
Morpeth M.B.	—	—	—	—	1	—	7.6	—	—	10	4	—	—	—	2
ewbiggin by the															
Sea .. ..	8	1.15	4	0.58	—	—	—	—	—	4	13	1	2	—	—
ewburn .. ..	25	1.27	2	0.10	1	1	6.3	—	2	8	44	—	—	2	—
rudhoe .. ..	7	0.75	20	2.13	—	—	—	—	—	5	13	—	—	—	—
Rothbury ..	4	3.31	—	—	—	—	—	—	—	1	1	—	—	—	—
eaton Delaval	36	4.83	2	0.27	—	—	—	—	—	2	47	—	—	—	1
eghill .. ..	—	—	3	1.15	—	—	—	—	—	—	15	—	—	—	—
Wallsend M.B. ..	101	2.25	45	1.00	1	6	7.1	—	3	22	98	11	1	1	8
Veetslade ..	18	2.31	3	0.38	1	3	29.4	—	—	3	6	—	—	—	1
Whitley and Monk- seaton .. ..	54	2.26	10	0.42	1	1	8.7	—	—	6	39	1	—	—	1
RAL DISTRICTS ..	341	3.35	39	0.38	—	6	4.3	—	16	27	81	3	—	—	3
lnwick .. ..	8	0.65	1	0.08	—	1	5.6	—	—	1	—	—	—	—	—
Belford .. ..	1	0.23	1	0.23	—	1	16.9	—	1	1	5	—	—	—	—
Bellingham ..	8	1.57	2	0.39	—	1	12.2	—	—	1	14	—	—	—	—
astle Ward ..	215	15.43	13	0.93	—	1	6.0	—	3	4	15	2	—	—	—
Glendale .. ..	31	3.91	—	—	—	—	—	—	—	—	6	—	—	—	—
Haltwhistle ..	1	0.11	2	0.23	—	—	—	—	—	3	1	1	—	—	—
Hexham .. ..	29	1.40	9	0.43	—	1	3.9	—	3	8	24	—	—	—	3
Morpeth .. ..	29	1.51	2	0.10	—	—	—	—	9	3	6	—	—	—	—
Newcastle upon Tyne (Moot Hall and Precincts)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Island- shires .. ..	14	2.85	5	1.02	—	1	12.7	—	—	3	3	—	—	—	—
Rothbury ..	5	1.13	4	0.91	—	—	—	—	—	3	7	—	—	—	—
TTINGHAM- SHIRE :	1,386	1.93	643	0.89	33	81	8.9	4	48	285	1,110	148	5	4	67
COUNTY BOROUGH															
Nottingham ..	578	2.13	269	0.99	18	30	9.4	1	12	131	543	10	5	1	21
MINISTRATIVE COUNTY.	808	1.80	374	0.84	15	51	8.5	3	36	154	567	138	—	3	46
RAN DISTRICTS ..	476	1.74	253	0.93	3	30	7.0	—	20	100	351	92	—	2	34
Arnold .. ..	7	0.48	6	0.41	—	—	—	—	—	2	6	—	—	—	—
Beeston .. ..	41	2.53	21	1.30	—	1	3.3	—	—	3	12	—	—	—	—
Carlton .. ..	31	1.36	60	2.64	—	1	2.6	—	—	8	49	—	—	—	6
East Retford M.B.	28	1.96	32	2.24	1	1	7.1	—	—	19	27	—	—	—	1
Eastwood ..	5	0.92	—	—	—	2	22.2	—	—	—	8	—	—	—	1



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>NOTTINGHAM-SHIRE—<i>cont.</i></b>															
<b>URBAN DISTRICTS—<i>cont.</i></b>															
Hucknall.. ..	57	3·25	40	2·28	—	4	13·7	—	—	12	65	3	—	—	—
Huthwaite ..	—	—	1	0·19	—	—	—	—	1	5	7	2	—	—	—
Kirkby in Ashfield	52	2·89	10	0·56	1	4	13·7	—	—	8	41	4	—	—	—
Mansfield M.B. ..	93	2·01	23	0·50	—	8	10·2	—	2	14	57	42	—	1	—
Mansfield Wood house .. ..	16	1·16	14	1·01	—	—	—	—	—	5	4	15	—	—	—
Newark M.B. ..	16	0·89	5	0·28	1	1	6·1	—	12	3	6	—	—	—	1
Sutton in Ashfield	80	3·15	21	0·83	—	2	4·9	—	2	8	21	12	—	—	—
Warsop .. ..	5	0·46	1	0·09	—	1	4·1	—	3	3	8	7	—	—	—
West Bridgford ..	30	1·68	5	0·28	—	1	6·3	—	—	2	15	—	—	—	—
Worksop M.B. ..	15	0·56	14	0·52	—	4	7·8	—	—	8	25	7	—	—	—
<b>RURAL DISTRICTS ..</b>															
Basford .. ..	153	2·91	71	1·35	3	7	11·6	1	1	16	71	4	—	—	1
Bingham .. ..	26	1·69	11	0·71	1	—	5·3	—	1	3	23	—	—	—	—
East Retford ..	10	0·64	5	0·32	1	2	14·7	—	—	1	25	1	—	—	—
Leake .. ..	12	2·69	—	—	—	—	—	1	—	1	2	—	—	—	—
Misterton .. ..	1	0·25	—	—	—	—	—	—	—	1	—	—	—	—	—
Newark .. ..	2	0·21	2	0·21	—	1	6·9	—	10	4	—	—	—	—	1
Nottingham (Shire Hall) .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skegby .. ..	24	1·81	1	0·08	—	2	6·8	1	—	3	16	15	—	—	—
Southwell .. ..	57	1·76	12	0·37	2	7	14·7	—	3	8	40	12	—	—	—
Stapleford .. ..	15	1·14	12	0·91	—	1	3·8	—	—	15	12	—	—	—	—
Worksop .. ..	32	2·17	7	0·48	5	1	17·8	—	1	2	27	14	—	—	—
<b>OXFORDSHIRE:</b>															
261	1·25	133	0·64	12	59	21·6	—	—	4	53	122	2	—	—	2
<b>COUNTY BOROUGH</b>															
Oxford .. ..	87	1·08	87	1·08	8	44	35·0	—	2	28	56	2	—	—	1
<b>ADMINISTRATIVE COUNTY.</b>															
174	1·36	46	0·36	4	15	10·5	—	—	2	25	66	—	—	—	1
<b>URBAN DISTRICTS ..</b>															
Banbury M.B. ..	20	1·44	10	0·72	1	—	4·6	—	—	2	4	—	—	—	—
Bicester .. ..	—	—	1	0·33	—	2	32·8	—	1	—	1	—	—	—	—
Chipping Norton M.B. .. ..	—	—	1	0·29	—	—	—	—	—	1	3	—	—	—	—
Henley-on-Thames	14	2·14	1	0·15	—	1	9·6	—	1	1	—	—	—	—	—
Thame .. ..	2	0·64	—	—	1	—	14·3	—	—	—	—	—	—	—	—
Wheatley .. ..	4	3·18	1	0·80	—	—	—	—	—	—	—	—	—	—	—
Witney .. ..	—	—	—	—	—	1	34·5	—	—	—	—	—	—	—	—
Woodstock M.B.	4	2·70	2	1·35	—	—	—	—	—	1	—	—	—	—	—
<b>RURAL DISTRICTS ..</b>															
130	1·42	30	0·33	2	11	10·8	—	—	—	20	58	—	—	—	1
Banbury .. ..	25	2·32	6	0·56	—	2	15·5	—	—	1	2	—	—	—	—
Bicester .. ..	12	1·36	1	0·11	1	2	23·1	—	—	3	8	—	—	—	—
Chipping Norton	2	0·20	4	0·39	—	2	19·8	—	—	1	1	—	—	—	—
Crowmarsh .. ..	2	0·40	—	—	—	—	—	—	—	—	9	—	—	—	—
Culham .. ..	5	1·84	2	0·74	—	—	—	—	—	1	1	—	—	—	—
Goring .. ..	4	1·19	—	—	—	1	45·5	—	—	1	7	—	—	—	—
Headington .. ..	3	0·46	3	0·46	—	1	12·3	—	—	—	8	—	—	—	—
Henley .. ..	44	3·71	3	0·25	—	1	6·5	—	—	1	8	—	—	—	—
Thame .. ..	14	2·56	2	0·37	—	—	—	—	—	—	1	—	—	—	—
Witney .. ..	14	0·83	8	0·47	1	2	11·7	—	—	2	8	—	—	—	1
Woodstock .. ..	5	0·50	1	0·10	—	—	—	—	—	10	5	—	—	—	—

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Polio-myelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever. Cases.	Pyrexia. Cases.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>PETERBOROUGH, SOKE OF :</b>															
ADMINISTRATIVE COUNTY.	65	1·26	13	0·25	3	6	10·9	23	3	19	71	1	—	2	2
URBAN DISTRICT : Peterborough M.B.	58	1·33	13	0·30	3	5	11·6	23	3	18	67	1	—	1	2
RURAL DISTRICTS ..	7	0·87	—	—	—	1	7·5	—	—	1	4	—	—	1	—
Barnack ..	5	2·44	—	—	—	—	—	—	—	—	—	—	—	—	—
Peterborough ..	2	0·34	—	—	—	1	9·3	—	—	1	4	—	—	1	—
<b>NOTTINGHAMSHIRE :</b>															
ADMINISTRATIVE COUNTY.	19	1·06	7	0·39	—	3	11·5	—	2	4	9	—	—	1	—
URBAN DISTRICT : Oakham ..	2	0·60	—	—	—	3	65·2	—	—	3	2	—	—	1	—
RURAL DISTRICTS ..	17	1·16	7	0·48	—	—	—	—	2	1	7	—	—	—	—
Ketton ..	1	0·36	5	1·82	—	—	—	—	—	—	—	—	—	—	—
Oakham ..	7	1·15	1	0·16	—	—	—	—	2	1	3	—	—	—	—
Uppingham ..	9	1·56	1	0·17	—	—	—	—	—	—	4	—	—	—	—
<b>SHERESSHAMSHIRE :</b>															
ADMINISTRATIVE COUNTY.	378	1·55	399	1·64	16	44	14·7	—	16	48	159	3	3	1	31
URBAN DISTRICTS ..	170	1·48	188	1·63	6	15	10·9	—	6	22	51	2	3	1	11
Bishop's Castle M.B. ..	3	2·23	—	—	—	—	—	—	—	—	—	—	1	—	—
Bridgnorth M.B. ..	30	5·90	—	—	2	2	36·7	—	3	—	10	—	—	—	—
Church Stretton ..	6	3·74	—	—	—	1	76·9	—	—	—	1	—	—	—	—
Dawley ..	2	0·27	47	6·38	1	1	17·9	—	—	—	2	—	—	—	2
Ellesmere ..	5	2·68	2	1·07	—	—	—	—	—	1	1	—	—	—	—
Ludlow M.B. ..	17	2·99	23	4·05	—	—	—	—	1	2	4	1	—	1	—
Market Drayton ..	13	2·76	3	0·64	—	—	—	—	—	—	1	—	—	—	—
Newport ..	—	—	2	0·58	1	1	24·7	—	—	2	6	—	—	—	1
Oakengates ..	9	0·80	38	3·38	—	1	6·0	—	—	—	—	—	—	—	3
Oswestry M.B. ..	2	0·20	18	1·84	—	1	6·3	—	2	—	6	—	—	—	—
Shrewsbury M.B. ..	74	2·31	12	0·37	2	8	17·3	—	—	12	8	1	1	—	1
Wellington ..	4	0·46	32	3·66	—	—	—	—	—	1	5	—	—	—	2
Wem ..	1	0·47	—	—	—	—	—	—	—	—	—	—	—	—	—
Wenlock M.B. ..	4	0·29	6	0·43	—	—	—	—	—	4	—	—	—	—	2
Whitchurch ..	—	—	5	0·84	—	—	—	—	—	—	7	—	—	—	—
RURAL DISTRICTS ..	208	1·62	211	1·64	10	29	18·2	—	10	26	108	1	—	—	20
Atcham ..	51	2·26	17	0·75	2	5	16·1	—	5	4	14	—	—	—	4
Bridgnorth ..	10	1·22	4	0·49	—	1	7·4	—	—	1	5	—	—	—	—
Burford ..	1	0·87	—	—	—	1	62·5	—	—	—	—	—	—	—	—
Chirbury ..	10	3·28	—	—	1	1	50·0	—	—	2	2	—	—	—	1
Church Stretton ..	10	2·25	8	1·80	—	—	—	—	—	1	—	—	—	—	—
Cleobury Mortimer ..	35	5·06	19	2·75	—	2	15·0	—	1	1	12	—	—	—	—
Clun ..	2	0·34	—	—	—	—	—	—	—	1	—	—	—	—	1
Drayton ..	13	1·76	8	1·08	—	3	27·0	—	1	2	7	—	—	—	—
Ellesmere ..	28	3·73	5	0·67	—	3	22·7	—	—	1	4	—	—	—	1
Ludlow ..	9	1·04	9	1·04	—	1	7·3	—	—	3	6	—	—	—	1



TABLE 29—contd.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>SHROPSHIRE</b>															
—cont.															
<b>RURAL DISTRICTS—</b>															
cont.															
Newport ..	4	0.73	—	—	—	—	—	—	—	—	13	—	—	—	—
Oswestry..	8	0.49	31	1.91	3	2	18.2	—	—	4	13	—	—	—	—
Shifnal ..	4	0.52	40	5.23	—	4	28.4	—	3	3	3	1	—	—	—
Teme ..	1	0.65	—	—	1	1	83.3	—	—	—	1	—	—	—	—
Wellington ..	10	0.89	38	3.40	2	2	21.4	—	—	2	11	—	—	—	—
Wem ..	10	1.18	8	0.94	1	2	24.2	—	—	—	13	—	—	—	—
Whitchurch ..	2	0.96	24	11.49	—	1	41.7	—	—	1	4	—	—	—	—
<b>SOMERSETSHIRE:</b>															
COUNTY BOROUGH	553	1.17	324	0.69	15	79	14.1	—	13	138	501	4	4	17	—
Bath ..	112	1.64	42	0.62	1	21	24.8	—	—	23	46	1	—	4	—
ADMINISTRATIVE COUNTY.	441	1.09	282	0.70	14	58	12.5	—	13	115	455	3	4	13	—
URBAN DISTRICTS ..	205	1.18	160	0.92	6	23	11.6	—	5	40	191	2	2	5	—
Bridgwater M.B.	25	1.46	—	—	—	3	7.9	—	—	2	29	—	1	—	—
Burnham on Sea	3	0.59	1	0.20	—	—	—	—	1	1	4	—	—	—	—
Chard M.B. ..	—	—	—	—	—	—	—	—	—	1	5	—	—	—	—
Clevedon ..	—	—	2	0.30	—	—	—	—	—	—	8	—	—	—	—
Crewkerne ..	—	—	1	0.29	—	1	23.3	—	—	—	6	—	—	—	—
Frome ..	24	2.27	32	3.02	1	2	22.1	—	1	8	1	1	—	—	1
Glastonbury M.B.	4	0.89	—	—	—	—	—	—	—	1	7	—	1	—	—
Highbridge ..	1	0.39	14	5.48	—	—	—	—	—	—	1	—	—	—	—
Ilminster..	9	3.96	1	0.44	—	—	—	—	—	—	4	—	—	—	1
Midsomer Norton	10	1.29	8	1.04	—	2	17.5	—	—	—	19	—	—	—	—
Minehead ..	6	0.99	—	—	1	—	11.6	—	—	1	—	—	—	—	—
Portishead ..	1	0.26	—	—	—	1	24.4	—	—	—	5	—	—	—	—
Radstock ..	7	1.94	3	0.83	—	—	—	—	—	1	1	—	—	—	—
Shepton Mallet	3	0.73	3	0.73	—	1	16.9	—	1	1	8	—	—	—	1
Street ..	2	0.45	4	0.90	1	—	18.9	—	—	—	8	—	—	—	—
Taunton M.B. ..	33	1.30	14	0.55	—	7	19.9	—	—	7	11	—	—	—	2
Watchet ..	—	—	—	—	1	—	29.4	—	—	—	—	—	—	—	—
Wellington ..	50	6.82	1	0.14	—	—	—	—	—	1	6	—	—	—	—
Wells M.B. ..	1	0.21	—	—	—	1	11.9	—	—	1	6	—	—	—	—
Weston super Mare	25	0.92	62	2.27	2	1	11.0	—	—	10	22	1	—	—	—
Wiveliscombe ..	1	0.80	2	1.59	—	—	—	—	—	—	—	—	—	—	—
Yeovil M.B. ..	—	—	12	0.63	—	4	11.7	—	2	5	40	—	—	—	—
<b>RURAL DISTRICTS ..</b>															
Axbridge..	43	1.72	26	1.04	2	2	11.0	—	3	18	38	—	—	—	1
Bath ..	18	1.27	11	0.78	1	1	10.8	—	—	5	1	—	—	—	3
Bridgwater ..	12	0.71	2	0.12	—	2	8.3	—	—	1	17	—	—	—	—
Chard ..	4	0.34	4	0.34	—	2	10.7	—	—	3	21	—	—	—	1
Clutton ..	19	1.23	4	0.26	1	2	10.6	—	—	2	26	—	—	—	—
Dulverton ..	2	0.44	—	—	—	2	35.1	—	—	—	14	—	—	—	—
Frome ..	10	0.96	4	0.38	—	1	6.1	—	—	6	9	—	1	—	—
Keynsham ..	10	0.80	9	0.72	—	6	37.5	—	1	6	21	—	—	—	1
Langport ..	2	0.16	6	0.48	1	2	18.4	—	1	2	8	—	—	—	1
Long Ashton ..	15	0.74	9	0.45	—	1	4.1	—	—	6	10	—	—	—	—
Shepton Mallet ..	20	2.18	1	0.11	1	3	24.4	—	1	2	10	—	—	—	—
Taunton ..	14	0.82	3	0.18	—	5	23.4	—	2	7	20	—	—	—	1
Wellington ..	8	1.39	5	0.87	—	—	—	—	—	—	1	1	—	—	—
Wells ..	5	0.50	11	1.10	—	1	6.1	—	—	—	24	—	—	—	—
Williton ..	4	0.33	2	0.16	2	1	19.9	—	—	2	1	—	—	—	—
Wincanton ..	44	2.75	7	0.44	—	2	9.7	—	—	7	27	—	—	—	—
Yeovil ..	6	0.37	18	1.10	—	2	8.1	—	—	8	16	—	1	—	—

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
THAMPTON:	1,627	1·71	985	1·04	42	125	9·8	—	36	266	453	26	3	27	93
NTY BOROUGH	946	1·85	636	1·24	24	62	9·3	—	21	148	163	13	3	17	58
ournemouth ..	160	1·50	76	0·71	5	9	10·1	—	3	24	41	—	—	8	1
ortsmouth ..	601	2·63	345	1·51	8	22	6·5	—	11	72	33	11	1	6	20
outhampton ..	185	1·05	215	1·22	11	31	13·2	—	7	52	89	2	2	3	37
MINISTRATIVE OUNTY.	681	1·55	349	0·79	18	63	10·4	—	15	118	290	13	—	10	35
BAN DISTRICTS ..	299	1·56	201	1·05	10	20	7·5	—	8	68	132	7	—	6	17
ldershot M.B. ..	57	2·51	18	0·79	—	3	3·2	—	—	6	3	4	—	1	—
lton .. ..	5	0·84	4	0·67	—	—	—	—	—	2	2	—	—	—	1
andover M.B. ..	5	0·52	56	5·85	1	1	10·6	—	—	2	8	—	—	1	1
asingstoke M.B.	14	1·02	1	0·07	—	1	4·1	—	—	4	5	—	—	—	1
hristchurch M.B.	8	0·89	4	0·45	—	2	13·2	—	—	—	4	—	—	—	—
Castleigh and Bishopstoke ..	19	1·03	8	0·44	1	1	6·0	—	—	9	13	—	—	—	—
areham .. ..	26	2·25	41	3·55	1	—	5·8	—	2	10	11	—	—	—	1
arnborough ..	9	0·74	1	0·08	—	2	10·0	—	1	2	—	1	—	—	3
leet .. ..	—	—	—	—	1	1	29·4	—	—	2	4	—	—	—	—
osport M.B. ..	98	2·94	17	0·51	2	2	5·6	—	—	14	41	1	—	3	3
Havant .. ..	8	1·91	1	0·24	—	—	—	—	—	—	—	—	—	—	—
ymington M.B.	2	0·40	42	8·39	—	—	—	—	1	—	1	—	—	—	1
ilton .. ..	3	0·58	—	—	—	1	12·5	—	—	1	—	—	—	—	—
Petersfield ..	10	2·25	1	0·23	—	—	—	—	2	8	5	—	—	1	1
Romsey M.B. ..	7	1·43	1	0·20	—	—	—	—	—	—	3	—	—	—	—
Varblington ..	3	0·70	1	0·23	—	1	14·5	—	—	—	—	1	—	—	—
Winchester M.B.	25	1·09	5	0·22	4	5	19·6	—	2	8	32	—	—	—	5
RAL DISTRICTS ..	382	1·54	148	0·60	8	43	13·4	—	7	50	158	6	—	4	18
Alresford ..	6	0·85	2	0·28	—	1	10·5	—	—	—	5	—	—	—	—
Alton .. ..	20	1·28	6	0·38	—	3	12·9	—	—	1	7	—	—	1	—
Andover .. ..	24	2·02	10	0·84	—	3	9·3	—	—	1	—	—	—	—	4
asingstoke ..	34	2·27	8	0·53	1	3	18·2	—	—	2	9	—	—	—	—
atherington ..	12	1·81	6	0·91	—	—	—	—	—	1	—	—	—	—	—
Christchurch ..	10	1·70	1	0·17	—	—	—	—	—	1	1	—	—	1	—
roxford .. ..	23	1·70	4	0·30	—	1	4·5	—	1	7	32	—	—	—	1
areham .. ..	51	3·16	14	0·87	4	2	22·2	—	—	4	35	1	—	—	—
Fordingbridge ..	11	1·73	9	1·41	1	—	13·9	—	—	1	12	—	—	—	—
Hartley Wintney	13	0·60	2	0·09	—	2	7·2	—	2	5	1	3	—	—	2
Havant .. ..	46	4·06	4	0·35	—	4	28·0	—	1	2	2	2	—	—	—
Hursley .. ..	6	0·94	1	0·16	—	1	11·6	—	—	1	4	—	—	—	—
Kingsclere ..	9	1·06	—	—	—	—	—	—	—	1	—	—	—	1	1
ymington ..	2	0·17	10	0·87	—	1	5·5	—	—	1	2	—	—	—	—
New Forest ..	26	1·12	16	0·69	2	4	13·4	—	—	—	15	—	—	—	—
Petersfield ..	8	0·70	3	0·26	—	4	14·1	—	2	2	4	—	—	1	2
Ringwood ..	34	4·13	22	2·67	—	1	8·3	—	—	2	—	—	—	—	—
Romsey .. ..	8	1·02	3	0·38	—	2	16·7	—	—	1	1	—	—	—	2
South Stoneham	18	1·21	8	0·54	—	3	12·9	—	—	3	3	—	—	—	—
Stockbridge ..	2	0·33	5	0·82	—	4	54·1	—	—	5	1	—	—	—	4
Whitchurch ..	5	0·78	13	2·03	—	3	35·3	—	1	3	13	—	—	—	—
Winchester ..	14	1·09	1	0·08	—	1	6·1	—	—	6	11	—	—	—	—
AFFORDSHIRE :	1,966	1·36	1,502	1·04	78	212	10·6	3	24	540	2,893	18	13	22	362
OUNTY BOROUGH	958	1·30	780	1·06	44	114	10·9	3	12	301	1,574	8	5	12	245
Burton upon Trent .. ..	77	1·54	41	0·82	1	11	14·0	1	3	16	67	1	—	2	13
Smethwick ..	140	1·64	211	2·47	4	16	16·4	—	2	25	173	—	1	—	18
Stoke on Trent ..	157	0·56	210	0·75	24	25	8·7	2	3	111	860	3	3	5	117
Walsall .. ..	144	1·38	122	1·17	3	15	8·4	—	—	26	153	2	—	1	20
West Bromwich ..	235	2·86	52	0·63	3	11	7·2	—	2	82	180	2	1	1	11
Wolverhampton	205	1·53	144	1·07	9	36	16·4	—	2	41	141	—	—	3	66
ADMINISTRATIVE COUNTY.	1,008	1·42	722	1·02	34	98	10·2	—	12	239	1,319	10	8	10	117



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>STAFFORDSHIRE</b>															
<i>—cont.</i>															
<b>URBAN DISTRICTS ..</b>	620	1.25	484	0.98	19	73	9.8	—	8	162	991	7	5	9	—
Amblecote ..	1	0.32	4	1.30	—	—	—	—	—	—	2	—	—	—	—
Audley ..	16	1.17	17	1.24	1	6	32.4	—	—	11	40	—	1	—	—
Biddulph ..	15	1.79	21	2.51	—	3	18.0	—	3	2	29	—	1	—	—
Bilston ..	16	0.50	28	0.88	1	7	11.0	—	—	14	101	—	—	—	—
Brierley Hill ..	5	0.34	23	1.58	—	—	—	—	—	1	21	—	—	—	—
Brownhills ..	18	0.97	18	0.97	2	3	14.5	—	—	4	37	—	1	—	1
Cannock ..	27	0.77	17	0.49	3	2	7.2	—	—	14	28	1	—	—	—
Coseley ..	29	1.14	15	0.59	—	2	4.1	—	—	2	26	2	—	—	—
Darlaston ..	27	1.35	16	0.80	—	3	7.5	—	—	3	55	—	—	1	—
Kids Grove ..	3	0.30	16	1.59	—	2	11.0	—	—	4	20	—	—	—	1
Leek ..	22	1.17	44	2.35	—	5	17.5	—	—	7	18	—	—	—	—
Lichfield M.B. ..	7	0.82	4	0.47	—	—	—	—	—	2	8	—	1	—	—
Newcastle under Lyme M.B. ..	6	0.26	46	1.96	—	1	2.2	—	1	1	25	1	—	—	—
Quarry Bank ..	10	1.22	9	1.09	—	—	—	—	—	—	17	—	—	—	1
Rowley Regis ..	71	1.70	33	0.79	—	6	8.6	—	—	13	134	—	—	—	3
Rugeley ..	16	3.02	21	3.97	1	—	8.8	—	—	2	9	—	—	—	—
Sedgley ..	18	0.92	18	0.92	3	2	10.2	—	—	7	85	—	—	—	—
Short Heath ..	14	2.72	1	0.19	1	1	21.7	—	—	1	3	—	—	—	—
Stafford M.B. ..	28	0.95	19	0.65	—	7	17.7	—	3	6	34	1	1	—	—
Stone ..	7	1.17	4	0.67	—	—	—	—	1	2	2	—	—	—	—
Tamworth M.B. ...	25	3.30	1	0.13	—	—	—	—	—	1	18	—	—	—	1
Tettenhall ..	2	0.35	30	5.20	—	—	—	—	—	7	5	1	—	—	—
Tipton ..	120	3.31	32	0.88	1	8	9.9	—	—	20	126	—	—	—	—
Uttoxeter ..	3	0.51	—	—	—	—	—	—	—	1	4	—	—	—	—
Wednesbury M.B.	45	1.41	11	0.34	3	4	11.4	—	—	15	69	1	—	—	1
Wednesfield ..	16	1.69	2	0.21	—	4	23.4	—	—	2	9	—	—	—	—
Willenhall ..	39	1.82	20	0.93	1	6	16.4	—	—	12	41	—	—	—	—
Wolstanton United	14	0.45	14	0.45	2	1	5.9	—	—	8	25	—	—	—	—
<b>RURAL DISTRICTS ..</b>	388	1.82	238	1.12	15	25	11.3	—	4	77	328	3	3	1	—
Blore Heath ..	2	0.76	—	—	—	—	—	—	—	—	2	—	—	—	—
Cannock ..	21	1.00	27	1.29	3	1	10.1	—	—	9	28	—	—	—	—
Cheadle ..	157	5.64	18	0.65	3	6	19.0	—	—	19	102	—	1	—	1
Gnosall ..	5	1.06	—	—	—	—	—	—	—	—	11	—	—	—	—
Kingswinford ..	26	1.13	53	2.31	2	2	8.6	—	—	9	19	—	—	—	—
Leek ..	16	1.06	6	0.40	—	2	8.2	—	1	2	13	—	—	—	—
Lichfield ..	26	0.91	53	1.86	1	4	10.9	—	2	12	58	2	1	—	—
Mayfield ..	1	0.27	2	0.54	—	1	23.8	—	—	—	2	—	—	—	—
Newcastle under Lyme ..	1	0.16	—	—	—	2	23.8	—	—	2	3	—	—	—	—
Seisdon ..	14	0.78	15	0.84	3	1	16.3	—	—	7	16	—	—	—	—
Stafford ..	27	2.79	21	2.17	—	2	12.1	—	—	1	8	—	—	—	—
Stone ..	13	1.04	1	0.08	—	2	10.8	—	—	5	7	—	1	—	—
Tamworth (pt. of)*	29	3.94	12	1.63	1	1	13.7	—	—	2	20	—	—	—	—
Tutbury ..	8	0.86	3	0.32	1	—	7.3	—	1	2	9	—	—	—	—
Uttoxeter ..	17	2.18	6	0.77	—	—	—	—	—	1	3	1	—	—	—
Walsall ..	24	1.57	21	1.37	1	1	7.6	—	—	6	27	—	—	—	—
Civil Parishes of Blymhill and Weston under Lizard administered by R.D.C. of Shifnal (Shropshire).	1	1.52	—	—	—	—	—	—	—	—	—	—	—	—	—

\* The remaining part of the Rural District of Tamworth is in Warwickshire.

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>FOLK, EAST:</b>	814	2.79	502	1.72	32	42	15.6	-	6	72	187	2	1	5	21
NTY BOROUGH Swich .. ..	499	5.69	348	3.96	15	12	17.5	-	3	29	45	2	-	3	8
MINISTRATIVE COUNTY.	315	1.54	154	0.75	17	30	14.8	-	3	43	142	-	1	2	13
AN DISTRICTS ..	90	1.05	68	0.80	8	14	16.2	-	1	24	63	-	1	-	7
deburgh M.B. . .	3	1.21	5	2.01	-	-	-	-	-	1	9	-	-	-	-
eccles M.B. . .	7	1.08	2	0.31	-	2	17.1	-	-	6	-	-	-	-	-
ungay .. .	-	-	-	-	-	-	-	-	-	4	10	-	-	-	-
ye M.B. . .	1	0.58	1	0.58	1	-	37.0	-	-	-	1	-	-	-	-
elixstowe ..	7	0.62	16	1.42	-	-	-	-	1	-	-	-	-	-	-
alesworth ..	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
iston cum Size- well .. .	8	1.91	1	0.24	-	3	63.8	-	-	2	2	-	-	-	-
owestoft M.B. . .	37	0.90	39	0.95	7	9	21.7	-	-	9	32	-	1	-	7
axmundham ..	1	0.81	-	-	-	-	-	-	-	1	1	-	-	-	-
outhwold M.B.	16	5.98	2	0.75	-	-	-	-	-	-	1	-	-	-	-
owmarket ..	5	1.17	1	0.23	-	-	-	-	-	1	6	-	-	-	-
Woodbridge ..	5	1.05	1	0.21	-	-	-	-	-	-	-	-	-	-	-
<b>RURAL DISTRICTS ..</b>	225	1.90	86	0.72	9	16	13.7	-	2	19	79	-	-	2	6
lything .. .	13	0.79	2	0.12	-	1	3.6	-	-	3	3	-	-	-	1
osmere and Clay- don .. .	82	5.62	21	1.44	1	5	24.1	-	1	1	9	-	-	-	-
ast Stow .. .	4	0.55	-	-	-	-	-	-	-	5	8	-	-	-	2
artismere ..	13	1.25	18	1.73	4	2	43.5	-	-	3	18	-	-	-	-
loxne .. .	13	1.44	-	-	-	1	6.9	-	-	2	2	-	-	-	-
utford and Loth- ingland ..	19	1.59	5	0.42	-	2	9.7	-	-	1	5	-	-	2	1
lomesgate ..	32	2.27	12	0.85	2	2	19.0	-	-	3	7	-	-	-	-
amford .. .	18	1.41	9	0.71	1	-	6.0	-	1	-	3	-	-	-	-
Wangford ..	2	0.46	4	0.93	-	-	-	-	-	-	10	-	-	-	1
Woodbridge ..	29	1.63	15	0.84	1	3	15.6	-	-	1	14	-	-	-	1
<b>FOLK, WEST:</b>															
MINISTRATIVE COUNTY.	143	1.36	101	0.96	4	15	12.7	-	6	22	35	1	-	3	2
AN DISTRICTS ..	65	1.59	77	1.88	4	6	13.8	-	3	12	30	1	-	1	1
Bury St. Edmunds M.B. . .	47	2.88	25	1.53	3	3	17.1	-	2	8	11	-	-	-	1
Glemsford ..	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-
Hadleigh ..	-	-	1	0.34	-	-	-	-	1	-	4	-	-	-	-
Haverhill ..	5	1.31	-	-	-	1	25.0	-	-	2	1	-	-	1	-
Newmarket ..	11	1.13	42	4.32	1	1	15.9	-	-	1	6	-	-	-	-
Sudbury M.B. . .	2	0.29	9	1.29	-	1	7.0	-	-	1	1	1	-	-	-
<b>RURAL DISTRICTS ..</b>	78	1.22	24	0.37	-	9	11.7	-	3	10	5	-	-	2	1
Brandon .. .	6	1.07	1	0.18	-	-	-	-	-	-	-	-	-	1	-
Clare .. .	8	1.16	1	0.14	-	1	13.7	-	-	2	-	-	-	-	-
Cosford .. .	9	0.95	1	0.11	-	1	8.7	-	1	-	-	-	-	-	-
Melford .. .	13	1.15	3	0.26	-	4	34.5	-	-	1	1	-	-	-	-
Mildenhall ..	14	1.79	3	0.38	-	-	-	-	1	2	2	-	-	-	-
Moulton .. .	2	1.01	-	-	-	-	-	-	-	2	-	-	-	-	-
Thedwastre ..	4	0.50	2	0.25	-	1	9.4	-	-	-	2	-	-	1	-
Thingoe .. .	22	1.71	13	1.01	-	2	13.5	-	1	3	-	-	-	-	1



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>SURREY:</b>	2,096	1·79	1,069	0·91	60	172	14·1	60	57	322	709	13	13	10	
COUNTY BOROUGH															
Croydon .. ..	524	2·24	211	0·90	23	52	20·2	49	6	65	80	5	4	2	
ADMINISTRATIVE															
COUNTY.	1,572	1·68	858	0·92	37	120	12·4	11	51	257	629	8	9	8	
URBAN DISTRICTS ..	1,319	1·74	719	0·95	29	108	12·9	11	43	212	545	6	8	7	
Barnes .. ..	64	1·51	16	0·38	1	2	8·5	—	3	7	28	—	1	—	
Beddington and															
Wallington ..	58	2·21	17	0·65	1	2	8·3	—	1	12	13	1	—	—	
Carshalton ..	58	2·03	59	2·06	1	12	26·6	—	3	7	56	—	—	—	
Caterham and															
Warlingham ..	33	1·80	6	0·33	—	2	9·1	—	—	8	9	—	—	—	
Chertsey .. ..	14	0·80	6	0·34	2	2	17·5	—	—	5	15	—	—	—	
Coulsdon and															
Purley .. ..	46	1·23	8	0·21	1	3	13·6	3	4	8	13	—	—	—	
Dorking .. ..	7	0·70	—	—	—	—	—	—	2	—	1	—	—	—	
East and West															
Molesey .. ..	11	1·31	17	2·02	—	5	30·1	—	—	—	24	—	—	—	
Egham .. ..	29	1·82	27	1·70	1	1	10·1	—	5	6	17	—	—	—	
Epsom .. ..	23	0·84	12	0·44	1	—	2·7	—	7	18	14	—	—	—	
Esher and the															
Dittons .. ..	16	0·95	24	1·42	2	2	26·1	—	2	3	8	—	—	—	
Farnham .. ..	34	1·87	9	0·50	—	4	13·1	—	—	9	6	1	—	—	
Frimley and															
Camberley ..	25	1·86	6	0·45	—	—	—	—	—	2	2	1	—	—	
Godalming M.B.	15	1·41	3	0·28	—	—	—	—	—	—	2	—	—	—	
Guildford M.B. ..	52	1·71	4	0·13	4	6	20·0	—	1	9	32	—	—	—	3
Ham .. ..	9	3·90	—	—	—	1	37·0	—	—	—	—	—	—	—	
Haslemere .. ..	17	4·01	—	—	—	1	11·9	—	1	1	3	—	—	—	
Kingston on															
Thames M.B. ...	61	1·58	53	1·38	—	12	13·3	—	1	12	30	—	—	—	
Leatherhead ..	15	2·09	4	0·56	—	—	—	—	—	1	7	—	—	—	
Merton and Morden	131	3·15	79	1·90	2	6	15·9	2	—	12	26	—	3	2	
Mitcham .. ..	103	1·79	48	0·83	7	11	17·9	4	2	18	45	—	—	—	1
Reigate M.B. ..	63	2·06	131	4·28	—	—	—	—	1	4	16	—	—	—	
Richmond M.B. ..	103	2·76	31	0·83	—	5	10·9	—	1	15	38	1	2	—	
Surbiton .. ..	43	1·47	14	0·48	—	2	5·3	—	2	2	63	—	—	—	
Sutton and Cheam	84	1·83	32	0·70	1	6	10·6	1	2	7	20	1	—	—	
The Maldens and															
Coombe .. ..	23	0·98	3	0·13	—	3	10·1	—	1	6	26	—	2	—	
Walton upon															
Thames .. ..	27	1·53	11	0·62	—	4	11·4	—	—	3	18	—	—	—	
Weybridge .. ..	7	0·98	1	0·14	—	2	28·2	—	1	2	2	—	—	—	
Wimbledon M.B. ..	75	1·27	74	1·26	5	3	12·9	1	2	29	1	1	—	1	
Windlesham ..	32	6·19	1	0·19	—	3	22·1	—	1	1	1	—	—	—	
Woking .. ..	41	1·38	23	0·77	—	8	15·2	—	—	6	9	—	—	—	
RURAL DISTRICTS ..	253	1·42	139	0·78	8	12	9·6	—	8	44	84	2	1	1	
Chertsey .. ..	38	2·88	2	0·15	3	1	27·4	—	—	2	3	1	—	—	
Dorking .. ..	10	0·90	—	—	—	—	—	—	—	3	18	—	—	—	
Epsom .. ..	55	1·35	20	0·49	1	3	9·1	—	3	19	24	—	—	—	
Farnham .. ..	16	1·05	28	1·83	—	2	10·4	—	—	—	1	—	—	—	
Godstone .. ..	27	1·18	24	1·05	3	1	14·4	—	—	6	4	—	—	—	
Guildford .. ..	30	1·33	7	0·31	—	1	4·0	—	2	1	5	—	—	—	
Hambleton .. ..	28	1·15	26	1·07	—	2	7·9	—	—	6	15	—	—	—	1
Reigate .. ..	49	1·73	32	1·13	1	2	8·7	—	3	7	14	1	1	—	

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SSEX, EAST:															
COUNTY BOROUGH	232	0·89	305	1·16	5	55	15·7	—	11	88	215	12	2	7	58
Brighton.. ..	142	0·98	198	1·37	2	48	22·0	—	5	41	82	11	2	5	52
Eastbourne ..	26	0·47	42	0·75	2	3	6·9	—	4	21	39	1	—	—	—
Hastings.. ..	64	1·03	65	1·05	1	4	6·1	—	2	26	94	—	—	2	6
ADMINISTRATIVE COUNTY.															
	347	1·27	199	0·73	10	33	13·6	—	18	82	182	4	—	8	16
URBAN DISTRICTS ..															
Battle .. ..	8	2·32	—	—	—	—	—	—	—	1	—	—	—	—	1
Bexhill M.B. ..	37	1·81	8	0·39	—	2	8·5	—	4	4	7	1	—	—	2
Burgess Hill ..	21	3·48	1	0·17	1	1	27·8	—	—	2	10	—	—	—	—
Cuckfield.. ..	1	0·48	9	4·35	—	—	—	—	—	4	—	—	—	—	—
East Grinstead ..	9	1·13	29	3·63	1	—	9·9	—	—	4	6	—	—	—	1
Haywards Heath	1	0·19	—	—	—	1	14·5	—	—	—	—	—	—	—	1
Hove M.B. ..	51	0·95	8	0·15	2	4	13·0	—	1	11	37	—	—	5	—
Lewes M.B. ..	21	1·95	8	0·74	—	1	6·1	—	—	7	4	—	—	—	1
Newhaven ..	29	4·53	18	2·81	—	1	10·0	—	—	—	13	—	—	1	2
Portslade by Sea	4	0·42	3	0·32	1	—	7·0	—	—	3	9	2	—	1	—
Rye M.B. ..	1	0·26	1	0·26	—	—	—	—	—	—	—	—	—	—	—
Seaford .. ..	6	0·82	5	0·68	—	—	—	—	2	1	—	—	—	—	—
Uckfield .. ..	3	0·83	—	—	—	—	—	—	—	—	1	—	—	—	—
RURAL DISTRICTS ..															
Battle .. ..	6	0·89	2	0·30	—	4	41·2	—	1	2	3	—	—	—	1
Chailey .. ..	31	2·23	5	0·36	1	3	28·2	—	1	10	6	—	—	—	1
Cuckfield ..	34	1·87	14	0·77	—	4	20·6	—	2	1	15	—	—	—	2
Eastbourne ..	1	0·15	—	—	—	1	14·3	—	—	—	3	—	—	1	—
East Grinstead ..	15	0·99	20	1·32	—	3	16·4	—	2	4	2	—	—	—	—
Hailsham ..	10	0·50	39	1·96	1	—	3·5	—	4	20	49	—	—	—	1
Hastings ..	4	1·63	1	0·41	—	—	—	—	—	—	4	—	—	—	—
Newhaven ..	4	0·77	5	0·97	2	—	27·8	—	1	—	4	—	—	—	—
Rye .. ..	—	—	2	0·28	—	2	21·1	—	—	—	—	1	—	—	2
Ticehurst ..	27	2·09	15	1·16	1	5	40·8	—	—	2	4	—	—	—	1
Uckfield ..	23	0·93	6	0·24	—	1	3·6	—	—	6	5	—	—	—	—
SSEX, WEST:															
ADMINISTRATIVE COUNTY.															
	344	1·59	125	0·58	12	62	23·5	1	13	54	146	8	—	8	14
URBAN DISTRICTS ..															
Arundel M.B. ..	29	12·08	—	—	—	—	—	—	1	1	6	—	—	—	—
Bognor Regis ..	26	2·06	36	2·86	—	1	6·1	—	—	1	6	—	—	—	—
Chichester M.B.	18	1·32	5	0·37	1	6	31·5	—	1	8	13	—	—	—	1
Horsham ..	11	0·81	3	0·22	1	2	15·6	—	—	1	10	2	—	—	1
Littlehampton ..	5	0·51	7	0·72	—	1	6·1	—	—	1	8	1	—	—	—
Shoreham by Sea	28	3·25	12	1·39	4	23	115·9	—	—	18	33	2	—	2	3
Southwick ..	11	1·81	3	0·49	1	—	11·0	—	1	—	8	—	—	—	2
Worthing M.B. ..	44	0·99	31	0·70	2	11	22·9	—	2	4	15	—	—	3	2
RURAL DISTRICTS ..															
East Preston ..	23	2·85	5	0·62	—	2	15·7	—	1	1	4	—	—	—	—
Horsham ..	29	1·37	5	0·24	—	1	3·7	—	1	5	10	1	—	1	—
Midhurst ..	15	1·02	6	0·41	1	2	15·5	1	—	2	3	—	—	1	1
Petworth ..	8	0·97	1	0·12	—	3	26·8	—	—	—	1	1	—	—	—
Steyning West ..	51	4·10	3	0·24	1	1	12·3	—	—	3	4	—	—	—	—
Thakeham ..	19	2·03	—	—	—	2	14·6	—	1	1	8	—	—	—	—
Westbourne ..	4	0·42	4	0·42	—	3	18·9	—	—	2	1	—	—	—	—
Westhamnett ..	23	1·05	4	0·18	1	4	15·9	—	5	4	16	1	—	—	3



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever. Cases.	Pyrexia. Cases.	Rate per 1,000 Total (live and still) Registered Births.							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
<b>WARWICKSHIRE:</b>	3,610	2.33	2,325	1.50	121	250	13.7	14	104	623	3,662	35	4	30
COUNTY BOROUGHS	2,997	2.54	1,994	1.69	101	204	14.3	2	66	503	2,911	26	3	20
Birmingham ..	2,761	2.73	1,802	1.78	83	177	13.9	—	61	454	2,715	26	3	18
Coventry.. ..	236	1.40	192	1.14	18	27	16.8	2	5	49	196	—	—	2
ADMINISTRATIVE COUNTY.	613	1.67	331	0.90	20	46	11.5	12	38	120	751	9	1	10
URBAN DISTRICTS ..	217	1.22	129	0.73	8	24	11.4	6	18	70	390	7	—	9
Bedworth ..	11	0.90	4	0.33	—	2	7.9	—	—	7	42	—	—	1
Bulkington ..	2	0.73	10	3.64	—	2	35.1	—	—	3	5	—	—	1
Kenilworth ..	6	0.79	6	0.79	—	—	—	—	3	—	1	—	—	—
Nuneaton M.B. ..	41	0.88	39	0.84	1	6	8.0	6	4	16	129	6	—	1
Royal Leamington Spa M.B. ..	36	1.22	3	0.10	4	—	8.5	—	2	14	64	1	—	1
Rugby .. ..	32	1.32	33	1.36	—	7	20.1	—	3	10	27	—	—	—
Stratford on Avon M.B. .. ..	13	1.13	3	0.26	2	2	26.8	—	—	3	44	—	—	—
Sutton Coldfield M.B. .. ..	55	1.86	27	0.91	—	2	5.5	—	4	9	39	—	—	3
Warwick M.B. ..	21	1.54	4	0.29	1	3	19.0	—	2	8	39	—	—	2
RURAL DISTRICTS ..	396	2.09	202	1.07	12	22	11.7	6	20	50	361	2	1	1
Alcester .. ..	28	2.41	9	0.77	—	2	10.6	—	—	5	57	—	—	—
Atherstone ..	55	2.50	48	2.18	3	3	14.0	—	—	8	75	—	—	—
Brailes .. ..	1	0.74	—	—	—	1	58.8	—	—	—	1	—	—	—
Farnborough ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Foleshill .. ..	22	1.20	11	0.60	2	1	8.2	—	—	8	40	1	—	—
Meriden .. ..	38	2.05	21	1.14	1	1	8.1	—	1	4	36	—	—	—
Monks Kirby ..	3	2.06	—	—	—	—	—	—	—	—	—	—	—	—
Nuneaton .. ..	25	4.43	24	4.25	—	—	—	6	—	3	19	—	—	—
Rugby .. ..	51	2.32	44	2.00	—	2	7.4	—	—	6	29	—	1	—
Shipston on Stour	2	0.35	—	—	—	2	23.0	—	—	—	7	1	—	—
Solihull .. ..	38	1.24	17	0.55	4	6	23.5	—	13	6	21	—	—	—
Southam .. ..	34	3.49	9	0.92	—	1	7.2	—	—	2	41	—	—	—
Stratford on Avon	13	1.10	2	0.17	—	1	6.0	—	5	2	10	—	—	—
Tamworth (pt. of)*	66	3.95	17	1.02	1	—	4.0	—	—	3	17	—	—	1
Warwick .. ..	20	1.61	—	—	1	2	20.7	—	1	3	8	—	—	—
<b>WESTMORLAND:</b>														
ADMINISTRATIVE COUNTY.	64	1.00	22	0.34	5	10	15.7	—	2	26	93	1	—	2
URBAN DISTRICTS ..	25	0.89	11	0.39	1	6	15.9	—	1	11	34	—	—	1
Ambleside .. ..	—	—	—	—	—	1	55.6	—	—	1	2	—	—	—
Appleby M.B. ..	—	—	—	—	—	1	62.5	—	—	1	6	—	—	—
Grasmere .. ..	1	1.25	—	—	—	—	—	—	—	—	—	—	—	—
Kendal M.B. ..	11	0.71	8	0.51	1	3	12.9	—	1	9	15	—	—	—
Kirkby Lonsdale	—	—	—	—	—	—	—	—	—	—	5	—	—	—
Shap .. ..	11	9.24	—	—	—	—	—	—	—	—	1	—	—	—
Windermere ..	2	0.37	3	0.55	—	1	19.6	—	—	—	5	—	—	1
RURAL DISTRICTS ..	39	1.08	11	0.31	4	4	15.4	—	1	15	59	1	—	1
East Westmorland	10	0.94	—	—	1	2	16.7	—	1	6	23	—	—	1
South Westmorland	21	1.13	9	0.48	2	—	9.1	—	—	5	21	—	—	—
West Ward .. ..	8	1.17	2	0.29	1	2	25.4	—	—	4	15	1	—	—

\* The remaining part of the Rural District of Tamworth is in Staffordshire. The figures for the entire District are:—

95	3.95	29	1.21	2	1	7.6	—	—	5	37	—	—	1
----	------	----	------	---	---	-----	---	---	---	----	---	---	---

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>T, ISLE OF:</b>															
ADMINISTRATIVE DISTRICTS ..	60	0·71	36	0·42	4	10	13·0	—	16	31	24	3	—	2	8
es ..	32	0·57	29	0·51	4	6	13·6	—	3	21	17	3	—	1	6
Cowes ..	15	1·50	2	0·20	—	—	—	—	1	2	2	—	—	—	1
port M.B. ..	1	0·22	—	—	—	1	17·5	—	—	1	4	—	—	—	—
e M.B. ..	1	0·09	16	1·41	—	3	15·3	—	1	9	6	—	—	—	2
Helens ..	4	0·39	—	—	2	1	20·4	—	—	3	3	3	—	1	1
..	2	0·38	—	—	1	1	29·4	—	—	2	—	—	—	—	1
..	4	0·70	2	0·35	1	—	15·4	—	1	2	2	—	—	—	—
..	2	0·44	—	—	—	—	—	—	—	1	—	—	—	—	1
..	3	0·64	9	1·92	—	—	—	—	—	1	—	—	—	—	—
DISTRICT: of Wight ..	28	0·99	7	0·25	—	4	11·9	—	13	10	7	—	—	1	2
<b>SHIRE:</b>															
ADMINISTRATIVE DISTRICTS ..	341	1·16	300	1·02	13	82	20·6	—	1	72	297	4	5	7	19
ford on Avon ..	175	1·20	192	1·32	3	59	26·3	—	1	31	181	4	2	3	5
e M.B. ..	7	1·49	—	—	—	—	—	—	—	2	—	—	—	—	—
penham M.B. ..	1	0·29	—	—	—	2	66·7	—	—	1	3	—	—	—	—
zes M.B. ..	22	2·60	2	0·24	1	1	27·0	—	—	3	6	—	—	—	—
esbury M.B. ..	4	0·67	2	0·34	—	3	21·6	—	—	—	—	—	—	—	—
..	3	1·32	—	—	—	1	47·6	—	—	—	2	—	—	—	—
borough M.B. ..	7	1·64	—	—	—	1	22·2	—	—	3	5	—	—	—	—
sham ..	4	1·03	8	2·05	—	1	22·2	—	1	1	7	—	—	—	—
bury M.B. ..	45	1·70	15	0·57	—	18	27·2	—	—	6	13	2	—	1	1
don M.B. ..	35	0·56	139	2·22	1	27	28·7	—	—	13	144	2	2	1	4
bridge ..	34	2·86	25	2·10	1	1	11·8	—	—	—	—	—	—	—	—
..	8	1·54	—	—	—	2	29·4	—	—	1	1	—	—	1	—
..	5	1·24	1	0·25	—	1	21·7	—	—	1	—	—	—	—	—
on M.B. ..	—	—	—	—	—	1	33·3	—	—	—	—	—	—	—	—
DISTRICTS ..	166	1·12	108	0·73	10	23	14·7	—	—	41	116	—	3	4	14
..	7	0·57	6	0·49	2	1	15·5	—	—	3	17	—	—	1	—
ford on Avon ..	13	2·44	8	1·50	1	—	15·9	—	—	1	—	—	—	—	1
e ..	18	3·80	1	0·21	—	3	50·0	—	—	3	6	—	—	—	—
penham ..	10	0·70	2	0·14	—	3	10·0	—	—	4	1	—	1	1	—
..	4	0·35	34	2·99	—	1	5·9	—	—	3	14	—	1	1	—
..	11	0·88	21	1·69	1	—	6·7	—	—	4	3	—	—	1	—
..	14	0·90	15	0·97	—	5	22·3	—	—	2	32	—	—	—	—
..	16	1·93	—	—	2	—	11·8	—	—	1	4	—	—	—	3
..	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—
..	3	0·59	4	0·79	1	3	62·5	—	—	3	6	—	—	—	—
..	2	0·46	—	—	1	1	38·5	—	—	—	1	—	—	—	1
..	18	1·67	1	0·09	1	3	18·5	—	—	6	9	—	—	—	6
..	5	0·80	—	—	—	1	10·4	—	—	4	2	—	1	—	—
..	7	0·73	5	0·52	1	1	17·9	—	—	2	—	—	—	—	1
..	13	1·99	3	0·46	—	—	—	—	—	1	6	—	—	—	1
..	8	1·53	3	0·57	—	—	—	—	—	—	1	—	—	—	—
..	12	1·84	2	0·31	—	—	—	—	—	1	—	—	—	—	—
..	5	0·87	3	0·52	—	1	17·5	—	—	3	7	—	—	—	1



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Total (live and still) Registered Births.							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WORCESTERSHIRE	856	2.03	231	0.55	28	64	13.4	2	12	82	528	8	1	7
COUNTY BOROUGHS	196	1.77	68	0.61	14	15	14.5	—	1	32	120	2	—	2
Dudley .. ..	58	0.97	31	0.52	12	3	13.3	—	—	22	42	1	—	1
Worcester ..	138	2.71	37	0.73	2	12	16.1	—	1	10	78	1	—	1
ADMINISTRATIVE COUNTY.	660	2.12	163	0.52	14	49	13.0	2	11	50	408	6	1	5
URBAN DISTRICTS ..	515	2.49	116	0.56	9	32	12.1	2	5	34	337	3	—	3
Bewdley M.B. ..	7	2.52	—	—	—	1	18.2	—	—	2	4	—	—	—
Bromsgrove ..	2	0.21	7	0.72	—	2	10.1	—	—	2	10	—	—	—
Droitwich M.B. ..	1	0.24	—	—	—	—	—	—	—	—	—	—	—	—
Evesham M.B. ..	30	3.41	3	0.34	—	1	6.5	—	—	—	—	—	—	—
Halesowen ..	61	1.94	16	0.51	2	5	14.6	—	1	9	68	1	—	—
Kidderminster M.B.	148	5.09	18	0.62	2	7	18.6	—	2	2	10	—	—	—
Lye and Wollescote	14	1.13	4	0.32	—	—	—	—	—	3	39	—	—	—
Malvern .. ..	43	2.65	1	0.06	—	—	—	—	—	2	26	1	—	—
North Bromsgrove	7	0.63	11	1.00	—	—	—	—	—	1	1	—	—	—
Oldbury .. ..	90	2.47	25	0.69	2	3	8.3	—	—	7	113	1	—	3
Redditch .. ..	53	2.77	19	0.99	2	3	16.4	—	2	4	28	—	—	—
Stourbridge M.B.	55	2.75	10	0.50	1	1	7.1	2	—	2	35	—	—	—
Stourport ..	4	0.67	2	0.33	—	9	39.8	—	—	—	3	—	—	—
RURAL DISTRICTS ..	145	1.39	47	0.45	5	17	15.1	—	6	16	71	3	1	2
Bromsgrove ..	18	0.91	9	0.46	—	—	—	—	2	1	6	—	—	—
Droitwich ..	4	0.34	4	0.34	1	2	21.1	—	—	1	3	—	—	—
Evesham ..	18	1.43	5	0.40	2	2	19.7	—	—	2	1	—	—	1
Feckenham ..	2	0.53	2	0.53	—	—	—	—	1	—	—	—	—	—
Kidderminster ..	11	1.41	4	0.51	—	1	9.3	—	—	—	1	—	—	—
Martley .. ..	13	1.05	11	0.89	—	2	11.2	—	—	5	21	—	—	—
Pershore .. ..	38	3.01	5	0.40	—	4	22.6	—	2	1	13	3	—	—
Rock .. ..	7	3.26	3	1.40	1	1	58.8	—	—	—	1	—	—	—
Shipston on Stour	—	—	—	—	—	—	—	—	—	—	6	—	—	—
Stow on the Wold (part of) *	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Tenbury .. ..	10	2.39	2	0.48	—	—	—	—	—	—	—	—	—	—
Tewkesbury (part of)* .. ..	5	2.37	1	0.47	—	—	—	—	—	2	2	—	—	—
Upton on Severn	19	1.42	1	0.07	1	5	33.1	—	1	4	17	—	1	—
Winchcomb (part of)* .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Civil Parishes of Redmarley d'Abitôt and Staunton administered by R.D.C. of Newent (Glos.) ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
YORKSHIRE, EAST RIDING :	741	1.53	1,350	2.79	27	58	9.4	—	20	155	595	15	7	7
COUNTY BOROUGH Kingston upon Hull .. ..	545	1.73	1,138	3.61	22	43	10.2	—	13	112	409	14	6	5
ADMINISTRATIVE COUNTY.	196	1.17	212	1.26	5	15	7.6	—	7	43	186	1	1	2
URBAN DISTRICTS ..	61	0.86	117	1.64	2	4	5.4	—	2	20	108	1	—	2
Beverley M.B. ..	7	0.50	13	0.93	—	—	—	—	—	5	59	—	—	—
Bridlington M.B.	16	0.84	29	1.52	—	—	—	—	—	3	18	—	—	—
Cottingham ..	9	1.52	27	4.56	—	—	—	—	1	—	5	—	—	—
Filey .. ..	—	—	8	2.21	2	—	42.6	—	—	—	6	—	—	—
Great Driffield ..	7	1.19	4	0.68	—	2	13.2	—	1	7	5	—	—	—

\* The remaining parts of Tewkesbury and Winchcomb Rural Districts are in Gloucestershire. Prior to 1st April 1931 Stow-on-the-Wold Rural District was partly in Worcestershire and partly in Gloucestershire, since that date the whole was in Gloucestershire.

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
YORKSHIRE, EAST RIDING—cont.															
URBAN DISTRICTS—cont.															
Bedon M.B. ..	5	3·32	1	0·66	—	1	62·5	—	—	—	1	—	—	—	—
Bessle ..	2	0·32	16	2·55	—	—	—	—	—	2	4	—	—	—	—
Bornsea ..	1	0·23	5	1·16	—	—	—	—	—	2	—	—	—	1	—
Borton ..	8	2·05	—	—	—	—	—	—	—	—	—	—	—	—	—
Booklington ..	2	0·73	1	0·36	—	—	—	—	—	—	6	—	—	—	—
Withernsea ..	4	0·99	13	3·23	—	1	18·2	—	—	1	4	1	—	1	—
RURAL DISTRICTS ..															
Everley ..	135	1·40	95	0·98	3	11	9·2	—	5	23	78	—	1	—	1
Fridlington ..	8	0·66	11	0·91	2	1	16·9	—	—	4	19	—	—	—	—
Gifford ..	19	2·45	24	3·09	1	1	16·9	—	2	—	5	—	—	—	—
Griffith ..	11	0·99	1	0·09	—	—	—	—	—	4	6	—	—	—	—
Scricker ..	3	0·51	1	0·17	—	—	—	—	—	2	—	—	—	—	—
Howden ..	22	1·79	19	1·54	—	3	13·8	—	—	5	8	—	—	—	—
Borton ..	2	0·36	1	0·18	—	—	—	—	—	—	—	—	—	—	—
Stratlington ..	10	1·37	11	1·50	—	2	16·0	—	—	4	15	—	1	—	—
Booklington ..	39	3·70	1	0·09	—	2	11·3	—	2	2	9	—	—	—	—
Wicall ..	2	0·38	2	0·38	—	1	11·8	—	—	1	1	—	—	—	—
Wulcoates ..	5	0·53	10	1·06	—	—	—	—	1	1	4	—	—	—	—
Merburn ..	—	—	2	0·91	—	—	—	—	—	—	2	—	—	—	—
Widlaugh ..	14	1·92	12	1·65	—	1	9·2	—	—	—	9	—	—	—	1
YORKSHIRE, NORTH RIDING:															
1,093	2·37	296	0·64	28	47	8·91	—	13	186	1,262	18	2	14	31	
CITY BOROUGH															
311	2·24	54	0·39	14	15	9·2	—	1	58	618	7	1	7	11	
ADMINISTRATIVE COUNTY.															
782	2·43	242	0·75	14	32	8·7	—	12	128	644	11	1	7	20	
RURAL DISTRICTS ..															
525	2·90	147	0·81	10	23	10·5	—	7	98	502	7	1	3	16	
171	5·44	7	0·22	—	—	—	—	—	11	118	—	1	—	2	
27	4·34	1	0·16	1	—	7·6	—	—	4	50	1	—	—	—	
6	2·82	5	2·35	—	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15	1·96	9	1·17	—	1	7·5	—	—	6	31	—	—	—	—	9
2	0·46	1	0·23	—	1	15·2	—	—	—	—	—	—	—	—	
2	1·01	—	—	—	—	—	—	—	—	2	—	—	—	—	
9	1·90	—	—	—	1	14·9	—	1	3	1	1	—	—	—	
6	1·65	—	—	—	—	—	—	—	—	1	—	—	—	—	
33	1·63	6	0·30	3	—	8·8	—	1	6	63	—	—	1	—	
1	0·22	5	1·09	—	—	—	—	—	5	8	—	—	—	—	
51	12·82	—	—	1	—	28·6	—	1	1	8	—	—	1	—	
5	2·04	2	0·82	—	—	—	—	—	—	—	—	—	—	—	
71	1·74	96	2·35	2	11	23·0	—	1	21	53	3	—	1	3	
44	3·21	11	0·80	1	4	21·0	—	1	12	51	—	—	—	2	
Wearmouth on Tees															
28	1·30	4	0·19	—	3	6·2	—	2	18	101	2	—	—	—	
54	4·81	—	—	2	2	20·2	—	—	10	15	—	—	—	—	
RURAL DISTRICTS ..															
257	1·83	95	0·68	4	9	6·0	—	5	30	142	4	—	4	4	
2	0·47	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	0·46	—	—	—	—	—	—	—	1	—	2	—	—	—	
2	0·92	2	0·92	—	—	—	—	—	—	3	—	—	—	—	
11	1·14	—	—	—	1	7·6	—	2	5	27	1	—	1	—	
23	1·72	25	1·87	1	1	10·4	—	1	1	3	—	—	—	—	1



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE, NORTH RIDING—cont.														
RURAL DISTRICTS—cont.														
Guisborough ..	39	5·32	4	0·55	—	1	8·6	—	1	4	19	—	—	—
Helmsley ..	12	2·37	3	0·59	1	—	12·8	—	—	2	7	—	—	—
Kirkby Moorside ..	6	1·26	6	1·26	—	—	—	—	—	—	5	—	—	—
Leyburn ..	9	1·27	3	0·42	—	1	11·5	—	—	2	1	—	—	1
Malton ..	3	0·51	1	0·17	—	1	12·8	—	—	1	—	—	—	—
Middlesbrough ..	2	0·67	3	1·01	—	—	—	—	—	1	4	—	—	—
Northallerton ..	2	0·26	1	0·13	—	1	8·3	—	—	1	10	—	—	—
Pickering ..	3	0·53	—	—	—	—	—	—	—	—	3	—	—	—
Reeth ..	2	0·88	—	—	—	—	—	—	—	3	8	—	—	—
Richmond ..	23	2·18	3	0·28	2	—	6·0	—	—	—	19	3	—	—
Scarborough ..	8	1·22	3	0·46	—	—	—	—	—	—	1	—	—	—
Startforth ..	7	1·62	2	0·46	—	—	—	—	—	1	1	—	—	—
Stokesley ..	22	1·80	32	2·62	—	2	12·0	—	—	7	23	—	—	—
Thirsk ..	5	0·42	2	0·17	—	1	5·4	—	—	2	5	—	—	—
Wath ..	7	3·40	—	—	—	—	—	—	—	—	1	—	—	1
Whitby ..	66	7·92	5	0·60	—	—	—	—	—	—	—	—	—	1
YORKSHIRE, WEST RIDING:														
COUNTY BOROUGHS	4,432	2·41	2,515	1·37	208	338	18·1	100	54	915	4,720	246	50	24
Barnsley ..	136	1·88	48	0·67	11	14	16·6	4	3	48	190	89	2	5
Bradford ..	921	3·06	247	0·82	44	58	23·3	26	6	141	671	6	—	2
Dewsbury ..	189	3·47	122	2·24	1	4	6·0	—	1	13	4	3	—	—
Doncaster ..	129	2·03	63	0·99	6	5	7·7	—	—	17	59	22	—	—
Halifax ..	163	1·65	165	1·68	3	13	10·5	12	4	37	126	—	1	—
Huddersfield ..	98	0·86	135	1·18	3	23	16·0	—	4	42	214	4	1	5
Leeds ..	1,457	3·00	989	2·03	65	76	17·7	5	10	318	972	16	1	3
Rotherham ..	118	1·68	189	2·69	4	13	12·0	—	7	33	171	51	—	2
Sheffield ..	964	1·86	414	0·80	68	120	22·3	53	16	230	2,179	52	45	7
Wakefield ..	257	4·33	143	2·41	3	12	13·8	—	3	36	134	3	—	—
ADMINISTRATIVE COUNTY	2,849	1·85	1,491	0·97	86	160	10·0	148	93	671	2,343	609	15	12
URBAN DISTRICTS ..	2,062	1·88	953	0·87	61	108	10·2	96	69	523	1,754	349	7	7
Adwick le Street ..	50	2·42	98	4·75	2	9	24·8	—	2	7	36	18	—	—
Altofts ..	4	0·80	14	2·80	—	—	—	—	—	5	18	—	—	—
Ardley, East and West ..	10	1·08	17	1·83	2	—	15·9	—	—	4	6	—	1	—
Baildon ..	8	1·02	8	1·02	—	—	—	—	—	2	—	—	—	—
Barkisland ..	—	—	3	1·92	—	—	—	—	1	—	2	—	—	—
Barnoldswick ..	25	2·07	4	0·33	—	—	—	—	1	9	3	—	—	—
Batley M.B. ..	60	1·72	52	1·49	1	—	1·8	—	2	10	18	1	—	—
Bentley with Arksey ..	17	1·02	15	0·90	—	5	18·2	—	1	1	10	11	—	—
Bingley ..	24	1·15	18	0·86	1	1	8·5	3	—	6	50	—	—	—
Birkenshaw ..	31	10·91	5	1·76	—	—	—	—	—	—	5	—	—	—
Birstal ..	4	0·55	1	0·14	—	—	—	—	1	6	8	1	—	—
Bolton upon Dearne ..	26	1·81	2	0·14	—	—	—	—	1	6	18	14	1	—
Brighouse M.B. ..	33	1·65	17	0·85	1	—	5·2	9	1	6	12	—	—	—
Burley in Wharfedale ..	3	0·74	16	3·97	—	3	71·4	—	—	2	7	—	—	—
Calverley ..	12	3·29	1	0·27	—	—	—	—	—	2	1	—	—	—
Castleford ..	79	3·60	13	0·59	5	3	18·1	—	—	13	20	—	—	—
Clayton West ..	1	0·54	—	—	—	—	—	—	—	—	—	—	—	—
Conisbrough ..	13	0·71	21	1·15	1	1	4·5	—	3	5	5	36	—	—
Cudworth ..	24	2·52	8	0·84	1	5	29·6	—	—	4	9	5	—	—
Darfield ..	4	0·76	14	2·64	1	—	11·5	—	—	1	21	6	—	—

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever. Cases.	Pyrexia. Cases.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ORKSHIRE, WEST															
RIDING—cont.															
RBAN DISTRICTS—															
cont.															
Darton .. ..	46	3·61	10	0·78	—	3	11·9	42	—	12	31	1	1	—	1
Denby and Cum-	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
berworth .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Denholme .. ..	10	3·72	—	—	—	—	—	—	—	3	—	—	—	—	—
Dodworth .. ..	1	0·23	—	—	—	3	31·9	—	—	3	12	8	—	—	1
Drighlington ..	7	1·70	2	0·49	—	—	—	—	—	2	15	—	—	—	—
Earby .. ..	11	1·97	—	—	—	—	—	—	—	1	9	—	—	—	1
Elland .. ..	12	1·15	6	0·58	—	1	12·8	3	—	12	16	—	—	—	—
Emley .. ..	5	3·02	—	—	—	—	—	—	1	5	4	—	—	1	—
Farsley .. ..	11	1·77	3	0·48	—	—	—	—	—	—	—	—	—	—	—
Featherstone ..	14	0·93	6	0·40	1	—	3·3	—	2	5	7	—	—	—	—
Flockton .. ..	6	4·03	2	1·34	—	—	—	—	—	2	5	1	—	—	1
Garforth .. ..	13	3·42	1	0·26	—	—	—	—	2	—	1	—	—	—	—
Gildersome .. ..	4	1·30	1	0·33	—	—	—	—	—	1	6	—	—	1	—
Golear .. ..	10	1·01	5	0·50	—	1	10·6	—	—	1	8	—	—	—	—
Goole .. ..	18	0·88	3	0·15	—	5	11·2	1	—	7	24	4	—	—	1
Greasbrough ..	7	1·92	—	—	—	1	14·7	—	—	1	7	5	—	—	1
Greetland .. ..	2	0·46	13	2·99	—	—	—	—	—	4	9	—	—	—	—
Guisley .. ..	5	0·88	2	0·35	—	—	—	—	—	3	2	—	—	—	—
Gunthwaite and	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ingbirchworth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Harrogate M.B.	107	2·77	9	0·23	2	4	12·5	—	7	10	67	—	1	1	6
Haworth .. ..	6	1·01	—	—	—	—	—	—	—	1	—	—	—	—	—
Hebden Bridge ..	2	0·32	1	0·16	—	—	—	—	—	1	6	—	—	—	—
Heckmondwike ..	13	1·43	6	0·66	—	—	—	—	—	3	12	1	—	—	—
Hemsworth .. ..	30	2·28	27	2·05	—	2	6·8	—	—	9	87	34	—	1	—
Hipperholme ..	7	1·30	3	0·56	1	1	45·5	1	—	3	11	—	—	—	—
Holme .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Holmfirth .. ..	6	0·57	7	0·67	1	—	7·7	—	—	9	15	—	—	—	—
Honley .. ..	2	0·43	1	0·22	1	—	25·0	—	—	1	12	1	—	—	—
Horbury .. ..	36	4·59	12	1·53	—	—	—	—	—	9	25	—	—	—	—
Horsforth .. ..	9	0·77	5	0·43	3	—	16·7	—	—	7	17	—	—	—	—
Hoyland Nether	6	0·39	7	0·46	3	5	30·7	2	—	26	57	21	—	—	2
Hoyland Swaine	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hunsworth .. ..	2	1·51	—	—	—	—	—	—	—	—	7	—	—	—	—
Ilkley .. ..	15	1·60	10	1·07	—	—	—	—	1	5	6	1	—	—	—
Keighley M.B. ..	134	3·28	4	0·10	4	6	15·4	—	—	12	39	1	—	—	2
Kirkburton .. ..	4	1·24	—	—	—	—	—	—	—	3	22	—	—	—	—
Kirkheaton .. ..	4	1·51	—	—	1	—	41·7	—	—	—	3	—	—	—	—
Knaresborough ..	10	1·69	10	1·69	—	1	8·4	—	1	—	5	—	—	—	—
Knottingley .. ..	12	1·74	—	—	—	—	—	—	2	3	21	—	—	—	—
Lepton .. ..	2	0·59	—	—	—	1	23·8	—	—	—	8	—	—	—	3
Linthwaite .. ..	5	0·51	1	0·10	—	—	—	—	1	6	14	—	—	—	—
Luddenden Foot	1	0·34	25	8·62	—	—	—	—	—	3	3	—	—	—	—
Maltby .. ..	5	0·49	5	0·49	2	—	17·9	—	2	1	9	76	—	—	2
Marsden .. ..	15	2·59	5	0·86	—	1	13·7	—	—	—	15	—	—	—	—
Meltham .. ..	4	0·79	2	0·40	—	1	21·3	—	2	—	1	—	—	—	2
Methley .. ..	4	0·86	2	0·43	—	—	—	—	—	3	8	—	—	—	—
Mexborough .. ..	14	0·88	7	0·44	—	—	—	—	—	7	23	10	—	1	1
Midgley .. ..	7	3·70	—	—	—	—	—	—	—	—	3	—	—	—	—
Mirfield .. ..	18	1·48	—	—	1	—	7·4	—	1	3	10	1	—	—	2
Morley M.B. ..	41	1·73	26	1·10	2	2	11·2	—	—	17	60	—	1	—	4
Mytholmroyd ..	7	1·56	—	—	—	1	23·3	—	—	3	10	—	—	—	1
New Mill .. ..	—	—	1	0·22	—	1	24·4	—	1	4	5	—	—	—	—
Normanton .. ..	78	4·94	14	0·89	—	3	12·1	—	1	10	44	—	—	—	1
Oakworth .. ..	4	1·00	1	0·25	—	—	—	—	—	1	4	—	—	—	—
Ossett M.B. ..	47	3·14	18	1·20	—	4	19·4	—	1	7	14	4	—	—	2
Otley .. ..	40	3·59	5	0·45	1	2	16·5	—	—	4	26	—	—	—	—
Oxenhope .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>YORKSHIRE, WEST RIDING—<i>cont.</i></b>															
<b>URBAN DISTRICTS—<i>cont.</i></b>															
Penistone ..	1	0·31	—	—	—	—	—	—	—	—	—	—	—	—	—
Pontefract M.B. ..	45	2·41	4	0·21	3	1	10·1	—	—	28	21	—	—	—	—
Pudsey M.B. ..	58	3·85	10	0·66	1	—	6·0	—	—	5	42	—	1	—	1
Queensbury ..	10	1·71	7	1·20	—	—	—	18	—	9	5	—	—	—	—
Rawdon ..	4	0·85	1	0·21	—	—	—	—	—	4	1	—	—	—	—
Rawmarsh ..	28	1·49	22	1·17	2	5	20·3	—	2	14	59	11	—	—	—
Ripon M.B. ..	5	0·59	—	—	—	4	26·8	—	—	2	7	—	—	—	1
Rishworth ..	—	—	1	1·07	—	—	—	—	—	—	1	—	—	—	—
Rothwell ..	52	3·29	25	1·58	2	2	16·3	—	—	13	30	1	—	—	—
Royston ..	10	1·38	7	0·97	1	—	6·8	—	—	—	—	4	—	—	—
Saddleworth ..	5	0·40	3	0·24	—	—	—	—	—	4	—	—	—	—	—
Scammonden ..	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Selby ..	3	0·30	2	0·20	—	—	—	—	1	3	6	—	—	—	—
Shelf ..	3	1·17	5	1·95	—	—	—	14	—	—	4	1	—	—	—
Shelley ..	7	4·43	1	0·63	—	—	—	—	—	—	8	1	—	—	—
Shepley ..	1	0·60	—	—	—	—	—	—	—	2	2	—	—	—	—
Shipley ..	52	1·71	17	0·56	1	—	2·2	—	3	6	6	—	—	—	—
Silsden ..	24	4·89	1	0·20	—	—	—	—	1	—	2	—	—	—	—
Skelmanthorpe ..	3	0·80	1	0·27	—	—	—	—	12	9	2	—	—	—	—
Skipton ..	42	3·36	2	0·16	—	—	—	—	1	3	2	1	—	—	—
Slaithwaite ..	9	1·72	—	—	—	—	—	1	—	3	1	—	—	—	—
South Crosland ..	1	0·33	1	0·33	—	—	—	—	—	1	7	—	—	—	—
Southowram ..	5	1·92	1	0·38	—	1	40·0	—	—	—	4	—	—	—	—
Sowerby ..	25	1·69	24	1·62	1	—	7·3	—	—	2	9	1	—	—	—
Soyland ..	—	—	3	0·97	—	—	—	—	1	1	2	—	—	—	—
Spenborough ..	83	2·66	27	0·86	3	4	21·0	—	—	6	101	—	1	—	—
Springhead ..	4	0·82	1	0·21	1	—	16·7	—	—	1	13	—	—	—	—
Stainland ..	5	1·17	4	0·93	—	—	—	—	1	5	6	—	—	—	—
Stanley ..	34	2·31	54	3·66	1	1	10·1	—	—	25	55	2	—	—	—
Stocksbridge ..	21	2·25	5	0·54	2	3	34·5	—	—	8	30	1	—	—	—
Swinton ..	12	0·86	4	0·29	2	1	14·0	—	3	6	14	8	—	—	—
Thurlstone ..	—	—	3	1·13	—	—	—	—	—	—	—	—	—	—	—
Thurnscoe ..	39	3·64	36	3·36	—	1	3·8	—	—	3	54	25	—	—	—
Thurstonland and Farnley Tyas..	14	3·46	—	—	1	—	71·4	—	1	7	8	—	—	—	—
Tickhill ..	9	3·91	1	0·43	—	—	—	—	—	1	6	—	7	—	—
Todmorden M.B. ..	39	1·74	—	—	—	5	19·5	—	—	6	50	—	—	—	—
Wath upon Dearne	16	1·16	3	0·22	1	1	7·6	2	1	2	8	8	—	—	—
Whitley Upper ..	1	1·06	—	—	—	—	—	—	—	—	6	—	—	—	—
Whitwood ..	26	4·14	3	0·48	—	—	—	—	2	3	3	—	—	—	—
Wombwell ..	20	1·08	26	1·41	1	3	11·3	—	1	13	77	10	—	—	—
Worsborough ..	37	2·96	18	1·44	—	—	—	—	—	3	23	7	—	—	—
Yeadon ..	2	0·26	35	4·52	—	—	—	—	—	1	4	—	—	—	—
<b>RURAL DISTRICTS ..</b>	<b>787</b>	<b>1·77</b>	<b>538</b>	<b>1·21</b>	<b>25</b>	<b>52</b>	<b>9·5</b>	<b>52</b>	<b>24</b>	<b>148</b>	<b>589</b>	<b>260</b>	<b>8</b>	<b>5</b>	
Barnsley ..	10	2·23	3	0·67	—	—	—	1	—	—	4	2	—	—	—
Bishopthorpe ..	2	0·68	—	—	—	—	—	—	1	—	—	—	—	—	—
Bowland ..	16	2·88	1	0·18	—	—	—	—	—	—	—	—	—	—	1
Doncaster ..	53	1·07	39	0·79	4	7	10·7	—	2	9	69	76	—	—	1
Goole ..	9	1·02	8	0·90	—	—	—	—	—	2	7	—	—	—	—
Great Ouseburn ..	17	1·28	—	—	—	7	13·2	—	—	2	13	—	—	—	—
Halifax ..	7	1·16	2	0·33	—	—	—	—	1	2	4	—	—	—	—
Hemsworth ..	135	2·84	93	1·96	7	11	16·5	—	4	32	131	83	1	—	—
Hunslet ..	4	0·92	1	0·23	1	—	15·4	—	—	9	—	—	—	—	—
Keighley ..	18	2·09	—	—	—	—	—	—	—	—	2	—	—	—	—
Kiveton Park ..	46	2·68	54	3·15	—	1	3·2	44	—	10	75	5	—	—	—
Knareborough ..	26	2·70	3	0·31	—	—	—	—	1	—	7	1	—	—	1
Pateley Bridge ..	5	0·72	2	0·29	—	—	—	—	—	2	8	—	—	—	—
Penistone ..	8	1·45	—	—	—	—	—	—	—	3	3	1	—	—	—
Pontefract ..	68	2·81	21	0·87	1	4	10·2	—	4	7	37	—	—	—	1

TABLE 29—contd.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Cases.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>YORKSHIRE, WEST RIDING—cont.</b>															
<b>RURAL DISTRICTS—cont.</b>															
Ripon .. ..	1	0·20	3	0·59	—	—	—	—	—	—	—	—	—	—	1
Rotherham ..	47	1·20	91	2·33	1	1	2·4	7	3	11	62	42	2	—	3
Sedburgh ..	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Selby .. ..	7	1·19	1	0·17	1	—	13·0	—	1	—	1	—	—	—	—
Settle .. ..	4	0·27	42	2·83	2	—	10·3	—	—	4	12	—	—	—	—
Skipton .. ..	23	1·23	19	1·02	1	—	4·8	—	—	3	3	—	2	—	2
Tadcaster ..	95	3·10	56	1·83	1	4	11·3	—	—	8	20	—	—	—	2
Thorne .. ..	27	0·85	14	0·44	4	6	11·3	—	—	10	36	43	—	—	5
Todmorden ..	2	0·41	—	—	—	—	—	—	—	3	2	—	—	—	—
Wakefield ..	47	2·54	48	2·59	—	1	2·9	—	2	10	39	4	1	—	5
Wetherby ..	50	3·07	17	1·04	—	2	9·1	—	—	5	8	—	1	—	—
Wharfedale (North)	3	0·80	3	0·80	—	—	—	—	—	—	3	—	—	—	1
Wharfedale (South)	15	2·42	4	0·64	—	—	—	—	—	5	16	—	—	—	—
Wortley ..	42	1·43	13	0·44	2	8	27·2	—	5	10	26	3	1	1	2
COUNTY BOROUGH York .. ..	197	2·33	127	1·51	4	2	4·9	—	5	32	74	4	1	2	4
<b>WALES AND MONMOUTH.</b>															
<b>ANGLESEY:</b>															
ADMINISTRATIVE COUNTY	62	1·28	36	0·74	1	2	3·8	—	4	2	39	—	—	—	6
URBAN DISTRICTS ..	8	0·44	12	0·67	—	2	7·3	—	1	1	3	—	—	—	3
Amlwch .. ..	2	0·79	—	—	—	—	—	—	—	—	1	—	—	—	—
Beaumaris M.B.	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Holyhead ..	2	0·19	12	1·15	—	2	11·5	—	1	1	1	—	—	—	3
Llangefni ..	3	1·72	—	—	—	—	—	—	—	—	—	—	—	—	—
Menai Bridge ..	1	0·61	—	—	—	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS ..	54	1·78	24	0·79	1	—	1·9	—	3	1	36	—	—	—	3
Aethwy .. ..	—	—	22	2·77	1	—	8·9	—	—	—	4	—	—	—	—
Dwyran .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Twrcelyn ..	31	3·61	—	—	—	—	—	—	3	1	24	—	—	—	2
Valley .. ..	23	2·08	2	0·18	—	—	—	—	—	—	8	—	—	—	1
<b>RECKNOCKSHIRE:</b>															
ADMINISTRATIVE COUNTY	44	0·77	68	1·19	1	4	5·3	—	1	6	68	—	1	2	2
URBAN DISTRICTS ..	11	0·68	12	0·74	—	—	—	—	1	1	22	—	1	1	1
Brecknock M.B.	3	0·58	6	1·16	—	—	—	—	—	—	—	—	1	—	—
Brynmawr ..	2	0·27	1	0·14	—	—	—	—	1	1	16	—	—	1	1
Builth Wells ..	4	2·49	—	—	—	—	—	—	—	—	3	—	—	—	—
Hay .. ..	—	—	4	2·71	—	—	—	—	—	—	1	—	—	—	—
Llanwrtyd ..	2	2·77	1	1·38	—	—	—	—	—	—	2	—	—	—	—
RURAL DISTRICTS ..	33	0·81	56	1·37	1	4	7·4	—	—	5	46	—	—	1	1
Brecknock (Defyn- nock and Llan- gorshe Div.) ..	2	0·32	1	0·16	—	1	10·4	—	—	—	2	—	—	—	—
Brecknock (Mer- thyr Cynog Div.) .. ..	1	0·48	1	0·48	—	—	—	—	—	—	1	—	—	—	—
Builth .. ..	6	1·56	—	—	—	1	12·2	—	—	1	1	—	—	—	—
Crickhowell ..	9	1·26	5	0·70	—	—	—	—	—	3	9	—	—	1	1
Hay .. ..	7	1·89	7	1·89	—	—	—	—	—	—	8	—	—	—	—



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Polio-myelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Cases.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>BRECKNOCK—cont.</b>															
<b>RURAL DISTRICTS—cont.</b>															
Vaynor and Penderyn ..	2	0·40	13	2·58	—	2	27·4	—	—	—	—	—	—	—	—
Ystradgynlais ..	6	0·51	28	2·36	1	—	5·0	—	—	1	23	—	—	—	—
Civil Parish of Llanwithwl administered by R.D.C. of Rhayader (Radnorshire).	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Civil Parish of Ystradfellte administered by R.D.C. of Neath (Glamorganshire)	—	—	1	1·53	—	—	—	—	—	—	2	—	—	—	—
<b>CAERNARVON: ADMINISTRATIVE COUNTY.</b>															
54	0·46	93	0·78	3	3	3·5	—	3	16	24	3	1	—	—	—
<b>URBAN DISTRICTS ..</b>															
Bangor M.B. ..	39	0·64	57	0·93	2	2	4·5	—	3	10	18	2	—	—	—
Bethesda ..	24	2·18	11	1·00	—	1	5·7	—	—	3	—	—	—	—	—
Betws y Coed ..	—	—	1	0·22	—	—	—	—	—	—	—	—	—	—	—
Caernarvon M.B. ..	1	0·12	3	0·36	—	—	—	—	1	1	—	—	—	—	—
Conway M.B. ..	7	0·86	23	2·83	—	—	—	—	2	3	4	1	—	—	—
Criccieth ..	1	0·73	—	—	—	—	—	—	—	1	2	—	—	—	—
Llandudno ..	3	0·24	7	0·56	—	1	5·2	—	—	—	5	1	—	—	—
Llanfairfechan ..	—	—	—	—	1	—	34·5	—	—	1	1	—	—	—	—
Penmaenmawr ..	2	0·51	9	2·30	1	—	21·3	—	—	—	2	—	—	—	—
Portmadoc ..	—	—	1	0·25	—	—	—	—	—	—	1	—	—	—	—
Pwllheli M.B. ..	1	0·28	—	—	—	—	—	—	—	1	3	—	—	—	—
<b>RURAL DISTRICTS ..</b>															
Conway ..	15	0·26	36	0·63	1	1	2·5	—	—	6	6	1	1	—	—
Geirionydd ..	—	—	5	1·13	—	—	—	—	—	2	2	—	—	—	—
Glaslyn ..	7	1·75	6	1·50	—	1	16·1	—	—	1	—	—	—	—	—
Gwyrfa ..	—	—	3	1·16	—	—	—	—	—	—	—	—	—	—	—
Lleyn ..	8	0·33	9	0·38	—	—	—	—	—	2	3	—	1	—	—
Ogwen ..	—	—	12	0·72	1	—	4·2	—	—	—	—	—	—	—	—
Ogwen ..	—	—	1	0·18	—	—	—	—	—	1	1	1	—	—	—
<b>CARDIGANSHIRE: ADMINISTRATIVE COUNTY.</b>															
99	1·81	87	1·59	7	1	10·2	—	3	16	36	—	—	—	2	—
<b>URBAN DISTRICTS ..</b>															
Aberayron ..	43	2·57	37	2·21	2	—	9·8	—	3	9	16	—	—	1	—
Aberystwyth M.B. ..	1	0·87	—	—	—	—	—	—	—	—	—	—	—	—	—
Cardigan M.B. ..	41	4·42	29	3·13	2	—	19·4	—	1	4	7	—	—	—	—
Lampeter M.B. ..	1	0·31	7	2·16	—	—	—	—	—	—	9	—	—	—	—
New Quay ..	—	—	1	0·51	—	—	—	—	2	1	—	—	—	1	—
<b>RURAL DISTRICTS ..</b>															
Aberayron ..	56	1·47	50	1·31	5	1	10·3	—	—	7	20	—	—	1	—
Aberystwyth(North)	21	3·07	—	—	2	—	18·0	—	—	1	2	—	—	—	—
Aberystwyth(South)	9	1·41	38	5·97	—	—	—	—	—	3	6	—	—	—	—
Cardigan ..	6	1·30	4	0·86	—	—	—	—	—	1	4	—	—	—	—
Lampeter ..	13	4·30	2	0·66	—	—	—	—	—	—	1	—	—	—	—
Lampeter ..	2	0·63	1	0·31	—	—	—	—	—	1	—	—	—	1	—
Llandyssil ..	4	0·53	3	0·40	1	—	8·3	—	—	1	2	—	—	—	—
Tregaron ..	1	0·16	2	0·33	2	1	27·8	—	—	—	4	—	—	—	—
Civil Parish of Ysgubor y coed administered by R.D.C. Machynlleth (Montgomery).	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid fever).	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>CARMARTHEN-SHIRE:</b>															
ADMINISTRATIVE COUNTY	237	1·32	200	1·11	7	14	7·4	—	8	22	197	1	—	3	13
URBAN DISTRICTS ..	95	1·27	100	1·33	3	6	7·9	—	4	12	122	1	—	2	5
Ammanford ..	20	2·78	19	2·64	—	1	10·1	—	—	—	13	—	—	—	1
Burry Port ..	1	0·17	27	4·70	—	—	—	—	—	—	—	—	—	—	—
Carmarthen M.B.	5	0·49	7	0·69	—	—	—	—	2	—	5	—	—	—	1
Cwmamman ..	25	4·77	13	2·48	—	—	—	—	—	—	8	—	—	—	—
Kidwelly M.B. ..	21	6·64	18	5·69	—	—	—	—	—	5	14	—	—	—	—
Llandilo .. ..	2	1·06	—	—	—	—	—	—	—	—	6	—	—	—	—
Llandovery M.B.	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—
Llanelly M.B. ..	21	0·54	16	0·41	3	5	12·9	—	2	7	72	1	—	2	3
Newcastle Emlyn	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
URAL DISTRICTS ..	142	1·35	100	0·95	4	8	7·1	—	4	10	75	—	—	1	8
Carmarthen ..	52	2·13	20	0·82	2	—	4·7	—	1	3	6	—	—	—	1
Llandilo Fawr ..	30	1·33	15	0·67	—	5	15·3	—	2	6	24	—	—	—	2
Llandovery ..	1	0·16	—	—	—	—	—	—	—	—	10	—	—	—	—
Llanelly .. ..	52	1·38	57	1·51	2	2	6·4	—	1	1	27	—	—	—	4
Llanybyther ..	—	—	—	—	—	—	—	—	—	—	5	—	—	1	—
Newcastle in Emlyn ..	1	0·17	2	0·34	—	—	—	—	—	—	—	—	—	—	1
Whitland .. ..	6	1·20	6	1·20	—	1	12·7	—	—	—	3	—	—	—	—
<b>DENBIGHSHIRE:</b>															
ADMINISTRATIVE COUNTY	495	3·15	1,069	6·81	8	23	12·1	—	9	43	144	3	—	4	11
URBAN DISTRICTS ..	130	2·29	318	5·60	3	6	10·2	—	1	17	41	3	—	2	5
Abergele and Pensarn	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Colwyn Bay ..	18	0·89	79	3·90	—	—	—	—	—	6	9	2	—	—	3
Denbigh M.B. ..	5	0·65	11	1·44	1	—	7·2	—	1	3	6	—	—	—	—
Llangollen ..	2	0·71	4	1·41	—	—	—	—	—	—	1	—	—	—	1
Llanrwst .. ..	1	0·42	—	—	—	—	—	—	—	—	—	—	—	—	—
Ruthin M.B. ..	8	2·82	34	12·00	—	4	51·9	—	—	2	—	—	—	—	—
Wrexham M.B. ..	96	5·27	190	10·43	2	2	12·9	—	—	6	24	1	—	2	1
URAL DISTRICTS ..	365	3·64	751	7·49	5	17	13·0	—	8	26	103	—	—	2	6
Chirk .. ..	2	0·42	—	—	—	—	—	—	—	—	—	—	—	—	1
Llangollen ..	2	0·59	14	4·14	—	—	—	—	—	—	7	—	—	—	—
Llanrwst .. ..	6	1·48	1	0·25	1	—	14·9	—	1	—	—	—	—	1	1
Llansilin .. ..	—	—	4	1·48	—	—	—	—	—	—	4	—	—	—	—
Ruthin .. ..	28	3·12	46	5·13	—	3	30·3	—	2	1	7	—	—	—	—
St. Asaph (Denbigh) ..	15	2·07	10	1·38	1	2	30·9	—	1	1	2	—	—	—	—
Uwchaled .. ..	2	1·02	5	2·55	—	—	—	—	3	—	3	—	—	—	—
Wrexham .. ..	309	4·74	671	10·29	3	11	11·7	—	1	24	80	—	—	1	4
Civil Parishes of Llanellian yn Rhos & Llan-santffraid Llanconway administered by R.D.C. of Conway (Caernarvonshire).	1	0·54	—	—	—	1	34·5	—	—	—	—	—	—	—	—



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Cases.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>FLINTSHIRE :</b>															
ADMINISTRATIVE COUNTY.	123	1·10	146	1·30	13	19	17·4	—	6	30	118	5	—	1	1
URBAN DISTRICTS ..	38	0·81	66	1·42	2	6	11·3	—	4	12	31	1	—	—	—
Buckley ..	5	0·72	16	2·30	—	1	9·7	—	—	3	4	—	—	—	—
Connah's Quay ..	5	0·83	12	1·98	—	—	—	—	2	—	5	1	—	—	—
Flint M.B. ..	—	—	—	—	—	2	14·4	—	1	3	5	—	—	—	—
Holywell ..	7	2·06	3	0·88	—	1	17·9	—	—	1	12	—	—	—	—
Mold ..	4	0·78	2	0·39	—	1	11·6	—	—	—	—	—	—	—	—
Prestatyn ..	2	0·47	—	—	—	—	—	—	1	2	—	—	—	—	—
Rhyl ..	15	1·15	33	2·52	2	1	16·3	—	—	3	5	—	—	—	—
RURAL DISTRICTS ..	85	1·30	80	1·22	11	13	21·1	—	2	18	87	4	—	1	—
Hawarden ..	34	1·30	22	0·84	9	4	24·6	—	1	5	20	3	—	—	—
Holywell ..	17	0·64	35	1·32	1	8	21·1	—	—	10	63	1	—	—	—
Overton ..	24	5·09	17	3·60	1	—	14·7	—	1	2	1	—	—	—	—
St. Asaph (Flint)	10	1·27	6	0·76	—	1	8·8	—	—	1	3	—	—	1	—
<b>GLAMORGAN-SHIRE:</b>															
ADMINISTRATIVE COUNTY.	2,287	1·86	2,677	2·18	118	196	14·2	260	30	412	1,858	16	8	11	17
COUNTY BOROUGHS	831	1·80	1,164	2·53	55	97	17·8	2	10	147	378	11	3	3	6
Cardiff ..	631	2·82	589	2·64	46	59	24·7	—	9	80	220	6	—	—	4
Merthyr Tydfil ..	76	1·06	97	1·36	7	8	11·9	2	1	37	72	—	2	2	—
Swansea ..	124	0·75	478	2·89	2	30	10·6	—	—	30	86	5	1	1	1
ADMINISTRATIVE COUNTY.	1,456	1·89	1,513	1·97	63	99	11·9	258	20	265	1,480	5	5	8	10
URBAN DISTRICTS ..	1,280	2·18	1,251	2·13	60	92	14·1	254	11	244	1,389	3	5	8	9
Aberdare ..	50	1·02	58	1·19	—	2	2·8	24	—	27	135	—	—	1	—
Barry ..	46	1·19	34	0·88	—	4	6·2	—	—	15	42	—	—	—	—
Bridgend ..	5	0·50	—	—	2	—	10·4	—	—	—	—	—	—	—	—
Caerphilly ..	56	1·55	33	0·91	3	2	6·3	1	—	14	47	—	—	—	—
Cowbridge M.B. ...	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Gelligaer ..	108	2·61	78	1·89	3	6	10·1	2	2	17	97	—	—	1	—
Glyncorwg ..	20	1·95	29	2·82	—	—	—	—	—	4	9	—	—	—	—
Llwchwr ..	24	0·89	69	2·57	—	3	7·0	—	—	5	41	—	—	—	—
Maesteg ..	31	1·21	70	2·72	1	4	8·4	—	—	5	22	—	—	—	—
Mountain Ash ..	142	3·68	84	2·18	3	8	16·0	214	2	31	174	—	1	—	—
Neath M.B. ..	19	0·57	113	3·37	—	2	3·6	—	—	10	39	—	—	1	—
Ogmore and Garw	161	5·93	24	0·88	3	5	16·4	—	4	15	87	1	1	—	—
Penarth ..	19	1·08	28	1·60	—	2	9·5	—	—	6	33	—	—	—	—
Pontypridd ..	70	1·63	51	1·19	5	7	15·7	12	2	12	177	—	—	—	—
Porthcawl ..	50	8·05	16	2·58	—	1	13·5	—	—	2	17	—	1	—	—
Port Talbot M.B.	41	1·00	90	2·20	—	—	—	—	—	6	1	—	1	1	—
Rhondda ..	438	3·08	474	3·33	40	46	31·9	1	1	75	466	2	1	4	—
RURAL DISTRICTS ..	176	0·97	262	1·44	3	7	3·4	4	9	21	91	2	—	—	—
Cardiff ..	57	1·98	16	0·55	—	—	—	—	2	4	17	1	—	—	—
Cowbridge ..	5	0·48	3	0·29	1	—	6·2	—	—	1	10	—	—	—	—
Gower ..	—	—	7	0·73	—	—	—	—	6	—	7	—	—	—	—
Llantrisant and Llantwitfardre	49	1·88	64	2·45	—	1	1·9	—	—	4	11	—	—	—	—
Neath ..	40	1·00	91	2·26	2	2	5·9	—	1	4	37	—	—	—	—
Penybont ..	12	0·41	14	0·48	—	—	—	—	—	2	4	—	—	—	—
Pontardawe ..	13	0·35	67	1·81	—	4	7·0	4	—	6	5	1	—	—	—

TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Fever.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>MONMOUTHSHIRE:</b>															
ADMINISTRATIVE COUNTY.	41	0·97	58	1·37	2	4	9·0	—	5	12	19	—	—	—	4
URBAN DISTRICTS ..	10	0·52	23	1·19	—	2	7·1	—	1	7	12	—	—	—	3
Bala ..	2	1·45	—	—	—	—	—	—	1	1	—	—	—	—	—
Barmouth ..	—	—	1	0·44	—	—	—	—	—	—	—	—	—	—	—
Dolgelley ..	—	—	2	0·85	—	1	28·6	—	—	1	1	—	—	—	1
Ffestiniog ..	8	0·88	17	1·88	—	—	—	—	—	5	3	—	—	—	2
Mallwyd ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Towyn ..	—	—	3	0·83	—	1	19·6	—	—	—	8	—	—	—	—
RURAL DISTRICTS ..	31	1·35	35	1·53	2	2	10·3	—	4	5	7	—	—	—	1
Deudraeth ..	22	3·07	16	2·24	—	—	—	—	—	2	3	—	—	—	1
Dolgelley ..	5	0·70	11	1·54	—	1	7·9	—	—	2	4	—	—	—	—
Edernion ..	4	0·86	3	0·65	—	1	12·5	—	1	—	—	—	—	—	—
Penllyn ..	—	—	1	0·27	2	—	36·4	—	3	1	—	—	—	—	—
Civil Parish of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire).	—	—	4	10·64	—	—	—	—	—	—	—	—	—	—	—
<b>NEWPORT BOROUGH:</b>															
ADMINISTRATIVE COUNTY.	2,275	5·21	589	1·35	16	37	6·5	6	17	115	467	5	7	11	21
NEWPORT ..	971	10·88	134	1·50	7	15	12·8	—	2	28	189	2	3	3	2
ADMINISTRATIVE COUNTY.	1,304	3·75	455	1·31	9	22	4·8	6	15	87	278	3	4	8	19
URBAN DISTRICTS ..	1,110	3·79	390	1·33	8	18	4·7	5	10	85	256	1	4	7	18
Abercarn ..	31	1·50	1	0·05	—	1	2·5	—	—	6	4	—	—	—	1
Abergavenny M.B.	21	2·47	80	9·42	—	—	—	1	1	1	1	—	—	—	—
Abersychan ..	91	3·52	10	0·39	—	1	2·1	—	—	12	2	—	—	—	1
Abertillery ..	186	5·82	55	1·72	1	—	1·7	—	3	6	14	—	—	—	2
Bedwas and Machen ..	39	4·21	28	3·03	—	1	5·4	—	—	—	25	—	1	—	1
Bedwellty ..	178	5·86	48	1·58	—	2	2·7	—	1	13	24	—	—	—	6
Blaenavon ..	4	0·36	9	0·81	1	—	5·5	3	—	1	12	—	1	1	—
Caerleon ..	1	0·41	—	—	—	1	47·6	—	—	—	1	—	—	—	2
Chepstow ..	4	0·94	4	0·94	—	—	—	—	—	—	3	—	—	1	—
Ebbw Vale ..	187	5·85	36	1·13	1	4	9·0	1	1	10	63	—	2	3	—
Llanfrechfa Upper	3	0·66	1	0·22	—	—	—	—	—	1	2	—	—	—	—
Llantarnam ..	37	5·05	—	—	—	—	—	—	—	—	4	—	—	—	—
Monmouth M.B.	9	1·88	4	0·83	1	1	26·7	—	—	2	—	—	—	—	—
Mynyddislwyn ..	102	6·25	36	2·21	1	1	6·7	—	—	4	4	—	—	1	—
Nantyglo and Blaina ..	4	0·30	1	0·08	—	1	3·7	—	—	3	43	—	—	—	3
Panteg ..	6	0·52	7	0·60	1	—	5·9	—	1	2	2	—	—	—	—
Pontypool ..	4	0·59	3	0·44	1	1	15·4	—	—	1	—	—	—	—	1
Rhymney ..	82	7·73	34	3·20	—	—	—	—	3	7	2	—	—	—	—
Risca ..	19	1·14	8	0·48	—	—	—	—	—	2	18	—	—	—	1
Tredeggar ..	100	4·28	25	1·07	1	4	9·4	—	—	14	31	1	—	1	—
Usk ..	2	1·54	—	—	—	—	—	—	—	—	1	—	—	—	—
RURAL DISTRICTS ..	194	3·56	65	1·19	1	4	6·1	1	5	2	22	2	—	1	1
Abergavenny ..	29	3·32	17	1·95	1	2	30·6	1	4	2	—	—	—	—	—
Chepstow ..	6	0·69	14	1·62	—	—	—	—	1	—	5	—	—	—	—
Magor ..	31	4·64	8	1·20	—	1	10·4	—	—	—	7	1	—	—	1
Monmouth ..	6	0·94	7	1·09	—	—	—	—	—	—	—	—	—	—	—
Pontypool ..	9	1·77	2	0·39	—	—	—	—	—	—	4	—	—	1	—
St. Mellons ..	113	5·94	17	0·89	—	1	3·1	—	—	—	6	1	—	—	—



TABLE 29—*contd.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Civilian Population.	Cases.	Rate per 1,000 Civilian Population.	Cases.	Pyrexia.	Rate per 1,000 Total (live and still) Registered Births.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>MONTGOMERY-SHIRE:</b>															
ADMINISTRATIVE COUNTY.	43	0·90	10	0·21	—	13	16·7	—	3	20	64	—	1	1	1
URBAN DISTRICTS ..	15	0·88	4	0·23	—	4	14·6	—	3	11	21	—	1	—	—
Llanfyllin M.B. ..	3	2·09	—	—	—	1	38·5	—	—	—	6	—	—	—	—
Llanidloes M.B. ..	—	—	2	0·87	—	—	—	—	1	3	3	—	—	—	—
Machynlleth ..	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Montgomery M.B. ..	5	5·51	—	—	—	—	—	—	—	2	2	—	—	—	—
Newtown and Llanllwchaiarn	—	—	2	0·40	—	3	37·0	—	—	4	1	—	—	—	—
Welshpool M.B. ..	7	1·26	—	—	—	—	—	—	2	2	9	—	—	—	—
RURAL DISTRICTS ..	28	0·91	6	0·19	—	9	17·9	—	—	9	43	—	—	—	1
Forden ..	5	0·94	—	—	—	4	45·5	—	—	2	7	—	—	—	—
Llanfyllin ..	21	1·80	2	0·17	—	3	14·0	—	—	4	23	—	—	1	—
Machynlleth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Newtown and Llanidloes ..	2	0·19	4	0·39	—	2	12·4	—	—	3	13	—	—	—	—
<b>PEMBROKESHIRE:</b>															
ADMINISTRATIVE COUNTY.	80	0·94	76	0·89	—	3	2·1	—	4	10	84	—	—	2	—
URBAN DISTRICTS ..	29	0·74	41	1·05	—	1	1·4	—	3	6	34	—	—	—	—
Fishguard ..	—	—	2	0·69	—	—	—	—	—	—	1	—	—	—	—
Goodwick ..	1	0·45	6	2·69	—	—	—	—	—	—	2	—	—	—	—
Haverfordwest M.B. ..	5	0·82	—	—	—	—	—	—	—	1	1	—	—	—	—
Milford Haven ..	14	1·49	28	2·99	—	1	5·6	—	2	2	17	—	—	—	—
Narberth ..	7	6·71	—	—	—	—	—	—	—	—	1	—	—	—	—
Neyland ..	—	—	2	0·92	—	—	—	—	—	—	—	—	—	—	—
Pembroke M.B. ..	2	0·18	3	0·26	—	—	—	—	1	2	12	—	—	—	—
Tenby M.B. ..	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
RURAL DISTRICTS ..	51	1·10	35	0·76	—	2	2·8	—	1	4	50	—	—	—	2
Haverfordwest ..	9	0·48	23	1·24	—	1	3·4	—	—	1	15	—	—	—	—
Llanfyrnach ..	6	2·85	2	0·95	—	—	—	—	—	1	1	—	—	1	—
Narberth ..	23	2·18	1	0·09	—	1	6·2	—	—	1	24	—	—	—	—
Pembroke ..	5	0·65	3	0·39	—	—	—	—	—	—	5	—	—	—	—
St. Dogmells ..	8	1·08	6	0·81	—	—	—	—	1	1	5	—	—	1	—
<b>RADNORSHIRE:</b>															
ADMINISTRATIVE COUNTY.	55	2·64	—	—	1	4	14·6	—	5	5	8	—	—	—	—
URBAN DISTRICTS ..	37	6·64	—	—	—	1	11·2	—	1	3	2	—	—	—	—
Knighton ..	1	0·56	—	—	—	1	37·0	—	—	2	2	—	—	—	—
Llandrindod Wells	29	10·79	—	—	—	—	—	—	—	—	—	—	—	—	—
Presteign ..	7	6·40	—	—	—	—	—	—	1	1	—	—	—	—	—
RURAL DISTRICTS ..	18	1·18	—	—	1	3	15·7	—	4	2	6	—	—	—	—
Colwyn ..	6	3·06	—	—	—	—	—	—	—	1	—	—	—	—	—
Knighton ..	2	0·51	—	—	—	1	14·9	—	4	—	2	—	—	—	—
New Radnor ..	2	0·77	—	—	1	1	41·7	—	—	—	—	—	—	—	—
Paincastle ..	3	1·41	—	—	—	—	—	—	—	—	1	—	—	—	—
Rhayader ..	5	1·07	—	—	—	1	13·3	—	—	1	3	—	—	—	—

TABLE 30.—AIR TEMPERATURE, RAINFALL AND SUNSHINE, ENGLAND AND WALES,  
DURING THE YEAR 1931\*

District.	Air Temperature.			Rainfall.		Sun- shine	Normal Values, 1881-1915.			
	Highest.	Lowest.	Deviation from Normal Daily Mean.	Percentage of Normal.	Number of Days Deviation from Normal.	Percentage of Normal.	Daily Mean Temperature.	Total Rainfall.	Number of Days	Daily Sunshine.
	Year 1931.						Year 1881-1915.			
	° F.	° F.	° F.	%		%	° F.	mm.		hr.
England N.E. ..	78	8†	-0.2	113	+ 4	93	47.3	645	188	3.93
England E. ..	81	5	+0.2	102	-16	87	48.4	610	181	4.32
Midland Counties	79	14	-0.2	115	- 1	85	47.9	686	181	3.82
England S.E. ..	83	9	-0.2	99	- 1	90	49.5	709	175	4.49
England N.W.† .	79	15	0.0	112	+14	89	48.2	901	201	3.89
England S.W.†..	80	15	+0.1	98	+12	83	49.5	1001	199	4.28
Mean .. ..	—	—	-0.1	107	+ 2	88	48.5	759	187	4.12

\* For similar values for each month and quarter, *see* the Registrar-General's Quarterly Returns.

† The district known as England N.W. includes the Northern half of Wales, whilst England S.W. includes the Southern half.

‡ Amended value.



TABLE 31.—METEOROLOGICAL

Year.	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of Rain in Inches and in Millimetres.		Departure from Average of 50 Years (1861-1910).	Mean Degree of Humidity of the Air (Saturation =100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910)
	Miles.	Miles.	in.	mm.	mm.	%	%	° F.	° F.
1882 ..	2151	+200	25.2	640	+ 30	84	+ 3	49.7	+ 0.2
1883 ..	2058	+107	21.9	557	— 53	82	+ 1	49.4	— 0.1
1884 ..	2034	+ 83	18.1	458	—152	80	— 1	50.7	+ 1.2
1885 ..	2008	+ 57	24.0	610	0	81	0	48.6	— 0.9
1886 ..	1962	+ 11	24.2	615	+ 5	81	0	48.7	— 0.8
1887 ..	1927	— 24	19.9	504	—106	79	— 2	47.8	— 1.7
1888 ..	2049	+ 98	27.5	699	+ 89	82	+ 1	47.7	— 1.8
1889 ..	1934	— 17	23.3	591	— 19	83	+ 2	48.8	— 0.7
1890 ..	1946	— 5	21.9	555	— 55	81	0	48.6	— 0.9
1891 ..	1945	— 6	25.0	636	+ 26	82	+ 1	48.4	— 1.1
1892 ..	1863	— 88	22.3	567	— 43	80	— 1	48.1	— 1.4
1893 ..	1909	— 42	20.1	511	— 99	76	— 5	51.1	+ 1.6
1894 ..	2019	+ 68	26.9	683	+ 73	81	0	49.9	+ 0.4
1895 ..	1951	0	19.7	501	—109	78	— 3	49.3	— 0.2
1896 ..	1932	— 19	22.4	569	— 41	79	— 2	50.2	+ 0.7
1897 ..	2033	+ 82	22.1	562	— 48	79	— 2	50.3	+ 0.8
1898 ..	1956	+ 5	18.9	479	—131	78	— 3	51.3	+ 1.8
1899 ..	1911	— 40	22.3	567	— 43	77	— 4	50.6	+ 1.1
1900 ..	2050	+ 99	22.3	567	— 43	79	— 2	50.4	+ 0.9
1901 ..	1970	+ 19	20.3	515	— 95	78	— 3	49.2	— 0.3
1902 ..	1933	— 18	19.3	491	—119	80	— 1	49.2	— 0.3
1903 ..	2226	+275	35.5	903	+293	80	— 1	50.1	+ 0.6
1904 ..	1913	— 38	20.7	525	— 85	82	+ 1	49.8	+ 0.3
1905 ..	2063	+112	23.0	585	— 25	81	0	49.9	+ 0.4
1906 ..	2093	+142	24.7	628	+ 18	79	— 2	50.7	+ 1.2
1907 ..	1977	+ 26	22.3	565	— 45	81	0	49.7	+ 0.2
1908 ..	1932	— 19	23.8	604	— 6	83	+ 2	50.1	+ 0.6
1909 ..	2041	+ 90	25.7	653	+ 43	83	+ 2	48.9	— 0.6
1910 ..	2155	+204	28.1	713	+103	84	+ 3	50.2	+ 0.7
1911 ..	2140	+189	23.7	601	— 9	79	— 2	51.8	+ 2.3
1912 ..	2085	+134	24.9	632	+ 22	83	+ 2	51.0	+ 1.5
1913 ..	2030	+ 79	22.4	570	— 40	83	+ 2	51.3	+ 1.8
1914 ..	2087	+136	23.9	606	— 4	81	0	51.5	+ 2.0
1915 ..	1932	— 19	30.6	776	+166	82	+ 1	49.9	+ 0.4
1916 ..	2040	+ 89	29.8	757	+147	84	+ 3	49.9	+ 0.4
1917 ..	2059	+108	26.0	660	+ 50	82	+ 1	48.9	— 0.6
1918 ..	1993	+ 42	28.4	722	+112	82	+ 1	50.6	+ 1.1
1919 ..	1940	— 11	23.0	586	— 24	81	0	48.8	— 0.7
1920 ..	1918	— 33	21.5	546	— 64	82	+ 1	51.1	+ 1.6
1921 ..	1855	— 96	12.8	318	—292	77	— 4	52.7	+ 3.2
1922 ..	2043	+ 92	23.2	589	— 21	80	— 1	49.4	— 0.1
1923 ..	2055	+104	24.0	610	0	81	0	50.3	+ 0.8
1924 ..	1947	— 4	30.6	779	+169	83	+ 2	50.6	+ 1.1
1925 ..	1957	+ 6	23.4	594	— 16	81	0	50.5	+ 1.0
1926 ..	1948	— 3	28.1	714	+104	82	+ 1	51.1	+ 1.6
1927 ..	†2003	+ 52	29.4	746	+136	83	+ 2	50.2	+ 0.7
1928 ..	2086	+135	25.3	643	+ 33	80	— 1	51.1	+ 1.6
1929 ..	1846	—105	21.7	551	— 59	78	— 3	50.1	+ 0.6
1930 ..	1979	+ 28	27.4	696	+ 86	79	— 2	51.2	+ 1.7
1931 ..	1968	+ 17	24.9	634	+ 24	82	+ 1	49.9	+ 0.4
Average 50 years (1861-1910)	1951	—	24.0	610	—	81	—	49.5	—

† Mean of 52 weeks only (50th week—defective record).

Corresponding values from the year 1849 are

## ELEMENTS, GREENWICH, 1882-1931.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910).	
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
42.3	+ 2.3	53.0	0.0	58.1	- 2.4	44.7	+ 0.4	1882
40.0	0.0	53.0	0.0	59.5	- 1.0	44.9	+ 0.6	1883
43.4	+ 3.4	52.5	- 0.5	62.7	+ 2.2	44.1	- 0.2	1884
40.3	+ 0.3	52.4	- 0.6	59.1	- 1.4	42.8	- 1.5	1885
36.5	- 3.5	52.5	- 0.5	61.2	+ 0.7	44.6	+ 0.3	1886
37.3	- 2.7	51.6	- 1.4	61.0	+ 0.5	41.3	- 3.0	1887
36.9	- 3.1	51.6	- 1.4	57.6	- 2.9	44.6	+ 0.3	1888
38.2	- 1.8	54.5	+ 1.5	58.9	- 1.6	43.5	- 0.8	1889
41.4	- 1.4	52.8	- 0.2	58.4	- 2.1	40.8	- 3.5	1890
37.6	- 2.4	51.6	- 1.4	59.3	- 1.2	45.0	+ 0.7	1891
37.5	- 2.5	53.4	+ 0.4	59.2	- 1.3	42.3	- 2.0	1892
40.9	+ 0.9	57.0	+ 4.0	61.9	+ 1.4	44.6	+ 0.3	1893
41.4	+ 1.4	53.3	+ 0.3	58.6	- 1.9	46.4	+ 2.1	1894
35.2	- 4.8	55.1	+ 2.1	62.3	+ 1.8	44.7	+ 0.4	1895
42.2	+ 2.2	55.6	+ 2.6	60.4	- 0.1	42.4	- 1.9	1896
41.1	+ 1.1	53.1	+ 0.1	60.9	+ 0.4	46.0	+ 1.7	1897
41.5	+ 1.5	52.4	- 0.6	62.7	+ 2.2	48.5	+ 4.2	1898
41.8	+ 1.8	52.8	- 0.2	63.0	+ 2.5	44.7	+ 0.4	1899
39.2	- 0.8	52.8	- 0.2	61.8	+ 1.3	47.6	+ 3.3	1900
37.8	- 2.2	53.4	+ 0.4	61.7	+ 1.2	43.9	- 0.4	1901
40.5	+ 0.5	51.0	- 2.0	59.6	- 0.9	45.2	+ 0.9	1902
43.9	+ 3.9	51.2	- 1.8	60.0	- 0.5	45.2	+ 0.9	1903
39.5	- 0.5	53.8	+ 0.8	61.5	+ 1.0	44.3	0.0	1904
41.9	+ 1.9	53.8	+ 0.8	61.7	+ 1.2	42.2	- 2.1	1905
41.1	+ 1.1	52.8	- 0.2	63.2	+ 2.7	45.8	+ 1.5	1906
40.0	0.0	52.9	- 0.1	60.1	- 0.4	45.8	+ 1.5	1907
39.5	- 0.5	53.8	+ 0.8	60.3	- 0.2	46.6	+ 2.3	1908
38.4	- 1.6	52.5	- 0.5	59.7	- 0.8	44.8	+ 0.5	1909
41.5	+ 1.5	54.2	+ 1.2	59.3	- 1.2	45.6	+ 1.3	1910
40.3	+ 0.3	54.9	+ 1.9	65.7	+ 5.2	46.2	+ 1.9	1911
43.6	+ 3.6	55.3	+ 2.3	58.9	- 1.6	45.9	+ 1.6	1912
42.4	+ 2.4	54.5	+ 1.5	60.2	- 0.3	47.8	+ 3.5	1913
42.5	+ 2.5	54.9	+ 1.9	62.2	+ 1.7	46.5	+ 2.2	1914
40.8	+ 0.8	53.4	+ 0.4	60.9	+ 0.4	44.3	0.0	1915
41.5	+ 1.5	53.0	0.0	60.4	- 0.1	44.7	+ 0.4	1916
36.4	- 3.6	54.5	+ 1.5	61.7	+ 1.2	43.1	- 1.2	1917
42.3	+ 2.3	53.2	+ 0.2	60.7	+ 0.2	46.1	+ 1.8	1918
38.1	- 1.9	54.3	+ 1.3	60.2	- 0.3	42.5	- 1.8	1919
44.3	+ 4.3	55.3	+ 2.3	59.1	- 1.4	45.4	+ 1.1	1920
44.5	+ 4.5	54.9	+ 1.9	64.2	+ 3.7	47.2	+ 2.9	1921
41.2	+ 1.2	54.2	+ 1.2	58.1	- 2.4	44.2	- 0.1	1922
44.8	+ 4.8	51.4	- 1.6	61.8	+ 1.3	43.0	- 1.3	1923
39.8	- 0.2	54.6	+ 1.6	60.8	+ 0.3	47.1	+ 2.8	1924
42.2	+ 2.2	55.0	+ 2.0	60.9	+ 0.4	44.0	- 0.3	1925
43.8	+ 3.8	53.9	+ 0.9	63.0	+ 2.5	43.9	- 0.4	1926
42.8	+ 2.8	53.8	+ 0.8	60.6	+ 0.1	43.6	- 0.7	1927
43.4	+ 3.4	53.1	+ 0.1	62.2	+ 1.7	45.9	+ 1.6	1928
37.0	- 3.0	53.0	0.0	64.0	+ 3.5	46.4	+ 2.1	1929
42.0	+ 2.0	55.0	+ 2.0	61.8	+ 1.3	45.9	+ 1.6	1930
39.7	- 0.3	54.6	+ 1.6	59.2	- 1.3	46.0	+ 1.7	1931
40.0	—	53.0	—	60.5	—	44.3	—	{ Average 50 years (1861-1910)



TABLE 32.—QUARTERLY METEOROLOGICAL ELEMENTS. GREENWICH, 1931.

1st Quarter : Jan., Feb., Mar. 2nd " April, May, June. 3rd " July, Aug., Sept. 4th " Oct., Nov., Dec.	Temperature of						Air Daily Range.		Vapour Pressure in Millibars.		Mass of Vapour in a Cubic Metre of Air.		Degree of Humidity.		Mean Air Pressure at Station Level* in Millibars.		Mass of a Cubic Metre of Air.		Rain.		Readings of Thermometer on Grass.											
	Air.		Evaporation.		Dew Point.		Mean.		Difference from Normal of 60 years.		Mean.		Difference from Normal of 60 years.		Mean.		Difference from Normal of 60 years.		Amount in Millimetres.		Difference from Normal of 86 years.		At or below 30° F.		Between 30° and 40° F.		Above 40° F.		Lowest Reading at Night.		Highest Reading at Night.	
	Mean of Maximum and Minimum.	Difference from Normal of 130 years.	Difference from Normal of 60 years.	Mean of "Wet Bulb" Readings at 9h. and 21h.	Difference from Normal of 60 years.	Mean.	Difference from Normal of 60 years.	Mean.	mb.	gms.	%	mb.	mb.	gms.	gms.	mm.	mm.	gms.	gms.	mm.	mm.	At or below 30° F.	Between 30° and 40° F.	Above 40° F.	° F. ° F.	° F. ° F.	° F. ° F.	° F. ° F.	° F. ° F.			
1931	49.9	+1.2	+0.5	46.3	-0.1	43.4	-0.1	14.7	9.9	0.0	7.7	-0.1	82	0	1011.5	+2.6	1241	0	634	+	4	128	121	116	10.4	60.4	60.4	60.4	60.4	60.4		
Year	39.7	+0.8	-0.1	36.8	-1.0	33.9	-1.3	12.2	6.7	-0.3	5.3	-0.2	83	-1	1008.5	-0.3	1265	+	1	75	-	60	28	2	12.0	46.0	46.0	46.0	46.0	46.7		
1st Quarter	54.6	+2.2	+1.7	49.8	+0.7	46.2	+1.0	18.0	10.4	0.0	8.3	+0.5	77	0	1010.1	+0.9	1227	-	5	201	+	16	39	36	21.1	57.5	57.5	57.5	57.5	57.5		
2nd "	59.2	-0.6	-1.2	54.9	-1.6	51.8	-1.2	16.7	13.3	-0.3	10.2	-0.3	81	+4	1011.9	+2.3	1219	+	5	261	+	8	20	64	24.0	60.4	60.4	60.4	60.4	60.4		
3rd "	46.0	+2.3	+1.6	43.9	+1.3	41.8	+1.2	12.1	9.3	+0.6	7.2	+0.1	86	-3	1015.4	+7.3	1254	+	1	97	-	44	34	14	10.4	46.7	46.7	46.7	46.7	46.7		

\* Height of barometer cistern above mean sea level=152 feet (average correction to sea level +5.6 mb.).  
In this table + and - respectively signify that the numbers in the preceding column are above or below the average to the amount of the quantities to which the signs are affixed.  
Pressure is expressed in millibars (1,000 mb. = 29.531 mercury inches).  
Density is expressed in grams per cubic metre (2.294 grams per cubic metre=1 grain per cubic foot).

APPENDIX A. ESTIMATED RESIDENT MID-YEAR POPULATION, 1931, OF AREAS AS CONSTITUTED AFTER CHANGE OF BOUNDARY DURING THE YEAR. (Supplementary to Table 17.)

Areas in which a change of boundary occurred during 1931.	Estimated Resident Mid-Year Population.		Areas in which a change of boundary occurred during 1931.	Estimated Resident Mid-Year Population.	
	Total.	Civilian (where necessary).		Total	Civilian (where necessary).
<i>Regions.</i>			Southampton ..	1,001,570	953,200
South East .. ..	13,417,190	13,308,300	County Boroughs ..	533,100	513,600
Remainder of S.E. ..	5,224,950	5,131,300	Bournemouth ..	109,100	
South West .. ..	2,045,790	2,013,400	Administrative		
			County ..	468,470	439,600
<i>Density Summary.</i>			Rural Districts ..	255,620	247,800
(Greater London			Christchurch ..	5,308	
excluded).			Staffordshire .. ..	1,445,960	1,444,500
County Boroughs ..	12,702,370	12,659,380	County Boroughs ..	736,100	
Other Urban Districts	11,236,382	11,174,752	Walsall .. ..	104,300	
Rural Districts ..	7,857,008	7,806,868	West Bromwich..	82,180	
<i>Counties, County</i>			Administrative		
<i>Boroughs, Urban and</i>			County ..	709,860	708,400
<i>Rural Districts.</i>			Urban Districts ..	495,800*	
Buckinghamshire.			Wednesbury M.B.	31,950*	
Urban Districts ..	125,580		Rural Districts ..	214,060	212,600
Slough .. ..	33,490		Lichfield .. ..	29,850	28,390
Rural Districts ..	146,180	142,620	Walsall .. ..	15,050	
Eton .. ..	29,240		Warwickshire.. ..	1,548,850	1,548,600
Cheshire .. ..	1,090,500	1,090,190	County Boroughs ..	1,181,600	
Administrative			Birmingham ..	1,012,700	
County .. ..	676,710	676,400	Administrative		
Rural Districts ..	205,610	205,300	County .. ..	367,250	367,000
Bucklow .. ..	20,070		Urban Districts ..	178,200	
Dorsetshire.			Kenilworth ..	7,620†	
Administrative			Nuneaton M.B.	46,810	
County .. ..	237,270	232,100	Royal Leaming-		
Urban Districts..	133,150	129,610	ton Spa M.B.	29,490*	
Wareham M.B.	2,356		Sutton Coldfield		
Rural Districts ..	104,120	102,490	M.B. .. ..	29,890	
Poole .. ..	5,443		Warwick M.B.	13,630	
Wareham and			Rural Districts ..	189,050	188,800
Purbeck .. ..	13,960	12,330	Alcester .. ..	11,290	
Gloucestershire ..	789,610	788,210	Brailes.. ..	Nil.	
Administrative			Meriden .. ..	17,400	
County .. ..	336,800	335,700	Nuneaton .. ..	5,483	
Rural Districts ..	223,300	222,200	Shipston-on-		
Campden .. ..	8,185		Stour .. ..	7,592	
Marston Sicca..	Nil.		Solihull .. ..	30,670	
Newent .. ..	7,377		Stratford-on-		
Pebworth .. ..	Nil.		Avon .. ..	12,310	
Stow-on-the-			Warwick .. ..	12,650	12,400
Wold .. ..	6,186		Worcestershire ..	422,230	422,020
Tewkesbury			County Boroughs ..	111,750	
(part of) .. ..	4,223		Worcester .. ..	51,700	
Winchcomb			Administrative		
(part of) .. ..	8,173		County .. ..	310,480	310,270
Herefordshire.			Urban Districts ..	207,400	
Urban Districts ..	40,840		Redditch .. ..	19,460	
Ross-on-Wye .. ..	4,624		Rural Districts ..	103,080	102,870
Rural Districts ..	69,930		Droitwich .. ..	11,420	
Ross .. ..	Nil.		Evesham .. ..	13,160	
Ross and			Martley .. ..	12,230	
Whitchurch ..	11,450		Pershore .. ..	12,640	12,430
Whitchurch ..	Nil.		Shipston-on-Stour	Nil.	
Lancashire .. ..	5,074,680	5,072,610	Stow-on-the-		
County Boroughs ..	3,268,810	3,268,210	Wold (part of)	Nil.	
Manchester .. ..	773,900		Tewkesbury		
Urban Districts ..	1,540,930	1,539,700	(part of) .. ..	2,156	
Lathom and			Upton-on-Severn	13,380	
Burscough .. ..	Nil.		Winchcomb		
Ormskirk .. ..	17,200	17,100	(part of) .. ..	417	
Rural Districts ..	264,940	264,700	Civil Parishes		
West Lancashire	22,130		of Redmarley		
Middlesex.			d'Abitot and		
Urban Districts ..	1,594,890	1,590,400	Staunton ad-	Nil.	
Hendon .. ..	115,690	115,300	ministered by		
Rural Districts ..	48,900		R.D.C. of		
Hendon .. ..	43,300		Newent(Glos.).		

\* The population involved in this change was too small to necessitate adjustment for the calculation of rates. The figure here is therefore the same as in Table 17.

† No population was involved in this change. The figure here is therefore the same as in Table 17.



APPENDIX B.—DEATHS BY MONTH OF OCCURRENCE AND CAUSE, } { England and Wales.  
OCT., NOV. AND DEC., 1930.

Note :—The deaths in this Table are classified in accordance with the List of Causes in use during the period 1921–1930.

Inter- national List No.	Causes of Death.	1930.			Inter- national List No.	Causes of Death.	1930.		
		Oct.	Nov.	Dec.			Oct.	Nov.	Dec.
	ALL CAUSES.. .. { M. 17986 18987 22204 F. 17108 18045 21362				21	Erysipelas .. .. { M. 36 43 51 F. 27 46 42			
1-42	1. Epidemic, Endemic and Infectious Diseases { M. 2123 2311 2859 F. 1837 1846 2370				22	Acute poliomyelitis.. { M. 12 7 4 F. 14 6 5			
1	Enteric fever .. .. { M. 15 15 11 F. 16 19 8					1. Poliomyelitis .. { M. 9 5 3 F. 11 2 3			
	(a) Typhoid fever .. { M. 13 13 10 F. 13 14 7					2. Polioencephalitis .. { M. 3 2 1 F. 3 4 2			
	(b) Paratyphoid fever .. { M. 2 2 1 F. 3 5 1				23	Encephalitis lethargica .. { M. 39 33 32 F. 41 30 42			
2	Typhus .. .. { M. — — — F. — — —				24	Meningococcal meningitis .. { M. 17 26 26 F. 17 15 23			
3	Relapsing Fever (Spirillum obermeieri) { M. — — — F. — — —				25	Other epidemic diseases .. { M. 2 4 3 F. 1 — 3			
4	Mediterranean fever .. { M. — — — F. — — —					(1) German measles .. { M. — — 1 F. 1 — 2			
5	Malaria .. .. { M. 1 4 1 F. — — 1					(2) Varicella .. { M. — 4 1 F. — — 1			
6	Small-pox .. .. { M. 1 1 1 F. 1 — —					(3) Other diseases included under 25. { M. 2 — 1 F. — — —			
7	Measles .. .. { M. 52 100 194 F. 41 92 166				26	Glanders .. .. { M. — — — F. — — —			
8	Scarlet fever .. .. { M. 19 16 30 F. 25 25 35				27	Anthrax .. .. { M. — — — F. — — —			
9	Whooping cough .. { M. 29 28 58 F. 49 45 92				29	Tetanus .. .. { M. 6 9 7 F. 2 2 1			
10	Diphtheria .. .. { M. 115 121 169 F. 132 137 150				30	Mycoses .. .. { M. 6 5 4 F. 3 3 3			
11	Influenza .. .. { M. 170 211 275 F. 158 173 243					(1) Actinomycosis .. { M. 3 3 1 F. — 1 —			
	(a) { 1. With pneumonic complications. { M. 78 102 129 F. 55 58 88				31-37	(2) Other mycoses .. { M. 3 2 3 F. 3 2 3			
	{ 2. With other pulmonary complications. { M. 31 30 48 F. 30 30 56					Tuberculosis (all forms) .. { M. 1481 1567 1843 F. 1245 1177 1455			
	(b) { 1. With non-pulmonary complications. { M. 48 58 68 F. 56 64 77				31	„ Respiratory system { M. 1248 1337 1564 F. 1013 960 1216			
	{ 2. Without stated complication. { M. 13 21 30 F. 17 21 22				32	„ Nervous system .. { M. 85 82 99 F. 78 80 105			
13	Mumps .. .. { M. 1 — 3 F. — 1 2				33	„ Intestines and peritoneum .. { M. 38 42 48 F. 51 51 41			
15	Cholera nostras .. { M. — — — F. — — —				34	„ Vertebral column .. { M. 23 30 32 F. 17 13 20			
16	Dysentery .. .. { M. 1 4 6 F. 2 — 9				35	„ Joints .. .. { M. 14 11 11 F. 8 9 3			
	(a) Amoebic .. .. { M. — — 1 F. — — —				36	„ Other organs .. { M. 24 15 24 F. 15 13 19			
	(b) Bacillary .. .. { M. — 1 1 F. 2 — 8					(a) { Skin and subcutaneous tissue. { M. — 2 1 F. — 4 5			
	(c) Other or unspecified.. { M. 1 3 4 F. — — 1					(b) { Bones (Vertebral column excepted). { M. 8 2 2 F. 2 1 4			
18	Yellow fever .. .. { M. — — — F. — — —					(c) { Lymphatic system (abdominal glands excepted). { M. 3 3 5 F. 3 3 2			
19	Spirochaetosis ictero-haemorrhagica .. { M. — — — F. — — —					(d) Genito-urinary system. { M. 13 8 16 F. 10 5 7			
20	Leprosy .. .. { M. — — — F. — — —					(e) Others in 36 .. { M. — — — F. — — —			

APPENDIX B—*conid.*

inter-national List No.	Causes of Death.	1930.			inter-national List No.	Causes of Death.	1930.		
		Oct.	Nov.	Dec.			Oct.	Nov.	Dec.
37	Disseminated tuberculosis .. { M. F.	49 63	50 51	65 51	55	Beri-beri .. .. { M. F.	— —	— —	— —
	(a) Acute .. .. { M. F.	17 25	18 17	30 22	56	Rickets .. .. { M. F.	8 12	14 9	17 12
	(b) Chronic or unstated .. { M. F.	32 38	32 34	35 29	57	Diabetes .. .. { M. F.	197 286	204 282	243 297
38	Syphilis .. .. { M. F.	79 42	67 43	93 57	58	Anæmia, chlorosis .. { M. F.	92 129	89 128	83 118
39	Soft Chancre .. .. { M. F.	— —	— —	— —		(a) Pernicious anæmia .. { M. F.	81 115	75 111	78 103
40	Gonococcal infection.. { M. F.	3 1	— 1	4 2		(b) { Other anæmias and { M. F.	11 14	14 17	5 15
	(1) { Gonococcal infection { M. F.	2 1	— —	2 1	59	Diseases of the pituitary gland { M. F.	— —	3 —	1 —
	(2) { Gonorrhœal or puru- { M. F.	1 —	— 1	2 1	60	Diseases of the thyroid gland { M. F.	9 120	13 122	21 142
41	Purulent infection, septicæmia { M. F.	38 19	50 30	44 30		(a) Exophthalmic goitre .. { M. F.	8 98	9 91	13 109
42	Other infectious diseases .. { M. F.	— 1	— 1	— 1		(1) Myxœdema .. { M. F.	— 12	1 24	4 18
	(1) Vaccinia .. .. { M. F.	— 1	— —	— —		(b) (2) Cretinism.. { M. F.	1 2	1 2	2 4
	(2) { Other diseases included { M. F.	— —	— 1	— 1		(3) Other diseases of { M. F.	— 8	2 5	2 11
43-69	II. General diseases not in- { M. F.	2953 3617	2870 3468	2937 3498	61	Diseases of the parathyroid { M. F.	1 —	1 3	1 1
43-49	Cancer, Malignant disease .. { M. F.	2373 2706	2268 2575	2257 2521		(1) Tetany .. .. { M. F.	1 —	1 3	1 1
43	„ Buccal cavity .. { M. F.	221 29	220 28	193 38		(2) Other diseases of the { M. F.	— —	— —	— —
44	„ Pharynx, œsophagus, { M. F.	841 704	767 659	843 618	62	Diseases of the thymus .. { M. F.	7 4	5 3	13 9
45	„ Peritoneum, intes- { M. F.	606 592	567 539	526 522	63	Diseases of the adrenals .. { M. F.	10 17	9 11	4 12
46	„ Female genital organs.. F.	508	528	481	64	Diseases of the spleen .. { M. F.	1 2	1 1	1 1
47	„ Breast .. .. { M. F.	6 523	7 493	3 506	65	Leukæmia, lymphadenoma .. { M. F.	68 48	57 45	56 42
48	„ Skin .. .. { M. F.	85 38	83 42	61 37		(a) Leukæmia .. .. { M. F.	33 30	35 29	24 27
49	„ Other or unspecified { M. F.	614 312	624 286	631 319		(b) Lymphadenoma (Hodg- { M. F.	35 18	22 16	32 15
50	Tumours not returned as { M. F.	43 44	25 36	33 38	66	Alcoholism (Acute or chronic) { M. F.	4 4	3 6	3 1
51	Rheumatic fever .. .. { M. F.	33 46	53 54	60 65	67	Chronic poisoning by mineral { M. F.	5 —	5 —	3 —
52	Chronic rheumatism, osteo- { M. F.	76 175	96 169	114 216		(1) Occupational lead { M. F.	5 —	5 —	3 —
	(1) Chronic rheumatism, { M. F.	6 11	2 10	6 12		(2) Others .. .. { M. F.	— —	— —	— —
	(2) { Rheumatoid and osteo- { M. F.	50 157	77 157	86 198	68	Chronic poisoning by organic { M. F.	1 —	— —	— 1
	(3) Gout .. .. { M. F.	20 7	17 2	22 6	69	Other general diseases .. { M. F.	25 24	22 23	25 22
53	Scurvy.. .. { M. F.	— —	2 —	1 —		(1) Purpura .. .. { M. F.	12 11	11 15	11 12
54	Pellagra .. .. { M. F.	— —	— 1	1 —		(2) Hæmophilia .. .. { M. F.	6 3	8 1	7 1



APPENDIX B—*contd.*

Inter-national List No.	Causes of Death.	1930.			Inter-national List No.	Causes of Death.	1930.		
		Oct.	Nov.	Dec.			Oct.	Nov.	Dec.
	(3) Other diseases included under 69. { M. 7 3 7 F. 10 7 9				35	Diseases of the eye and annexa. { M. 6 7 F. 8 1			
70-86	III. Diseases of the Nervous System and Sense Organs { M. 1482 1660 1801 F. 1709 1770 2069				86	Diseases of the ear and of the mastoid sinus. { M. 73 55 F. 45 48			
70	Encephalitis .. .. { M. 9 10 8 F. 9 9 9					(1) Diseases of the mastoid sinus. { M. 24 24 F. 13 17			
	(1) Cerebral abscess .. { M. 6 3 4 F. 6 2 7					(2) Diseases of the ear .. { M. 49 31 F. 32 31			
	(2) Other diseases included under 70. { M. 3 7 4 F. 3 7 2								
71	Meningitis .. .. { M. 35 53 40 F. 35 34 45				87-96	IV. Diseases of the circulatory system. { M. 4294 4692 5492 F. 4445 4823 5962			
72	Tabes dorsalis (Locomotor-ataxy). { M. 46 47 60 F. 7 13 7				87-90	Heart diseases .. .. { M. 3425 3666 4343 F. 3726 3977 4977			
73	Other diseases of the spinal cord. { M. 59 68 90 F. 52 57 60				87	Pericarditis .. .. { M. 15 12 F. 12 5			
74	Cerebral hæmorrhage, apoplexy, etc. { M. 790 910 963 F. 1111 1156 1332				88	Acute endocarditis and myocarditis. { M. 72 70 F. 77 80			
	(a) { (1) Cerebral hæmorrhage so returned. { M. 601 693 719 F. 848 877 1008					(1) Infective endocarditis { M. 48 39 F. 44 46			
	(2) Apoplexy lesion unstated. { M. 42 53 50 F. 48 64 57					(2) Other acute endocarditis. { M. 15 13 F. 16 20			
	(b) { (1) Cerebral embolism { M. 11 18 25 F. 33 26 38					(3) Acute myocarditis .. { M. 9 18 F. 17 14			
	(2) Cerebral thrombosis. { M. 136 146 169 F. 182 189 229				89	Angina pectoris .. .. { M. 358 395 411 F. 143 173 181			
75	Paralysis of unstated origin. { M. 43 43 55 F. 58 71 88				90	Other diseases of the heart .. { M. 2980 3189 3885 F. 3494 3719 4675			
	(a) Hemiplegia .. .. { M. 39 40 47 F. 50 63 85					(1) Aortic valve disease .. { M. 183 175 211 F. 92 107 111			
	(b) Other forms of paralysis { M. 4 3 8 F. 8 8 3					(2) Mitral valve disease .. { M. 275 307 341 F. 480 527 641			
76	General paralysis of the insane { M. 89 76 92 F. 20 26 20					(3) Aortic and mitral valve disease. { M. 52 58 4 F. 50 43 3			
77	Other forms of insanity .. { M. 32 28 43 F. 49 61 54					(4) Other or unspecified valve disease. { M. 396 427 49 F. 518 527 67			
78	Epilepsy .. .. { M. 71 102 83 F. 79 74 93					(5) Fatty heart .. .. { M. 95 102 13 F. 147 143 16			
79-80	Convulsions (non-puerperal) { M. 67 81 80 F. 45 42 63					(6) Cardiac dilatation(cause unspecified). { M. 19 14 F. 14 15			
81	Chorea. . . . { M. 1 3 2 F. 5 8 7					(7) Other or unspecified myocardial disease. { M. 1715 1808 225 F. 1843 2039 257			
82	Hysteria and neuritis .. { M. 8 7 8 F. 6 11 14					(8) Disordered action of the heart. { M. 48 64 9 F. 105 96 12			
83	Cerebral softening .. { M. 14 11 19 F. 11 14 24					(9) Heart disease (undefined). { M. 197 234 25 F. 245 222 31			
84	Other diseases of the nervous system. { M. 139 159 185 F. 169 145 196				91	Disease of the arteries .. { M. 831 987 110 F. 668 779 92			
	(1) Idiocy, imbecility .. { M. 11 14 19 F. 13 15 15					(a) Aneurysm .. .. { M. 79 93 9 F. 16 24 2			
	(2) Cerebral tumour .. { M. 51 51 60 F. 65 39 54					(b) Arterio-sclerosis .. { M. 749 885 99 F. 646 748 88			
	(3) Disseminated sclerosis { M. 33 32 21 F. 35 34 40					(1) With record of cerebral vascular lesion { M. 412 501 53 F. 379 444 52			
	(4) Paralysis agitans .. { M. 34 48 64 F. 45 46 63					(2) Without record of cerebral vascular lesion. { M. 337 384 46 F. 267 304 37			
	(5) Other diseases included under 84. { M. 10 14 21 F. 11 11 24					(c) Other diseases of the arteries. { M. 3 9 1 F. 6 7			

APPENDIX B—*contd.*

Inter- national List No.	Causes of Death.	1930.			Inter- national List No.	Causes of Death.	1930.		
		Oct.	Nov.	Dec.			Oct.	Nov.	Dec.
92	Embolism and thrombosis { (not cerebral). { M. F.	10 23	14 19	13 14	107	Other diseases of the respira- { tory system. { M. F.	26 9	21 8	29 15
93	Diseases of the veins (varices, { hæmorrhoids, phlebitis, etc.) { M. F.	15 20	11 38	15 42		(a) Chronic interstitial { pneumonia. { M. F.	18 6	19 6	21 12
94	Diseases of the lymphatic { system (lymphangitis, etc.) { M. F.	4 2	5 2	2 1		(b) Diseases of the mediasti- { num. { M. F.	1 —	— —	1 1
95	Hæmorrhage without stated { cause. { M. F.	— 1	1 —	1 2		(c) Other diseases included { under 107. { M. F.	7 3	2 2	7 2
96	Other diseases of the cir- { culatory system. { M. F.	9 5	8 8	9 4					
97 -107	<b>V. Diseases of the respiratory { system. { M. F.</b>	<b>1892 1311</b>	<b>2250 1754</b>	<b>3353 2712</b>	108 -127	<b>VI. Diseases of the Digestive { System. { M. F.</b>	<b>1168 998</b>	<b>1191 1058</b>	<b>1301 1035</b>
97	Diseases of the nasal fossæ { and annexa. { M. F.	7 6	11 8	15 9	108	Diseases of the buccal cavity { and annexa. { M. F.	34 27	29 22	31 30
	(1) Diseases of the nose .. { F.	2 2	1 2	1 2		(1) Diseases of the teeth and { gums. { M. F.	21 17	21 18	23 15
	(2) Diseases of the acces- { sory nasal sinuses. { M. F.	5 4	10 6	14 7		(2) Ludwig's angina .. { F.	7 6	7 2	5 7
98	Diseases of the larynx .. { F.	13 8	13 5	23 10		(3) Other diseases included { under 108. { M. F.	6 4	1 2	3 8
	(1) Laryngismus stridulus { F.	2 2	2 1	2 2	109	Diseases of the pharynx and { tonsils. { M. F.	38 39	41 60	34 52
	(2) Laryngitis .. { F.	11 6	9 4	20 6		(1) Tonsillitis, etc., adenoid { vegetations. { M. F.	34 31	36 45	26 42
	(3) Other diseases .. { F.	— —	2 —	1 2		(2) Other diseases included { under 109. { M. F.	4 8	5 15	8 10
99	Bronchitis .. .. { F.	669 484	801 731	1293 1244	110	Diseases of the œsophagus. { F.	2 1	3 1	1 2
	(a) Acute .. .. { F.	126 115	139 195	279 356	111	Ulcer of the stomach or duo- { denum. { M. F.	228 93	258 102	309 103
	(b) Chronic .. .. { F.	285 154	347 228	550 377		(a) Ulcer of the stomach .. { F.	141 76	165 87	193 87
	(c & { Not stated whether { d) { acute or chronic. { M. F.	258 215	315 308	464 511		(b) Ulcer of the duodenum { F.	87 17	93 15	116 16
100 -101	Pneumonia (all forms) .. { F.	1029 696	1222 855	1741 1245	112	Other diseases of the stomach { F.	42 50	50 54	57 62
100	Broncho-pneumonia .. { F.	452 344	553 475	936 750		(1) Inflammation of the { stomach. { M. F.	35 45	37 45	44 51
101	Pneumonia (Lobar or not { otherwise defined) { M. F.	577 352	669 380	805 495		(2) Other diseases included { under 112. { M. F.	7 5	13 9	13 11
	(a) Lobar .. .. { F.	412 248	461 258	586 346	113 -114	Diarrhœa and enteritis .. { F.	307 252	263 248	285 205
	(b) Not otherwise defined .. { F.	165 104	208 122	219 149		(1) Ulceration of the intes- { tines. { M. F.	10 19	9 17	14 14
102	Pleurisy .. .. { F.	40 29	54 29	46 31		(2) Colitis .. .. { F.	13 15	12 14	18 23
	(1) Empyema .. .. { F.	18 6	17 6	17 8		(3) Other diseases included { under 113-114. { M. F.	284 218	242 217	253 168
	(2) Other pleurisy .. { F.	22 23	37 23	29 23	115	Ankylostomiasis .. .. { F.	— —	— —	— —
103	Congestion and hæmorrhagic { infarct of lung. { M. F.	32 44	41 44	63 58	116	Diseases due to other intes- { tinal parasites. { M. F.	— 1	1 1	1 1
104	Gangrene of the lung .. { F.	2 —	1 —	2 —		(a) Cestodes (hydatids of { the liver excepted). { M. F.	— —	— 1	1 —
105	Asthma .. .. { F.	68 35	77 72	138 99		(b) Trematodes .. .. { F.	— —	— —	— —
106	Pulmonary emphysema .. { F.	6 —	9 2	3 1		(c) Nematodes (other than { ankylostoma). { M. F.	— 1	1 —	— —



APPENDIX B—*contd.*

Inter-national List No.	Causes of Death.	1930.			Inter-national List No.	Causes of Death.	1930.		
		Oct.	Nov.	Dec.			Oct.	Nov.	Dec.
	(f) Undefined parasites .. { M. F.	—	—	—		(a) Stricture of the urethra { M. F.	36	24	36
117	Appendicitis, typhlitis .. { M. F.	135 125	150 106	147 111		(b) Other diseases .. { M. F.	1 —	1 1	2 —
118	Hernia, intestinal obstruction. { M. F.	173 170	177 179	199 195	135	Diseases of the prostate .. M.	351	321	344
	(a) Hernia .. .. { M. F.	77 80	72 76	78 83	136	Non-venereal diseases of the male genital organs. M.	6	7	6
	(b) Intestinal obstruction { M. F.	96 90	105 103	121 112	137	Cysts and other tumours of the ovary not returned as malignant. F.	28	31	25
119	Other diseases of the intestines. { M. F.	25 24	33 30	26 24	138	Salpingitis and pelvic abscess in females. F.	16	17	18
	(1) Intestinal stasis .. { M. F.	2 5	4 11	6 7		(1) Salpingitis .. .. F.	15	13	16
	(2) Other diseases included under 119 .. { M. F.	23 19	29 19	20 17	139	(2) Pelvic abscess in females. F.	1	4	2
120	Acute yellow atrophy of the liver. { M. F.	1 6	4 1	4 1	140	Tumours of the uterus not returned as malignant. F.	35	29	36
121	Hydatid tumour of the liver. { M. F.	— 2	1 1	1 —	141	Non-puerperal uterine hæmorrhage. F.	1	2	2
122	Cirrhosis of the liver .. { M. F.	95 49	85 58	101 43		Other diseases of the female genital organs. F.	15	14	12
	(a) Returned as alcoholic .. { M. F.	12 6	9 8	14 4		(1) Other diseases of the uterus. F.	11	11	9
	(b) Not returned as alcoholic { M. F.	83 43	76 50	87 39	142	(2) Diseases of the other female genital organs not included above. F.	4	3	3
123	Biliary calculi .. .. { M. F.	30 67	29 73	29 81		Non-puerperal diseases of the breast. { M. F.	— 1	— 1	— 1
124	Other diseases of the liver .. { M. F.	30 53	42 82	41 76	143	<b>VIII. The Puerperal State .. F.</b>	<b>146</b>	<b>236</b>	<b>238</b>
125	Diseases of the pancreas .. { M. F.	17 20	15 24	18 27	143	Accidents of pregnancy .. F.	21	34	18
126	Peritonitis of unstated origin { M. F.	11 19	10 16	17 22		(a) Abortion .. .. F.	4	7	4
						(b) Ectopic gestation .. F.	7	9	7
						(c) Other accidents .. .. F.	10	18	7
128	<b>VII. Non-puerperal diseases of the genito-urinary system</b> { M. F.	<b>1174 801</b>	<b>1091 830</b>	<b>1216 910</b>	144	Puerperal hæmorrhage .. F.	17	30	37
128	Acute nephritis (including unspecified under 10 years of age). { M. F.	49 41	47 54	55 45	145	Other accidents of childbirth .. F.	29	17	20
129	Chronic nephritis (including unspecified over 10 years of age). { M. F.	643 574	587 591	674 690	146	Puerperal sepsis .. .. F.	18	104	110
130	Chyluria .. .. { M. F.	— —	— —	— —	147	Puerperal phlegmasia alba dolens, embolism, sudden death. F.	20	10	16
131	Other diseases of the kidneys and annexa. { M. F.	36 44	34 46	36 36	148	(1) Puerperal phlegmasia alba dolens not returned as septic. F.	3	1	3
132	Calculi of the urinary passages { M. F.	18 18	26 15	15 16	149	(2) Puerperal embolism and sudden death. F.	17	9	13
133	Diseases of the bladder .. { M. F.	34 28	44 29	48 29	150	Puerperal albuminuria and convulsions. F.	38	40	34
	(1) Cystitis .. .. { M. F.	32 25	41 26	46 29	151	Childbirth not assignable above (puerperal insanity). F.	3	1	—
	(2) Other diseases .. { M. F.	2 3	3 3	2 —	151	Puerperal diseases of the breast F.	—	—	3
134	Diseases of the urethra, urinary abscess, etc. { M. F.	37 —	25 1	38 —		<b>IX. Diseases of the skin and cellular tissue. { M. F.</b>	<b>94 103</b>	<b>129 107</b>	<b>139 87</b>
						Gangrene .. .. { M. F.	32 37	28 29	35 18
						(1) Senile gangrene .. { M. F.	29 35	27 26	31 17
						(2) Other gangrene .. { M. F.	3 2	1 3	4 1

APPENDIX B—*contd.*

national List No.	Causes of Death.	1930.			Inter- national List No.	Causes of Death.	1930.		
		Oct.	Nov.	Dec.			Oct.	Nov.	Dec.
52	Carbuncle, boil .. .. { M. F.	21 19	25 19	34 9		(1) Diseases of the umbili- cus. { M. F.	8 5	6 2	4 8
53	Cellulitis, acute abscess .. { M. F.	20 15	40 32	39 23		(2) Atelectasis .. .. { M. F.	48 34	48 27	51 35
	(1) Cellulitis .. .. { M. F.	15 13	33 29	31 22		(3) Other diseases included under 162. { M. F.	12 11	10 19	10 9
	(2) Acute abscess .. .. { M. F.	5 2	7 3	8 1	163	Lack of care .. .. { M. F.	7 9	7 4	11 9
54	Other diseases of the skin and its annexa. { M. F.	21 32	36 27	31 37					
	(1) Ulcer, bed sore .. .. { M. F.	6 11	8 4	3 16	164	XIII. Old age .. .. { M. F.	571 801	607 878	758 1057
	(2) Eczema .. .. { M. F.	4 —	3 1	6 2		(1) Senile dementia .. .. { M. F.	64 87	67 84	88 122
	(3) Pemphigus .. .. { M. F.	5 11	6 3	4 6		(2) Other forms of senile decay. { M. F.	507 714	540 794	670 935
	(4) Other diseases included under 154. { M. F.	6 10	19 19	18 19	165- 203	XIV. External causes .. { M. F.	1219 571	1143 535	1169 535
55 -153	X. Diseases of the bones and organs of locomotion. { M. F.	41 29	42 34	67 37	165- 174	Suicide .. .. { M. F.	277 143	240 108	261 113
55	Diseases of the bones .. { M. F.	29 23	33 23	53 26	165- 166	By solid or liquid poisons and corrosive substances. { M. F.	38 23	30 22	30 18
	(1) Acute infective osteomy- elitis and pericostitis. { M. F.	22 15	22 12	35 14	167	By poisonous gas .. .. { M. F.	77 58	48 27	56 32
	(2) Other diseases of the bones. { M. F.	7 8	11 11	18 12	168	By hanging or strangula- tion. { M. F.	47 7	39 10	44 9
56	Diseases of the joints .. { M. F.	8 6	7 10	12 11	169	By drowning .. .. { M. F.	50 30	32 29	48 32
57	Amputation .. .. { M. F.	— —	— —	— —	170	By firearms .. .. { M. F.	17 —	21 2	22 —
58	Other diseases of the organs of locomotion. { M. F.	4 —	2 1	2 —	171	By cutting or piercing instruments. { M. F.	32 7	46 6	35 7
59	XI. Congenital malformations { M. F.	175 149	202 140	177 143	172	By jumping from high places { M. F.	4 7	13 3	9 6
	(1) Congenital hydrocephalus. { M. F.	13 9	10 7	13 9	173	By crushing .. .. { M. F.	11 1	11 6	17 1
	(2) Congenital malforma- tion of heart. { M. F.	68 70	73 47	74 56	174	By other means .. .. { M. F.	1 10	— 3	— 8
	(3) Other congenital mal- formations. { M. F.	94 70	119 86	90 78	175- 196 & 201- 203	Violent deaths excluding sui- cide and homicide. { M. F.	936 420	895 422	900 418
60 -183	XII. Diseases of early infancy { M. F.	759 572	761 540	892 825	175	Food poisoning .. .. { M. F.	1 1	1 —	1 3
60	Congenital debility, sclerema and icterus. { M. F.	124 73	113 71	156 90	176	Poisoning by venomous ani- mals. { M. F.	2 —	— 1	1 —
	(1) Congenital debility and sclerema. { M. F.	111 64	97 60	135 78	177	Other acute accidental poisonings. { M. F.	5 7	8 7	8 3
	(2) Icterus neonatorum .. { M. F.	13 9	16 11	21 12	178	Conflagration .. .. { M. F.	4 —	6 2	4 1
61	Premature birth, injury at birth. { M. F.	599 440	577 417	699 534	179	Accidental burns (conflagra- tion excepted). { M. F.	59 58	53 72	71 91
	(1) Premature birth .. { M. F.	509 491	527 385	599 438	180	Accidental mechanical suffo- cation. { M. F.	23 15	23 17	29 22
	(2) Injury at birth .. { M. F.	60 39	50 32	70 46	181	Accidental absorption of irre- spirable or poisonous gas. { M. F.	10 2	10 6	16 9
62	Other diseases peculiar to early infancy. { M. F.	68 50	64 48	65 52	182	Accidental drowning .. { M. F.	66 19	56 29	71 17



APPENDIX B—*contd.*

Inter- national List No.	Causes of Death.	1930.		
		Oct.	Nov.	Dec.
183	Accidental injury by firearms { M. F.	5 —	4 1	9 —
184	Accidental injury by cutting { M. or piercing instruments. { F.	1 1	— —	— —
185	Accidental injury by fall .. { M. F.	118 141	130 153	154 156
186	Accidental injury in mining { M. and quarrying. { F.	84 —	74 —	75 —
187	Accidental injury by machin- { M. ery. { F.	11 —	19 —	21 —
188	Accidental injury by other { M. forms of crushing (vehicles, { F. railways, etc.).	520 173	472 130	399 109
189	Injury by animals (poisoning { M. excepted). { F.	3 —	1 1	3 1
190	Wounds of war .. .. { M. F.	4 —	4 —	9 —
192	Hunger or thirst .. .. { M. F.	1 1	— 1	— —
193	Excessive cold .. .. { M. F.	1 —	2 —	6 1
194	Excessive heat .. .. { M. F.	1 —	— —	— —
195	Lightning .. .. { M. F.	— —	1 —	— —
196	Electricity (lightning ex- { M. cepted). { F.	7 —	— —	6 —
197 -199	Homicide .. .. { M. F.	6 8	8 5	8 4
197	By firearms .. .. { M. F.	1 1	— —	2 —
198	By cutting or piercing { M. instruments. { F.	1 —	— 1	1 —
199	By other means .. .. { M. F.	4 7	8 4	5 4
201	Fracture (cause not specified) { M. F.	1 —	4 —	— 1
202	Other and unstated forms of { M. accidental violence, execu- { F. tion.	17 2	27 2	16 4
203	Violent deaths of unknown { M. causation. { F.	1 —	— —	1 —
204 -205	<b>XV. Ill-defined diseases. .. { M. F.</b>	41 19	38 26	44 22
204	Sudden death .. .. { M. F.	12 5	10 4	11 4
205	Cause of death unstated or { M. ill-defined. { F.	29 14	28 22	33 18
	(1) Heart failure (1-70 { M. years). { F.	20 14	19 14	17 8
	(2) Other ill-defined causes { M. F.	8 —	5 6	8 8
	(3) Cause not specified. .. { M. F.	1 —	4 2	8 2

APPENDIX C. CHANGES IN THE DETAILED INTERNATIONAL LIST OF CAUSES OF DEATH (FOURTH REVISION, 1929) AS ADAPTED FOR USE IN ENGLAND AND WALES FROM 1931 AND ONWARDS.\*

NOTE.—The lettered divisions of the main titles of the list are international, while those distinguished by numbers are additional divisions adopted by the Registrar General for use in England and Wales.

List number, 1931.	Revised title, 1931.	Corresponding list number, 1921.	Changes in inclusions. (Terms transferred <i>to</i> a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred <i>from</i> a title are indicated by minus (—) and are followed by new numbers in parentheses.)
1	Typhoid fever (new title) .. .. .	1 (a)	
2	Paratyphoid fever (new title) .. .. .	1(b)	
3	Typhus fever .. .. .	2	
4	Relapsing fever ("Spirillum obermeieri")	3	
5	Undulant fever .. .. .	4	
6	Small-pox .. .. .	6	
	(a) Variola major .. .. .	—	} These divisions are not distinguished in England and Wales.
	(b) Variola minor, Alastrim .. .. .	—	
	(c) Not otherwise defined .. .. .	—	
7	Measles .. .. .	7	
8	Scarlet fever .. .. .	8	
9	Whooping cough .. .. .	9	
10	Diphtheria .. .. .	10	
11	Influenza—		
	(a) with respiratory complications ..	11 (a)	Formerly "with pulmonary complications."
	(1) with pneumonic complications..	11 (a) : 1	
	(2) with other respiratory complications.	11 (a) : 2	Formerly "with other pulmonary complications."
	(b) without respiratory complications..	11 (b)	
	(1) with non-respiratory complications.	11 (b) : 1	Formerly "with non-pulmonary complications."
	(2) without stated complications ..	11 (b) : 2	
12	Cholera .. .. .	14	
13	Dysentery—		
	(a) Amœbic .. .. .	16 (a)	
	(b) Bacillary .. .. .	16 (b)	
	(c) Other or unspecified .. .. .	16 (c)	
14	Plague—		
	(a) Bubonic .. .. .	17 (a)	
	(b) Pneumonic .. .. .	17 (b)	
	(c) Septicæmic .. .. .	17 (c)	
	(d) Not otherwise defined .. .. .	17 (d)	
15	Erysipelas .. .. .	21	— Erysipelas following vaccination (44 : 2).
16	Acute poliomyelitis—		
	(1) Acute poliomyelitis .. .. .	22 : 1	
	(2) Acute polioencephalitis .. .. .	22 : 2	
17	Encephalitis lethargica .. .. .	23	
18	Cerebro-spinal fever .. .. .	24	
19	Glanders .. .. .	26	
20	Anthrax .. .. .	27	
21	Rabies .. .. .	28	
22	Tetanus .. .. .	29	— Puerperal tetanus (145 (b) ).
23–32	Tuberculosis (all forms)—		
23	Respiratory system .. .. .	31	
24	Central nervous system .. .. .	32	
25	Intestines and peritoneum .. .. .	33	
26	Vertebral column .. .. .	34	
27	Other bones and joints (new title) ..	35, 36 (b)	
28	Skin and subcutaneous tissues .. ..	36 (a)	
29	Lymphatic system (abdominal and bronchial glands excepted).	36 (c)	
30	Genito-urinary system .. .. .	36 (d)	

\* See Manual of the International List of Causes of Death obtainable from H.M. Stationery Office, Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 3s.



## APPENDIX C—continued.

List number, 1931.	Revised title, 1931.	Corresponding list number, 1921.	Changes in inclusions. (Terms transferred to a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred from a title are indicated by minus (−) and are followed by new numbers in parentheses.)
31	Tuberculosis— <i>cont.</i> Other organs— (1) Adrenals (new title) .. ..	63 (pt.)	
32	(2) Other sites included under 31 ..	36 (e)	
	Disseminated tuberculosis— (a) Acute .. ..	37 (a)	
	(b) Chronic (new sub-title) .. ..	37 (b)	
	(c) Not distinguished as acute or chronic (new sub-title).		
33	Leprosy .. .. .	20	
34	Syphilis— (a) Congenital syphilis (new sub-title) ..	38	
	(b) (c) Acquired or unspecified (new sub-title).		
35	Other venereal diseases (new title)— (1) Gonorrhoeal or purulent ophthalmia	40 : 2	
	(2) Other diseases included under 35 ..	39, 40 : 1	
36	Purulent infection, septicæmia .. ..	41	— Multiple abscess (152 : 2), septicæmia, etc., following vaccination (44 : 2).
	(a) Septicæmia (new sub-title) .. ..		
	(b) Pyæmia (new sub-title) .. ..		
	(c) Gas gangrene (new sub-title) ..		
37	Yellow fever .. .. .	18	
38	Malaria .. .. .	5	
	(a) Malarial fever .. .. .	—	} These divisions are not distinguished in England and Wales.
	(b) Malarial cachexia .. .. .	—	
39	Other diseases due to protozoa (new title)	19 25 : 3 (pt.), 116 (d)	+ Leishmaniasis, rat-bite fever, trypanosomiasis, yaws (25 : 3).
40	Ankylostomiasis .. .. .	115	
41	Hydatid cysts (new title)— (a) Liver (new sub-title) .. ..	121	
	(b) Other organs (new sub-title) ..	116 (a) (pt.)	
42	Other diseases due to helminths (new title)	42 : 2 116 (a) (pt.) 116 (b) 116 (c) 116 (e) 130 (pt.)	+ Bilharziasis (130).
43	Mycoses— (1) Actinomycosis .. .. .	30 : 1	
	(2) Other mycoses .. .. .	30 : 2, 154 : 4 (pt.)	+ Ringworm, favus (154 : 4).
44	Other infectious or parasitic diseases— (1) Vaccinia .. .. .	42 : 1 (pt.)	— Vaccination (44 : 2).
	(2) Other sequelæ of vaccination (new title).	42 : 1 (pt.)	
	(3) German measles .. .. .	25 : 1	
	(4) Varicella .. .. .	25 : 2	
	(5) Mumps .. .. .	13	
	(6) Other diseases included under 44 ..	12, 25 : 3 (pt.) 97 : 1 (pt.)	+ Military fever (12), acrodynia, blackwater fever, dengue, epidemic hiccough, fourth disease, glandular fever, sand-fly fever, trench fever (25 : 3), rhinoscleroma (97 : 1).
45-53	Cancer, malignant disease—		
45	Buccal cavity and pharynx .. ..	43, 44 (pt.)	+ Pharynx (44).
46	Digestive organs and peritoneum ..		+ Pancreas (49), — pharynx (45), and tumours (undetermined) of stomach and pylorus (46).
	(a) Œsophagus .. .. .	44 (pt.)	
	(b) Stomach and duodenum .. ..	44 (pt.)	
		45 (pt.)	
	(c) Rectum .. .. .	45 (pt.)	
	(d) Liver and biliary passages ..	44 (pt.)	
	(e) Pancreas .. .. .	49 (pt.)	
	(f) Peritoneum .. .. .	45 (pt.)	
	(g) Other digestive organs .. ..	44 (pt.)	
		45 (pt.)	

APPENDIX C—*continued.*

List number, 1931.	Revised title, 1931.	Corresponding list number, 1921.	Changes in inclusions. (Terms transferred <i>to</i> a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred <i>from</i> a title are indicated by minus (−) and are followed by new numbers in parentheses.)
	Cancer, malignant disease— <i>cont.</i>		
47	Respiratory organs (new title) .. ..	49 (pt.)	
48	Uterus (new title) .. ..	46	
49	Other female genital organs (new title)	47	
50	Breast .. ..	48 (pt.),	
51	Male genito-urinary organs (new title) ..	49 (pt.).	
52	Skin .. ..	48	− Penis, scrotum (51).
53	Other or unspecified organs .. ..	49	− Respiratory organs (47), male genito-urinary organs (51).
54	Non-malignant tumours (new title)— (a) Female genital organs (new sub-title)	50 (pt.), 137, 139, 141 : 2 (pt.).	+ Non-malignant tumours of female genital organs (137, 139, 141 : 2).
	(b) Other sites (new sub-title) .. ..	50 (pt.), 84 : 2 (pt.), 85 (pt.).	+ Non-malignant tumours of eye (85) and of brain (84 : 2). − Sebaceous cysts (153), Adenoma of thyroid (66 (a)).
55	Tumours of undetermined nature (new title)— (a) Female genital organs (new sub-title)	50 (pt.), 137, 139, 141 : 2 (pt.).	+ Undetermined tumours of female genital organs (137, 139, 141 : 2).
	(b) Other sites (new sub-title) .. ..	44 (pt.), 50 (pt.), 84 : 2 (pt.), 85 (pt.).	+ Undetermined tumours of stomach and pylorus (44), of eye (85), and of brain (84 : 2).
56	Rheumatic fever .. ..	51	
57	Chronic rheumatism, osteo-arthritis .. (1) Chronic rheumatism .. ..	52 : 1, 158 (pt.).	− Gout (58) (new title). + Fibrositis, myofibrositis, muscular rheumatism (158).
	(2) Rheumatoid arthritis, osteo-arthritis	52 : 1 (pt.) and : 2.	+ Chronic arthritis (52 : 1) since 1927.
58	Gout (new title) .. ..	52 : 3	
59	Diabetes .. ..	57	
60	Scurvy .. .. (a) Infantile scurvy (Barlow's disease) (new sub-title).	53	
	(b) Scurvy (new sub-title) .. ..	—	} These divisions are not distinguished in England and Wales.
61	Beri-beri .. ..	55	
62	Pellagra .. ..	54	
63	Rickets— (1) Rickets (new sub-title) .. ..	56	
	(2) Spinal curvatures of undetermined nature (new sub-title) .. ..	155 : 2 (pt.)	
64	Osteomalacia (new title) .. ..	155 : 2 (pt.)	
65	Diseases of the pituitary gland— (1) Infantilism .. ..	69 : 3 (pt.)	
	(2) Other diseases of the pituitary gland	59, 69 : 3 (pt.).	+ Dwarfism (69 : 3).
66	Diseases of the thyroid and parathyroid glands— (a) Simple goitre (new sub-title) .. ..	50 (pt.), 60 (b) : 3 (pt.).	+ Adenoma of thyroid (50).
	(b) Exophthalmic goitre .. ..	60 (a)	
	(c) Myxœdema, cretinism .. ..	60 (b) : 1 & 2	
	(d) Tetany .. ..	61 : 1	
	(e) Other diseases included under 66 ..	60 (b) : 3 (pt.), 61 : 2.	Previous to 1924, included under "other diseases of nervous system" (87e).
67	Diseases of the thymus .. ..	62	
68	Diseases of the adrenals .. ..	63	+ Progeria (69 : 3), Hæmorrhage of adrenals (95). − Tuberculosis of adrenals (31 : 1).
69	Other general diseases— (1) Amyloid disease of unstated origin (new title).	} 69 : 3 (pt.)	Formerly included under the organ affected.
	(2) Other diseases included under 69 ..		+ Hæmatogenous jaundice (124). − Infantilism (65 : 1), dwarfism (65 : 2), erythræmia, methæmoglobinæmia, Osler's disease, polycythæmia, sulph-hæmoglobinæmia (74), progeria (68).



## APPENDIX C—continued.

List number, 1931.	Revised title, 1931.	Corresponding list number, 1921.	Changes in inclusions. (Terms transferred to a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred from a title are indicated by minus (—) and are followed by new numbers in parentheses.)
70	Hæmorrhagic conditions— (a) Purpura .. .. . (b) Hæmophilia .. .. .	69 : 1 69 : 2	
71	Anæmia, chlorosis— (a) Pernicious anæmia .. .. (b) Other anæmias and chlorosis .. (1) Splenic anæmia (new title) .. (2) Other diseases included under 71(b)	58 (a) 58 (b)	— Banti's disease (73 : 1).
72	Leukæmia, aleukæmia— (a) Leukæmia .. .. . (b) Aleukæmia (lymphadenoma) ..	65 (a) 65 (b)	
73	Diseases of the spleen— (1) Banti's disease (new title) .. .. (2) Other diseases of the spleen ..	64	— Amyloid, etc., disease of spleen (69 : 1).
74	Other diseases of the blood and blood-forming organs (new title).	69 : 3 (pt.)	
75	Alcoholism (acute or chronic) .. ..	66	
76	Chronic poisoning by other organic substances— (a) Occupational .. .. . (b) Others .. .. .	68 — —	} These divisions are not distinguished in England and Wales.
77	Chronic poisoning by mineral substances— (a) Occupational .. .. . (b) Others .. .. . (1) Occupational lead poisoning .. (2) Other chronic poisoning by mineral substances.	— — 67 : 1 67 : 2	
78	Encephalitis— (a) Cerebral abscess .. .. . (b) Other diseases included under 78 ..	70 : 1, 155 : 2 (pt.) 70 : 2	+ Temporo-sphenoidal abscess (155 : 2).
79	Meningitis .. .. .	71, 77 (pt.)	+ Bell's mania (77).
80	Tabes dorsalis (locomotor ataxy) ..	72	
81	Other diseases of the spinal cord .. (1) Progressive muscular atrophy (new sub-title). (2) Sub-acute combined sclerosis (new sub-title). (3) Myelitis of unstated origin (new sub-title). (4) Other diseases included under 81 ..	73	— Myasthenia gravis (156 (b) ).
82	Cerebral hæmorrhage, apoplexy, &c.— (a) Cerebral hæmorrhage .. .. (1) Cerebral hæmorrhage so returned .. (2) Apoplexy (lesion unstated) .. (b) Cerebral embolism and thrombosis— (1) Cerebral embolism .. .. (2) Cerebral thrombosis .. .. (3) Cerebral softening .. .. (c) Hemiplegia and other paralyzes of unstated origin— (1) Hemiplegia .. .. . (2) Other paralyzes of unstated origin	74 (a) 74 (a) : 1 74 (a) : 2 74 (b) : 1 74 (b) : 2 83 75 (a) 75 (b)	
83	General paralysis of the insane .. ..	76	
84	Other forms of insanity— (a) Dementia præcox (new sub-title) .. (b) Other conditions included under 84	77	— Bell's mania (79).
85	Epilepsy .. .. .	78	
86	Infantile convulsions (age under 5 years)	80	
87	Other diseases of the nervous system— (a) Chorea .. .. . (b) Neuritis, neuralgia .. .. (c) Paralysis agitans .. .. .	81 82 84 : 4	— Anorexia nervosa, catalepsy, hysteria (87 (e) ).

## APPENDIX C—continued.

List number, 1931.	Revised title, 1931.	Corresponding list number, 1921.	Changes in inclusions. (Terms transferred to a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred from a title are indicated by minus (—) and are followed by new numbers in parentheses.)
	Other diseases of the nervous system— <i>cont.</i> (d) Disseminated sclerosis .. .. . (e) Other diseases included under 87 ..	84 : 3 79, 82 : 1 (pt.), 84 : 1 & 5	+ Anorexia nervosa, catalepsy, hysteria (82 : 1).
88	Diseases of the eye and annexa .. ..	85	— Tumours (54, 55) and foreign body in eye (194 : 2).
89	Diseases of the ear and mastoid sinus— (a) Otitis, and other diseases of the ear (b) Diseases of the mastoid sinus ..	86 : 2 86 : 1	
90–95	Heart diseases—		
90	Pericarditis .. .. .	87	
91	Acute endocarditis (new title)— (1) Malignant endocarditis .. .. (2) Other acute endocarditis .. ..	88 : 1 88 : 2 (pt.)	Previous to 1931, deaths from endocarditis or myocarditis (unqualified) under 45 years of age were included under acute endocarditis or acute myocarditis, and those over 45 years of age included under other or unspecified valve disease or myocardial disease respectively.
92	Chronic endocarditis, valvular disease (new title)— (1) Aortic valve disease.. .. . (2) Mitral valve disease.. .. . (3) Aortic and mitral valve disease .. (4) Endocarditis, not returned as acute or chronic (new sub-title). (5) Other or unspecified valve disease..	90 : 1 90 : 2 90 : 3 { 88 : 2 (pt.) 90 : 4 (pt.) } 90 : 4	See note above against 91 : 2.
93	Diseases of the myocardium (new title)— (a) Acute myocarditis .. .. . (b) Myocardial degeneration (new sub-title)— (1) Fatty heart .. .. . (2) Cardio-vascular degeneration (new sub-title).  (3) Other diseases included under 93 (b). (c) Myocarditis, not returned as acute or chronic (new sub-title).	88 : 3 90 : 5 90 : 7  90 : 7 { 88 : 3 (pt.) 90 : 7 (pt.) }	Includes deaths from arterio-sclerosis with myocardial degeneration which previous to 1929 were chiefly allocated to arterio-sclerosis.  See note above, against 91 : 2.
94	Diseases of the coronary arteries, angina pectoris (new title).	89	Includes deaths from atheroma and sclerosis of coronary arteries which previous to mid-1927 were allocated to arterio-sclerosis.
95	Other diseases of the heart— (a) Disordered action of heart .. .. (b) Other diseases included under 95— (1) Dilatation of heart (cause unspecified). (2) Heart disease (undefined) ..	90 : 8 90 : 6 90 : 9	
96	Aneurysm .. .. .	91 (a)	
97	Arterio-sclerosis— (1) Arterio-sclerosis, with cerebral hæmorrhage (new title). (2) Arterio-sclerosis, with record of other cerebral vascular lesion. (3) Arterio-sclerosis, without record of cerebral vascular lesion.	91 (b) : 1 91 (b) : 2	See note above against 94.
98	Gangrene— (a) Senile gangrene .. .. . (b) Other gangrene .. .. .	151 : 1 151 : 2	
99	Other diseases of the arteries .. ..	91 (c), 92 (pt.).	+ Cardiac embolism, embolism or thrombosis (unqualified), embolism of mesenteric artery, septic embolism (92).
100	Diseases of the veins (varix, hæmorrhoids, phlebitis, &c.)— (1) Varix (new sub-title) .. .. (2) Other diseases of the veins .. ..	93 (pt.) 92 (pt.), 93 (pt.).	+ Air embolism, phlegmasia alba dolens (non-puerperal), septic thrombosis (92).
101	Diseases of the lymphatic system (lymphangitis, &c.).	94	



APPENDIX C—*continued*.

List number, 1931.	Revised title, 1931.	Corresponding list number, 1921.	Changes in inclusions. (Terms transferred <i>to</i> a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred <i>from</i> a title are indicated by minus (—) and are followed by new numbers in parentheses.)
102	Abnormalities of blood pressure (new title)	96	
103	Other diseases of the circulatory system..	95	— Hæmorrhage of adrenals (68).
104	Diseases of the nasal fossæ and annexa— (1) Diseases of the nose .. .. (2) Diseases of the accessory nasal sinuses.	97 : 1 97 : 2	— Rhinoscleroma (44 : 6).
105	Diseases of the larynx— (1) Laryngismus stridulus .. .. (2) Laryngitis .. .. (3) Other diseases of the larynx ..	98 : 1 98 : 2 98 : 3	— Spasm of glottis over 3 years of age. + Spasm of glottis over 3 years of age.
106	Bronchitis— (a) Acute bronchitis .. .. (b) Chronic bronchitis .. .. (c) Bronchitis, not distinguished as acute or chronic.	99 (a) 99 (b) 99 (c) & (d)	
107–109	Pneumonia (all forms) .. ..	100, 101	
107	Broncho-pneumonia .. ..	100	
108	Lobar pneumonia .. ..	101 (a)	
109	Pneumonia (not otherwise defined) ..	101 (b)	
110	Pleurisy— (1) Empyema .. .. (2) Other pleurisy .. ..	102 : 1 102 : 2	
111	Congestion and hæmorrhagic infarct of lung, &c.— (1) Hypostatic congestion of lungs (new sub-title). (2) Other diseases included under 111..	103 (pt.) 92 (pt.), 103 (pt.).	— Collapse of lung (age 3 months and over) (114 (b) : 2). + Pulmonary embolism (92). + Hay fever, summer bronchitis (107 (c) ).
112	Asthma .. ..	105, 107 (c) (pt.).	
113	Pulmonary emphysema .. ..	106	
114	Other diseases of the respiratory system— (a) Chronic interstitial pneumonia, including occupational diseases of the lung. (b) Other diseases included under 114— (1) Gangrene of the lung .. .. (2) Other diseases included under 114 (b).	107 (a) 104 103 (pt.) 107 (b) (c).	+ Collapse of lung (age 3 months and over) (103), — hay fever summer bronchitis (112).
115	Diseases of the buccal cavity, pharynx, &c. (new title). (1) Diseases of the teeth and gums .. (2) Ludwig's angina .. .. (3) Diseases of the tonsils .. .. (4) Other diseases included under 115..	108 : 1 & 3 (pt.). 108 : 2 109 : 1 108 : 3 (pt.), 109 : 2. 110	+ Ulceration of mouth (108 : 3). — Ulceration of mouth (115 : 1).
116	Diseases of the œsophagus .. ..	110	
117	Ulcer of the stomach or duodenum— (a) Ulcer of the stomach .. .. (b) Ulcer of the duodenum .. ..	111 (a), 112 : 2 (pt.). 111 (b)	+ Perforation of stomach (112 : 2).
118	Other diseases of the stomach— (1) Inflammation of the stomach .. (2) Other diseases included under 118..	112 : 1 112 : 2 (pt.).	— Perforation of stomach (117 (a)).
119, 120	Diarrhoea and enteritis— (a) Diarrhoea and enteritis— (1) Colitis .. .. (2) Other diarrhoea and enteritis .. (b) Ulceration of intestines .. ..	113, 114 : 2 15, 113, 114 : 2 (pt.), 114 : 3. 113, 114 : 1	— Membranous colitis and enteritis (119, 120 (a) : 2). + Membranous colitis and enteritis (113, 114 : 2). Cholera nostra (15).

APPENDIX C—*continued.*

List number, 1931.	Revised title, 1931.	Corresponding list number, 1921.	Changes in inclusions. (Terms transferred <i>to</i> a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred <i>from</i> a title are indicated by minus (−) and are followed by new numbers in parentheses.)
121	Appendicitis.. .. .	117	
122	Hernia, intestinal obstruction— (a) Hernia— (1) Strangulated hernia (new sub-title). (2) Hernia not returned as strangulated (new sub-title). (b) Intestinal obstruction .. ..	118 (a) 118 (b)	
123	Other diseases of the intestines— (1) Constipation, intestinal stasis .. (2) Diverticulitis (new sub-title) .. (3) Other diseases included under 123..	119 : 1 119 : 2	— Hirschsprung's disease (157 (e) : 4).
124	Cirrhosis of the liver— (a) Returned as alcoholic .. .. (b) Not returned as alcoholic .. ..	122 (a) 122 (b)	— Amyloid degeneration of liver (69 : 1).
125	Other diseases of the liver— (1) Acute yellow atrophy .. .. (2) Other diseases included under 125..	120 124 (pt.)	— Hæmatogenous jaundice (69 : 2), diseases of gall bladder (127).
126	Biliary calculi— (1) With cholecystitis (new title) .. (2) Without mention of cholecystitis (new title).	123	
127	Other diseases of the gall bladder and ducts (new title)— (1) Cholecystitis, without record of biliary calculi (new sub-title). (2) Other diseases included under 127..	124 (pt.)	
128	Diseases of the pancreas .. .. .	125	
129	Peritonitis, without stated cause.. ..	126	
130–132	Nephritis—		
130	Acute nephritis .. .. .	128	— Nephritis unqualified under 10 years of age.
131	Chronic nephritis .. .. .	129	— Nephritis unqualified over 10 years of age, Amyloid, etc., disease (69 : 1).
132	Nephritis, not stated to be acute or chronic (new title).	128 (pt.), 129 (pt.).	
133	Other diseases of the kidney and annexa— (a) Pyelitis (new title) .. .. (b) Other diseases included under 133..	131 (pt.) 130 (pt.), 131 (pt.), 159 : 3 (pt.).	+ Chyluria (130), congenital cystic or fibro-cystic disease of kidney (159 : 3).
134	Calculi of the urinary passages— (a) Calculi of kidney and ureter (new title). (b) Calculi of the bladder (new title) .. (c) Calculi of unstated site (new title)..	132	
135	Diseases of the bladder— (a) Cystitis .. .. . (b) Other diseases of the bladder ..	133 : 1 133 : 2, 134 (b) (pt.).	+ Vesical fistulæ (134 (b) ).
136	Diseases of the urethra, urinary abscess, &c.— (a) Stricture of the urethra .. .. (b) Other diseases of the urethra, &c. .	134 (a) 134 (b)	— Vesical fistulæ (135 (b) ).
137	Diseases of the prostate .. .. .	135	
138	Diseases of the male genital organs ..	136	
139	Diseases of the female genital organs— (a) Diseases of the ovary, Fallopian tube and parametrium (new title)— (1) Diseases of the ovary (new sub-title). (2) Diseases of the Fallopian tube (new sub-title). (3) Diseases of the parametrium (new sub-title).	141 : 2 (pt.) 138 : 1 138 : 2	



## APPENDIX C—continued.

List number, 1931.	Revised title, 1931.	Corresponding list number, 1921.	Changes in inclusions. (Terms transferred to a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred from a title are indicated by minus (—) and are followed by new numbers in parentheses.)
	Diseases of the female genital organs— <i>cont.</i>		
	(b) Diseases of the uterus .. ..	140, 141 : 1	
	(c) Diseases of the breast .. ..	142 (pt.)	
	(d) Other diseases of the female genital organs.	141 : 2 (pt.)	
140, 145	Puerperal sepsis .. ..	146	
140	Post-abortion sepsis (new title) ..	146 (pt.)	
141	Abortion not returned as septic (new title)—		
	(1) Hæmorrhage following abortion (new sub-title).	143 (c) (pt.)	
	(2) Without record of hæmorrhage (new sub-title).	143 (a)	
142	Ectopic gestation .. ..	143 (b)	
143	Other accidents of pregnancy .. ..	143 (c)	— Ante-partum hæmorrhage (141 : 1), Chorea, hyperemesis and vomiting of pregnancy (147).
144	Puerperal hæmorrhage—		
	(a) Placenta prævia (new sub-title) ..	} 144	
	(b) Other puerperal hæmorrhage (new sub-title).		
145	Puerperal sepsis not returned as post-abortion (new title)—		
	(a) Puerperal septicæmia and pyæmia (new sub-title).	146 (pt.)	
	(b) Puerperal tetanus (new sub-title) ..	29 (pt.)	
146	Puerperal albuminuria and convulsions—		— Toxæmia of pregnancy (147).
	(1) Puerperal convulsions (new sub-title)	} 148 (pt.)	
	(2) Other conditions included under 146		
147	Other toxæmias of pregnancy (new title)	143 (c) (pt.) 148 (pt.)	
148	Puerperal phlegmasia alba dolens, embolism, and sudden death—		
	(a) Puerperal phlegmasia alba dolens not returned as septic.	147 1, 147 : 2 (pt.).	+ Puerperal thrombosis (147 : 2).
	(b) Puerperal embolism and sudden death.	147 : 2	— Puerperal thrombosis (148 (a) ).
149	Other accidents of childbirth .. ..	145 (pt.)	— Childbirth (unqualified) (150 : 3).
150	Other or unspecified conditions of the puerperal state—		
	(1) Puerperal insanity .. ..	149	
	(2) Puerperal diseases of the breast ..	150	
	(3) Childbirth (unqualified) (new title)	145 (pt.)	
151	Carbuncle, boil .. ..	152	
152	Cellulitis, acute abscess—		
	(1) Cellulitis .. ..	153 : 1	— Cellulitis following vaccination (44 : 2).
	(2) Acute abscess .. ..	41 (pt.), 153 : 2.	+ Multiple abscess (41).
153	Other diseases of the skin and its annexa	50 (pt.), 154.	— Pemphigus neonatorum (161 (c) : 2), favus, ringworm (43 : 2).
154	Acute infective osteomyelitis and periostitis	155 : 1	+ Sebaceous cyst (50).
155	Other diseases of the bones .. ..	155 : 2 (pt.)	— Achondroplasia, osteogenesis imperfecta (157 (e) : 4), spinal curvature (63 : 2), osteomalacia (64), temporo-sphenoidal abscess (78 (a) ).
156	Diseases of the joints and other organs of locomotion (new title)—		
	(a) Diseases of the joints .. ..	156	
	(b) Diseases of other organs of locomotion.	73 (pt.), 157, 158,	— Fibrositis, myofibrositis, muscular rheumatism (57 : 1).
157	Congenital malformations—		+ Myasthenia gravis (73).
	(a) Congenital hydrocephalus .. ..	159 : 1	
	(b) Spina bifida and meningocele (new title).	159 : 3 (pt.)	
	(c) Congenital malformation of heart ..	159 : 2	



## APPENDIX C—continued.

List number, 1931.	Revised title, 1931.	Corresponding list number, 1921.	Changes in inclusions. (Terms transferred to a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred from a title are indicated by minus (—) and are followed by new numbers in parentheses.)
	<b>Congenital malformations—cont.</b>		
	(d) Monstrosities (new title) .. ..	159 : 3 (pt.)	
	(e) Other congenital malformations—		
	(1) Congenital pyloric stenosis (new sub-title).	159 : 3	+ Achondroplasia, osteogenesis imperfecta (155 : 2). — Congenital cystic or fibro-cystic disease of kidney (133 (b)).
	(2) Cleft palate, harelip (new sub-title).		
	(3) Imperforate anus (new sub-title).		
	(4) Other stated congenital malformations (new sub-title).		
	(5) Congenital malformation, unspecified (new sub-title).		
158	Congenital debility .. ..	160 : 1 (pt.)	— Heart failure (200:1), œdema and sclerema neonatorum (161 (c) : 3).
159	Premature birth .. ..	161 : 1	
160	Injury at birth—		
	(a) With mention of Cæsarean section (new sub-title).	161 : 2	
	(b) Without mention of Cæsarean section (new sub-title).		
161	Other diseases peculiar to early infancy—		
	(a) Atelectasis .. ..	162 : 2	
	(b) Icterus neonatorum .. ..	160 : 2	
	(c) Other diseases included under 161—		
	(1) Diseases of the umbilicus ..	162 : 1	
	(2) Pemphigus neonatorum (new sub-title).	154 : 3 (pt.)	
	(3) Other diseases included under 161 (c).	160 : 1 (pt.), 162 : 3.	+ Œdema and sclerema neonatorum (160 : 1).
162	Old age—		
	(a) Senile dementia .. ..	164 : 1	
	(b) Other forms of senile decay ..	164 : 2	— Heart failure (200 : 1), syncope over 70 (199).
163–198	Violent Deaths*		
163–171	Suicide—		
163	By solid or liquid poisons and corrosive substances.	165, 166	
164	By poisonous gas .. ..	167	
165	By hanging or strangulation .. ..	168	
166	By drowning .. ..	169	
167	By firearms .. ..	170	
168	By cutting or piercing instruments ..	171	
169	By jumping from high places .. ..	172	
170	By crushing .. ..	173	
171	By other means .. ..	174	
172–175	Homicide—		
172	Infanticide (under one year) .. ..	200	This title is not used in England and Wales, the deaths being assigned to 173–175 according to the means of violence.
173	Homicide by firearms .. ..	197	
174	Homicide by cutting or piercing instruments.	198	
175	Homicide by other means .. ..	199	
176–194	Accidental deaths—		— Open verdict deaths (195).
176	Attack by venomous animals .. ..	176	
177	Food poisoning .. ..	175	
178	Accidental absorption of irrespirable or poisonous gas.	181	
179	Other acute accidental poisoning (not by gas).	177	
180	Conflagration .. ..	178	
181	Accidental burns (conflagration excepted)	179	
182	Accidental mechanical suffocation ..	180	
183	Accidental drowning .. ..	182	
184	Accidental injury by firearms .. ..	183	
185	Accidental injury by cutting or piercing instruments.	184	
186	Accidental injury by fall, crushing, &c.	185–8	
187	Cataclym (new title) .. ..	—	

\* From 1931 onwards all deaths from violence will be included under titles 163–198 but a supplementary tabulation will be made of all deaths from accidents in mines and quarries, accidents caused by machinery, by means of transport, by building operations, in docks, etc., and of deaths by criminal abortion.



## APPENDIX C—continued.

List number, 1931.	Revised title, 1931.	Corresponding list number, 1921.	Changes in inclusions. (Terms transferred <i>to</i> a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred <i>from</i> a title are indicated by minus (−) and are followed by new numbers in parentheses.)
188	Accidental deaths— <i>cont.</i> Injury by animals (poisoning by venomous animals excepted).	189	
189	Hunger or thirst .. .. .	192	
190	Excessive cold .. .. .	193	
191	Excessive heat .. .. .	194	
192	Lightning.. .. .	195	
193	Electricity (lightning excepted) ..	196	
194	Other and unstated forms of accidental violence— (1) Inattention at birth .. .. . (2) Other causes included under 194..	163 201, 202	— Execution (198).
195	Violent deaths of unstated nature (i.e., accidental, suicidal, &c.).	203	
196	Wounds of war .. .. .	190	
197	Execution of civilians by belligerent armies	191	
198	Execution .. .. .	202 (pt.)	
199	Sudden death .. .. .	160 : 1 (pt.), 164 : 2 (pt.), 204.	+ Deaths under 1 year of age and 70 years and over from syncope
200	Cause of death unstated or ill-defined— (1) Heart failure .. .. . (2) Other ill-defined causes .. .. . (3) Cause not specified .. .. .	160 : 1 (pt.), 164 : 2 (pt.), 205 : 1 205 : 2 205 : 3	+ Deaths under 1 year of age and 70 years and over.





